1023E Sub-Compact Utility Tractor (15 PTO hp)

Equipment for Base Machine

ENGINE: Yanmar 3 Cylinder Liquid Cooled Diesel Engine Tier IV EPA Emmissions Certified Engine HP 22.4 (16.5 kW), PS PTO HP 14.5 (11.4 kW) Rated Speed 3200 RPM Indirect Fuel Injection Auto Bleed Fuel System Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element Fully Enclosed Engine and Muffler With Horizontal Exhaust. 5.6 Gallon Fuel Tank Capacity (21.2 L) Hand Throttle

TRANSMISSION:
Hydrostatic Transmission:
Infinitely Variable - 2 Speed
Transaxle
Twin Touch Pedals
and Direction Control
Differential Lock

FRONT/REAR AXLE:
Flanged Rear Axle
Spur Gear Final Drive

Key Engine Shut Off

STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes

HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter
Working Pressure (2000 PSI) Dual Mid SCV Standard

PTO:
Hydrostatic Model:
Mid PTO Standard Equipment
Independent Mid and Rear PTO
540-RPM Rear PTO
Hydraulic PTO Clutch
PTO Brake
Separate or Simultaneous
Operation of Mid and
Rear PTO
Flip Up PTO Shield

ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE: Rockshaft Limited Category 1, 3-Pt. Hitch Rate of Drop/Stop Valve Hitch Plate

INSTRUMENTATION:
Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Light
Alternator Indicator Light
Flashing Warning Light
Indicator

ELECTRICAL:
12-Volt Electrical System
Wet Battery With 500
Cold Cranking Amps
40 Amp Alternator
Key Ignition Starter With
Neutral Start Switch

LIGHTS:
Two Front Halogen Head Lights

Two Flashing Warning Lights

OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards Seat Belt Operator Presence System

MISCELLANEOUS: SMV Emblem Front Weight Bracket Tilt-Up Hood Cupholder - Left Console Mower Deck Height Adjustment

BASE MACHINE (4WD): Engage on the go 4WD Two - Steel Wheels With 26x12-12 4PR (R4) Rear Tires Two - Steel Wheels With 18x8.50-10 4PR (R4) Front Tires

Interim Tier IV EPA Emmissions Certified Engine HP 22.4 (16.5 kW), PS PTO HP 15.3 (11.4 kW) Rated Speed 3200 RPM

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Select One Code From Each Required Category

BASE MACHINE F.O.B. Grovetown, Georgia 0254LV 1023E Sub-Compact Utility Tractor (15 PTO hp) 11,748.00 OPERATORS MANUAL 0409 English North American Operator's Manual and Decal Kit In Base Price 0437 Spanish North American Operator's Manual and Decal Kit Same Price 0413 French Canadian Operator's Manual and Decal Kit Same Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS WITH TIRES (TWO)	
5203		26X12-12 4 PR Rear R3 Turf Bias	Same Price
5204		26X12-12 4PR Rear R4 Ind Bias	In Base Price
		FRONT WHEELS WITH TIRES (TWO)	
6203		18X8.50-10 4 PR Front R3 Turf Bias	Same Price
6204		18X8.50-10 4PR Front R4 Ind Bias	In Base Price
	BW15073	ATTACHMENTS FOR FIELD CONVERSION Ballast Box: Ballast Box	275.00
	BW15074	Ballast Box Extension	130.90
	MIA881629	Engine: Engine Block Heater Adapter	32.76
	AR87167	Engine Coolant Heater (110 Volt) Requires MIA881629 Engine Block Heater Adapter and 57M9425 P-clamp.	80.55
	AM108146	Spark Arrester Screen for Muffler	24.73
	LVU12858	Hitch: iMatch Quick Hitch Bushings	21.67
	LVB25255	iMatch Quick Hitch Category 1	315.70
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	357.50
	BW15901	Hood Guards: Deluxe Hood Guard (1023E, 1025R & 1026R Tractors) Standard on H120 Loaders.	229.90
	BW15900	Hood Guard (1023E, 1025R & 1026R Tractors) Standard on D120 Loaders.	206.80
	LVB25956	Hydraulics: Power Beyond Kit Includes Rear Mounted Hydraulic Couplers and Hose.	174.90
	LVB25837	Rear Hydraulic Kit Not compatible with LVB25956 (Power Beyond Kit), LVB25838 (Third SCV Kit) or BLV10531 (Third SCV Kit).	306.90
	BLV10351	Third Selective Control Valve Kit Not compatible with LVB25956 (Power Beyond Kit).	642.00
	LVB25547	Lighting: Auxiliary Rear Work Light Kit (1 Light) Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.	63.80
	LVB25546	Forward Lighting Kit (2 Lights) Requires Light Brush Guard Kit LBV25016 and Lighting Kit Harness LVB26026. Can be used with Rear Work Lighting Kit (LVB25547) at the same time.	97.90

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB26026	ATTACHMENTS FOR FIELD CONVERSION Continued Rear Work Light Harness Kit Required to use with Rear Work Light LVB25547.	22.00
	BLV10319	Warning Light Brush Guard Kit (Two Guards)	49.50
	LVB26110	Miscellaneous: Loader Mount Toolbox Kit	66.00
	TY25324	Operator Environment: Weather Protection Umbrella	113.73
		Order Zone: For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.	
	720969235	3-Point Hitch Tractor Receiver Hitch	In Catalog
	312012523	ABS Plastic Canopy	In Catalog
	TY15958	Seats / Wheels / Tires: Tire Chains (Pair) for 26x12-12 Tires	97.67
	LVB26209	Spanish North American Kit: Spanish North American Owner's Manual and Decal Kit	119.90
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	LVB25363	Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2320, 2520)	216.70
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 ln., 24 ln. or 26 ln. Tires	21.40
	R66949	Quik-Tatch Weight, 42 Lb. Requires (1)M128726 Rod, and (2)A15147 Spring Clips.	63.13
	LVB25848	Wheels and Tires Front: Two Steel Wheels with 18L-18.5-10 In. 4PR Industrial (R4) Front Tires	311.30
	LVB25850	Two Steel Wheels with 18L-8.5-10 In. 4PR Turf (R3) Front Tires	295.90
	LVB25849	Wheels and Tires Rear: Two Steel Wheels with 26x12.00-12 In. 4PR (R3) Turf Tires	657.80
	LVB25847	Two Steel Wheels with 26x12.00-12 In. 4PR (R4) Rear Tires	677.60

1025R Sub-Compact Utility Tractor (18 PTO hp)

Equipment for Base Machine

ENGINE: Yanmar 3 Cylinder Liquid Cooled Diesel Engine Tier IV EPA Emmissions Certified Engine HP 24.2 (17.8 kW), PS PTO HP 18.0 (13.4 kW) Rated Speed 3200 RPM Indirect Fuel Injection Auto Bleed Fuel System Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element Fully Enclosed Engine and Muffler With Horizontal Exhaust. 5.6 Gallon Fuel Tank Capacity (21.2 L) Hand Throttle

TRANSMISSION:
Hydrostatic Transmission:
Infinitely Variable - 2 Speed
Transaxle
2-Pedal Foot Operated Speed
and Direction Control
Differential Lock
Cruise Control

FRONT/REAR AXLE:
Flanged Rear Axle
Spur Gear Final Drive

Key Engine Shut Off

STEERING AND BRAKES:
Hydrostatic Power Steering
Tilt Steering
Wheel Brakes
Park Brake
Wet Disk Brakes

HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with
 Filter
Working Pressure (2000 PSI)
Dual Mid SCV Standard

PTO:
Hydrostatic Model:
Mid PTO Standard Equipment
Independent Mid and Rear PTO
540-RPM Rear PTO
Hydraulic PTO Clutch
PTO Brake
Separate or Simultaneous
Operation of Mid and
Rear PTO
Flip Up PTO Shield

ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE: Rockshaft Limited Category 1, 3-Pt. Position Control Hitch Rate of Drop/Stop Valve Hitch Plate

INSTRUMENTATION:
Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Light
Alternator Indicator Light
Flashing Warning Light
Indicator

ELECTRICAL:
12-Volt Electrical System
Wet Battery With 500
Cold Cranking Amps
40 Amp Alternator
Key Ignition Starter With
Neutral Start Switch

LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights Two Fender Lights OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards Deluxe Cushion Seat With Seat Belt Operator Presence System

MISCELLANEOUS:
SMV Emblem
Front Weight Bracket
Tilt-Up Hood
Cupholder - Left Console
Mower Deck Height Adjustment
Tool Box
12V Outlet
Floor Mat

BASE MACHINE (4WD): Engage on the go 4WD Two - Steel Wheels With 26x12-12 4PR (R4) Rear Tires Two - Steel Wheels With 18x8.50-10 4PR (R4) Front Tires

Interim Tier IV EPA Emmissions Certified Engine HP 25.2 (18.5 kW), PS PTO HP 18.0 (13.4 kW) Rated Speed 3200

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

	F.O.B. Grovetown, Georgia		
0284LV	1025R Sub-Compact Utility Tractor (18 PTO hp)	13,561.00	
	OPERATORS MANUAL		
0409	English North American Operator's Manual and Decal Kit	In Base Price	
0437	Spanish North American Operator's Manual and Decal Kit	Same Price	
0413	French Canadian Operator's Manual and Decal Kit	Same Price	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS WITH TIRES (TWO)	
5203		26X12-12 4 PR Rear R3 Turf Bias	Same Price
5204		26X12-12 4PR Rear R4 Ind Bias	In Base Price
		FRONT WHEELS WITH TIRES (TWO)	
6203		18X8.50-10 4 PR Front R3 Turf Bias	Same Price
6204		18X8.50-10 4PR Front R4 Ind Bias	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
		Engine:	
	AM134805	Engine Block Heater Adapter	64.12
	AR87167	Engine Coolant Heater (110 Volt) Requires AM134805 Engine Block Heater Adapter.	80.55
	LVA15392	Spark Arrester Screen for Muffler	35.16
		Hitch:	
	LVU12858	iMatch Quick Hitch Bushings	21.67
	LVB25255	iMatch Quick Hitch Category 1	315.70
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	357.50
	BW15901	Hood Guards: Deluxe Hood Guard (1023E, 1025R & 1026R Tractors) Standard on H120 Loaders.	229.90
	BW15900	Hood Guard (1023E, 1025R & 1026R Tractors) Standard on D120 Loaders.	206.80
	LVB25956	Hydraulics: Power Beyond Kit Includes Rear Mounted Hydraulic Couplers and Hose.	174.90
	LVB25837	Rear Hydraulic Kit Not compatible with LVB25956 (Power Beyond Kit), LVB25838 (Third SCV Kit) or BLV10531 (Third SCV Kit).	306.90
	BLV10351	Third Selective Control Valve Kit Not compatible with LVB25956 (Power Beyond Kit).	642.00
	LVB25547	Lighting: Auxiliary Rear Work Light Kit (1 Light) Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.	63.80
	LVB25546	Forward Lighting Kit (2 Lights) Requires Light Brush Guard Kit LBV25016. Cannot be used with Rear Work Lighting Kit (LVB25547) at the same time.	97.90
	BLV10319	Warning Light Brush Guard Kit (Two Guards)	49.50
	LVB26110	Miscellaneous: Loader Mount Toolbox Kit	66.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	TY25324	ATTACHMENTS FOR FIELD CONVERSION Continued Operator Environment: Weather Protection Umbrella Order Zone: For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.	113.73
	720969235	3-Point Hitch Tractor Receiver Hitch	In Catalog
	312012523	ABS Plastic Canopy	In Catalog
	TY15958	Seats / Wheels / Tires: Tire Chains (Pair) for 26x12-12 Tires	97.67
	LVB26209	Spanish North American Kit: Spanish North American Owner's Manual and Decal Kit	119.90
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	LVB25363	Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2320, 2520) Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven Quik-Tatch Weights.	216.70
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 ln., 24 ln. or 26 ln. Tires	21.40
	R66949	Quik-Tatch Weight, 42 Lb. Requires (1)M128726 Rod, and (2)A15147 Spring Clips.	63.13
	LVB25848	Wheels and Tires Front: Two Steel Wheels with 18L-18.5-10 In. 4PR Industrial (R4) Front Tires	311.30
	LVB25850	Two Steel Wheels with 18L-8.5-10 In. 4PR Turf (R3) Front Tires	295.90
	LVB25849	Wheels and Tires Rear: Two Steel Wheels with 26x12.00-12 In. 4PR (R3) Turf Tires	657.80
	LVB25847	Two Steel Wheels with 26x12.00-12 In. 4PR (R4) Rear Tires	677.60

1025R TLB Sub-Compact Utility Tractor (18 PTO hp)

Equipment for Base Machine

ENGINE:

Yanmar 3 Cylinder Liquid Cooled Diesel Engine Tier IV EPA Emmissions Certified Engine HP 24.2 (17.8 kW), PS PTO HP 18.0 (13.4 kW) Rated Speed 3200 RPM Indirect Fuel Injection Auto Bleed Fuel System Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element Fully Enclosed Engine and Muffler With Horizontal Exhaust. 5.6 Gallon Fuel Tank Capacity (21.2 L) Hand Throttle

TRANSMISSION:

Key Engine Shut Off

Hydrostatic Transmission:
Infinitely Variable - 2 Speed
Transaxle
2-Pedal Foot Operated Speed
and Direction Control
Differential Lock
Cruise Control

FRONT/REAR AXLE:
Flanged Rear Axle
Spur Gear Final Drive

STEERING AND BRAKES: Hydrostatic Power Steering Tilt Steering Wheel Brakes Park Brake Wet Disk Brakes

HYDRAULICS:

Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard

PTO:

0283LV

Hydrostatic Model: Mid PTO Standard Equipment Independent Mid and Rear PTO 540-RPM Rear PTO Hydraulic PTO Clutch PTO Brake Separate or Simultaneous Operation of Mid and Rear PTO Flip Up PTO Shield

ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE: Rockshaft Limited Category 1, 3-Pt. Position Control Hitch Rate of Drop/Stop Valve Hitch Plate

INSTRUMENTATION:
Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Light
Alternator Indicator Light
Flashing Warning Light
Indicator

ELECTRICAL:
12-Volt Electrical System
Wet Battery With 500
Cold Cranking Amps
40 Amp Alternator
Key Ignition Starter With
Neutral Start Switch

LIGHTS:

Two Front Halogen Head Lights Two Flashing Warning Lights Two Fender Lights

OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards Deluxe Cushion Seat With Seat Belt Operator Presence System

MISCELLANEOUS: SMV Emblem Front Weight Bracket Tilt-Up Hood Cupholder - Left Console Mower Deck Height Adjustment Tool Box 12V Outlet Floor Mat

BASE MACHINE (4WD): Engage on the go 4WD Two - Steel Wheels With 26x12-12 4PR (R4) Rear Tires Two - Steel Wheels With 18x8.50-10 4PR (R4) Front Tires

Interim Tier IV EPA Emmissions Certified Engine HP 25.2 (18.5 kW), PS PTO HP 18.0 (13.4 kW) Rated Speed 3200 RPM

LOADER:

49 In.(1250 mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Deluxe Hood Guard Mechanical Bucket Level Indicator Oil Line Cover

BACKHOE:
6 ft. 2 In. (1.89 m) Digging
Depth
One Double Acting Swing
Cylinder
150 Degree Swing
Narrow Control Console
Two Lever Control
Six Spool Control Valve
Hydraulics
12 In. Bucket
Swivel Seat Bracket
Transport Locking Pins
Hydraulic Stabilizers

Subframe Mounting and

Power Beyond Hydraulics

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1025R TLB Sub-Compact Utility Tractor (18 PTO hp) Base Machine Suggested List Price Does Include:

- H120 NSL Loader (Less Ballast Box, with Quick Change Attachment Carrier and 49 In.

22,681.00

1025R TLB Sub-Compact Utility Tractor (18 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINE Continued Quick Change Materials Bucket) - 260_Backhoe (with 12 In. Backhoe Bucket) - Installation Charge of \$535 USD Three-point hitch WILL be included and arrive with the tractor in a box attached to the backhoe.	
		OPERATORS MANUAL	
0409		English North American Operator's Manual and Decal Kit	In Base Price
0437		Spanish North American Operator's Manual and Decal Kit	Same Price
0413		French Canadian Operator's Manual and Decal Kit	Same Price
		REAR WHEELS WITH TIRES (TWO)	
5203		26X12-12 4 PR Rear R3 Turf Bias	Same Price
5204		26X12-12 4PR Rear R4 Ind Bias	In Base Price
		FRONT WHEELS WITH TIRES (TWO)	
6203		18X8.50-10 4 PR Front R3 Turf Bias	Same Price
6204		18X8.50-10 4PR Front R4 Ind Bias	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	D) \(\) \(Buckets:	700.40
	BW14144	49 In. (1250mm) Loader Materials Bucket - Quik Change	738.10
	BW15896	49 in. (1250mm) Materials Bucket - Pin ON	684.20
	BW14145	53 In. (1350mm) Loader Materials Bucket - Quik Change	800.80
	BW14146	61 In. (1550mm) Loader Materials Bucket - Quik Change	848.10
	LVB24975	8 In. Backhoe Bucket (0.63 Cu. Ft.)	370.70
	AM134805	Engine: Engine Block Heater Adapter	64.12
	AR87167	Engine Coolant Heater (110 Volt) Requires AM134805 Engine Block Heater Adapter.	80.55
	LVA15392	Spark Arrester Screen for Muffler	35.16
	LVU12858	Hitch: iMatch Quick Hitch Bushings	21.67
	LVB25255	iMatch Quick Hitch Category 1	315.70
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	357.50

1025R TLB Sub-Compact Utility Tractor (18 PTO hp) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	LVB25547	Lighting: Auxiliary Rear Work Light Kit (1 Light) Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.	63.80
	LVB25546	Forward Lighting Kit (2 Lights) Requires Light Brush Guard Kit LBV25016. Cannot be used with Rear Work Lighting Kit (LVB25547) at the same time.	97.90
	BLV10319	Warning Light Brush Guard Kit (Two Guards)	49.50
	BW15476	Miscellaneous: Bucket Level Indicator	61.60
	LVB26110	Loader Mount Toolbox Kit	66.00
	TY25324	Operator Environment: Weather Protection Umbrella	113.73
		Order Zone: For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.	
	312012523	ABS Plastic Canopy	In Catalog
	TY15958	Seats / Wheels / Tires: Tire Chains (Pair) for 26x12-12 Tires	97.67
	LVB26209	Spanish North American Kit: Spanish North American Owner's Manual and Decal Kit	119.90
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	LVB25363	Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2320, 2520) Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven Quik-Tatch Weights.	216.70
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 ln., 24 ln. or 26 ln. Tires	21.40
	R66949	Quik-Tatch Weight, 42 Lb. Requires (1)M128726 Rod, and (2)A15147 Spring Clips.	63.13
	LVB25848	Wheels and Tires Front: Two Steel Wheels with 18L-18.5-10 In. 4PR Industrial (R4) Front Tires	311.30

1025R TLB Sub-Compact Utility Tractor (18 PTO hp) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB25850	ATTACHMENTS FOR FIELD CONVERSION Continued Two Steel Wheels with 18L-8.5-10 In. 4PR Turf (R3) Front Tires	295.90
	LVB25849	Wheels and Tires Rear: Two Steel Wheels with 26x12.00-12 In. 4PR (R3) Turf Tires	657.80
	LVB25847	Two Steel Wheels with 26x12.00-12 In. 4PR (R4) Rear Tires	677.60

2025R Compact Utility Tractor (18 PTO hp)

Equipment for Base Machine

ENGINE: Yanmar 3 Cylinder Liquid Cooled Diesel Engine Tier IV EPA Emmissions Certified Engine HP 24.2 (17.8 kW)** PTO HP 18.0 (13.4 kW) Rated Speed 3000 RPM **Manufacturer's Estimate of Power (ISO) per 97/68/EC 68 Cu. In. Displacement (1.115 L) Indirect Fuel Injection Auto Bleed Fuel System Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element Fully Enclosed Engine and Muffler With Horizontal Exhaust 6.1 Gallon Fuel Tank Capacity (23.0 L)
Hand Throttle Key Engine Shut Off

TRANSMISSION:
Hydrostatic Transmission:
Infinitely Variable - 2 Speed
Transaxle
2-Pedal Foot Operated Speed
and Direction Control
Differential Lock

FRONT/REAR AXLE:
Flanged Rear Axle
Spur Gear Final Drive

STEERING AND BRAKES: Hydrostatic Power Steering Individual Wheel Brakes Park Brake Wet Disk Brakes

HYDRAULICS:

Open Center Hydraulic System
Dual Gear Pump Maximum Total
Flow 5.6 GPM (21.2 LPM)
Steering Pump 2.2 GPM
(8.5 LPM)
Implement Pump 3.4 GPM
(12.7 LPM)
Dual Mid-SCV Standard

PTO:
Mid PTO Standard Equipment
Independent Mid and
Rear PTO
Mid PTO Brake
Rear PTO Brake
Separate or Simultaneous
Operation of Mid and
Rear PTO
540-RPM Rear PTO
Hydraulic PTO Clutch

ROCKSHAFT, 3-PT. HITCH, AND DRAWBAR: Rockshaft Category 1, 3-Pt. Hitch With Position Control Rate of Drop/Stop Valve Adjustable Drawbar

INSTRUMENTATION:
Electric Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Light
Alternator Indicator Light
PTO Engagement Light
Park Brake Light
Flashing Warning Light
Indicator

ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 55 Amp Alternator Key Ignition Starter With Neutral Start Switch

LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights **Turn Signal Indication per Current ASAE Lighting Standard

OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure **Meets ASAE/SAE/OSHA Standard Deluxe Cushion Seat With Seat Belt Isolated Foot Rest Operator Presence System

MISCELLANEOUS: SMV Emblem Front Weight Bracket One-piece Hood

BASE MACHINE (4WD): Engage on the go 4WD Anti-Wrapping Guard for 4WD Drive Shaft Two - Steel Wheels With 31X13.5-15 4PR (R3) Rear Tires Two - Steel Wheels With 23X8.5-12 4PR (R3) Front Tires

	ATTACHMENT	•
CODE	IDENTIFIER	DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

E O D C

	F.O.B. Grovetown, Georgia	
1510LV	2025R Compact Utility Tractor (18 PTO hp)	15,348.00
	OPERATORS MANUAL	
0409	English North American Operator's Manual and Decal Kit	In Base Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price
0450	Australian Operator's Manual and Decal Kit	Same Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0.110		OPERATORS MANUAL Continued	0 5:
0413		French Canadian Operator's Manual and Decal Kit	Same Price
		REAR WHEELS WITH TIRES (TWO)	
		All Tires are of Bias Ply Construction	
5205		31X13.5-15 4PR Rear R3 Turf Bias	In Base Price
5206		12-16.5 6PR Rear R4 Ind. Bias	-100.00
		FRONT WHEELS WITH TIRES (TWO)	
		FRONT WHEELS WITH TIRES (TWO) All Tires are of Bias Ply Construction	
6205		23X8.5-12 4PR Front R3 Turf Bias	In Base Price
6206		23X8.50-12 6PR Front R4 Ind. Bias	88.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Engine:	
	AM134805	Engine Block Heater Adapter	64.12
	AR87167	Engine Coolant Heater (110 Volt) Requires AM134805 Engine Block Heater Adapter.	80.55
	AM108146	Spark Arrester Screen for Muffler	24.73
	LVB25652	Fenders: Rear FenderExtension Kit	173.80
		Hitch:	
	LVU12858	iMatch Quick Hitch Bushings	21.67
	LVB25255	iMatch Quick Hitch Category 1	315.70
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	357.50
	BW15217	Hood Guards: Hood Guard (2025R, 2210, 2305, 2320)	245.30
	LVB25822	Hydraulics: Loader/Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320) Diverter is not compatible with Mechanical Mower Lift system.	421.59
	BLV10381	Power Beyond Kit Not Compatible with Third SCV kit BLV10382/LVB26166 Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 2025R and 2032R Tractors Equipped with Dual SCV.	480.70
	LVB25606	Rear Hydraulic Outlet Kit Routes Dual Mid SCVs to Rear of Tractor	324.50
	BLV10382	Third Selective Control Valve Kit Without Detent Not Compatible with but REQUIRES Power Beyond Kit BLV10381/LVB25603. See instruction sheet for details.	882.20
		Lighting:	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB25547	ATTACHMENTS FOR FIELD CONVERSION Continued Auxiliary Rear Work Light Kit (1 Light) Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.	63.80
	LVB25546	Forward Lighting Kit (2 Lights) Requires Light Brush Guard Kit, BLV10319. Not Compatible with Rear Work Lighting Kit (LVB25547).	97.90
	BLV10319	Warning Light Brush Guard Kit (Two Guards)	49.50
	TY25324	Operator Environment: Weather Protection Umbrella	113.73
	720969235	Order Zone: 3-Point Hitch Tractor Receiver Hitch	In Catalog
	312012523	ABS Plastic Canopy	In Catalog
	LP95223	Medium Seat Cover	27.99
	BLV10318	Spanish North American Kit: Spanish North American Operator's Manual and Decal Kit	97.90
	AR94493	Transmission: Transmission Oil Heater Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.	79.49
	BM17987	Weights: Attaching Hardware for Rear Wheel Weight, 60 Lb.	16.50
	LVB25363	Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2320, 2520)	216.70
	R66949	Quik-Tatch Weight, 42 Lb. Requires (1)M128726 Rod, and (4)A15147 Spring Clips.	63.13
	BM17965	Rear Wheel Weight, 60 Lb. Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.	140.80
	LVB24806	Wheels and Tires Front: 1 position steel wheels with 23x8.5-12 4PR (R3) Front tires	388.30
	LVB24804	2 Position Steel Wheels with 23x8.50-12 6PR (R4) Front Tires	509.30
	LVB24803	Wheels and Tires Rear: 2 position steel wheels with 12-16.5 6PR (R4) Rear tires	897.60
	LVB24805	2 position steel wheels with 31x13.5-15 4PR (R3) Rear Tires	849.20

2032R Compact Utility Tractor (24 PTO hp)

Equipment for Base Machine

ENGINE:

Yanmar 3 Cylinder Liquid Cooled Diesel Engine* Interim Tier IV EPA Emmissions Certified Engine HP 31.7 (23.3 kW)** PTO HP 23.5 (17.5 kW) Rated Speed 2500 RPM **Manufacturer's Estimate of Power (ISO) per 97/68/EC 100.2 Cu. In. Displacement (1.642 L) Direct Fuel Injection Auto Bleed Fuel System Fully Enclosed Engine and Muffler with Horizontal Exhaust 7.1 Gallon Fuel Tank Capacity (27 L) Hand Throttle

Air-Heater Cold Starting Aid

Dry Type Air Cleaner with Safety Element

TRANSMISSION:

Key Engine Shut Off

Anti-Freeze

Hydrostatic Transmission
Infinitely Variable - 2
Speed Transaxle
2-Pedal Foot Operated Speed
and Direction Control
Cruise Control
Transmission Oil Cooler
Differential Lock

FRONT/REAR AXLE:
Flanged Rear Axle
Spur Gear Final Drive

STEERING AND BRAKES: Hydrostatic Power Steering Individual Wheel Brakes Park Brake

Wet Disk Brakes

0450

HYDRAULICS:

Open Center Hydraulic System
Dual Gear Pumps
Hydraulic Pump - Total
Flow 10.5 GPM (39.6 LPM)
Steering Pump 5.5 GPM
(20.8 LPM)
Implement Pump 5 GPM
(18.8 LPM) with Filter
Dual Mid-SCV Standard

PTO:

Mid PTO Standard Equipment
Independent Mid and Rear PTO
540-RPM Rear PTO
Hydraulic PTO Clutch
Mid PTO Brake
Rear PTO Brake
Separate or Simultaneous
Operation of Mid and Rear PTO
Flip Up Rear PTO Shield

ROCKSHAFT, 3-PT. HITCH, AND DRAWBAR: Rockshaft Category 1, 3-Pt. Hitch with Position Control Rate of Drop/Stop Valve Adjustable Drawbar

INSTRUMENTATION:
Electric Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Light
Alternator Indicator Light
PTO Engagement Light
Park Brake Light
Flashing Warning Light
Indicator

ELECTRICAL: 12-Volt Outlet 12-Volt Electrical System Wet Battery with 500 Cold Cranking Amps 55 Amp Alternator Key Ignition Starter with Neutral Start Switch

LIGHTS:

Two Front Halogen Head Lights Two Flashing Warning Lights **Turn Signal Indication per Current ASAE Lighting Standard

OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over-Protective Structure) **Meets ASAE/SAE/OSHA Standards Deluxe Cushion Seat with Seat Belt Isolated Foot Rest Operator Presence System

MISCELLANEOUS: SMV Emblem Front Weight Bracket Tilt-Up Hood

BASE MACHINE (4WD):
Engage on the go 4WD
Anti-Wrapping Guard for
4WD Drive Shaft
Two - Steel Wheels with
14-17.5 6PR (R4) Rear Tires
Two - Steel Wheels with
23x8.5-12 6PR (R4) Front Tires

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Same Price

Select One Code From Each Required Category

BASE MACHINE

Australian Operator's Manual and Decal Kit

F.O.B. Grovetown, Georgia

1530LV 2032R Compact Utility Tractor (24 PTO hp) 19,339.00

OPERATORS MANUAL

0409 English North American Operator's Manual and Decal Kit In Base Price

0437 Spanish North American Operator's Manual and Decal Kit Same Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0413		OPERATORS MANUAL Continued French Canadian Operator's Manual and Decal Kit	Same Price
		REAR WHEELS WITH TIRES (TWO)	
		All Tires are of Bias Ply Construction	
5207		36X14-15 4 PR Rear R3 Turf Bias	-24.00
5208		14-17.5 6PR Rear R4 Ind. Bias	In Base Price
		FRONT WHEELS WITH TIRES (TWO)	
		All Tires are of Bias Ply Construction	
6206		23X8.50-12 6PR Front R4 Ind. Bias	In Base Price
6207		24x8.5-14 4 PR Front R3 Turf Bias	Same Price
		ATTACHMENTS FOR FIELD CONVERSION	
	AR87167	Engine: Engine Coolant Heater (110 Volt)	80.55
	AM108146	Spark Arrester Screen for Muffler	24.73
	LVB25652	Fenders: Rear FenderExtension Kit	173.80
	LVU12858	Hitch: iMatch Quick Hitch Bushings	21.67
	LVB25255	iMatch Quick Hitch Category 1	315.70
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	357.50
	BW15634	Hood Guards: Hood Guard (2032R, 2520, 2720)	259.60
	LVB25823	Hydraulics: Loader/Mower Mechanical Diverter Valve Kit (2032R, 2520, 2720) Diverter is not compatible with Mechanical Mower Lift system.	556.60
	BLV10381	Power Beyond Kit Not Compatible with Third SCV kit BLV10382/LVB26166 Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 2025R and 2032R Tractors Equipped with Dual SCV.	480.70
	LVB25606	Rear Hydraulic Outlet Kit Routes Dual Mid SCVs to Rear of Tractor	324.50
	BLV10382	Third Selective Control Valve Kit Without Detent Not Compatible with but REQUIRES Power Beyond Kit BLV10381/LVB25603. See instruction sheet for details.	882.20

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB25547	ATTACHMENTS FOR FIELD CONVERSION Continued Lighting: Auxiliary Rear Work Light Kit (1 Light) Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.	63.80
	LVB25546	Forward Lighting Kit (2 Lights) Requires Light Brush Guard Kit, BLV10319. Not Compatible with Rear Work Lighting Kit (LVB25547).	97.90
	BLV10319	Warning Light Brush Guard Kit (Two Guards)	49.50
	TY25324	Operator Environment: Weather Protection Umbrella	113.73
	720969235	Order Zone: 3-Point Hitch Tractor Receiver Hitch	In Catalog
	312012523	ABS Plastic Canopy	In Catalog
	LP95223	Medium Seat Cover	27.99
	LVB25994	Spanish North American Kit: Spanish North American Operator's Manual and Decal Kit	97.90
	BLV10318	Spanish North American Operator's Manual and Decal Kit	97.90
	AR94493	Transmission: Transmission Oil Heater Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.	79.49
	BM17987	Weights: Attaching Hardware for Rear Wheel Weight, 60 Lb.	16.50
	LVB25363	Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2320, 2520) Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to Twelve Quik-Tatch Weights.	216.70
	H148916	Front Weight Retainer Shaft	29.52
	R66949	Quik-Tatch Weight, 42 Lb. Requires (1) H148916 Rod and (2) AR60372 Spring Clips.	63.13
	BM17965	Rear Wheel Weight, 60 Lb. Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.	140.80
	AR60372	Spring Locking Pin	3.19
	LVB24804	Wheels and Tires Front: 2 Position Steel Wheels with 23x8.50-12 6PR (R4) Front Tires	509.30
	LVB25556	2 Position Steel Wheels with 24x8.5-14 4PR (R3) Front Tires	539.00
	LVB25557	Wheels and Tires Rear: 2 Position Steel Wheels with 14-17.5 6PR (R4) Rear Tires	1,225.40

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB25555	ATTACHMENTS FOR FIELD CONVERSION Continued 2 Position Steel Wheels with 36x14.00-15 4PR (R3) Rear Tires	1,194.60

(MY2014) 3032E Compact Utility Tractor (25 PTO hp)

Equipment for Base Machine

ENGINE:
Yanmar Liquid Cooled
Diesel Engine
Tier IV EPA Emmissions
Certified
Engine HP 31.1 (22.3 kW)*
PTO HP 25.0 (18.6 kW) HST
Rated Speed 2500 RPM
**Engine HP (kW), gross SAE
J1995: 31.1 (22.3) @ 2500 rpm,
PS
Displacement, in3 (L): 100.20
(1.642)

TRANSMISSION:
4-Wheel Drive
HST Transmission
2 Ranges
Differential Lock (Control
Integrated with Brake Pedal)

HYDRAULICS:

9.3 GPM (35.2 LPM) Total Flow 5.3 GPM (20.1 LPM) Implement Pump 4.0 GPM (15.1 LPM) Steering Pump PTO: Independent 540 RPM Rear PTO Electronically Engaged Wet

Clutch
ELECTRICAL:
12-Volt System
40 Amp Alternator
Key Ignition Starter with
Pre-Heat While Cranking
Maintenance Free Battery with
500 Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE: Adjustable Vinyl Seat without suspension Fixed ROPS (Roll-Over Protective Structure) Meets ASAE S478 and OSHA 1928.51 ROPS Certification Standard Retractable Seat Belt Operator Presence with Safety Interlock System

BASE MACHINE (4WD): 7.00-14 6PR (R1) Agricultural Front Tires 11.2-24 6PR (R1) Agricultural Rear Tires

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Select One Code From Each Required Category

BASE MACHINE F.O.B. Grovetown, Georgia 1474LV (MY2014) 3032E Compact Utility Tractor (25 PTO hp) 17,377.00 OPERATORS MANUAL 0437 Spanish North American Operators Manual and Decal Kit Same Price 0409 English Operators Manual and Decal Kit In Base Price French Canadian Operators Manual and Decal Kit Same Price 0413 **EXHAUST** 3010 **Downward Exhaust** In Base Price 3020 Vertical Exhaust -132.00 **REAR WHEELS WITH TIRES (TWO)** 5210 15-19.5 6PR Rear R4 Industrial 212.00 41x14.0-20 4PR Rear R3 Turf 5213 280.00 11.2-24 6PR Rear R1 Agricultural In Base Price 5211 FRONT WHEELS WITH TIRES (TWO) 6210 25x8.50-14 6PR Front R4 Industrial 148.00 6213 27x8.50-15 6PR Front R3 Turf 206.00

(MY2014) 3032E Compact Utility Tractor (25 PTO hp) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS WITH TIRES (TWO) Continued	
6211		7-14 6PR Front R1 Agricultural	In Base Price
		ATTACHMENTS - ORDER AS DESIRED	
9001		Rear Drawbar Includes support bracket and retention pin.	151.00
9500		D160 Loader Factory Installation Code 9500 will generate a separate order for the loader with the following codes: 1460P, 1000, 2000, 4095, 5000, 8122. Loader pricing is not reflected in the code 9500 list price, see loader price pages. Loader will be invoiced separately.	200.00
		Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
		ATTACHMENTS FOR FIELD CONVERSION	
	D\\\\ 5070	Ballast Box:	275.00
	BW15073	Ballast Box	275.00
	BW15074	Ballast Box Extension	130.90
	AR87167	Engine: Engine Coolant Heater (110 Volt)	80.55
	LVA13457	Spark Arrester Screen	44.98
	LVB25811	Hitch: Rear Drawbar Kit Includes support bracket and retention pin.	133.10
	LVU12858	iMatch Quick Hitch Bushings	21.67
	LVB25255	iMatch Quick Hitch Category 1 Bushings NOT included. Orderable through parts (LVU15507).	315.70
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	357.50
	LVB25998	Hood Guards: Hood Guard Hood Guard is Standard with 305 Loader.	259.60
	BLV10461	Hydraulics: Rear Hydraulic Kit	887.70
	LVB25547	Lighting: Auxiliary Rear Work Light Kit (1 Light) Includes Wiring Harness. Not for use with Cab Tractors.	63.80
	LVB25546	Forward Lighting Kit (2 Lights) Requires Light Brush Guard Kit (BLV10400).	97.90
	BLV10400	Warning Light Brush Guard Kit (Two Guards)	84.70
		Miscellaneous:	

(MY2014) 3032E Compact Utility Tractor (25 PTO hp) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BLV10486	ATTACHMENTS FOR FIELD CONVERSION Continued Cruise Control Kit	249.70
	RE19428	Safety Chain Support Kit	153.43
	TY4453	Tire Chains For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires. For use with LVB25532 and LVB25495 Rear Tires. Not for use with Cab Tractors.	308.55
	TY15651	Tire Chains For use with 25x8.50-14 (R4) Front Tires. For use with LVB25674 Front Tires.	98.26
	TY15653	Tire Chains For use with 7-14 (R1) Front Tires. For use with LVB25672 Front Tires. Not for use with Cab Tractors.	65.62
	TY4457	Tire Chains For use with 41x14.0-20 (R3) Rear Tires. For Use With LVB25496 Rear Tires.	323.33
	TY15649	Tire Chains For use with 27x8.50-15 (R3) Front Tires. For Use With LVB25673 and LVB25671 Front Tires. Not for use with LVB25685, Front Fender Kit.	97.03
	LVB25334	Operator Environment: Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	583.00
	LVB25332	Canopy Mounting Bracket and Hardware Kit	105.60
	TY25324	Weather Protection Umbrella	113.73
	LVB26105	Spanish North American Kit: Spanish North American Operators Manual and Decal Kit	79.20
	AR94493	Transmission: Transmission Oil Heater Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.	79.49
	BM19937	Weights: Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19951	Attaching Hardware for Rear Wheel Weight	8.80
	BM19938	Attaching Hardware for Starter Rear Wheel Weight, 60 Lb. for 16 In. and 19.5 In. Wheel	11.00
	BLV10443	Front Weight Bracket Extension Kit Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.	185.90
	R66949	Quik-Tatch Weight, 42 Lb. Requires (1) BLV10443.	63.13
	BM19780	Quik-Tatch Weight, 70 lb. Requires (1) BLV10443.	108.90

(MY2014) 3032E Compact Utility Tractor (25 PTO hp) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM17969	ATTACHMENTS FOR FIELD CONVERSION Continued Rear Wheel Starter Weight, 45 Lb. For use with 11.2-24 R1 Agricultural Rear Tires.	140.80
	BM17968	Rear Wheel Weight, 48.5 Lb. Max 2 Weights per Wheel.	140.80
	BM17965	Rear Wheel Weight, 60 Lb. For use with 41x14.00-20 R3 Turf Rear Tires and 15.00-19.5 R4 Industrial Rear Tires. Maximum three (3) Weights per Wheel.	140.80
	LVB25672	Wheels and Tires Front: Two 2 position Steel Wheel with 7X14 In. 6PR (R1) Front Tires	1,445.40
	BLV10394	Two 2 Position Steel Wheels with 25x8.50-14 In. 6PR (R4) Front Tires	550.00
	LVB25671	Two 2 Position Steel Wheels with 27x8.50-15 In. 6PR (R3) Front Tires	1,672.00
	BLV10148	Wheels and Tires Rear: Two 1 Position Steel Wheels with 11.2-24 6PR R1 Ag Tires	2,492.60
	LVB24877	Two 1 Position Steel Wheels with 41x14.0-20 4PR R3 Turf Tires	2,800.60
	BLV10393	Two 2 Position Steel Wheels with 15-19.5 In. 6PR (R4) Rear Tires	1,536.70

(MY2014) 3038E Compact Utility Tractor (30 PTO hp)

Equipment for Base Machine

ENGINE:
Yanmar Liquid Cooled
Diesel Engine
Tier IV EPA Emmissions
Certified
Engine HP 37.3 (27.4 kW)*
PTO HP 30.0 (22.4 kW) HST
Rated Speed 2500 RPM
**Engine HP (kW), gross SAE
J1995: 37.3 (27.4) @ 2500 rpm,
PS
Displacement, in3 (L): 95.68
(1.568)

TRANSMISSION: 4-Wheel Drive HST Transmission 2 Ranges Differential Lock (Control Integrated with Brake Pedal)

HYDRAULICS:

 $9.3 \ \text{GPM} \ (35.2 \ \text{LPM}) \ \text{Total Flow}$ 5.3 GPM (20.1 LPM) Implement Pump 4.0 GPM (15.1 LPM) Steering Pump PTO: Independent 540 RPM Rear PTO Electronically Engaged Wet Clutch ELECTRICAL: 12-Volt System 40 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position Maintenance Free Battery with 500 Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE: Adjustable Vinyl Seat without suspension Fixed ROPS (Roll-Over Protective Structure)
Meets ASAE S478 and OSHA
1928.51
ROPS Certification Standard
Retractable Seat Belt
Operator Presence with
Safety Interlock System

BASE MACHINE (4WD): 7.00-14 6PR (R1) Agricultural Front Tires 11.2-24 6PR (R1) Agricultural Rear Tires

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Select One Code From Each Required Category

	BASE MACHINE	
	F.O.B. Grovetown, Georgia	
1484LV	(MY2014) 3038E Compact Utility Tractor (30 PTO hp)	18,966.00
	OPERATORS MANUAL	
0437	Spanish North American Operators Manual and Decal Kit	Same Price
0409	English Operators Manual and Decal Kit	In Base Price
0413	French Canadian Operators Manual and Decal Kit	Same Price
	EXHAUST	
3010	Downward Exhaust	In Base Price
3020	Vertical Exhaust	-132.00
	REAR WHEELS WITH TIRES (TWO)	
5210	15-19.5 6PR Rear R4 Industrial	212.00
5213	41x14.0-20 4PR Rear R3 Turf	280.00
5211	11.2-24 6PR Rear R1 Agricultural	In Base Price
	FRONT WHEELS WITH TIRES (TWO)	
6210	25x8.50-14 6PR Front R4 Industrial	148.00
6213	27x8.50-15 6PR Front R3 Turf	206.00

(MY2014) 3038E Compact Utility Tractor (30 PTO hp) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS WITH TIRES (TWO) Continued	
6211		7-14 6PR Front R1 Agricultural	In Base Price
		ATTACHMENTS - ORDER AS DESIRED	
9001		Rear Drawbar Includes support bracket and retention pin.	151.00
9500		D160 Loader Factory Installation Code 9500 will generate a separate order for the loader with the following codes: 1460P, 1000, 2000, 4095, 5000, 8122. Loader pricing is not reflected in the code 9500 list price, see loader price pages. Loader will be invoiced separately.	200.00
		Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
		ATTACHMENTS FOR FIELD CONVERSION	
	D\\\\ 5070	Ballast Box:	275.00
	BW15073	Ballast Box	275.00
	BW15074	Ballast Box Extension	130.90
	AR87167	Engine: Engine Coolant Heater (110 Volt)	80.55
	LVA13457	Spark Arrester Screen	44.98
	LVB25811	Hitch: Rear Drawbar Kit Includes support bracket and retention pin.	133.10
	LVU12858	iMatch Quick Hitch Bushings	21.67
	LVB25255	iMatch Quick Hitch Category 1 Bushings NOT included. Orderable through parts (LVU15507).	315.70
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	357.50
	LVB25998	Hood Guards: Hood Guard Hood Guard is Standard with 305 Loader.	259.60
	BLV10461	Hydraulics: Rear Hydraulic Kit	887.70
	LVB25547	Lighting: Auxiliary Rear Work Light Kit (1 Light) Includes Wiring Harness. Not for use with Cab Tractors.	63.80
	LVB25546	Forward Lighting Kit (2 Lights) Requires Light Brush Guard Kit (BLV10400).	97.90
	BLV10400	Warning Light Brush Guard Kit (Two Guards)	84.70
		Miscellaneous:	

(MY2014) 3038E Compact Utility Tractor (30 PTO hp) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BLV10486	ATTACHMENTS FOR FIELD CONVERSION Continued Cruise Control Kit	249.70
	RE19428	Safety Chain Support Kit	153.43
	TY4453	Tire Chains For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires. For use with LVB25532 and LVB25495 Rear Tires. Not for use with Cab Tractors.	308.55
	TY15651	Tire Chains For use with 25x8.50-14 (R4) Front Tires. For use with LVB25674 Front Tires.	98.26
	TY15653	Tire Chains For use with 7-14 (R1) Front Tires. For use with LVB25672 Front Tires. Not for use with Cab Tractors.	65.62
	TY4457	Tire Chains For use with 41x14.0-20 (R3) Rear Tires. For Use With LVB25496 Rear Tires.	323.33
	TY15649	Tire Chains For use with 27x8.50-15 (R3) Front Tires. For Use With LVB25673 and LVB25671 Front Tires. Not for use with LVB25685, Front Fender Kit.	97.03
	LVB25334	Operator Environment: Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	583.00
	LVB25332	Canopy Mounting Bracket and Hardware Kit	105.60
	TY25324	Weather Protection Umbrella	113.73
	LVB26105	Spanish North American Kit: Spanish North American Operators Manual and Decal Kit	79.20
	AR94493	Transmission: Transmission Oil Heater Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.	79.49
	BM19937	Weights: Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19951	Attaching Hardware for Rear Wheel Weight	8.80
	BM19938	Attaching Hardware for Starter Rear Wheel Weight, 60 Lb. for 16 ln. and 19.5 ln. Wheel	11.00
	BLV10443	Front Weight Bracket Extension Kit Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.	185.90
	R66949	Quik-Tatch Weight, 42 Lb. Requires (1) BLV10443.	63.13
	BM19780	Quik-Tatch Weight, 70 lb. Requires (1) BLV10443.	108.90

(MY2014) 3038E Compact Utility Tractor (30 PTO hp) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM17969	ATTACHMENTS FOR FIELD CONVERSION Continued Rear Wheel Starter Weight, 45 Lb. For use with 11.2-24 R1 Agricultural Rear Tires.	140.80
	BM17968	Rear Wheel Weight, 48.5 Lb. Max 2 Weights per Wheel.	140.80
	BM17965	Rear Wheel Weight, 60 Lb. For use with 41x14.00-20 R3 Turf Rear Tires and 15.00-19.5 R4 Industrial Rear Tires. Maximum three (3) Weights per Wheel.	140.80
	LVB25672	Wheels and Tires Front: Two 2 position Steel Wheel with 7X14 In. 6PR (R1) Front Tires	1,445.40
	BLV10394	Two 2 Position Steel Wheels with 25x8.50-14 In. 6PR (R4) Front Tires	550.00
	LVB25671	Two 2 Position Steel Wheels with 27x8.50-15 In. 6PR (R3) Front Tires	1,672.00
	BLV10148	Wheels and Tires Rear: Two 1 Position Steel Wheels with 11.2-24 6PR R1 Ag Tires	2,492.60
	LVB24877	Two 1 Position Steel Wheels with 41x14.0-20 4PR R3 Turf Tires	2,800.60
	BLV10393	Two 2 Position Steel Wheels with 15-19.5 In. 6PR (R4) Rear Tires	1,536.70

3033R Compact Utility Tractor (24 PTO hp)

Equipment for Base Machine

ENGINE: Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 32.2 (23.7 kW)** Engine HP 32.2 (23.7 km, PTO HP 24.8 (18.5 kW) PRT PTO HP 24.3 (18.1 kW) HST **Engine HP (kW), Gross SAE 32.2 (23.7) @ 2600 rpm, J1995: PS

TRANSMISSION: 4-Wheel Drive PRT Transmission/HST Transmission Differential Lock

Displacement, L: 1.642

HYDRAULTCS: Dual Mid Selective Control Valve with Joystick Control Lever, Float, Regenerative Function, and SCV and Regenerative Lockout

PTO: Independent 540 RPM Rear PTO Electronically Engaged with Mechanical Mid-Both-Rear Selector

ELECTRICAL: 12-Volt Electrical System

75 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position

Maintenance Free Battery with 770 Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE: Deluxe Adjustable Vinyl Seat with Retractable Seat Belt Folding ROPS (Roll-Over Protective Structure) meets SAE J2194 and OSHA 1928 ROPS Certification Standards Isolated Foot Rest

ComfortGard Cab (Optional): 12-Volt Auxiliary Power Outlet Air Conditioning and Heater Cell Phone Holder Deluxe Fabric Covered Seat with Retractable Seat Belt Armrests Dual Forward Work Lights Exclusive Raised Header Bar Two-Speed Front Windshield Wiper/Washer Fully Isolated Cab High Impact Polymer Fenders with Integrated Tail Lights Radio Preparation (with antenna, speakers, wiring, media player storage slot)

Molded Rubber Floormat Operator Manual Holder Rearview Mirror (Inside) Monitor Mounting Bosses (2 sets) Right Hand and Left Hand Console Storage Right Hand Control Center Sealed Ouiet Cabin Sun Visor Swing-Out Rear Window with removable rear plug for monitor or controller wiring harnesses Tilt Steering Two Front/Two Rear Roof Mounted Warning Lights Operator Presence with Safety Interlock System Reverse Implement Option (RIO)

BASE MACHINE (4WD): 11.2-24 6PR (R1) Rear Tires 7-14 6PR (R1) Front Tires

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Select One Code From Each Required Category

BASE MACHINE F.O.B. Grovetown, Georgia 3033R Compact Utility Tractor (24 PTO hp) 1360LV 22,841.00 **OPERATOR'S MANUAL** 0409 English Operator's Manual and Decal Kit In Base Price 0413 French Canadian Operator's Manual and Decal Kit Same Price 0437 Spanish North American Operator's Manual and Decal Kit Same Price **TRANSMISSION** 1381 12F/12R PowrReverser In Base Price 1520 eHydro 1,313.00 OPERATOR STATION 2000 Open Station with Standard Seat In Base Price

3033R Compact Utility Tractor (24 PTO hp) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATION Continued If ordering transmission option 1520 (eHydro) option codes 3330 (Dual Mid & Single EH Rear SCV) and 3420 (Mid PTO) OR option codes 3320 (Dual Mid SCV) and 3400 (Less Mid PTO) required.	
		If ordering transmission option 1381 (PowrReverser) option codes 3320 (Dual Mid SCV) and 3400 (Less Mid PTO) required.	
2050		Cab with Standard Seat Requires option codes 1520 (eHydro), 3400 (Less Mid PTO) and 3320 (Dual Mid SCV).	8,207.00
		SELECTIVE CONTROL VALVES	
3320		Dual Mid Selective Control Valve	In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV Available only as Dealer-installed option on Cab with Standard Seat Tractors.	975.00
		Mid PTO	
3400		Less Mid PTO Requires SCV option 3320.	In Base Price
3420		Mid PTO Requires SCV option 3330. Available only as Dealer-installed option on 3033R Model Cab Tractors and 3039R Model Cab with Standard Seat Tractors.	713.00
		REAR WHEELS WITH TIRES (TWO)	
5220		15-19.5 6PR Rear R4 Ind. 2 Pos.	211.00
5223		41x14.0-20 4PR Rear R3 Turf 2 Pos.	279.00
5211		11.2-24 6PR Rear R1 Bar 8 Pos.	In Base Price
5233		41x18LL-16.1 6PR Rear R3 Turf Special 2 Pos.	1,490.00
5230		43x16-20 4PR Rear R4 Ind. 2 Pos.	359.00
		FRONT WHEELS WITH TIRES (TWO)	
6220		25x8.50-14 6PR Front R4 Ind. 2 Pos.	148.00
6223		27x8.50-15 6PR Front R3 Turf 2 Pos.	206.00
6211		7-14 6PR Front R1 Bar 2 Pos.	In Base Price
6233		25x10.5LL-15 6PR Front R3 Turf Special 2 Pos.	340.00
6230		27x8.5-15 6PR Front R4 Ind. 2 Pos.	178.00

ATTACHMENTS - ORDER AS DESIRED

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8244		ATTACHMENTS - ORDER AS DESIRED Continued Operator Environment: Factory Installed Stereo (Jensen Receiver, Weather Band, Auxiliary Port, and iPod compatibility) Requires Operator's Station option 2050, 2055 or 2060 (Cab configurations).	471.00
841W		iMatch Hitch	284.00
		ATTACHMENTS FOR FIELD CONVERSION Engine: It is recommended to install optional engine block heater, transmission oil heater, and battery heating pad if operating machine in temperatures below -18 C (0 F)	
	AR87167	Engine Coolant Heater (110 Volt)	80.55
	LVB25686	Fenders: Front Fender Kit	531.30
	BLV10439	Front Hitch: Front Three-Point Hitch (3033R-3046R)	1,306.80
	BLV10475	Front PTO: 2000 RPM Front PTO Includes RIO override for front implements.	303.89
	BLV10452	Front PTO Bracket	84.53
	LVB25308	Hitch: Telescoping Draft Links For Use on Tractors Equipped with Horizontal-Bar Stabilizers.	352.00
	LVU12858	iMatch Quick Hitch Bushings	21.67
	LVU15507	iMatch Quick Hitch Bushings	10.10
	LVB25255	iMatch Quick Hitch Category 1 Includes one set of Bushings (LVU15507).	315.70
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	357.50
	BWA1190	Hood Guards: Deluxe Hood Guard	586.30
	BW15222	Deluxe Hood Guard Attachment	326.70
	BW15219	Hood Guard	259.60
	LVB26035	Hydraulics: 4th & 5th Selective Control Valve Kit (OOS Only) Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.	852.50
	BLV10471	EH Third SCV (Cab Only) Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.	1,212.20

3033R Compact Utility Tractor (24 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BLV10362	ATTACHMENTS FOR FIELD CONVERSION Continued EH Third SCV (OOS Only) Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.	1,212.20
	BLV10366	Electric Diverter Kit (Cab Only) Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.	1,537.80
	BLV10365	Electric Diverter Kit (OOS Only) Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.	1,478.40
	LVB26064	Power Beyond Kit (OOS Only) Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe. See Sales Manual (SCV Reference Table) or ordering details.	412.50
	BLV10462	Power Beyond Kit (Cab Only) Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering information.	449.90
	LVB26160	Top and Tilt Field Kit Requires Electric Diverter Kit.	1,347.50
	LVB25547	Lighting: Auxiliary Rear Work Light Kit (1 Light) Can be used with Forward Work Lighting Kit (LVB25546) at the same time.	63.80
	LVB24852	Beacon Light Kit (Cab Only)	243.10
	LVB25546	Forward Lighting Kit (2 Lights) Requires Premium Warning Light Brush Guard Kit (LVB26217).	97.90
	LVB26217	Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards</i> .	93.67
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) Cab is Pre-Wired.	150.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards</i> .	57.19
	BLV10167	Miscellaneous: 7-Pin Trailer Connector (Cab Only)	128.70
	BLV10174	7-Pin Trailer Connector (OOS Only)	102.30
	LVB25607	Back-up Alarm Kit Requires eHydro Transmission Option.	126.50
	LVB24851	Horn Kit (Cab Only)	48.40
	TY15201	Tire Chains For Use with 10-16.5 In. 6 PR (R4) Front Tires.	206.63
	TY15988	Tire Chains For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.	370.14

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	TY4462	ATTACHMENTS FOR FIELD CONVERSION Continued Tire Chains For Use with 13.6-28 In. 4PR (R1) Rear Tires.	396.19
	LVB24930	Tool Box Kit Cab Only.	61.60
	LVB24983	Operator Environment: Air Seat Suspension Kit (Cab Only)	723.80
	LVB25688	Air Seat Suspension Kit (OOS Only) Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.	657.80
	LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	583.00
	LVB25332	Canopy Mounting Bracket and Hardware Kit	105.60
	LVB24844	External Mirror Kit (Cab Only)	190.30
	LVB24856	Rear Wiper Kit (Cab Only)	280.50
	SWJHD1620	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready Stereo included with option Code 8244 when configuring Tractor.	249.99
	TY25324	Weather Protection Umbrella	113.73
		Order Zone: For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.	
	720969235	3-Point Hitch Tractor Receiver Hitch	In Catalog
	312012523	ABS Plastic Canopy	In Catalog
	LP95233	Large Seat Cover	29.99
	LP95333	ROPS Organizer	64.99
	LVB24846	PTO: Mid PTO Control Kit (Cab Only)	158.40
	LVB25537	Mid PTO Kit For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1)19M7788 Through Parts. Cab Tractor also Requires LVB24846, Mid PTO Controls.	656.70
	LVB26139	Transmission: PRT Oil Cooler Kit	300.30
	AR94493	Transmission Oil Heater Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.	79.49
	BM19940	Weights: Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM19936	ATTACHMENTS FOR FIELD CONVERSION Continued Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit Includes Rod and Spring Pins for Front Quik-Tatch Weights.	45.10
	BLV10442	Front Weight Bracket Extension Kit Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.	238.70
	BLV10441	Front Weight Bracket Extension Kit Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.	255.20
	R66949	Quik-Tatch Weight, 42 Lb. Requires (1) LVBM19607, Front Quik-Tatch Weight Kit.	63.13
	BM19780	Quik-Tatch Weight, 70 lb. Requires (1) LVBM19607, Front Quik-Tatch Weight Kit.	108.90
	BM17968	Rear Wheel Weight, 48.5 Lb. Starter and Additional Weight for 19.5 and 20 In. Wheel.	140.80
	T19293	Weight, Rear Wheel 110 Lb. Starter and Additional Weight for 24 In. Wheel. Requires Attaching Hardware 4 each of 03H1605 (Bolt) and 14H1039 (Nut) for Starter Weight and BM19940 for Additional Weight. Starter and Additional Weight for 24 and 28 In. Wheel.	171.60
	LVB25672	Wheels and Tires Front: Two 2 position Steel Wheel with 7X14 In. 6PR (R1) Front Tires	1,445.40
	LVB25670	Two 2 Position Steel Wheels with 25x10.5LL-15 In. 6PR (R3) Turf Special Front Tires	1,819.40
	LVB25674	Two 2 Position Steel Wheels with 25x8.50-14 In. 6PR (R4) Front Tires	1,608.20
	LVB25673	Two 2 Position Steel Wheels with 27x8.5-15 In. 6PR (R4) Front Tires	1,641.20
	LVB25671	Two 2 Position Steel Wheels with 27x8.50-15 In. 6PR (R3) Front Tires	1,672.00
	BLV10393	Wheels and Tires Rear: Two 2 Position Steel Wheels with 15-19.5 In. 6PR (R4) Rear Tires	1,536.70
	LVB25532	Two 2 Position Steel Wheels with 15-19.5 In. 6PR (R4) Rear Tires	2,725.80
	LVB25496	Two 2 Position Steel Wheels with 41x14.0-20 In. 4PR (R3) Rear Tires	2,800.60
	LVB25498	Two 2 Position Steel Wheels with 41x18LL-16.1 In. 6PR (R3) Turf Special Rear Tires	4,132.70

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB25494	ATTACHMENTS FOR FIELD CONVERSION Continued Two 2 Position Steel Wheels with 43x16-20 In. 4PR (R4) Rear Tires	2,888.60
	LVB25495	Two 8 Position Steel Wheels with 11.2-24 In. 6PR (R1) Rear Tires	2,493.70

3039R Compact Utility Tractor (31 PTO hp)

Equipment for Base Machine

ENGINE:
Yanmar Liquid Cooled
Diesel Engine
Tier IV EPA Emissions
Certified
Engine HP 38.7 (28.5 kW)**
PTO HP 31.1 (23.2 kW) HST
PTO HP 31.6 (23.6 kW) PRT
**Engine HP (kW), Gross SAE
J1995: 38.7 (28.5) @ 2600 rpm,
PS

TRANSMISSION: 4-Wheel Drive PRT Transmission/HST Transmission Differential Lock

Displacement, L: 1.496

HYDRAULICS:
Dual Mid Selective Control
Valve with Joystick Control
Lever, Float, Regenerative
Function, and SCV and
Regenerative Lockout

PTO: Independent 540 RPM Rear PTO Electronically Engaged with Mechanical Mid-Both-Rear Selector

ELECTRICAL:
12-Volt Electrical System

75 Amp Alternator
Key Ignition Starter with
Accessory and Pre-Heat
Position
Maintenance Free Battery with

770 Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
Deluxe Adjustable Vinyl Seat
with Retractable Seat Belt
Folding ROPS (Roll-Over
Protective Structure)
meets SAE J2194 and OSHA
1928 ROPS Certification
Standards

Isolated Foot Rest

ComfortGard Cab (Optional):
12-Volt Auxiliary Power Outlet
Air Conditioning and Heater
Cell Phone Holder
Deluxe Fabric Covered Seat with
Retractable Seat Belt
Armrests
Dual Forward Work Lights
Exclusive Raised Header Bar
Two-Speed Front Windshield
Wiper/Washer
Fully Isolated Cab
High Impact Polymer Fenders with
Integrated Tail Lights
Radio Preparation (with antenna,
speakers, wiring, media player
storage slot)

Molded Rubber Floormat Operator Manual Holder Rearview Mirror (Inside) Monitor Mounting Bosses (2 sets) Right Hand and Left Hand Console Storage Right Hand Control Center Sealed Ouiet Cabin Sun Visor Swing-Out Rear Window with removable rear plug for monitor or controller wiring harnesses Tilt Steering Two Front/Two Rear Roof Mounted Warning Lights Operator Presence with Safety Interlock System Reverse Implement Option (RIO)

BASE MACHINE (4WD): 11.2-24 6PR (R1) Rear Tires 7-14 6PR (R1) Front Tires

	ATTACHMENT	
CODE	IDENTIFIER	DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE F.O.B. Grovetown, Georgia 3039R Compact Utility Tractor (31 PTO hp) 1380LV 25,271.00 **OPERATOR'S MANUAL** 0409 English Operator's Manual and Decal Kit In Base Price 0413 French Canadian Operator's Manual and Decal Kit Same Price 0437 Spanish North American Operator's Manual and Decal Kit Same Price **TRANSMISSION** 1381 12F/12R PowrReverser In Base Price 1520 eHydro 1,313.00 OPERATOR STATION 2000 Open Station with Standard Seat In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATION Continued If ordering transmission option 1520 (eHydro) option codes 3330 (Dual Mid & Single EH Rear SCV) and 3420 (Mid PTO) OR option codes 3320 (Dual Mid SCV) and 3400 (Less Mid PTO) required.	
		If ordering transmission option 1381 (PowrReverser) option codes 3320 (Dual Mid SCV) and 3400 (Less Mid PTO) required.	
2050		Cab with Standard Seat Requires option codes 1520 (eHydro), 3400 (Less Mid PTO) and 3320 (Dual Mid SCV).	8,207.00
2055		Deluxe Cab with Standard Seat Includes Rear Wiper and Rear Work Light.	8,585.00
		"Deluxe" Implies Mid PTO, Mid DSCV and Single Electrohydraulic Rear SCV.	
		Requires Option codes 1520 (eHydro), 2505 (Mid PTO) and 3330 (Mid DSCV and Single Electrohydraulic Rear SCV).	
		SELECTIVE CONTROL VALVES	
3320		Dual Mid Selective Control Valve	In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV Available only as Dealer-installed option on Cab with Standard Seat Tractors.	975.00
		Mid PTO	
3400		Less Mid PTO Requires SCV option 3320.	In Base Price
3420		Mid PTO Requires SCV option 3330. Available only as Dealer-installed option on 3033R Model Cab Tractors and 3039R Model Cab with Standard Seat Tractors.	713.00
		REAR WHEELS WITH TIRES (TWO)	
5220		15-19.5 6PR Rear R4 Ind. 2 Pos.	211.00
5223		41x14.0-20 4PR Rear R3 Turf 2 Pos.	279.00
5211		11.2-24 6PR Rear R1 Bar 8 Pos.	In Base Price
5233		41x18LL-16.1 6PR Rear R3 Turf Special 2 Pos.	1,490.00
5230		43x16-20 4PR Rear R4 Ind. 2 Pos.	359.00
		FRONT WHEELS WITH TIRES (TWO)	
6220		25x8.50-14 6PR Front R4 Ind. 2 Pos.	148.00
6223		27x8.50-15 6PR Front R3 Turf 2 Pos.	206.00
6211		7-14 6PR Front R1 Bar 2 Pos.	In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6233		FRONT WHEELS WITH TIRES (TWO) Continued 25x10.5LL-15 6PR Front R3 Turf Special 2 Pos.	340.00
6230		27x8.5-15 6PR Front R4 Ind. 2 Pos.	178.00
		ATTACHMENTS - ORDER AS DESIRED	
		Operator Environment:	
8244		Factory Installed Stereo (Jensen Receiver, Weather Band, Auxiliary Port, and iPod compatibility) Requires Operator's Station option 2050, 2055 or 2060 (Cab configurations).	471.00
841W		iMatch Hitch	284.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Engine: It is recommended to install optional engine block heater, transmission oil heater, and battery heating pad if operating machine in temperatures below -18 $C(0F)$	
	AR87167	Engine Coolant Heater (110 Volt)	80.55
	LVB25686	Fenders: Front Fender Kit	531.30
	BLV10439	Front Hitch: Front Three-Point Hitch (3033R-3046R)	1,306.80
	BLV10475	Front PTO: 2000 RPM Front PTO Includes RIO override for front implements.	303.89
	BLV10452	Front PTO Bracket	84.53
	LVB25308	Hitch: Telescoping Draft Links For Use on Tractors Equipped with Horizontal-Bar Stabilizers.	352.00
	LVU12858	iMatch Quick Hitch Bushings	21.67
	LVU15507	iMatch Quick Hitch Bushings	10.10
	LVB25255	iMatch Quick Hitch Category 1 Includes one set of Bushings (LVU15507).	315.70
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507)</i> .	357.50
	BWA1190	Hood Guards: Deluxe Hood Guard	586.30
	BW15222	Deluxe Hood Guard Attachment	326.70
	BW15219	Hood Guard	259.60

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB26035	ATTACHMENTS FOR FIELD CONVERSION Continued Hydraulics: 4th & 5th Selective Control Valve Kit (OOS Only) Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.	852.50
	BLV10471	EH Third SCV (Cab Only) Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.	1,212.20
	BLV10362	EH Third SCV (OOS Only) Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.	1,212.20
	BLV10366	Electric Diverter Kit (Cab Only) Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.	1,537.80
	BLV10365	Electric Diverter Kit (OOS Only) Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.	1,478.40
	LVB26064	Power Beyond Kit (OOS Only) Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe. See Sales Manual (SCV Reference Table) or ordering details.	412.50
	BLV10462	Power Beyond Kit (Cab Only) Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering information.	449.90
	LVB26160	Top and Tilt Field Kit Requires Electric Diverter Kit.	1,347.50
	LVB25547	Lighting: Auxiliary Rear Work Light Kit (1 Light) Can be used with Forward Work Lighting Kit (LVB25546) at the same time.	63.80
	LVB24852	Beacon Light Kit (Cab Only)	243.10
	LVB25546	Forward Lighting Kit (2 Lights) Requires Premium Warning Light Brush Guard Kit (LVB26217).	97.90
	LVB26217	Premium Warning Light Brush Guard Kit (OOS Only) Includes 2 guards.	93.67
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) Cab is Pre-Wired.	150.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) Includes 2 guards.	57.19
	BLV10167	Miscellaneous: 7-Pin Trailer Connector (Cab Only)	128.70
	BLV10174	7-Pin Trailer Connector (OOS Only)	102.30
	LVB25607	Back-up Alarm Kit Requires eHydro Transmission Option.	126.50
	LVB24851	Horn Kit (Cab Only)	48.40

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	TY15201	ATTACHMENTS FOR FIELD CONVERSION Continued Tire Chains For Use with 10-16.5 In. 6 PR (R4) Front Tires.	206.63
	TY15988	Tire Chains For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.	370.14
	TY4462	Tire Chains For Use with 13.6-28 In. 4PR (R1) Rear Tires.	396.19
	LVB24930	Tool Box Kit Cab Only.	61.60
	LVB24983	Operator Environment: Air Seat Suspension Kit (Cab Only)	723.80
	LVB25688	Air Seat Suspension Kit (OOS Only) Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.	657.80
	LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	583.00
	LVB25332	Canopy Mounting Bracket and Hardware Kit	105.60
	LVB24844	External Mirror Kit (Cab Only)	190.30
	LVB24856	Rear Wiper Kit (Cab Only)	280.50
	SWJHD1620	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready Stereo included with option Code 8244 when configuring Tractor.	249.99
	TY25324	Weather Protection Umbrella	113.73
		Order Zone: For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.	
	720969235	3-Point Hitch Tractor Receiver Hitch	In Catalog
	312012523	ABS Plastic Canopy	In Catalog
	LP95233	Large Seat Cover	29.99
	LP95333	ROPS Organizer	64.99
	LVB24846	PTO: Mid PTO Control Kit (Cab Only)	158.40
	LVB25537	Mid PTO Kit For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1)19M7788 Through Parts. Cab Tractor also Requires LVB24846, Mid PTO Controls.	656.70
	LVB26139	Transmission: PRT Oil Cooler Kit	300.30

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AR94493	ATTACHMENTS FOR FIELD CONVERSION Continued Transmission Oil Heater Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.	79.49
	BM19940	Weights: Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit Includes Rod and Spring Pins for Front Quik-Tatch Weights.	45.10
	BLV10442	Front Weight Bracket Extension Kit Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.	238.70
	BLV10441	Front Weight Bracket Extension Kit Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.	255.20
	R66949	Quik-Tatch Weight, 42 Lb. Requires (1) LVBM19607, Front Quik-Tatch Weight Kit.	63.13
	BM19780	Quik-Tatch Weight, 70 lb. Requires (1) LVBM19607, Front Quik-Tatch Weight Kit.	108.90
	BM17968	Rear Wheel Weight, 48.5 Lb. Starter and Additional Weight for 19.5 and 20 In. Wheel.	140.80
	T19293	Weight, Rear Wheel 110 Lb. Starter and Additional Weight for 24 In. Wheel. Requires Attaching Hardware 4 each of 03H1605 (Bolt) and 14H1039 (Nut) for Starter Weight and BM19940 for Additional Weight. Starter and Additional Weight for 24 and 28 In. Wheel.	171.60
	LVB25672	Wheels and Tires Front: Two 2 position Steel Wheel with 7X14 In. 6PR (R1) Front Tires	1,445.40
	LVB25670	Two 2 Position Steel Wheels with 25x10.5LL-15 In. 6PR (R3) Turf Special Front Tires	1,819.40
	LVB25674	Two 2 Position Steel Wheels with 25x8.50-14 In. 6PR (R4) Front Tires	1,608.20
	LVB25673	Two 2 Position Steel Wheels with 27x8.5-15 In. 6PR (R4) Front Tires	1,641.20
	LVB25671	Two 2 Position Steel Wheels with 27x8.50-15 In. 6PR (R3) Front Tires	1,672.00
	BLV10393	Wheels and Tires Rear: Two 2 Position Steel Wheels with 15-19.5 In. 6PR (R4) Rear Tires	1,536.70

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB25532	ATTACHMENTS FOR FIELD CONVERSION Continued Two 2 Position Steel Wheels with 15-19.5 In. 6PR (R4) Rear Tires	2,725.80
	LVB25496	Two 2 Position Steel Wheels with 41x14.0-20 In. 4PR (R3) Rear Tires	2,800.60
	LVB25498	Two 2 Position Steel Wheels with 41x18LL-16.1 In. 6PR (R3) Turf Special Rear Tires	4,132.70
	LVB25494	Two 2 Position Steel Wheels with 43x16-20 In. 4PR (R4) Rear Tires	2,888.60
	LVB25495	Two 8 Position Steel Wheels with 11.2-24 In. 6PR (R1) Rear Tires	2,493.70