HAY TOOLS

IMPLEMENTS = 15% PARTS = 8.5%

WHOLEGOODS PRICE LIST EFFECTIVE MARCH 17, 2014

These pages are a complete revision of this section of your price book.

All prices are effective March 17, 2014.

HAY TOOLS

HAY TOOLS

	PAGE NUMBER	MODEL	WEIGHT	SUGGESTED LIST PRICE
S	15-4	DM1017	915	\$7,425.00
MOWER	15-4	DM1022	1058	\$9,483.00
MO	15-4	DM1024	1091	\$10,995.00
DISC	15-5	DM2028	1426	\$11,995.00
3PT D	15-5	DM2032	1508	\$13,675.00
₩ Ж	15-6	Tractor Matching Chart		
E & DER	15-8	TE4052T Tedder	922	\$8,690.00
RAKE & TEDDER	15-9	RA1042T Rake	1384	\$9,355.00

MOWERS DM1000 SERIES

Technical Specifications								
Туре	DM1017	DM1022	DM1024					
Working Width	5' 6"	7' 2"	7 '10"					
Transport Width	3' 9"	3' 9"	3' 9"					
Weight (PTO-Shaft included)	915 lbs	1058 lbs	1091 lbs					
Required PTO hp	36 HP	42 HP	46 HP					
PTO Speed	540 rpm	540 rpm	540 rpm					
Type of Linkage Pins	Cat. I & II	Cat. II	Cat. II					
Number of Discs	4	6	6					
Number of Blades	12	18	18					
Blade Length	4.7"	4.2"	4.7"					
Disc rpm	2850 rpm	2850 rpm	2850 rpm					
V-belts, type B spec 2360	3	4	4					

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
MOWER			
DM1017	Disc Mower, 5' 6"	915	\$7,425.00
DM1022	Disc Mower, 7' 2"	1058	\$9,483.00
DM1024	Disc Mower, 7' 10"	1091	\$10,995.00
OPTIONAL EQUIPMENT			
DM5600	1.5" High Skids - Mow height 2.5" - 4.3", Set of 2	35	\$248.00
DM5601	3" High Skids - Mow height 3" - 5", Set of 2	71	\$276.00
DM5602	Inner Swath Board	11	\$186.00
DM5603	Swath Roller RH	44	\$308.00
DM5604	Category 1 & 2 Linkage Pin Set	4	\$137.00
DM5605	Canvas Cover Stifferners 1	4	\$17.00
DM5606	Depth Limiting Chain	13	\$94.00
DM5607	Inner drum (to be positioned on disc 1, narrows swath by approx. 35 cm)	7	\$137.00
DM5608	4 Caps aggressive crop flow for DM1017	22	\$209.00
DM5609	6 Caps aggressive crop flow for DM1022, DM1024	26	\$316.00

MOWERS DM2000 SERIES

Technical Specifications							
Туре	DM2028	DM2032					
Working Width	9' 2"	10' 6"					
Transport Width	4' 7"	4' 7"					
Weight (PTO-Shaft included)	1426 lbs	1508 lbs					
Required PTO hp	50 HP	55 HP					
PTO Speed	540 rpm	540 rpm					
Type of Linkage Pins	Cat. II	Cat. II					
Number of Discs	8	8					
Number of Blades	24	24					
Blade Length	4.2"	4.7"					
Disc rpm	3000 rpm	3000 rpm					
V-belts, type B spec 2360	4	4					
Stabilizer Kit 26xx / 2xx	Standard Equipment	Standard Equipment					
Depth Limiting Chain	Standard Equipment	Standard Equipment					

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
DM2028	Disc Mower, 9' 2"	1426	\$11,995.00
DM2032	Disc Mower, 10' 6"	1508	\$13,675.00
STANDARD EQUIPM	MENT		
DM5610	Stabilizer Kit 26xx / 2xx (Std. Equipment)		
DM5606	Depth Limiting Chain (Std. Equipment)		
OPTIONAL EQUIPM	ENT		
DM5600	1.5" High Skids - Mow height 2.5" - 4.3", Set of 2	35	\$248.00
DM5601	3" High Skids - Mow height 3" - 5", Set of 2	71	\$276.00
DM5611	LH Swathboard	9	\$224.00
DM5612	RH Swathboard Short	13	\$182.00
DM5614	RH Straw Divider when harvesting seed	7	\$147.00
DM5615	8 Caps aggressive crop flow	7	\$419.00
DM5607	Inner Drum (to be positioned on disc 1, narrows swath by approx. 35 cm)	7	\$137.00
DM5616	RH Swathroller	26	\$239.00

TRACTOR MATCHING CHART

Product Series/Type Model Series/Type Model Series/Type Model Series/Type Series/Type Model Series/Type Series/Type	<u>ე დ</u>					3S *7	55 LE						Front Ballast:		
Rakes Single Rotor RA1042T ¹ VS220 ²	Leveu RUP3	L6060 ROPS	L5460 CAB	L5460 ROPS	L5060 ROPS	L4760 CAB	L4760 ROPS	L4701 ROPS	L4060 CAB	L4060 ROPS	L3560 CAB	L3560 ROPS	Model	Series/Type	Product
VS220 ²													TE4052T ¹	4 Rotors	Tedders
													RA1042T ¹	Single Rotor	Rakes
VS330 ²													VS220 ²		
													VS330 ²		
Pendulum VS400VITI ²													VS400VITI ²	Pendulum	Consoders
Spreaders Type VS500VITI ²													VS500VITI ²	Туре	Spreaders
VS400 ²													VS400 ²		
VS500 ²													VS500 ²		

¹ Requires one (1) remote hydraulic valve.

² Requires one (1) remote hydraulic valve when equipped with the Hydraulic Remote Control Option (VS5829, VS5841, VS5842, or VS5856)

TRACTOR MATCHING CHART

KTC Mato	CTC Matching Chart for "Phase I" Kubota Branded/KVG Hay Tools- M Series																	
		Front Ballast:	55LE	3S *7		10	04LBS	*8			104LE	3S *10		104LE	3S*12	10	4LBS*	
Product	Series/Type	Model	MX4800	MX5200	M5640SU/SUD	M6060 Rops	M6060 Cab	M7060 Rops	M7060 Cab	M8560 Rops	M8560 Cab	M9960 Rops	M9960 Cab	M100GX	M110GX	M126GX	M135GX	M135Gx (F-SUS)
		DM1017 ¹																
	1000 Series	DM1022 ¹																
Disk Mowers		DM1024 ¹																
	2000 Series	DM2028 ¹																
	2000 301103	DM2032 ¹																
Tedders	4 Rotors	TE4052T ¹																
Rakes	Single Rotor	RA1042T ¹																
		VS220 ²																
		VS330 ²																
		VS400VITI ²																
		VS500VITI ²																
Spreaders	Pendulum Type	VS400 ²																
		VS500 ²																
		VS600 ²																
		VS800 ²																
		VS1000 ²																



¹ Requires one (1) remote hydraulic valve.

² Requires one (1) remote hydraulic valve when equipped with the Hydraulic Remote Control Option (VS5829, VS5841, VS5842, or VS5856)

TEDDERS

TECHNICAL SPECIFICATIONS	
MODEL	TE4052T
Working Width	17' 1"
Transport Width	9' 6"
Parking Height	8' 8"
Weight	922 lbs
Rotor Diameter	5' 5"
Required Horsepower App.	20 hp
PTO Speed	540 rpm
Slip Clutch	700 NM
Headstock	Pull Type
Type of Linkage	Clevis
Number of Rotors	4
Number of Tine Arms	6
Wheels/Tires	15x6.00-6 PR 6

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
TEDDER TE4052T	17' 1" Trailed Tedder	922	\$8,690.00
OPTIONAL EQUIPMENT TE5630	1 Set (24) tine saver clips	11	\$158.00
TE5631	Anti Wrapping Plates (2x) especially for long, sticky grass (trapeze shaped)	22	\$132.00
TE5632	Spare Wheel 16" including fixation kit	44	\$169.00

RAKES

TECHNICAL SPECIFICATIONS		
MODEL	RA1042T	
Working Width	13' 9"	
Length	12' 10"	
Transport Width	6' 7"	
Weight	1384 lbs	
Rotor Diameter	11'	
Cam Track Diameter	8' 6"	
Required tractor size app	20 HP	
PTO Speed	540 rpm	
Headstock		
Type of Linkage	Drawbar	
Number of Rotors	1	
Number of Tine Arms	11	
Number of Tines per Rotor	4	
Height Adjustment	Quickset	
Wheels/Tires	18x8.50-8 PR 6	
Axles	Tandem	

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
RAKE RA1042T	13' 9" Trailed Side Delivery Rake	1384	\$9,355.00
OPTIONAL EQUIP RA5650	MENT 1 Set (44) tine saver clips	11	\$278.00
RA5651	Spare wheel 18.5" including fixation kit	44	\$214.00
RA5652	Road Light Kit	22	\$404.00

SPREADERS

WHOLEGOODS PRICE LIST EFFECTIVE MARCH 17, 2014

These pages are a complete revision of this section of your price book.

All prices are effective March 17, 2014.

SPREADERS

SPREADERS

PAGE NUMBER	MODEL	WEIGHT	SUGGESTED LIST PRICE
16-4	VS220	165	\$1,870.00
16-5	VS400	267	\$2,199.00
16-6	VS400VITI	267	\$2,499.00
16-7	VS600	287	\$3,645.00
16-8	Tractor Matching Chart		
16-9	Spreader Accessories		

VS220 SPREADER

TECHNICAL SPECIFICATIONS

BASIC	HOPPER CAPACITY (LBS)	HOPPER CAPACITY (FT ³)	HOPPER WIDTH	FILLING HEIGHT	WEIGHT (LBS)	PTO REQUIRED	CAT.
VS220	485	7.8	42"	30"	165	10	1
VS330	730	11.7	42"	39"	187	15	1

STANDARD EQUIPMENT

Standard Nylon Spout 29' - 46' spreading width Mechanical shut off

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
VS220	Pendulum Spreader - 7.8 Ft ³ / 485 lb capacity	165	\$1,870.00
OPTIONAL EQU	IIPMENT		
VS5824	110 ltr Extension Rim to create a VS330 / (increases capacity to 11.7 Ft ³)	7.5	\$240.00
VS5813	Agitator for powder/salt/sand/grit	5.8	\$105.00
VS5828	Stainless Steel Hopper Insert grit/sand/salt	4.9	\$421.00
VS5814	Grate for basic hopper VS220	11.6	\$294.00
VS5825	Hopper Cover for VS5824 (110 ltr ext. rim)	3.3	\$238.00
VS5829	Hydraulic Remote On/Off Control VS220	8.6	\$993.00

VS400 SPREADER

TECHNICAL SPECIFICATIONS

BASIC	HOPPER CAPACITY (LBS)	HOPPER CAPACITY (FT ³)	HOPPER WIDTH	FILLING HEIGHT	WEIGHT (LBS)	PTO REQUIRED	CAT.
VS400	880	14.1	57"	35"	267	20	1 & 2
VS500	1100	17.7	45"	40"	278	25	1 & 2

STANDARD EQUIPMENT

Standard Nylon Spout 29' - 46' spreading width Mechanical shut off

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
VS400	Pendulum Spreader - 14.1 ft ³ / 880 lb capacity	267	\$2,199.00
VS5836	100 ltr Extension Rim to create a VS500 / (increases capacity to 17.7 ft ³)	88.2	\$361.00
VS5834	Agitator for sand/salt/grit/powder	1.7	\$183.00
VS5835	Grate for basic hopper VS400/VITI	15.8	\$294.00
VS5839	Stainless Steel Insert for grit/sand/salt	9.3	\$525.00
VS5837	Hopper Cover for VS400 & VS400VITI	4	\$344.00
VS5838	Hopper Cover for VS5836 (100 ltr extension rim)	4.4	\$352.00
VS5841	Hydraulic Remote On/Off Control VS400	11	\$993.00
VS5833	Border Spreading Plate	22.1	\$551.00

VS400VITI SPREADER

TECHNICAL SPECIFICATIONS

BASIC	HOPPER CAPACITY (LBS)	HOPPER CAPACITY (FT ³)	HOPPER WIDTH	FILLING HEIGHT	WEIGHT (LBS)	PTO REQUIRED	CAT.
VS400VITI	880	14.1	57"	35"	267	20	1 & 2
VS500VITI	1100	17.7	45"	40"	278	25	1 & 2

STANDARD EQUIPMENT

Standard Nylon Spout 29' - 46' spreading width Mechanical Shut Off

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
VS400VITI	Vineyard Pendulum Spreader 14.1 Ft ³ / 880 lb Capacity	267	\$2,499.00
VS5836	100 ltr Extension Rim to create VS500VITI (increases cap. to 17.7 ft³)	88.2	\$361.00
VS5839	Stainless Steel Hopper Insert for grit/sand/salt	9.3	\$525.00
VS5835	Grate for basic hopper VS400/VITI	15.8	\$294.00
VS5837	Hopper Cover for VS400 & VS400VITI	4	\$344.00
VS5838	Hopper Cover for VS400 & VS400VITI w/VS5836 (100 ltr extension rim)	4.4	\$352.00
VS5842	Hydraulic Remote Control VS400VITI	11	\$993.00

VS600 SPREADER

TECHNICAL SPECIFICATIONS

BASIC	HOPPER CAPACITY (LBS)	HOPPER CAPACITY (FT ³)	HOPPER WIDTH	FILLING HEIGHT	WEIGHT (LBS)	PTO REQUIRED	CAT.
VS600	1300	21.2	69"	38"	287	35	1 & 2
VS800	1750	28.3	69"	42"	342	40	1 & 2
VS1000	2200	35.3	69"	46"	364	45	2 & 2

STANDARD EQUIPMENT

Standard Spout Nylon 29' - 46' spreading width Mechanical Shut Off

ORDER DESCRIPTION		APPROX. SHIP WT.	SUGGESTED LIST PRICE
VS600	Pendulum Spreader - 21.2 ft ³ / 1300 lb capacity	287	\$3,645.00
VS5843	200 ltr Extension Rim to create VS800 (increases cap. to 28.3 ft ³)	24.3	\$500.00
VS5844	400 ltr Extension Rim to create VS1000 (increases cap. to 35.3 ft ³)	60.6	\$1,002.00
VS5834	Agitator for sand/salt/grit/powder	1.7	\$183.00
VS5853	Grate for basic hopper VS600	17.2	\$551.00
VS5857	Stainless Steel Hopper Insert grit/sand/salt	10.1	\$759.00
VS5847	Hopper Cover for VS600	5.7	\$445.00
VS5849	Hopper Cover for VS5844 (400 ltr ext. rim)	5.7	\$456.00
VS5858	Set of Four Parking Wheels	33.1	\$468.00
VS5856	Hydraulic Remote Control VS600	11	\$994.00
VS5833	Border Spreading Plate	22.1	\$551.00

TRACTOR MATCHING CHART

KTC Matching Chart for "Phase I" Kubota Branded/KVG Hay Tools -- L Series

	g 3.33	Front Ballast:					_	55LE	3S *7					
Product	Series/Type	Model	SAON 099E7	L3560 CAB	L4060 ROPS	L4060 CAB	L4701 ROPS	L4760 ROPS	L4760 CAB	L5060 ROPS	L5460 ROPS	L5460 CAB	L6060 ROPS	L6060 CAB
		VS220 ²												
		VS330 ²												
Spreaders	Pendulum Type	VS400VITI ²												
Spreaders Ferio	i endulum type	VS500VITI2												
		VS400 ²												
		VS500 ²												



¹ Requires one (1) remote hydraulic valve.

KTC Matching Chart for "Phase I" Kubota Branded/KVG Hay Tools-- M SERIES

		Front Ballast:	55LI	BS*7		10	4LBS	*8			104LE	3S *10)	104LE	3S*12	10	4LBS	'16
Product	Series/Type	Model	MX4800	MX5200	M5640SU/SUD	M6060 Rops	M6060 Cab	M7060 Rops	M7060 Cab	M8560 Rops	M8560 Cab	M9960 Rops	M9960 Cab	M100GX	M110GX	M126GX	M135GX	M135Gx (F-SUS)
		VS220 ²																
		VS330 ²																
		VS400VITI2																
		VS500VITI ²																
Spreaders	Pendulum Type	VS400 ²																
		VS500 ²																
		VS600 ²																
		VS800 ²																
		VS1000 ²																



¹ Requires one (1) remote hydraulic valve.

² Requires one (1) remote hydraulic valve when equipped with the Hydraulic Remote Control Option (VS5829, VS5841, VS5842, or VS5856)

² Requires one (1) remote hydraulic valve when equipped with the Hydraulic Remote Control Option (VS5829, VS5841, VS5842, or VS5856)

Accessories

ORDER CODE		DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE	
		Below Accessories Can be Used on	All Models		
Spouts:					
VS5815		Short Spout Nylon 13'-26'	1.5	\$118.00	
VS5822	12	Sand/Salt/Grit/Powder spout Stainless Steel 6.5'-13'	5	\$355.00	
VS5819	34	Sand/Salt/Grit/Powder spout Stainless Steel 16'-19'	5.5	\$335.00	
VS5831		Sand/Salt/Grit/Powder spout Stainless Steel 19'-39'	6.6	\$327.00	
VS5818		Band row spreading spout Stainless Steel 3'-14'	4.5	\$278.00	
VS5821	(5)	Band row spreading spout Stainless Steel 6.5'-26'	5.9	\$326.00	
VS5817		Right side spreading spout Stainless Steel 13'-19'	5.7	\$352.00	
VS5823		Boundary spreading spout Left side Nylon 11'-19'	3	\$97.00	
Miscellaneo	us:				
VS5826		Key for adjusting spreading width	0.31	\$38.00	
VS5827		Fine application kit for seeding applications	0.51	\$38.00	
VS5832		Reflector set VS	0.33	\$95.00	
VS5811		Calibration container VS	23.2	\$280.00	
Electric Cont	troller:				
VS5859		Wheel/PTO/start-stop sensor	1.3	\$294.00	
VS5861		Speed radar Self built	0.62	\$229.00	
VS5862		Radar cable Dickey-John	0.15	\$140.00	
VS5863		Speed cable DIN-ISO 7pin	0.46	\$225.00	
VS5864		Speed cable DIN-ISO male-female	0.26	\$222.00	
VS5865		Speed cable incl.pulse divider	1.21	\$349.00	
VS5866		Wheel ring 350 mm	3.17	\$307.00	
VS5867		Wheel ring 420 mm	4	\$257.00	
VS5812		Lighting set	6.5	\$358.00	
VS5871		Battery cable 3 pin	1.8	\$98.00	

① Recommended for Salt and Sand spreading with VS220: VS5822, VS5813, VS5828, VS5814

② Recommended for Salt and Sand spreading with VS400: VS5822, VS5834, VS5839, VS5835

³ Recommended for Golf Course spreading with VS220: VS5819, VS5813, VS5828, VS5814

Recommended for Golf Course spreading with VS400: VS5822, VS5813, VS5828, VS5814

S Recommended for Row spreading with VS400VITI