

CONSTRUCTION EQUIPMENT

U.S. PRICE LIST

COMPACT EXCAVATORS

PL-200 MX SAP REVISION 11

EFFECTIVE JULY 1, 2014

THIS IS AN ELECTRONIC COPY ONLY – HARD COPIES WILL NOT BE DISTRIBUTED.

This price list is intended for dealers with the Compact Excavators (MX) contract only.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Below is a list of Family(s) and Model(s) that are included in this price list.

Crawler Excavator (Mini)

CX17B

CX27B

CX31B T4 FINAL

CX36B T4 FINAL

CX55B T4 FINAL

PLEASE NOTE: Retain the price book pages of the discontinued series for your records.

Copyright 2014 By

CNH Industrial America LLC



(This page intentionally left blank)



General Information

Prices shown herein are suggested prices only and in no way are they to be construed as limiting or restricting the dealer in his determination of the ultimate retail selling price. It is understood that the dealers are free to determine their selling price. Subject to any Federal, State or local laws.

Where shown herein liquid capacities are U.S. measure unless otherwise noted.

ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE.

Prices and specifications are subject to change without notice.

CONTENTS OF ORGANIZATION

Case Construction Equipment Inc issues price lists and revisions covering each Case contract. U.S. Price List is published in U.S. funds. Canadian Price List is published in Canadian funds. Assure that you are using the correct price list. The Canadian price lists are denoted by a Maple Leaf on the price list cover page and the symbol "(CDN)" is printed at the head of the Factory Supplied Attachments List columns.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory" and "Factory Supplied Attachments".

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory", "Factory Supplied Attachments", or "Third Party Supplied Attachments" pages. When ordering and pricing a machine follow the ordering instructions listed for that machine. Attachments listed following the "Factory Supplied Attachments" or "Third Party Supplied Attachments" heading are available for installation in the field.

ATTACHMENTS

Expect Attachments to be shipped within 2 -3 weeks from order entry.



General Information

DISTRIBUTION OF PRICE LISTS / REQUESTS FOR ADDITIONAL COPIES

Price lists will be provided electronically via that Dealer Portal.

Contact information for additional copies of Case Construction Equipment Price Lists

Additional price lists, divider tabs and binders may be ordered at the Document Management Center. From Dealer Portal click on Tools then Document Management Center link. Any questions you can call the Document Management Center at 262-636-7540

You will only receive price lists for contracts covered by your current Dealer Agreement with the Company.

The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.



COMPACT EXCAVATORS TABLE OF CONTENTS

COMPACT EXCAVATORS

CX17B COMPACT EXCAVATOR

Standard Features	MX-7
Price List	MX-9
Factory Supplied Attachments.....	MX-11

CX27B COMPACT EXCAVATOR

Standard Features	MX-13
Price List	MX-15
Factory Supplied Attachments.....	MX-19

CX31B T4 FINAL COMPACT EXCAVATOR

Standard Features	MX-21
Price List	MX-23
Factory Supplied Attachments.....	MX-27

CX36B T4 FINAL COMPACT EXCAVATOR

Standard Features	MX-29
Price List	MX-31
Factory Supplied Attachments.....	MX-35

CX55B T4 FINAL COMPACT EXCAVATOR

Standard Features	MX-37
Price List	MX-39
Factory Supplied Attachments.....	MX-43



(This page intentionally left blank)

**CX17B COMPACT EXCAVATOR
US PRICE LIST**

**(Ex Works Port of Entry, unless noted)
Standard Equipment**

ENGINE:

Mitsubishi - L3E-W231KBS 3 Cyl.
Glow plugs
Horsepower:
- Net (SAE) 15 at 2,200 RPM
Fuel Tank Capacity: 5.8 gallons (US)
Dry type air cleaner
Hinged engine cover

OPERATOR PROTECTIVE**STRUCTURE:**

ROPS/FOPS: three post canopy
design with seat belt
Two lever control for boom, arm,
bucket and swing; pilot-operated
wrist controls and foot pedals
Wrist rests
Display includes: engine oil pressure,
water temperature lamp, air filter
lamp, water separator, detection
lamp, low fuel warning lamp, battery
charge lamp, glow plug indicator
lamp, water temperature gauge, fuel
gauge and hour meter

ELECTRICAL:

12 Volt electrical starting system
includes heavy-duty battery and
starting motor
Horn

BLADE:

Hydraulically controlled dozer blade

UNDERCARRIAGE:

Rubber tracks
Track pad width: 9.05"
Track length: 5' 1"
Gradeability: 30°
Undercarriage width: 39" retracted;
52" expanded

TRACK DRIVE:

Two speed travel
Fully hydrostatic drive system
Track tension adjustment
(grease type)
Sealed and lubricated track rollers

HYDRAULICS:

Control pattern selector valve
Hydraulic oil filter
Total Auxiliary Flow: 10.8 GPM
Main pump: 3,133 PSI
Nibbler and breaker auxiliary valve and
piping
Large capacity hydraulic oil cooler

WORKING RANGES

Bucket digging force: 3,417 lbs.
Bucket capacity: 0.78 - 1.30 cubic feet
Bucket width: 8" - 16"
Arm crowding force: 2,248 lbs.
Maximum dig depth 7' 1"
Vertical wall dig depth 5' 5"
Maximum dump clearance: 8' 8"
Minimum dump clearance: 3' 3"

UPPER:

Arm: 3' 3"
Boom: 5' 8"
Zero Tail Swing
Swing lock

MISCELLANEOUS:

Operating weight: 3,638 lbs.



(This page intentionally left blank)



**CX17B COMPACT EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry, unless noted)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX17B	3,564 LB		\$34,737.00

**CX17B COMPACT EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry, unless noted)
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

VERSION

SD_10181 CRAWLER TYPE

		9552210	9.05" (230mm) Rubber Tracks with dozer blade			No Charge
		9553210	9.05" (230mm) Steel Tracks with dozer blade			\$2,469.00

ADDITIONAL EQUIPMENT MEX

SD_30180 TRAVEL ALARM

		X30180X	No Travel Alarm			No Charge
		747453	Travel Alarm			\$242.00

SD_40018 ADDITIONAL COUNTERWEIGHT

		X40018X	No Additional Counterweight			No Charge
		747950	Additional Counterweight			\$398.00

SD_47181 OPERATOR'S MANUAL

		747480	Operators Manual - English			No Charge
		747961	Operators Manual - French			No Charge
		747962	Operators Manual - Spanish			No Charge

SD_X5200 BUCKETS

		XX5200X	No Mounted Bucket To order a bucket(s), refer to the Factory Supplied Attachment section of the price book.			No Charge
--	--	---------	---	--	--	-----------

SD_X6101 ARM OPTION

		747930	Short Arm - 3' 3" (0.99M)			No Charge
		747931	Long Arm - 3' 11" (1.20M)			\$538.00



**CX17B COMPACT EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry, unless noted)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Buckets

	47422580	10" Heavy Duty (Pin On)	80 LB		\$423.00
	47422581	12" Heavy Duty (Pin On)	85 LB		\$455.00
	47422582	16" Heavy Duty (Pin On)	105 LB		\$519.00
	47422583	18" Heavy Duty (Pin On)	120 LB		\$599.00
	47422585	Pin Grabber Coupler	60 LB		\$1,822.00
	47457878	Dead Pin Kit	6 LB		\$179.00

Couplers

	47422586	10" Heavy Duty (Coupler)	80 LB		\$602.00
	47422587	12" Heavy Duty (Coupler)	85 LB		\$634.00
	47422588	16" Heavy Duty (Coupler)	105 LB		\$696.00
	47422589	18" Heavy Duty (Coupler)	120 LB		\$778.00
	47422590	Kiac Manual Coupler	30 LB		\$957.00
	47422602	Kiac Top Plate	135 LB		\$268.00



(This page intentionally left blank)

**CX27B COMPACT EXCAVATOR
US PRICE LIST**

**(Ex Works Port of Entry, unless noted)
Standard Equipment**

ENGINE:

3TNV82A-5YB Cycle 3 cyl. water-cooled, direct injection diesel
Tier IV
Glow plugs
Horsepower:
 Net (SAE) 21.3 (15.9 KW) at
 2,200 RPM
Dry type air cleaner
One touch deceleration
Hinged engine cover

OPERATOR PROTECTIVE**STRUCTURE:**

ROPS/FOPS: three post canopy design with seat belt
Tilt up control panel with two lever control for boom, arm, bucket and swing; pilot-operated wrist controls and foot pedals
Display includes: engine oil pressure, water temperature lamp, air filter lamp, water separator detection lamp, low fuel warning lamp, battery charge lamp, glow plug indicator lamp, water temperature gauge, fuel gauge and hour meter
Foot pedal swing tower control

ELECTRICAL:

12 Volt electrical starting system includes heavy-duty battery and starting motor
Horn

BLADE:

Hydraulically controlled dozer blade

UNDERCARRIAGE:

Rubber Track
Track pad width: 9.8"
Track length: 6'6"
Gradeability: 30°

TRACK DRIVE:

Two speed travel
Fully hydrostatic drive system
Track tension adjustment (grease type)
Sealed and lubricated track rollers

HYDRAULICS:

Control pattern selector valve
Hydraulic oil filter
Total Auxiliary Flow: 10.8 GPM
Main Pump: 3,336 PSI
Nibbler and breaker auxiliary valve and piping
Large capacity hydraulic oil cooler
Proportional auxiliary hydraulic flow control

UPPER:

Arm: 3' 8"
Boom: 7' 3"
Zero Tail Swing
Swing lock
Swing brake: disc type, spring applied and hydraulically released

MISCELLANEOUS:

Operating weight: 5,556 lbs.



(This page intentionally left blank)



**CX27B COMPACT EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry, unless noted)

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
CX27B	Rops	6,679 LB		\$45,079.00
CX27B	Cab	5,556 LB		\$49,489.00
Includes the following Equipment ROPS/FOPS Level I Cab (747946) \$1,019.00				

**CX27B COMPACT EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry, unless noted)
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

VERSION

SD_10181 CRAWLER TYPE

		9552200	9.84" (250mm) Rubber Tracks with dozer blade			No Charge
		9553200	9.84" (250mm) Steel Tracks with dozer blade			\$2,494.00

OPERATOR'S PROTECTIVE STRUCTURE

SD_X5150 OPERATOR PROTECTIVE STRUCTURE

		747944	ROPS/FOPS Level I Canopy ROPS/FOPS Level 1 is not for use in demolition or other heavy duty applications. Only available with ROPS version of commercial model.			No Charge
		747945	ROPS/FOPS Level II Canopy Only available with ROPS version of commercial model.			\$922.00
		747946	ROPS/FOPS Level I Cab Includes heater. ROPS/FOPS Level 1 is not for use in demolition or other heavy duty applications. Only available with Cab version of commercial model.			\$1,019.00
		747947	ROPS/FOPS Level II Cab Includes heater. Only available with Cab version of commercial model.			\$2,180.00

ADDITIONAL EQUIPMENT MEX

SD_30180 TRAVEL ALARM

		X30180X	No Travel Alarm			No Charge
		747673	Travel Alarm			\$242.00

SD_40018 ADDITIONAL COUNTERWEIGHT

		X40018X	No Additional Counterweight			No Charge
		747650	Additional Counterweight			\$628.00

SD_47181 OPERATOR'S MANUAL

		747480	Operators Manual - English			No Charge
		747961	Operators Manual - French			No Charge



**CX27B COMPACT EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry, unless noted)

		747962	Operators Manual - Spanish			No Charge
--	--	--------	----------------------------	--	--	-----------

SD_X6100 ARM

		747325	Short Arm - 3' 11" (1.19m)			No Charge
		747330	Long Arm - 4' 6" (1.37m)			\$558.00

SD_X9703 REAR MIRRORS

		XX9703X	No Rearview Mirror			No Charge
		747046	Rearview Mirror			\$101.00

SD_X9704 REAR UNDER MIRRORS

		XX9704X	No Rear Under Mirror			No Charge
		747047	Rear Under Mirror			\$88.00



(This page intentionally left blank)



**CX27B COMPACT EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry, unless noted)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Buckets

	47422623	12" Heavy Duty (Pin On)	135 LB		\$618.00
	47422624	18" Heavy Duty (Pin On)	155 LB		\$739.00
	47422625	24" Heavy Duty (Pin On)	180 LB		\$946.00
	47422626	Pin Grabber Coupler	75 LB		\$1,826.00
	47457879	Dead Pin Kit	8 LB		\$200.00

Couplers

	47422627	12" Heavy Duty (Coupler)	135 LB		\$621.00
	47422628	18" Heavy Duty (Coupler)	155 LB		\$742.00
	47422630	24" Heavy Duty (Coupler)	180 LB		\$949.00
	47422631	Kiac Manual Coupler	60 LB		\$1,243.00
	47422632	Kiac Top Plate	20 LB		\$321.00



(This page intentionally left blank)

**CX31B T4 FINAL COMPACT EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry, unless noted)

Standard Equipment

ENGINE:

3TNV88F-E 4 Cycle 3 cyl. water-cooled, direct injection diesel
Tier 4 Final
Glow plugs
Horsepower:
Net (SAE) 23 HP (17.2 KW) at
2,400 RPM
Dry type air cleaner
One touch deceleration
Hinged engine cover

OPERATOR PROTECTIVE

STRUCTURE:

ROPS/FOPS: three post canopy design with seat belt
Tilt up control panel with two lever control for boom, arm, bucket and swing; pilot-operated wrist controls and foot pedals
Display includes: engine oil pressure, water temperature lamp, low fuel warning lamp, battery charge lamp, water temperature gauge, fuel gauge and hour meter
Optional LCD Screen diagnostic
Foot pedal swing tower control

ELECTRICAL:

12 Volt electrical starting system includes heavy-duty battery and starting motor
Horn

BLADE:

Hydraulically controlled dozer blade

UNDERCARRIAGE:

Rubber tracks
Track pad width: 11.8" (300 mm)
Track length: 7' 1" (2150 mm)
Gradeability: 30°
Ground clearance: 11.8" (300 mm)

TRACK DRIVE:

Two speed travel
Fully hydrostatic drive system
Track tension adjustment (grease type)
Sealed and lubricated track rollers

HYDRAULICS:

Control pattern selector valve
Hydraulic oil filter
Total Auxiliary Flow: 20.3 GPM (76.8 l/min)
Main pump: 3,336 PSI
Nibbler and breaker auxiliary valve and piping
Large capacity hydraulic oil cooler
Proportional auxiliary hydraulic flow control

UPPER:

Standard Arm: 4' 4" (1.32 m)
Optional Long Arm: 5' 4" (1.62 m)
Boom: 7' 7" (2.46 m)
Zero Tail Swing
Swing lock
Swing brake: disc type, spring applied and hydraulically released

MISCELLANEOUS:

Operating weight: 7,320 lbs. (3320 kg)



(This page intentionally left blank)



**CX31B T4 FINAL COMPACT EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry, unless noted)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX31B ROPS T4 FINAL	7,320 LB		\$50,360.00
CX31B CAB HEAT/AC T4 FIN			\$58,293.00

**CX31B T4 FINAL COMPACT EXCAVATOR
US PRICE LIST**

**(Ex Works Port of Entry, unless noted)
Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

VERSION

SD_10181 CRAWLER TYPE

	9552300	11.8" (300 mm) Rubber Tracks with dozer blade			No Charge
	9553300	11.8" (300 mm) Steel Tracks with dozer blade			\$2,654.00

ADDITIONAL EQUIPMENT MEX

SD_05136 RADIO OPTION

	X05136X	No Radio or Speakers			No Charge
	747371	Radio For use with Cab commercial models only			\$684.00

SD_30180 TRAVEL ALARM

	X30180X	No Travel Alarm			No Charge
	747674	Travel Alarm			\$242.00

SD_40018 ADDITIONAL COUNTERWEIGHT

	X40018X	No Additional Counterweight			No Charge
	747648	Additional Counterweight			\$891.00

SD_47181 OPERATOR'S MANUAL

	747480	Operators Manual - English			No Charge
	747961	Operators Manual - French			No Charge
	747962	Operators Manual - Spanish			No Charge

SD_X5155 OPERATOR PROTECTION GUARD

	XX5155X	No OPG Front Guard			No Charge
	747656	Operator Protective Guard For use with Cab commercial models only.			\$1,003.00

SD_X5329 ARM/BUCKET ROD COVER

	XX5329X	No Arm/Bucket Cover			No Charge
	747374	Arm/Bucket Cylinder Rod Cover			\$1,164.00

SD_X5500 AIR FILTER

	XX5500X	Standard Air Filter			No Charge
	747658	Air Filter Double Element			\$27.00

**CX31B T4 FINAL COMPACT EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry, unless noted)

SD_X6100 ARM

		747322	Short Arm Please see Standard Features for arm lengths			No Charge
		747323	Long Arm Please see Standard Features for arm lengths			\$645.00

SD_X6105 DOZER BLADE OPTION

		XX6105X	Standard Dozer Blade			No Charge
		747981	4-Way Dozer Blade			\$4,777.00

SD_X9703 REAR MIRRORS

		XX9703X	No Rearview Mirror			No Charge
		747046	Rearview Mirror For use with Cab commercial models only.			\$101.00

SD_X9704 REAR UNDER MIRRORS

		XX9704X	No Rear Under Mirror			No Charge
		747047	Rear Under Mirror For use with Cab commercial models only.			\$88.00

SD_X9905 MONITOR

		XX9905X	No LCD Monitor			No Charge
		747647	LCD Monitor			\$1,498.00

SD_X9906 ROTATING BEACON

		XX9906X	No Rotating Beacon			No Charge
		747654	Rotating Beacon			\$251.00



(This page intentionally left blank)

**CX31B T4 FINAL COMPACT EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry, unless noted)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Buckets

	47422648	12" Heavy Duty (Pin On)	160 LB		\$918.00
	47422649	18" Heavy Duty (Pin On)	190 LB		\$1,017.00
	47422650	24" Heavy Duty (Pin On)	250 LB		\$1,185.00
	47422651	36" Heavy Duty (Pin On)	315 LB		\$1,509.00
	47422652	36" Grading Bucket (Pin	230 LB		\$1,074.00
	47422653	Pin Grabber Coupler	90 LB		\$1,834.00
	47457880	Dead Pin Kit	11 LB		\$222.00

Couplers

	47422654	12" Heavy Duty (Coupler)	160 LB		\$1,197.00
	47422655	18" Heavy Duty (Coupler)	190 LB		\$1,295.00
	47422656	24" Heavy Duty (Coupler)	250 LB		\$1,464.00
	47422657	36" Heavy Duty (Coupler)	315 LB		\$1,787.00
	47422658	36" Grading Bucket (Coupler)	230 LB		\$1,352.00
	47422659	Klac Manual Coupler	90 LB		\$1,398.00
	47422660	Klac Top Plate	40 LB		\$392.00



(This page intentionally left blank)

**CX36B T4 FINAL COMPACT EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry, unless noted)

Standard Equipment

ENGINE:

3TNV88A-BJPYB 4 Cycle 3 cyl. water-cooled, direct injection diesel
Tier 4 Final
Glow plugs
Horsepower:
Net (SAE) 23.14 HP (17.2 Kw) at
2,400 RPM
Dry type air cleaner
One touch deceleration
Hinged engine cover

OPERATOR PROTECTIVE

STRUCTURE:

ROPS/FOPS: three post canopy design with seat belt
Tilt up control panel with two lever control for boom, arm, bucket and swing; pilot-operated wrist controls and foot pedals
Display includes: engine oil pressure, water temperature lamp, air filter lamp, water separator detection lamp, low fuel warning lamp, battery charge lamp, glow plug indicator lamp, water temperature gauge, fuel gauge and hour meter
Foot pedal swing tower control

ELECTRICAL:

12 Volt electrical starting system includes heavy-duty battery and starting motor

BLADE:

Hydraulically controlled dozer blade

UNDERCARRIAGE:

Rubber tracks
Track pad width: 11.8"
Track length: 7' 1"
Gradeability: 30°

TRACK DRIVE:

Two speed travel:
Fully hydrostatic drive system
Track tension adjustment
(grease type)
Sealed and lubricated track rollers

HYDRAULICS:

Control pattern selector valve
Hydraulic system oil capacity: 12.7 gallons
Hydraulic oil filter
Total Auxiliary Flow: 15.5 GPM
Main Pump: 3,336 PSI
Nibbler and breaker auxiliary valve and piping
Large capacity hydraulic oil cooler
Proportional auxiliary hydraulic flow control

UPPER:

Arm: 4' 4"
Boom: 8' 2"
Zero Tail Swing
Swing lock
Swing brake: disc type, spring applied and hydraulically released

MISCELLANEOUS:

Operating weight: 8,091 lbs. (3670 kg)



(This page intentionally left blank)



**CX36B T4 FINAL COMPACT EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry, unless noted)

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
CX36B CAB HEAT/AC T4 FIN	Cab	7,958 LB		\$62,393.00
CX36B ROPS T4 FINAL	Rops	7,958 LB		\$53,734.00

**CX36B T4 FINAL COMPACT EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry, unless noted)
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

VERSION

SD_10181 CRAWLER TYPE

		9552400	11.8" (300mm) Rubber Tracks with dozer blade			No Charge
		9553400	11.8" (300mm) Steel Tracks with dozer blade			\$3,474.00

ADDITIONAL EQUIPMENT MEX

SD_05136 RADIO OPTION

		X05136X	No Radio			No Charge
		747371	Radio For use with Cab commercial models only			\$684.00

SD_30180 TRAVEL ALARM

		X30180X	No Travel Alarm			No Charge
		747675	Travel Alarm			\$242.00

SD_40018 ADDITIONAL COUNTERWEIGHT

		X40018X	No Additional Counterweight			No Charge
		747648	Additional Counterweight			\$891.00

SD_47181 OPERATOR'S MANUAL

		747480	Operators Manual - English			No Charge
		747961	Operators Manual - French			No Charge
		747962	Operators Manual - Spanish			No Charge

SD_X5155 OPERATOR PROTECTION GUARD

		XX5155X	No OPG Front Guard			No Charge
		747656	Operator Protective Guard			\$1,003.00

SD_X5200 BUCKETS

		XX5200X	No Mounted Bucket To order a bucket(s), refer to the Factory Supplied Attachment section of the price book.			No Charge
--	--	---------	---	--	--	-----------

SD_X5329 ARM/BUCKET ROD COVER

		XX5329X	No Arm/Bucket Cover			No Charge
		747374	Arm/Bucket Cylinder Rod Cover			\$1,164.00

**CX36B T4 FINAL COMPACT EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry, unless noted)

SD_X5430 THUMB CYL BRACKET

		XX5430X	No Thumb Cylinder Bracket			No Charge
		747373	Thumb Cylinder Bracket			\$566.00

SD_X5500 AIR FILTER

		XX5500X	Standard Air Filter			No Charge
		747658	Air Filter Double Element			\$27.00

SD_X6100 ARM

		747326	Short Arm - 4' 4" (1.32m)			No Charge
		747331	Long Arm - 5' 3" (1.59m)			\$700.00

SD_X6105 DOZER BLADE OPTION

		XX6105X	Standard Dozer Blade			No Charge
		747981	4-Way Dozer Blade			\$4,507.00

SD_X9703 REAR MIRRORS

		XX9703X	No Rearview Mirror			No Charge
		747046	Rearview Mirror			\$101.00
			For use with Cab commercial models only.			

SD_X9704 REAR UNDER MIRRORS

		XX9704X	No Rear Under Mirror			No Charge
		747047	Rear Under Mirror			\$88.00
			For use with Cab commercial models only.			

SD_X9905 MONITOR

		XX9905X	No LCD Monitor			No Charge
		747647	LCD Monitor			\$1,498.00

SD_X9906 ROTATING BEACON

		XX9906X	No Rotating Beacon			No Charge
		747654	Rotating Beacon			\$251.00



(This page intentionally left blank)



**CX36B T4 FINAL COMPACT EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry, unless noted)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Buckets

	47422648	12" Heavy Duty (Pin On)	160 LB		\$918.00
	47422649	18" Heavy Duty (Pin On)	190 LB		\$1,017.00
	47422650	24" Heavy Duty (Pin On)	250 LB		\$1,185.00
	47422651	36" Heavy Duty (Pin On)	315 LB		\$1,509.00
	47422652	36" Grading Bucket (Pin	230 LB		\$1,074.00
	47422653	Pin Grabber Coupler	90 LB		\$1,834.00
	47457880	Dead Pin Kit	11 LB		\$222.00

Couplers

	47422654	12" Heavy Duty (Coupler)	160 LB		\$1,197.00
	47422655	18" Heavy Duty (Coupler)	190 LB		\$1,295.00
	47422656	24" Heavy Duty (Coupler)	250 LB		\$1,464.00
	47422657	36" Heavy Duty (Coupler)	315 LB		\$1,787.00
	47422658	36" Grading Bucket (Coupler)	230 LB		\$1,352.00
	47422659	Klac Manual Coupler	90 LB		\$1,398.00
	47422660	Klac Top Plate	40 LB		\$392.00



(This page intentionally left blank)

**CX55B T4 FINAL COMPACT EXCAVATOR
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

ENGINE:

Yanmar, 4TNV88-C-PYB 4 Cycle 4 cyl.
water-cooled, direct injection diesel
Tier 4 Final
Glow plugs
Horsepower:
- 39.0 SAE HP (29.1 kw) @
2400 RPM
Fuel Tank: 20 gallons (75 liters)
Dry type air cleaner
One touch deceleration
Hinged engine cover

OPERATOR PROTECTIVE**STRUCTURE:**

ROPS/FOPS: Compliant per ISO3471
4 post canopy design with seat belt
2" (51 mm)
Tilt up control panel with two lever
control for boom, arm, bucket and
swing; pilot-operated wrist controls
and foot pedals
Display includes: engine oil pressure,
water temperature lamp, air filter
lamp, water separator detection
lamp, low fuel warning lamp, battery
charge lamp, glow plug indicator
lamp, water temperature gauge, fuel
gauge and hour meter
Foot pedal swing tower control
Cab model is equipped with heater
and AC

ELECTRICAL:

12 Volt electrical starting system
includes heavy-duty battery and
starting motor
Horn

BLADE:

2 way hydraulic controlled dozer blade

UNDERCARRIAGE:

Rubber tracks
Track pad width: 15.7"
Track length: 8' 1"
Gradeability: 30°

TRACK DRIVE:

Two speed travel
Fully hydrostatic drive system
Track tension adjustment
(grease type)
Sealed and lubricated track rollers

HYDRAULICS:

Control pattern selector valve
Hydraulic system oil capacity:
16 gallons
Hydraulic oil filter
Total Auxiliary Flow: 13.2 GPM
Main Pump: 3,336 PSI
Nibbler and breaker auxiliary valve and
piping
Large capacity hydraulic oil cooler
Proportional auxiliary hydraulic flow
control

UPPER:

Arm: 5' 6" (1.69 m)
Boom: 9' 10"
Minimal Tail Swing
Swing lock
Swing brake: disc type, spring applied
and hydraulically released
Counterweight
Boom Cylinder Rod Cover
Thumb Cylinder Bracket

MISCELLANEOUS:

Operating weight: 11,629 lbs.



(This page intentionally left blank)



**CX55B T4 FINAL COMPACT EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX55B ROPS T4 FINAL	12,295 LB		\$80,035.00
CX55B CAB HEAT/AC T4 FIN	12,295 LB		\$86,148.00

**CX55B T4 FINAL COMPACT EXCAVATOR
US PRICE LIST**

**(Ex Works Port of Entry)
Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

VERSION

TRACK SHOES

SD_10181 CRAWLER TYPE

	9552600	15.7" (400mm) Rubber Tracks			No Charge
	9553600	15.7" (400mm) Steel Tracks			\$2,597.00

ADDITIONAL EQUIPMENT MEX

SD_05136 RADIO OPTION

	X05136X	No Radio			No Charge
	747371	Radio			\$684.00

SD_30180 TRAVEL ALARM

	X30180X	No Travel Alarm			No Charge
	747676	Travel Alarm			\$244.00

SD_47181 OPERATOR'S MANUAL

	747480	Operators Manual - English			No Charge
	747962	Operators Manual - Spanish			No Charge
	747961	Operators Manual - French			No Charge

SD_X5155 OPERATOR PROTECTION GUARD

	XX5155X	No OPG Front Guard			No Charge
	747656	Operator Protective Guard			\$1,003.00

SD_X5329 ARM/BUCKET ROD COVER

	XX5329X	No Arm/Bucket Cover			No Charge
	747374	Arm/Bucket Cylinder Rod Cover			\$1,164.00

SD_X5500 AIR FILTER

	XX5500X	Standard Air Filter			No Charge
	747658	Air Filter Double Element			\$27.00

SD_X6105 DOZER BLADE OPTION

	XX6105X	Standard Dozer Blade			No Charge
	747981	4-Way Dozer Blade Not for use with Extra N & B Piping option 747378.			\$6,265.00

**CX55B T4 FINAL COMPACT EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

SD_X6204 EXTRA N&B PIPING

		XX6204X	No Extra N&B Piping			No Charge
		747378	Extra N&B Piping 2nd Auxiliary Circuit to operate low pressure attachments Not for use with 4 Way Dozer Blade option 747981.			\$2,539.00

SD_X9703 REAR MIRRORS

		XX9703X	No Rearview Mirror			No Charge
		747046	Rearview Mirror			\$101.00

SD_X9704 REAR UNDER MIRRORS

		XX9704X	No Rear Under Mirror			No Charge
		747047	Rear Under Mirror			\$88.00

SD_X9905 MONITOR

		XX9905X	No LCD Monitor			No Charge
		747647	LCD Monitor			\$1,498.00

SD_X9906 ROTATING BEACON

		XX9906X	No Rotating Beacon			No Charge
		747654	Rotating Beacon			\$251.00



(This page intentionally left blank)

**CX55B T4 FINAL COMPACT EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Buckets

	47422694	12" Heavy Duty (Pin On)	250 LB		\$1,105.00
	47422695	18" Heavy Duty (Pin On)	295 LB		\$1,189.00
	47422696	24" Heavy Duty (Pin On)	340 LB		\$1,358.00
	47422697	36" Heavy Duty (Pin On)	390 LB		\$1,671.00
	47422699	36" Grading Bucket (Pin On)	230 LB		\$1,074.00
	47422700	Pin Grabber Coupler	100 LB		\$1,834.00
	47457881	Dead Pin Kit	16 LB		\$236.00

Couplers

	47422702	12" Heavy Duty (Coupler)	250 LB		\$1,383.00
	47422703	18" Heavy Duty (Coupler)	295 LB		\$1,468.00
	47422704	24" Heavy Duty (Coupler)	340 LB		\$1,636.00
	47422705	36" Heavy Duty (Coupler)	390 LB		\$1,950.00
	47422707	36" Grading Bucket (Coupler)	230 LB		\$1,352.00
	47422708	Klac Manual Coupler	100 LB		\$1,441.00



(This page intentionally left blank)