

CONSTRUCTION EQUIPMENT

U.S. PRICE LIST

CRAWLERS - CE

PL-200 CE SAP REVISION 12b

EFFECTIVE MARCH 25, 2015

THIS IS AN ELECTRONIC COPY ONLY – HARD COPIES WILL NOT BE DISTRIBUTED.

This price list is intended for dealers with the Crawlers (CE) contract only.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Below is a list of Family(s) and Model(s) that are included in this price list.

Crawler Dozers: 750M Tier 4 Interim 850M Tier 4 Interim 1150M Tier 4 Interim 1650M Tier 4 Interim 2050M Tier 4 Interim

PLEASE NOTE: Retain the price book pages of the discontinued series for your records.

Copyright 2015 By

CNH Industrial America LLC



(This page intentionally left blank)



General Information

Prices shown herein are suggested prices only and in no way are they to be construed as limiting or restricting the dealer in his determination of the ultimate retail selling price. It is understood that the dealers are free to determine their selling price. Subject to any Federal, State or local laws.

Where shown herein liquid capacities are U.S. measure unless otherwise noted.

ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE.

Prices and specifications are subject to change without notice.

CONTENTS OF ORGANIZATION

Case Construction Equipment Inc issues price lists and revisions covering each Case contract. U.S. Price List is published in U.S. funds. Canadian Price List is published in Canadian funds. Assure that you are using the correct price list. The Canadian price lists are denoted by a Maple Leaf on the price list cover page and the symbol "(CDN)" is printed at the head of the Factory Supplied Attachments List columns.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory" and "Factory Supplied Attachments".

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory", "Factory Supplied Attachments", or "Third Party Supplied Attachments" pages. When ordering and pricing a machine follow the ordering instructions listed for that machine. Attachments listed following the "Factory Supplied Attachments" or "Third Party Supplied Attachments" heading are available for installation in the field.

ATTACHMENTS

Expect Attachments to be shipped within 2 -3 weeks from order entry.



General Information

DISTRIBUTION OF PRICE LISTS / REQUESTS FOR ADDITIONAL COPIES

Price lists will be provided electronically via that Dealer Portal.

Contact information for additional copies of Case Construction Equipment Price Lists

Additional price lists, divider tabs and binders may be ordered at the Document Management Center. From Dealer Portal click on Tools then Document Management Center link. Any questions you can call the Document Management Center at 262-636-7540

You will only receive price lists for contracts covered by your current Dealer Agreement with the Company.

The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.



CRAWLERS - CE TABLE OF CONTENTS

CRAWLER DOZERS

750M CRAWLER DOZER - Tier 4 Interim	
Standard Features	CE-7
Price List	CE-9
Factory Supplied Attachments	CE-15
Additional Supplier Options	CE-16
850M CRAWLER DOZER- Tier 4 Interim	
Standard Features	CE-17
Price List	CE-19
Factory Supplied Attachments	CE-25
Additional Supplier Options	CE-26
1150M CRAWLER DOZER -Tier 4 Interim	
Standard Features	CE-27
Price List	CE-29
Factory Supplied Attachments	CE-36
Additional Supplier Options	CE-38
1650M CRAWLER DOZER - Tier 4 Interim	
Standard Features	CE-39
Price List	CE-41
Factory Supplied Attachments	CE-48
Additional Supplier Options	CE-50
2050M CRAWLER DOZER - Tier 4 Interim	
Standard Features	CE-51
Price List	CE-53
Factory Supplied Attachments	CE-60
Additional Supplier Options	CE-62



(This page intentionally left blank)



(Ex Works Calhoun, GA) Standard Equipment

ENGINE:

FPT F5HFL413J Tier IV Interim certified 207 in.³ Displacement Electronic Fuel injection Horsepower: - Gross (SAE) 96 - Net (SAE) 92 Brake/Decelerator pedal Air cleaner - dry type, 2 stage, radial seal Anti-freeze solution to -34° F Fan, pusher Fuel Tank: 50 gal. (US) Hand throttle Radiator: Anti-sandblast

DRIVETRAIN:

Dual path infinitely variable, single-lever controlled hydrostatic drive with electronic straight tracking, power turns & counter-rotation Final drive - triple reduction - helical gear/planetary Spring applied hydraulic release parking brake

OPERATOR'S PROTECTIVE STRUCTURE: ROPS Canopy, modular design, isolation mounted Adjustable armrest(s) with lateral support Foot rests Seat belt, 2" retractable Canopies, Vinyl, Mechanical Suspension seat Enclosed Cabs, Cloth, Air Suspension seat Tool storage area Floor mat Headliner Seat tilts for access ELECTRICAL: Alternator: 120 AMP 24 volt electrical system Dual Batteries (Two 12V Batteries) 925 CCA Fuse circuit protection Master disconnect switch Single key start switch Pre-wired for work lights and fleet management system Auxiliary 12 volt power port 2 Lights Front, 1 Light Rear

DOZER BLADE:

Variable mechanical pitch adjustment (56° +/- 4°) with integral tool Power angle tilt (PAT) blade Single lever hydraulic control for lift, angle, and tilt dozer

-DZ6N 01

750M CRAWLER DOZER US PRICE LIST

(Ex Works Calhoun, GA) Standard Equipment

UNDERCARRIAGE: Hydraulic track adjusters Sealed and lubricated track chain Track and carrier rollers and front idlers permanently lubricated Track adjuster guard H.D. track covers Track gauge: 62" or 70" Track guides (front and rear) Track on ground: 89.2" Track rollers: 6 per side INSTRUMENTATION: Warning/Indicator Lights: Air filter Alternator Diagnostic fault indicator Engine coolant temperature Engine oil pressure Hydraulic filter Low fuel level Park brake engaged Service soon indicator Transmission filter Transmission charge pressure Transmission temperature Audible Warnings: Engine coolant temperature Engine oil pressure Low fuel level Transmission charge pressure Transmission/hydraulic temperature Gauges: Transmission speed indicator Battery voltage Fuel level Digital hourmeter/tachometer diagnostics/service reminder Transmission oil temperature Water temperature

GUARDS: Crankcase Engine side shields Transmission bottom Integral final drive seal OTHER STANDARD EQUIPMENT: Backup alarm Hinged grill Horn Cold Start - Glow Plugs Lockup package Operator's manual enclosure Pre-screen on air cleaner intake Front pull hook F-N-R detent controlled joystick for direction, speed and steering Refer to Additional Supplier Options for further Allied & Paladin Options. CASE ProCare 3-yr/3000-hr factory warranty, planned maintenance and SiteWatch™ telematics CASE SiteWatch™ Telematics includes hardware and a 3-yr Advanced data subscription



(Ex Works Calhoun, GA) **Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
750M LT	20,100 LB		\$152,034.00
750M WT/LGP	21,500 LB		\$161,382.00
Includes the following Equipment			
24" Closed Grousers & CLT (784584) \$880.00		



(Ex Works Calhoun, GA) Factory Supplied Options

Order Code Description	Weight	Factory Data	List Price
------------------------	--------	--------------	------------

REAR MOUNTED EQUIPMENT

 SD_41035 TOW HOOK					
	784487	Front Pull Hook			No Charge
	784571	Front Counterweight w/hook			\$5,168.00
		Front counterweight is 827 pounds			

SD D7007 3 SHANK RIPPER

784649	Rear Cover Plate	No Charg
784572	Rear Tow Hook	\$247.0
		\$518.0
784573	Drawbar	
784007	Ripper, 3 shanks	\$14,472.0
	Must order with option X20143X - Hyd. Valve, 4 Spool w/Ripper	
	and 784565 - Rearview mirror on cab units only.	
	2" Shank with 2.6" Replaceable Point.	

TRACK SHOES

SD_10009 TRACK CHAIN/SHOES

For use with	1LT	
784574	18" Closed Grousers & CLT	No Charge
	18" Closed grousers and Case Lubricated Track (CLT)	
784575	18" Open Grousers & CELT	\$2,069.00
	18" Open grousers and Case Extended Life Track (CELT)	
For use with	LT and WT/LGP	
784467	20" Closed Grousers & CLT	\$974.00
	20" Closed grousers and Case Lubricated Track (CLT)	
784471	20" Open Grousers & CELT	\$3,041.00
	20" Open grousers and Case Extended Life Track (CELT)	
For use with	n WT/LGP	
784584	24" Closed Grousers & CLT	\$880.00
	24" Closed grousers and Case Lubricated Track (CLT)	
784585	24" Open Grousers & CELT	\$2,949.00
	24" Open grousers and Case Extended Life Track (CELT)	
784589	28" Closed Grouser & CLT	\$1,439.00
	28" Closed grousers and Case Lubricated Track (CLT)	
784590	28" Open Grousers & CELT	\$3,506.00
	28" Open grousers and Case Extended Life Track (CELT)	



(Ex Works Calhoun, GA)

FRONT MOUNTED EQUIPMENT

5102 BL		N 0
	No Blade	No Charge
784474	96" Dozer blade	\$4,716.00
	750M Blade Capacity 1.69 cu yd; Blade Height 33"	
	850M Blade Capacity 1.99 cu yd; Blade Height 36"	
	Not Recommended for WT/LGP models.	
784691	104" Dozer Blade	\$5,083.00
	750M Blade Capacity 1.84 cu yd; Blade Height 33"	
	850M Blade Capacity 2.16 cu yd; Blade Height 36"	
	Not Recommended for WT/LGP models.	
784608	112" Dozer Blade	\$5,308.00
	750M Blade Capacity 1.99 cu yd; Blade Height 33"	
	850M Blade Capacity 2.36 cu yd; Blade Height 36"	
784475	120" Dozer Blade	\$5,486.00
	750M Blade Capacity 2.14 cu yd; Blade Height 33"	
	850M Blade Capacity 2.53 cu yd; Blade Height 36"	
	Not Recommended for LT models.	
784499	124" Dozer Blade	\$5,802.00
	750M Blade Capacity 2.22 cu yd; Blade Height 33"	
	850M Blade Capacity 2.62 cu yd; Blade Height 36"	
	Not Recommended for LT models.	

OPERATOR'S PROTECTIVE STRUCTURE

 SD_05127 CAB					
	784111	ROPS with headliner			No Charge
	784391	Cab w/Heat/AC/Defroster/Lights			\$15,305.00

ADDITIONAL EQUIPMENT CRD

SCREENS

 SD_02057 RADIATOR SCREEN					
	X02057X	No Radiator Brush Screen			No Charge
	784476	Radiator Brush Screen			\$446.00

SD_02130 SANDBLAST SCREEN

	X02130X	No Sandblast Screen		No Charge
	784623	Sandblast Screen		\$266.00

 SD_05053 FORESTRY PROTECTION					
	X05053X	No ROPS Side Screen			No Charge



 (Ex Works Calhoun, GA)					
	784419	ROPS Side Screen			\$1,101.00
		Must order with ROPS with headliner option 784111			
		and Sweeps option 784702			

SD_05103 REAR SCREEN

 <u>3D_03103 KL</u>		
X05103X	No Rear Screen	No Charge
784569	ROPS Rear Screen	\$843.0
	Must order with ROPS with headliner option 784111	
784508	Cab Rear Screen	\$843.00
	Must order with Cab w/Heat/AC/Defroster/Lights	
	option 784391	
	Note: For full cab forestry screen and installation, contact:	
	Paladin Custom Works, 370 Labeling Way,	
	Chattanooga, TN 37419. Phone: 423-702-6958	
	Fax: 423-825-5029 E-mail: eprice@paladinbrands.com	

GUARDS

SD_10013 TRACK ROLLER GUARD

_					
		X10013X	No Center Rock Guard		No Charge
			No Rock Guard		
		784524	Center Rock Guard		\$1,360.00
			Guard, Full Track Rock Guard		

 SD_D5904 SWEEPS						
	XD5904X	No Sweeps			No Charge	
	784702	Sweeps			\$1,025.00	

DECALS AND OPERATOR'S MANUALS

 SD_47083 OPERATOR'S MANUAL					
	784138	Manuals & Decals - English			No Charge
	784140	Manuals & Decals - French			No Charge
	784142	Manuals & Decals - Spanish			No Charge

SD_02005 ENGINE PRE-CLEANER

	784725	Air Cleaner Cap		No Charge
	784731	Turbine Pre-Cleaner		\$154.00

SD_05105 SEAT BELT							
	784365	Seat Belt, 2"			No Charge		
	784483	Seat belt, 3"			\$128.00		
		In lieu of standard 2" seatbelt option 784365					

SD_05131 REAR WIPER FOR CAB

	X05131X	No Rear Wiper		No Charge

-DZ6N 01

750M CRAWLER DOZER US PRICE LIST

CONSTRUCTION

1

S

 (Ex Works Calhoun, GA)					
	784525	Rear Wiper for Cab			\$125.00
		Must order with Cab w/Heat/AC/Defroster/Lights			
		option 784391			

SD_05136 RADIO OPTION

	X05136X	No Radio or Speakers		No Charge
	784564	Radio		\$230.00
		Must order with Cab w/Heat/AC/Defroster/Lights		
		option 784391		

SD_0	6003 WC	DRK LIGHTS	
	X06003X	No work lights	No Charge
Fo	or use with	ROPS/Canopy	
	784531	Opt ROPS Light w/o sweeps	\$151.00
		Not used with Sweeps option 784702	
		Must order with ROPS with headliner option 784111	
	784532	Opt ROPS Lights w/ sweeps	\$151.00
		Must order with Sweeps option 784702	
		Must order with ROPS with headliner option 784111	
Fo	or use with	Cab	
	784529	Opt Cab Light w/o sweeps	\$151.00
		Not used with Sweeps option 784702	
		Must order with Cab w/Heat/AC/Defroster/Lights	
		option 784391	
	784530	Opt Cab Lights w/ sweeps	\$151.00
		Must order with Sweeps option 784702	
		Must order with Cab w/Heat/AC/Defroster/Lights	
		option 784391	

SD_20143 HYDRAULIC VALVES

	784350	Std. 3 spool valve & control		No Charge
		Not used with Ripper, 5 position w/3 shanks option 784007		
	784668	Hyd. valve, 4 spool w/ plugs		\$1,099.00
		Not used with Ripper, 5 position w/3 shanks option 784007		
		For use with Field Installed Ripper		
	X20143X	Hyd. Valve, 4 Spool w/Ripper		No Charge
		For use with option 784007 - Ripper, 5 position w/3 shanks		

SD 20162 REAR HYDRAULIC FUNCTION

	784651	Pump Hydraulic Equip w/o PTO			No Charge
	784730	Pump Hydraulic Equip w/PTO			\$439.00
		Winch Ready - For use with winch drive includes hydraulic pump			
		with mechanical drive			

SD_50115 ENVIRONMENTAL DRAIN

	X50115X	No Environmental Drain		No Charge	
 				¥_1	



(Ex Works Calhoun, GA)					
	784729	Environmental Drain			\$298.00
		Includes valve and drain hose for fuel and hydraulic			
		reservoir. Quick coupler for engine oil and coolant			
		evacuation included.			

SD_D5113 BLADE GUIDANCE READY

- Ť				
	XD5113X	No Blade Guidance		No Charge
	784605	Trimble Ready Package		\$18,591.00
		Factory-installed Trimble Ready Base Kit. This package includes		
		controls, mountings and wiring that allow for a plug-and-play		
		with the Trimble electronic devices (which are ordered separately		
		from Trimble dealer)		
	784609	Leica Ready Package		\$19,269.00
		Factory-installed Leica Ready Base Kit. This package includes		
		controls, mountings and wiring that allow for a plug-and-play		
		with the Leica electronic devices (which are ordered separately		
		from Leica dealer)		
	784610	Topcon Ready Package		\$23,163.00
		Factory-installed Topcon Ready Base Kit. This package includes		
		controls, mountings and wiring that allow for a plug-and-play		
		with the Topcon electronic devices (which are ordered separately		
		from Topcon dealer)		

SD_D5801 EXTERNAL MIRROR

-							
		XD5801X	No Rearview Attachment Mirror			No Charge	
		784565	Rearview Attachment Mirror			\$63.00	
			For use with Cab units that have rippers or winches.				
			Mounts to the exterior right hand side of unit.				



(Ex Works Calhoun, GA) Factory Supplied Attachments

Order Co	le Description	Weight	Factory Data	List Price
Blade Guidan	ce Ready			
477622	42 Leica Ready Dealer-installed Leica Ready Base Kit. This package includes controls, mountings and wiring that allow for a plug-and-play with the Leica electronic devices (which are ordered separately from Leica dealer)	103 LB		\$19,869.00
477295	74 Trimble Ready Dealer-installed Trimble Ready Base Kit. This package include controls, mountings and wiring that allow for a plug-and-play with the Trimble electronic devices (which are ordered separately from Trimble dealer)	220 LB		\$20,937.0
477630	76 Topcon Ready Dealer-installed Topcon Ready Base Kit. This package include controls, mountings and wiring that allow for a plug-and-play with the Topcon electronic devices (which are ordered separately from Topcon dealer)	106 LB		\$24,010.00
Other				
475037	02 Sweeps	109 LB		\$1,170.0
475508	23 Turbine-Precleaner	3 LB		\$179.0
477398	 37 Valve, 3 to 4 Spool conversion Kit adds a 4th spool valve to an existing 3 spool valve 	6 LB		\$1,230.0
474161	57 Rearview Attachment Mirror For use with Cab units that have rippers or winches. Mounts on exterior righthand side of unit.	4 LB		\$79.0
846059	83 Front Counterweight with hook	826 LB		\$5,788.0
ear Attachm	ents			
477487		1.379 LB		\$15,614.0
474970		30 LB		\$281.0
474970		120 LB		\$590.0
474230		21 LB		\$1,488.0
Screens				
476888	42 Cab Rear Screen	55 LB		\$704.0
474051		39 LB		\$1,066.0
475697		100 LB		\$1,420.0
ights				
474846	89 Cab Work Lights (for use with sweeps)	6 LB		\$209.0
474051	\mathbf{U}	4 LB		\$209.0
474153		5 LB		\$195.0
		0 20		÷100.0

\$195.00

ROPS Work Lights (for use with sweeps)

47488331

7 LB



ADDITIONAL SUPPLIER OPTIONS

650-2050M

- Winches available through Allied Systems Company, Sherwood (Portland), OR
- Please contact Allen Johnson/ James Smith at 503-625-2560 for product information and pricing <u>marketing@alliedsystems.com</u> Download winch spec sheets, parts, service and operating manuals and product information at <u>http://www.alliedsystems.com</u>
 - Required Base Machine Configuration
 - Winch Ready PTO option for 650L, 750M, 850M; Ripper hydraulics for 1150M, 1650M and 2050M.

ALLIED WINCHES FOR CASE	GROUP NO.	MODEL	WT. LBS.	WT. KG.	Factory Winch	DIA WINCH
H4A HYDRAULIC WINCH						
Includes: Attaching Parts, Gear Ratio 94/1, Power-in,						
Power-out and Freespool. For: 650L Dozers (Requires PTO)	H4AH3RR16	650L	1710	776	784730	
H4A HYDRAULIC WINCH		1				
Includes: Attaching Parts, Gear Ratio 94/1, Power-in,		750M				
Power-out and Freespool. For: 750 - 850M Dozers (Requires PTO)	H4AH3RR17	850M	1710	776	784730	47423045
H5C HYDRAULIC WINCH		1				
Includes: Attaching Parts, Gear Ratio 48/1, Freespool,						
Brake Off, and Drawbar. For: 1150M Dozer (Requires ripper control on dozer)	H5CT2DR371	1150M	1980	898	784604	47756296
H6H HYDRAULIC WINCH		1				1650M
Includes: Attaching Parts, Gear Ratio 153/1, Brake-Off,						47753781
Freespool, and Drawbar.		1650M				2050M
For: 1650M, 2050M Dozer (Requires ripper control on dozer)	H6HT1NR42	2050M	2830	1280	784604	47753601

Install Allied Winches on CASE 650L - 2050M Crawler Dozers in Ooltewah, TN

CASE Dealers, you may now order Allied winches to be installed on the CASE 650L – 2050M Crawler Dozers. How it works:

- 1. Order 650L 2050M through CASE
- 2. Order the matching Allied winch directly with Allied. Advise Allied your dozer expected delivery time.
- Crawler must ship from Calhoun, GA to Ooltewah, TN for installation by Paladin. Please contact Allied at the above contact information for more details. Allied will arrange transportation of dozer from Calhoun to Ooltewah, TN. Once installation is complete, Allied will contact dealer for further transportation requirements.

650 – 2050M

- Forestry Screens, Light Guards, A/C condenser guards and other custom work provided by Paladin CustomWorks Ooltewah, TN
- Please contact Eric B. Price at 423-702-6958 for product information and pricing <u>eprice@paladinattachments.com</u>
 - Required Base Machine Configuration
 - Cab Rear Screen

2050M

- Landfill Package provided by Paladin CustomWorks Ooltewah, TN
- Please contact Eric B. Price at 423-702-6958 for product information and pricing <u>eprice@paladinattachments.com</u>
- Recommended Base Machine Configuration:
 - Semi-U Blade
 - Turbine Precleaner
 - Case Extended life tracks (CELT)
 - Cab Rear Screen

Last updated January 1, 2015



(Ex Works Calhoun, GA) Standard Equipment

ENGINE:

FPT F4HFE413P Tier IV Interim certified 275 in.³ Displacement Electronic Fuel injection Horsepower: - Gross (SAE) 120 - Net (SAE) 112 Brake/Decelerator pedal Air cleaner - dry type, 2 stage, radial seal Anti-freeze solution to -34° F Fan, pusher Fuel Tank: 50 gal. (US) Hand throttle Radiator: Anti-sandblast

DRIVETRAIN:

Dual path infinitely variable, single-lever controlled hydrostatic drive with electronic straight tracking, power turns & counter-rotation Final drive - triple reduction - helical gear/planetary Decelerator with hydrostatic drive retardation Spring applied hydraulic release parking brake

OPERATOR'S PROTECTIVE STRUCTURE: ROPS Canopy, modular design, isolation mounted Adjustable armrest(s) with lateral support Foot rests Seat belt, 2" retractable Canopies, Vinyl, Mechanical Suspension seat Enclosed Cabs, Cloth, Air Suspension seat Tool storage area Floor mat Headliner Seat tilts for access ELECTRICAL: Alternator: 120 AMP 24 volt electrical system Dual Batteries (Two 12V Batteries) 925 CCA Fuse circuit protection Master disconnect switch Single key start switch Pre-wired for work lights and fleet management system Two additional power source available for heater, air seat or auxiliary 12 volt power port 2 Lights Front, 1 Light Rear

DOZER BLADE: Variable mechanical pitch adjustment (56° +/- 4°) with integral tool Power angle tilt (PAT) blade Single lever hydraulic control for lift, angle, and tilt dozer



(Ex Works Calhoun, GA) Standard Equipment

UNDERCARRIAGE: Hydraulic track adjusters Sealed and lubricated track chain Track and carrier rollers and front idlers permanently lubricated Track adjuster guard H.D. track covers Track gauge: 62" or 70" Track guides (front and rear) Track on ground: 93" Track rollers: 7 per side INSTRUMENTATION: Warning/Indicator Lights: Air filter Alternator Diagnostic fault indicator Engine coolant temperature Engine oil pressure Hydraulic filter Low fuel level DEF fluid level Park brake engaged Service soon indicator Transmission filter Transmission charge pressure Transmission temperature Audible Warnings: Engine coolant temperature Engine oil pressure Low fuel level Transmission charge pressure Transmission/hydraulic temperature Gauges: Transmission speed indicator Battery voltage Fuel level Digital hourmeter/tachometer diagnostics/service reminder Transmission oil temperature Water temperature

GUARDS: Crankcase Engine side shields Transmission bottom Integral final drive seal OTHER STANDARD EQUIPMENT: Backup alarm Hinged grill Horn Lockup package Operator's manual enclosure Pre-screen on air cleaner intake Front pull hook F-N-R detent controlled joystick for direction, speed and steering DEF Drain Hose Refer to Additional Supplier Options for further Allied & Paladin Options. CASE ProCare 3-yr/3000-hr factory warranty, planned maintenance and SiteWatch™ telematics CASE SiteWatch™ Telematics includes hardware and a 3-yr Advanced data subscription



(Ex Works Calhoun, GA) **Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
850M LT	21,560 LB		\$172,275.00
850M WT/LGP	22,830 LB		\$182,003.00
Includes the following Equipment			
24" Closed Grousers & CLT (784584) \$880.00		



(Ex Works Calhoun, GA) Factory Supplied Options

Order Code Description	Weight	Factory Data	List Price
------------------------	--------	--------------	------------

REAR MOUNTED EQUIPMENT

 SD_41035 TOW HOOK						
	784487	Front Pull Hook			No Charge	
	784571	Front Counterweight w/hook			\$5,168.00	
		Front counterweight is 827 pounds				

SD D7007 3 SHANK RIPPER

784649	Rear Cover Plate	No Charg
784572	Rear Tow Hook	\$247.0
		\$518.0
784573	Drawbar	
784007	Ripper, 3 shanks	\$14,472.0
	Must order with option X20143X - Hyd. Valve, 4 Spool w/Ripper	
	and 784565 - Rearview mirror on cab units only.	
	2" Shank with 2.6" Replaceable Point.	

TRACK SHOES

SD_10009 TRACK CHAIN/SHOES

For use with	1 LT	
784574	18" Closed Grousers & CLT	No Charge
	18" Closed grousers and Case Lubricated Track (CLT)	
784575	18" Open Grousers & CELT	\$2,069.00
	18" Open grousers and Case Extended Life Track (CELT)	
For use with	n LT and WT/LGP	
784467	20" Closed Grousers & CLT	\$974.00
	20" Closed grousers and Case Lubricated Track (CLT)	
784471	20" Open Grousers & CELT	\$3,041.00
	20" Open grousers and Case Extended Life Track (CELT)	
For use with	n WT/LGP	
784584	24" Closed Grousers & CLT	\$880.00
	24" Closed grousers and Case Lubricated Track (CLT)	
784585	24" Open Grousers & CELT	\$2,949.00
	24" Open grousers and Case Extended Life Track (CELT)	
784589	28" Closed Grouser & CLT	\$1,439.00
	28" Closed grousers and Case Lubricated Track (CLT)	
784590	28" Open Grousers & CELT	\$3,506.00
	28" Open grousers and Case Extended Life Track (CELT)	



(Ex Works Calhoun, GA)

FRONT MOUNTED EQUIPMENT

SD_D5102		1
XD51	02X No Blade	No Charge
78447	74 96" Dozer blade	\$4,716.00
	750M Blade Capacity 1.69 cu yd; Blade Height 33"	
	850M Blade Capacity 1.99 cu yd; Blade Height 36"	
	Not Recommended for WT/LGP models.	
78469	104" Dozer Blade	\$5,083.00
	750M Blade Capacity 1.84 cu yd; Blade Height 33"	
	850M Blade Capacity 2.16 cu yd; Blade Height 36"	
	Not Recommended for WT/LGP models.	
78460	112" Dozer Blade	\$5,308.00
	750M Blade Capacity 1.99 cu yd; Blade Height 33"	
	850M Blade Capacity 2.36 cu yd; Blade Height 36"	
78447	75 120" Dozer Blade	\$5,486.00
	750M Blade Capacity 2.14 cu yd; Blade Height 33"	
	850M Blade Capacity 2.53 cu yd; Blade Height 36"	
	Not Recommended for LT models.	
78449	9 124" Dozer Blade	\$5,802.00
	750M Blade Capacity 2.22 cu yd; Blade Height 33"	
	850M Blade Capacity 2.62 cu yd; Blade Height 36"	
	Not Recommended for LT models.	

OPERATOR'S PROTECTIVE STRUCTURE

 SD_05127 CAB					
	784111	ROPS with headliner			No Charge
	784391	Cab w/Heat/AC/Defroster/Lights			\$15,305.00

ADDITIONAL EQUIPMENT CRD

SCREENS

 SD_02057 RADIATOR SCREEN					
	X02057X	No Radiator Brush Screen			No Charge
	784476	Radiator Brush Screen			\$446.00

SD_02130 SANDBLAST SCREEN

	X02130X	No Sandblast Screen		No Charge
	784623	Sandblast Screen		\$266.00

 SD_05053 FORESTRY PROTECTION					
	X05053X	No ROPS Side Screen			No Charge



(Ex Works Calhoun, GA)					
	784419	ROPS Side Screen			\$1,101.00
		Must order with ROPS with headliner option 784111			
		and Sweeps option 784702			

SD_05103 REAR SCREEN

_	No Rear Screen	No Charge
784569	ROPS Rear Screen	\$843.00
	Must order with ROPS with headliner option 784111	
784508	Cab Rear Screen	\$843.00
	Must order with Cab w/Heat/AC/Defroster/Lights	
	option 784391	
	Note: For full cab forestry screen and installation, contact:	
	Paladin Custom Works, 370 Labeling Way,	
	Chattanooga, TN 37419. Phone: 423-702-6958	
	Fax: 423-825-5029 E-mail: eprice@paladinbrands.com	

GUARDS

SD_10013 TRACK ROLLER GUARD

_					
		X10013X	No Center Rock Guard		No Charge
			No Rock Guard		
		784524	Center Rock Guard		\$1,360.00
			Guard, Full Track Rock Guard		

 SD_D5904 SWEEPS					
	XD5904X	No Sweeps			No Charge
	784702	Sweeps			\$1,025.00

DECALS AND OPERATOR'S MANUALS

 SD_47083 OPERATOR'S MANUAL					
	784138	Manuals & Decals - English			No Charge
	784140	Manuals & Decals - French			No Charge
	784142	Manuals & Decals - Spanish			No Charge

SD_02005 ENGINE PRE-CLEANER

	784725	Air Cleaner Cap		No Charge
	784731	Turbine Pre-Cleaner		\$154.00

SD_02025 COLD WEATHER STARTING

	X02025X	No Grid Heater/Cold Start			No Charge	
Γ	784106	Grid Heater			\$612.00	
		Cold Start				

SD_05105 SEAT BELT

784365 Seat Belt, 2" No Charge	 			
		784365		No Charge

(Ex Works	Calhoun,	GA)
-----------	----------	-----

	784483	Seat belt, 3"		\$128.00
		In lieu of standard 2" seatbelt option 784365		

SD_05131 REAR WIPER FOR CAB

	X05131X	No Rear Wiper		No Charge
	784525	Rear Wiper for Cab		\$125.00
		Must order with Cab w/Heat/AC/Defroster/Lights		
		option 784391		

SD_05136 RADIO OPTION

	X05136X	No Radio or Speakers		No Charge
	784564	Radio		\$230.00
		Must order with Cab w/Heat/AC/Defroster/Lights		
		option 784391		

SD_06003 WORK LIGHTS

 X06003X	No work lights	No Charge
For use with	ROPS/Canopy	
784531	Opt ROPS Light w/o sweeps	\$151.00
	Not used with Sweeps option 784702	
	Must order with ROPS with headliner option 784111	
784532	Opt ROPS Lights w/ sweeps	\$151.00
	Must order with Sweeps option 784702	
	Must order with ROPS with headliner option 784111	
For use with	Cab	
784529	Opt Cab Light w/o sweeps	\$151.00
	Not used with Sweeps option 784702	
	Must order with Cab w/Heat/AC/Defroster/Lights	
	option 784391	
784530	Opt Cab Lights w/ sweeps	\$151.00
	Must order with Sweeps option 784702	
	Must order with Cab w/Heat/AC/Defroster/Lights	
	option 784391	

SD_20143 HYDRAULIC VALVES

	784350	Std. 3 spool valve & control		No Charge
		Not used with Ripper, 5 position w/3 shanks option 784007		
	784668	Hyd. valve, 4 spool w/ plugs		\$1,099.00
		Not used with Ripper, 5 position w/3 shanks option 784007		
		For use with Field Installed Ripper		
	X20143X	Hyd. Valve, 4 Spool w/Ripper		No Charge
		For use with option 784007 - Ripper, 5 position w/3 shanks		

SD_20162 REAR HYDRAULIC FUNCTION

	784651	Pump Hydraulic Equip w/o PTO		No Charge



		(Ex Works Calhoun, GA)		
Γ	784730	Pump Hydraulic Equip w/PTO		\$439.00
		Winch Ready - For use with winch drive includes hydraulic pump		
		with mechanical drive		

SD_50115 ENVIRONMENTAL DRAIN

	X50115X	No Environmental Drain		No Charge
	784729	Environmental Drain		\$298.00
		Includes valve and drain hose for fuel and hydraulic		
		reservoir. Quick coupler for engine oil and coolant		
		evacuation included.		

SD_D5113 BLADE GUIDANCE READY

XD5113X	No Blade Guidance	No Charge
784605	Trimble Ready Package	\$18,591.00
	Factory-installed Trimble Ready Base Kit. This package includes	
	controls, mountings and wiring that allow for a plug-and-play	
	with the Trimble electronic devices (which are ordered separately	
	from Trimble dealer)	
784609	Leica Ready Package	\$19,269.00
	Factory-installed Leica Ready Base Kit. This package includes	
	controls, mountings and wiring that allow for a plug-and-play	
	with the Leica electronic devices (which are ordered separately	
	from Leica dealer)	
784610	Topcon Ready Package	\$23,163.00
	Factory-installed Topcon Ready Base Kit. This package includes	
	controls, mountings and wiring that allow for a plug-and-play	
	with the Topcon electronic devices (which are ordered separately	
	from Topcon dealer)	

SD_D5801 EXTERNAL MIRROR

	XD5801X	No Rearview Attachment Mirror		No Charge
	784565	Rearview Attachment Mirror		\$63.00
		For use with Cab units that have rippers or winches.		
		Mounts to the exterior right hand side of unit.		



(Ex Works Calhoun, GA) Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
Blade Guidance F	Ready			
47762245	Leica Ready Dealer-installed Leica Ready Base Kit. This package includes controls, mountings and wiring that allow for a plug-and-play with the Leica electronic devices (which are ordered separately from Leica dealer)	103 LB		\$19,869.00
47729755	Trimble Ready Dealer-installed Trimble Ready Base Kit. This package includes controls, mountings and wiring that allow for a plug-and-play with the Trimble electronic devices (which are ordered separately from Trimble dealer)	220 LB		\$20,937.00
47763083	Topcon Ready Dealer-installed Topcon Ready Base Kit. This package includes controls, mountings and wiring that allow for a plug-and-play with the Topcon electronic devices (which are ordered separately from Topcon dealer)	117 LB		\$24,010.00
Other				
47503697	Sweeps	110 LB		\$1,170.00
47550823	Turbine-Precleaner	3 LB		\$179.00
47710455	Cold Start Grid Heater	6 LB		\$262.00
47739837	Valve, 3 to 4 Spool conversion Kit adds a 4th spool valve to an existing 3 spool valve	6 LB		\$1,230.00
47416157	Rearview Attachment Mirror For use with Cab units that have rippers or winches. Mounts on exterior righthand side of unit.	4 LB		\$79.00
84605983	Front Counterweight with hook	826 LB		\$5,788.00
Rear Attachments				
47748762	Ripper, 3 shanks	1,379 LB		\$15,614.00
47497082	Rear Tow Hook	30 LB		\$281.00
47497088	Drawbar	120 LB		\$590.00
47423045	Winch Ready Includes Hydraulic pump. Does not include a winch.	21 LB		\$1,488.00
Screens				
47688842	Cab Rear Screen	55 LB		\$704.00
47405110	ROPS Rear Screen	39 LB		\$1,066.00
47569746	ROPS Side Screen	100 LB		\$1,420.00
Lights				
47484689	Cab Work Lights (for use with sweeps)	6 LB		\$209.00
47405118	Cab Work Lights (for use w/o sweeps)	4 LB		\$209.00
47415385	ROPS Work Lights (for use w/o sweeps)	5 LB		\$195.00
47488331	ROPS Work Lights (for use with sweeps)	7 LB		\$195.00



ADDITIONAL SUPPLIER OPTIONS

650-2050M

- Winches available through Allied Systems Company, Sherwood (Portland), OR
- Please contact Allen Johnson/ James Smith at 503-625-2560 for product information and pricing <u>marketing@alliedsystems.com</u> Download winch spec sheets, parts, service and operating manuals and product information at <u>http://www.alliedsystems.com</u>
 - Required Base Machine Configuration
 - Winch Ready PTO option for 650L, 750M, 850M; Ripper hydraulics for 1150M, 1650M and 2050M.

ALLIED WINCHES FOR CASE	GROUP NO.	MODEL	WT. LBS.	WT. KG.	Factory Winch	DIA WINCH
H4A HYDRAULIC WINCH						
Includes: Attaching Parts, Gear Ratio 94/1, Power-in,						
Power-out and Freespool. For: 650L Dozers (Requires PTO)	H4AH3RR16	650L	1710	776	784730	
H4A HYDRAULIC WINCH	T	1		[
Includes: Attaching Parts, Gear Ratio 94/1, Power-in,		750M				
Power-out and Freespool. For: 750 - 850M Dozers (Requires PTO)	H4AH3RR17	850M	1710	776	784730	47423045
H5C HYDRAULIC WINCH	T	1				
Includes: Attaching Parts, Gear Ratio 48/1, Freespool,						
Brake Off, and Drawbar. For: 1150M Dozer (Requires ripper control on dozer)	H5CT2DR371	1150M	1980	898	784604	47756296
H6H HYDRAULIC WINCH	1	1				1650M
Includes: Attaching Parts, Gear Ratio 153/1, Brake-Off,						47753781
Freespool, and Drawbar.		1650M				2050M
For: 1650M, 2050M Dozer (Requires ripper control on dozer)	H6HT1NR42	2050M	2830	1280	784604	47753601

Install Allied Winches on CASE 650L - 2050M Crawler Dozers in Ooltewah, TN

CASE Dealers, you may now order Allied winches to be installed on the CASE 650L – 2050M Crawler Dozers. How it works:

- 1. Order 650L 2050M through CASE
- 2. Order the matching Allied winch directly with Allied. Advise Allied your dozer expected delivery time.
- Crawler must ship from Calhoun, GA to Ooltewah, TN for installation by Paladin. Please contact Allied at the above contact information for more details. Allied will arrange transportation of dozer from Calhoun to Ooltewah, TN. Once installation is complete, Allied will contact dealer for further transportation requirements.

650 – 2050M

- Forestry Screens, Light Guards, A/C condenser guards and other custom work provided by Paladin CustomWorks Ooltewah, TN
- Please contact Eric B. Price at 423-702-6958 for product information and pricing <u>eprice@paladinattachments.com</u>
 - Required Base Machine Configuration
 - Cab Rear Screen

2050M

- Landfill Package provided by Paladin CustomWorks Ooltewah, TN
- Please contact Eric B. Price at 423-702-6958 for product information and pricing <u>eprice@paladinattachments.com</u>
- Recommended Base Machine Configuration:
 - Semi-U Blade
 - Turbine Precleaner
 - Case Extended life tracks (CELT)
 - Cab Rear Screen

Last updated January 1, 2015



(Ex Works Calhoun, GA) Standard Equipment

ENGINE:

FPT F4HFE613F Tier IV Interim certified 409 in.³ Displacement Horsepower: - Gross (SAE) 138 - Net (SAE) 127 Air cleaner - dry type, 2 stage, radial seal Anti-freeze solution to -34° F Fan, pusher Fuel tank: 85 gal. (US) Hand throttle Radiator: Anti-sandblast

DRIVETRAIN:

Dual path infinitely variable, singlelever controlled hydrostatic drive with electronic straight tracking, power turns & counter-rotation Final drive - triple reduction - helical gear/planetary Decelerator/Brake Pedal Spring applied hydraulic release parking brake

OPERATOR'S PROTECTIVE STRUCTURE: ROPS canopy, modular, isolation mounted Adjustable armrests Foot rests Seat belt, 2" retractable Canopies, Vinyl, Mechanical Suspension seat Enclosed Cabs, Cloth, Air Suspension seat Tool storage area Headliner Floor mat Seat tilts for access UNDERCARRIAGE:

Hydraulic track adjusters Sealed and lubricated track chain Track and carrier rollers permanently lubricated Track adjuster guard Track gauge: 72" or 80" Track guides (front and rear) Track on ground: 102" Track rollers: 7 per side

ELECTRICAL:

Alternator: 120 AMP 24 Volt electrical system Dual Batteries (Two 12V Batteries) 925 CCA Fuse circuit protection Lights: 2 front, 1 rear (halogen) Master disconnect switch Single key start switch

GUARDS:

Crankcase Engine side shields Transmission bottom Integral final drive seal

DOZER BLADE:

Variable mechanical pitch adjustment (55° - 60°) Power angle and tilt (PAT) Single lever hydraulic control for lift, angle, tilt Width: 120" Long Track (72" gauge) 132" Wide Track & LGP (80" gauge)



(Ex Works Calhoun, GA) Standard Equipment

INSTRUMENTATION: Warning/Indicator Lights: Air filter Alternator Diagnostic fault indicator Engine coolant temperature Engine oil pressure Hydraulic filter Low fuel level DEF fluid level Park brake engaged Service soon indicator Transmission filter Transmission charge pressure Audible Warnings: Engine coolant temperature Engine oil pressure Low fuel level Transmission charge pressure Transmission/hydraulic temperature Gauges: Battery voltage Fuel level Digital hourmeter tachometer diagnostic/service reminder Transmission oil temperature Transmission speed indicator Water temperature

OTHER STANDARD EQUIPMENT: Backup alarm Hinged grill Horn Lockup package Operator's manual enclosure Pre-cleaner on air cleaner intake Front pull hook F-N-R detent controlled joystick for direction, speed and steering DEF Drain Hose Refer to Additional Supplier Options for further Allied & Paladin options. CASE ProCare 3-yr/3000-hr factory warranty, planned maintenance and SiteWatch™ telematics CASE SiteWatch™ Telematics includes hardware and a 3-yr Advanced data subscription



(Ex Works Calhoun, GA) **Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
1150M PAT LT	28,700 LB		\$215,176.00
1150M PAT WT/LGP	31,300 LB		\$224,092.00
Includes the following Equipment 132" Standard blade (784541)	\$582.00		



(Ex Works Calhoun, GA) Factory Supplied Options

Order Code Description	Weight	Factory Data	List Price
------------------------	--------	--------------	------------

REAR MOUNTED EQUIPMENT

 SD_41035 TOW HOOK							
	784487	Front Pull Hook			No Charge		
	784571	Front Counterweight w/hook			\$2,446.00		
		Front counterweight is 952 pounds					

SD D7007 3 SHANK RIPPER

	3 SHANK RIPPER	
78464		No Charge
78457	2 Rear Tow Hook	\$271.00
78457	73 Drawbar	\$1,192.00
	Not used with Semi-U or Straight PT commercial models.	
78462	7 Drawbar with Step	\$1,492.00
78460	Winch Ready Kit	\$1,190.00
	Must order with option 784508 - Cab Rear Screen for all models.	
	1150M - Must order option 784607 - 4 spool valve w/o plugs	
	for PAT models.	
	1650M - Must order option 784607 - 4 spool valve w/o plugs	
	for PAT models or 784611 - 3 spool valve w/o plugs for Semi-U	
	2050M - Must order option 784607 - 4 spool valve w/o plugs	
	for PAT models or 784611 - 3 spool valve w/o plugs for Semi-U	
	or straight blade models.	
	Winch Ready Kit includes joystick, hardware and hydraulic	
	plumbing to rear of machine.	
78400		\$15,479.00
	Must order option 784607 - 4 Spool Valve w/o Plugs for PAT	φ10,410.00
	models or 784611 - 3 Spool Valve w/o Plugs for Semi-U or	
	straight blade models.	
	MUST order 784565 Rearview mirror on all cab units.	
	1150M / 1650M - 2" Shank with 2.6" Replaceable Point	
	2050M - 3" Shank with Replaceable 6" Point	



(Ex Works Calhoun, GA)

TRACK SHOES

SD_10009 TRACK CHAIN/SHOES For 1150M LT & 1650M XLTs 784883 22" Closed Grousers and CLT No Charge 22" Closed Grousers and Case Lubricated Track (CLT) 784884 22" Open Grousers and CELT \$757.00 22" Open Grousers and Case Extended Life Track (CELT) For LT 20" Closed Grousers & CLT 784467 (\$396.00) 20" Closed grousers and Case Lubricated Track (CLT) 20" Open Grousers & CELT 784471 \$339.00 20" Open grousers and Case Extended Life Track (CELT) For WT/LGP 784468 26" Closed Grouser & CLT \$747.00 26" Closed grousers and Case Lubricated Track (CLT) 784576 26" Open Grousers & CELT \$1,569.00 26" Open grousers and Case Extended Life Track (CELT) 784535 30" Closed Grouser & CLT \$1,511.00 30" Closed grousers and Case Lubricated Track (CLT) 784594 30" Open Grouser & CELT \$2,369.00 30" Open grouser and Case Extended Life Track (CELT)

FRONT MOUNTED EQUIPMENT

SD_D5102 BLADES

For PAT LT			
784540	120" Standard blade		No Charge
	Blade Height 44.1" Blade Capacity 3.76 cu yd		
For PAT WT	/LGP		
784541	132" Standard blade		\$582.00
	Blade Height 44.1" Blade Capacity 4.16 cu yd		

OPERATOR'S PROTECTIVE STRUCTURE

SD_05127 CAB						
	784111	ROPS with headliner			No Charge	
	784391	Cab w/Heat/AC/Defroster/Lights			\$23,309.00	



(Ex Works Calhoun, GA)

ADDITIONAL EQUIPMENT CRD

SCREENS

 SD_02057 RADIATOR SCREEN							
	X02057X	No Radiator Brush Screen			No Charge		
	784476	Radiator Brush Screen			\$826.00		

SD_02130 SANDBLAST SCREEN

	X02130X	No Sandblast Screen			No Charge			
	784623	Sandblast Screen			\$421.00			

SD_05053 FORESTRY PROTECTION

	X05053X	No ROPS Side Screen		No Charge
	784419	ROPS Side Screen		\$1,484.00
		Must order with ROPS with headliner option 784111 &		
		Sweeps option 784702.		

SD_05103 REAR SCREEN

X05103X	No Rear Screen	No Charge
784569	ROPS Rear Screen	\$956.00
	Must order with ROPS with headliner option 784111	
784508	Cab Rear Screen	\$956.00
	Must order w/ Cab w/Heat/AC/Defroster/Lights option 784391	
	Note: For full cab forestry screen and installation, contact:	
	Paladin Custom Works, 370 Labeling Way,	
	Chattanooga, TN 37419. Phone: 423-702-6958	
	Fax: 423-825-5029 E-mail: eprice@paladinbrands.com	

GUARDS

SD_10013 TRACK ROLLER GUARD

Γ	X10013X	No Center Rock Guard		No Charge
		No Rock Guard		
Γ	784524	Center Rock Guard		\$1,903.00
		Guard, Full Track Rock Guard		

SD_D5904 SWEEPS

XD5904X No Sweeps			No Charge	
784702 Sweeps			\$1,481.00	

DECALS AND OPERATOR'S MANUALS

SD_47083 OPERATOR'S MANUAL

	784138	Manuals & Decals - English		No Charge
	784140	Manuals & Decals - French		No Charge



-DZ7N 01

1150M CRAWLER DOZER US PRICE LIST

(Ex Works Calhoun, GA)

784142	Manuals & Decals - Spanish

No Charge

 SD_02005 ENGINE PRE-CLEANER						
	784725	Air Cleaner Cap			No Charge	
	784731	Turbine Pre-Cleaner			\$154.00	

SD_02025 COLD WEATHER STARTING

	X02025X	No Grid Heater/Cold Start		No Charge
	784106	Grid Heater		\$420.00
		Cold Start		

SD 05105 SEAT BELT

_	 SB_SSIGS CEAT BEET						
	784365	Seat Belt, 2"			No Charge		
Γ	784483	Seat belt, 3"			\$128.00		
		In lieu of standard 2" seatbelt option 784365					

SD_05131 REAR WIPER FOR CAB

	X05131X	No Rear Wiper		No Charge
	784525	Rear Wiper for Cab		\$335.00
		Must order with Cab w/Heat/AC/Defroster/Lights		
		option 784391		

SD_05136 RADIO OPTION

[X05136X	No Radio or Speakers		No Charge
	784564	Radio		\$230.00
		Must order with Cab w/Heat/AC/Defroster/Lights		
		option 784391		

SD_05201 AIR QUALITY SYSTEM

	X05201X	No Cab Air System		No Charge
	784648	Cab Air Quality System		\$3,227.00
		Cab pre-cleaner system to improve operator comfort and improve		
		HVAC system performance in adverse conditions.		

SD_06003 WORK LIGHTS

X06003X	No work lights	No Charge
784531	Opt ROPS Light w/o sweeps	\$151.00
	Not used with Sweeps option 784702	
	Must order with ROPS with headliner option 784111	
784532	Opt ROPS Lights w/ sweeps	\$151.00
	Must order with Sweeps option 784702	
	Must order with ROPS with headliner option 784111	
784529	Opt Cab Light w/o sweeps	\$151.00
	Not used with Sweeps option 784702	
	Must order with Cab w/Heat/AC/Defroster/Lights	
	option 784391	



(Ex Works Calhoun, GA)						
	784530	Opt Cab Lights w/ sweeps			\$151.00	
		Must order with Sweeps option 784702				
		Must order with Cab w/Heat/AC/Defroster/Lights				
		option 784391				

SD_20143 HYDRAULIC VALVES

For PAT Mo	odels	
784350	Std. 3 spool valve & control	No Charge
	For use with No rear mounted hydraulic attachments.	
784607	4 Spool Valve w/o Plugs	No Charge
	For FACTORY installed Ripper or Winch Ready Kit	
	For 1150M - Must order for Factory installed Ripper 784007. If	
	installing winch on machine, must order this valve and 784604	
	Winch Ready Kit. Winch Ready Kit includes joystick, mounting	
	hardware and hyd. plumbing to rear of machine.	
	For 1650M w/PAT Blades - Must order w/ Factory installed Ripper	
	784007 or 784779. If installing on a winch machine, must order	
	this valve and 784604 Winch Ready Kit. Winch Ready Kit	
	includes joystick, mounting hardware and hyd plumbing to	
	rear of machine.	
	For 2050M w/PAT Blades - Must order w/ Factory installed Ripper	
	784007. If installing winch on machine, must order this valve	
	and 784604 Winch Ready Kit. Winch Ready Kit includes	
	joystick, mounting hardware and hyd plumbing to rear of	
	machine.	
784668	Hyd. valve, 4 spool w/ plugs	\$763.00
	For field installed Ripper or Winch	
	For 1150M - Not Required with factory installed option 784007	
	Ripper. Valve includes the ripper/winch control.	
	For 1650M - Not Required with factory installed Rippers 784007,	
	784779 or Winch Ready Kit 784604. (Does not include joystick	
	and plumbing)	
	For 2050M - Not Required with factory installed option 784007	
	Ripper or 784604 - Winch ready kit. (Does not include	
	joystick and plumbing)	
	Note for all Models: This 4th valve is to be used if winch, ripper	
	or hydraulic attachment is required AFTER delivery & unit does	
	NOT already have 4 spool valve w/o plugs installed.	

S	D_20162 RE	AR HYDRAULIC FUNCTION	
	X20162X	Std. Pump or No Rear Hydr Func	No Charge



1150M CRAWLER DOZER US PRICE LIST

(Ex Works Calhoun, GA)				
7846	i1 Pump Hydraulic Equip w/o PTO			No Charge
	Must order if installing rear attachment requiring hydraulics			
	(Ripper or Winch).			
7847:	0 Pump Hydraulic Equip w/PTO			\$485.00
	NOTE: Current Allied Winch is Hydraulic driven; PTO NOT			
	required. 784730 is for PTO attachments Only.			
	(Allied winch offered is hydraulically driven. This kit is not			
	required if installing an Allied Hyd. driven winch onto unit)			

SD_50115 ENVIRONMENTAL DRAIN

	X50115X	No Environmental Drain		No Charge
	784729	Environmental Drain		\$298.00
		Includes valve and drain hose for fuel and hydraulic reservoir.		
		Quick coupler for engine oil and coolant evacuation		
		included. (DEF Drain hoses standard)		

SD_D5113 BLADE GUIDANCE READY

XD5113X	No Blade Guidance	No Charge
784605	Trimble Ready Package	\$8,661.00
	Factory-installed Trimble Ready Base Kit. This package includes	
	controls, mountings and wiring that allow for a plug-and-play	
	with the Trimble electronic devices (which are ordered separately	
	from Trimble dealer)	
784609	Leica Ready Package	\$8,822.00
	Factory-installed Leica Ready Base Kit. This package includes	
	controls, mountings and wiring that allow for a plug-and-play	
	with the Leica electronic devices (which are ordered separately	
	from Leica dealer)	
784610	Topcon Ready Package	\$11,341.00
	Factory-installed Topcon Ready Base Kit. This package includes	
	controls, mountings and wiring that allow for a plug-and-play	
	with the Topcon electronic devices (which are ordered separately	
	from Topcon dealer)	
	Only for use with PAT Blades.	

 S	D_D5801 EX	TERNAL MIRROR		
	XD5801X	No Rearview Attachment Mirror		No Charge
	784565	Rearview Attachment Mirror		\$63.00
		For use with Cab units that have rippers or winches.		
		Mounts to the exterior right hand side of unit.		



(Ex Works Calhoun, GA) Factory Supplied Attachments

Ord	er Code	Description	Weight	Factory Data	List Price
lade G	Suidance Re	eady			
	47677959	Leica Ready Dealer-installed Leica Ready Base Kit. This package includes controls, mountings and wiring that allow for a plug-and-play with the Leica electronic devices (which are ordered separately from Leica dealer)	57 LB		\$9,968.00
	47365617	Topcon Ready Dealer-installed Topcon Ready Base Kit. This package includes controls, mountings and wiring that allow for a plug-and-play with the Topcon electronic devices (which are ordered separately from Topcon dealer) Only for use with PAT Blades.	66 LB		\$8,551.00
	47732152	Trimble Ready Dealer-installed Trimble Ready Base Kit. This package includes controls, mountings and wiring that allow for a plug-and-play with the Trimble electronic devices (which are ordered separately from Trimble dealer)	165 LB		\$11,655.00

Other

47520590	Sweeps	117 LB	\$1,658.00
47416157	Rearview Attachment Mirror For use with Cab units that have rippers or winches. Mounts on exterior righthand side of unit.	4 LB	\$79.00
47550823	Turbine-Precleaner	3 LB	\$179.00
47644019	Cab Air Quality System Cab pre-cleaner system to improve operator comfort and improve HVAC system performance in adverse conditions. 1150M - Prior to s/n NEDC11058 requires additional modifications to the standard rear cover. 1650M - Prior to s/n NEDC16052 requires additional modifications to the standard rear cover.	263 LB	\$2,196.00
47737221	Valve, 3 to 4 Spool conversion Kit adds a 4th spool valve to an existing 3 spool valve	1 LB	\$418.00
47710453	Cold Start Grid Heater	6 LB	\$283.00
47803628	Front Counterweight with Hook	948 LB	\$3,173.00

Screens

	47688842	Cab Rear Screen	55 LB	\$704.00
	47405110	ROPS Rear Screen	39 LB	\$1,066.00
	47569746	ROPS Side Screen	100 LB	\$1,420.00

Lights

	47484689	Cab Work Lights (for use with sweeps)	6 LB	\$209.00
	47405118	Cab Work Lights (for use w/o sweeps)	4 LB	\$209.00
	47415385	ROPS Work Lights (for use w/o sweeps)	5 LB	\$195.00
	47488331	ROPS Work Lights (for use with sweeps)	7 LB	\$195.00
(Ex Works Calhoun, GA)

Rear Attachments

47569373	Drawbar	147 LB	\$1,358.00
47569423	Rear Tow Hook	53 LB	\$309.00
47749240	Kit, Ripper Ripper, 3 Shanks 2" Shank with 2.6" Replaceable point	4,261 LB	\$16,520.00
47756296	Hydraulic Winch Ready Kit Kit includes joystick, mounting hardware and hydraulic plumbing from valve to back of machine.	90 LB	\$1,263.00
47569397	Drawbar Hitch with Step	198 LB	\$1,125.00
47789674	PTO Winch Kit For use with PTO attachments only. Not required for Allied H5C winch. Allied H5C winch is hydraulically driven.	21 LB	\$1,375.00



ADDITIONAL SUPPLIER OPTIONS

650-2050M

- Winches available through Allied Systems Company, Sherwood (Portland), OR
- Please contact Allen Johnson/ James Smith at 503-625-2560 for product information and pricing <u>marketing@alliedsystems.com</u> Download winch spec sheets, parts, service and operating manuals and product information at <u>http://www.alliedsystems.com</u>
 - Required Base Machine Configuration
 - Winch Ready PTO option for 650L, 750M, 850M; Ripper hydraulics for 1150M, 1650M and 2050M.

ALLIED WINCHES FOR CASE	GROUP NO.	MODEL	WT. LBS.	WT. KG.	Factory Winch	DIA WINCH
H4A HYDRAULIC WINCH						
Includes: Attaching Parts, Gear Ratio 94/1, Power-in,						
Power-out and Freespool. For: 650L Dozers (Requires PTO)	H4AH3RR16	650L	1710	776	784730	
H4A HYDRAULIC WINCH	T	1		[
Includes: Attaching Parts, Gear Ratio 94/1, Power-in,		750M				
Power-out and Freespool. For: 750 - 850M Dozers (Requires PTO)	H4AH3RR17	850M	1710	776	784730	47423045
H5C HYDRAULIC WINCH	T	1				
Includes: Attaching Parts, Gear Ratio 48/1, Freespool,						
Brake Off, and Drawbar. For: 1150M Dozer (Requires ripper control on dozer)	H5CT2DR371	1150M	1980	898	784604	47756296
H6H HYDRAULIC WINCH	1	1				1650M
Includes: Attaching Parts, Gear Ratio 153/1, Brake-Off,						47753781
Freespool, and Drawbar.		1650M				2050M
For: 1650M, 2050M Dozer (Requires ripper control on dozer)	H6HT1NR42	2050M	2830	1280	784604	47753601

Install Allied Winches on CASE 650L - 2050M Crawler Dozers in Ooltewah, TN

CASE Dealers, you may now order Allied winches to be installed on the CASE 650L – 2050M Crawler Dozers. How it works:

- 1. Order 650L 2050M through CASE
- 2. Order the matching Allied winch directly with Allied. Advise Allied your dozer expected delivery time.
- Crawler must ship from Calhoun, GA to Ooltewah, TN for installation by Paladin. Please contact Allied at the above contact information for more details. Allied will arrange transportation of dozer from Calhoun to Ooltewah, TN. Once installation is complete, Allied will contact dealer for further transportation requirements.

650 – 2050M

- Forestry Screens, Light Guards, A/C condenser guards and other custom work provided by Paladin CustomWorks Ooltewah, TN
- Please contact Eric B. Price at 423-702-6958 for product information and pricing <u>eprice@paladinattachments.com</u>
 - Required Base Machine Configuration
 - Cab Rear Screen

2050M

- Landfill Package provided by Paladin CustomWorks Ooltewah, TN
- Please contact Eric B. Price at 423-702-6958 for product information and pricing <u>eprice@paladinattachments.com</u>
- Recommended Base Machine Configuration:
 - Semi-U Blade
 - Turbine Precleaner
 - Case Extended life tracks (CELT)
 - Cab Rear Screen

Last updated January 1, 2015



(Ex Works Calhoun, GA) Standard Equipment

ENGINE:

FPT 6 Cyl. F4HFE6132 Diesel Tier IV interim certified 409 Displacement Horsepower: - Gross (SAE) 164 - Net (SAE) 150 Air cleaner - dry type, 2 stage, radial seal Anti-freeze solution to -34° F Fan, Hyd Driven, variable speed, Reversible Fuel tank: 85 gal. (US) Hand throttle Radiator: V-shaped cooling package DRIVETRAIN: Dual path infinitely variable, singlelever controlled hydrostatic drive with electronic straight tracking, power turns & counter-rotation Final drive - triple reduction - helical gear/planetary Decelerator/Brake Pedal Spring applied hydraulic release parking brake OPERATOR'S PROTECTIVE STRUCTURE: Cab, modular, isolation mounted with Heat and AC Adjustable armrests Foot rests Seat belt, 2" retractable Air Suspension seat, cloth, with back adjustment and lumbar support Tool storage area Headliner Floor mat Seat tilts for access

UNDERCARRIAGE:

Hydraulic track adjusters Sealed and lubricated track chain Track and carrier rollers permanently lubricated Track adjuster guard Track gauge: 76" or 86" Track guides (front and rear) Track on ground: 120" Track rollers: 8 per side

ELECTRICAL:

Alternator: 120 AMP 24 volt electrical system Dual Batteries (Two 12V Batteries) 925 CCA Fuse circuit protection Lights: 2 front, 1 rear (halogen) Master disconnect switch Single key start switch

GUARDS:

Crankcase Engine side shields Transmission bottom Integral final drive seal

DOZER BLADE:

Hydraulic angle and tilt Single lever hydraulic control for lift, angle and tilt Laser/GPS-Capable Joystick PAT Blade Width: Variable mechanical pitch adjustment (55° - 60°) 130" Extra Long Track (76" gauge) 157" Wide Track & LGP (86" gauge) Semi Universal Blade Width: 123.7" over the end bits 119.8" over side plates



(Ex Works Calhoun, GA) Standard Equipment

INSTRUMENTATION: Warning/Indicator Lights: Air filter Alternator Diagnostic fault indicator Engine coolant temperature Engine oil pressure Hydraulic filter Low fuel level DEF fluid level Park brake engaged Service soon indicator Transmission filter Transmission charge pressure Audible Warnings: Engine coolant temperature Engine oil pressure Low fuel level Transmission charge pressure Transmission/hydraulic temperature Gauges: Battery voltage Fuel level Digital hourmeter/tachometer/ diagnostic/service reminder Transmission oil temperature Transmission speed indicator Water temperature

OTHER STANDARD EQUIPMENT: Backup alarm Hinged grill Horn Lockup package Mirror Operators manual enclosure Pre-cleaner on air cleaner intake Front pull hook F-N-R detent controlled joystick for direction, speed and steering DEF Drain Hose Refer to Additional Supplier Options for further Allied & Paladin options. CASE ProCare 3-yr/3000-hr factory warranty, planned maintenance and SiteWatch™ telematics CASE SiteWatch™ Telematics includes hardware and a 3-yr Advanced data subscription



(Ex Works Calhoun, GA)

COMMERCIAL MODEL	Weight	Factory Data	List Price
1650M PAT WT/LGP	39,550 LB		\$357,518.00
1650M PAT XLT	37,750 LB		\$338,797.00
1650M SEMI-U XLT	39,750 LB		\$324,984.00



(Ex Works Calhoun, GA) Factory Supplied Options

Onden Oarda	Description	Mainh (
Order Code	Description	Weight

Factory Data

List Price

REAR MOUNTED EQUIPMENT

784649	Rear Cover Plate	No Charge
784572	2 Rear Tow Hook	\$287.00
784573	B Drawbar	\$1,304.00
	Not used with Semi-U or Straight PT commercial models.	
784627	Drawbar with Step	\$1,492.00
784604	Winch Ready Kit	\$2,606.00
	Must order with option 784508 - Cab Rear Screen for all models.	
	1150M - Must order option 784607 - 4 spool valve w/o plugs	
	for PAT models.	
	1650M - Must order option 784607 - 4 spool valve w/o plugs	
	for PAT models or 784611 - 3 spool valve w/o plugs for Semi-U	
	2050M - Must order option 784607 - 4 spool valve w/o plugs	
	for PAT models or 784611 - 3 spool valve w/o plugs for Semi-U	
	or straight blade models.	
	Winch Ready Kit includes joystick, hardware and hydraulic	
	plumbing to rear of machine.	
784007	Ripper, 3 shanks	\$22,151.00
	Must order option 784607 - 4 Spool Valve w/o Plugs for PAT	
	models or 784611 - 3 Spool Valve w/o Plugs for Semi-U or	
	straight blade models.	
	MUST order 784565 Rearview mirror on all cab units.	
	1150M / 1650M - 2" Shank with 2.6" Replaceable Point	
	2050M - 3" Shank with Replaceable 6" Point	
784779	HD Ripper - 6" Tooth	\$23,665.00
	Must order option 784607 - 4 Spool Valve w/o Plugs for PAT	
	models or 784611 - 3 Spool Valve w/o Plugs for Semi-U or	
	straight blade models.	
	MUST order 784565 Rearview mirror on all cab units.	
	2" Shank with 6" Replacement Point	



(Ex Works Calhoun, GA)

TRACK SHOES

For 1150M	LT & 1650M XLTs	
784883	22" Closed Grousers and CLT	No Charge
	22" Closed Grousers and Case Lubricated Track (CLT)	
784884	22" Open Grousers and CELT	\$2,711.00
	22" Open Grousers and Case Extended Life Track (CELT)	
For XLT		
784927	24" Closed Grousers and CLT	\$1,061.00
	24" Closed Grousers and Case Lubricated Track (CLT)	
784928	24" Open Grousers and CELT	\$3,772.00
	24" Open Grousers and Case Extended Life Track (CELT)	
For WT/LG)P	
784885	28" Closed Grousers and CLT	No Charge
	28" Closed Grousers and Case Lubricated Track (CLT)	
784886	28" Open Grousers and CELT	\$2,711.00
	28" Open Grousers and Case Extended Life Track (CELT)	
784616	32" Closed Grouser and CLT	\$1,747.00
	32" Closed Grousers and Case Lubricated Track (CLT)	
784617	32" Open Grouser and CELT	\$3,269.00
	32" Open Grousers and Case Extened Life Track (CELT)	
784887	34" Closed Grouser and CLT	\$825.00
	34" Closed Grousers and Case Lubricated Track (CLT)	
784888	34" Open Grousers and CELT	\$3,537.00
	34" Open Grousers and Case Extended Life Track (CELT)	

FRONT MOUNTED EQUIPMENT

SD_D5102 BLADES

For PAT WT	T/LGP	
774188	PAT Blade (WT/LGP)	No Charge
	1650M Blade HGT 46"; Width 157"; Blade Capacity 5.22 cu yd	
	2050M Blade HGT 54"; Width 160"; Blade Capacity 7.24 cu yd	
774269	PAT WT/LGP - Folded Blade	\$9,126.00
	1650M Blade HGT 46"; Width 157"; Blade Capacity 5.28 cu yd	
	2050M Blade HGT 54"; Width 160"; Blade Capacity 7.24 cu yd	
For Semi-U	XLT	
784614	Semi-U Blade HSU	No Charge
	1650M Blade HGT 52"; Width 131"; Blade Capacity 6.33 cu yd	
	2050M Blade HGT 56"; Width 135"; Blade Capacity 7.29 cu yd	



(Ex Works Ca	lhoun,	GA)
--------------	--------	-----

	For XLT 1650M; XLT 2050M					
	784615	PAT Blade - XLT			No Charge	
		1650M Blade HGT 46.5"; Width 130"; Blade Capacity 4.28 cu yd				
		2050M Blade HGT 53.9"; Width 142"; Blade Capacity 6.32 cu yd				

ADDITIONAL EQUIPMENT CRD

SCREENS

SD_05103 REAR SCREEN

	X05103X	No Rear Screen		No Charge
	784508	Cab Rear Screen		\$1,100.00
		Must order w/ Cab w/Heat/AC/Defroster/Lights option 784391		
		Note: For full cab forestry screen and installation, contact:		
		Paladin Custom Works, 370 Labeling Way,		
		Chattanooga, TN 37419. Phone: 423-702-6958		
		Fax: 423-825-5029 E-mail: eprice@paladinbrands.com		

GUARDS

SD_10013 TRACK ROLLER GUARD

	784750	Standard Center Track Guard			No Charge
	784880	Center Rock Guard (Long)			\$3,065.00
		Full Length			

 S	D_D5904 SW	/EEPS	-	
	XD5904X	No Sweeps		No Charge
	784702	Sweeps		\$1,621.00

DECALS AND OPERATOR'S MANUALS

SD_47083 OPERATOR'S MANUAL

	784138	Manuals & Decals - English		No Charge
	784140	Manuals & Decals - French		No Charge
	784142	Manuals & Decals - Spanish		No Charge

SD_02005 ENGINE PRE-CLEANER

	784725	Air Cleaner Cap		No Charge
	784731	Turbine Pre-Cleaner		\$154.00

SD_02025 COLD WEATHER STARTING

	X02025X	No Grid Heater/Cold Start		No Charge
	784106	Grid Heater		\$450.00
		Cold Start		



(Ex Works Calhoun, GA)

SD_05105 SEAT BELT

 OB_00100 BEAT BEET						
	784365	Seat Belt, 2"			No Charge	
	784483	Seat belt, 3"			\$140.00	
		In lieu of standard 2" seatbelt option 784365				

SD_05131 REAR WIPER FOR CAB

	X05131X	No Rear Wiper		No Charge
	784525	Rear Wiper for Cab		\$367.00
		Must order with Cab w/Heat/AC/Defroster/Lights		
		option 784391		

SD_05136 RADIO OPTION

	X05136X	No Radio or Speakers		No Charge
	784564	Radio		\$271.00
		Must order with Cab w/Heat/AC/Defroster/Lights		
		option 784391		

SD_05201 AIR QUALITY SYSTEM

	X05201X	No Cab Air System		No Charge
	784648	Cab Air Quality System		\$3,227.00
		Cab pre-cleaner system to improve operator comfort and improve		
		HVAC system performance in adverse conditions.		

SD_06003 WORK LIGHTS

	X06003X	No work lights		No Charge
	784529	Opt Cab Light w/o sweeps		\$166.00
		Not used with Sweeps option 784702		
		Must order with Cab w/Heat/AC/Defroster/Lights		
		option 784391		
	784530	Opt Cab Lights w/ sweeps		\$166.00
		Must order with Sweeps option 784702		
		Must order with Cab w/Heat/AC/Defroster/Lights		
		option 784391		

SD_20143 HYDRAULIC VALVES

For PAT Models						
	784350	Std. 3 spool valve & control			No Charge	
		For use with No rear mounted hydraulic attachments.				



		(Ex Works Calhoun, GA)		
	784607	4 Spool Valve w/o Plugs		No Charge
		For FACTORY installed Ripper or Winch Ready Kit		
		For 1150M - Must order for Factory installed Ripper 784007. If		
		installing winch on machine, must order this valve and 784604		
		Winch Ready Kit. Winch Ready Kit includes joystick, mounting		
		hardware and hyd. plumbing to rear of machine.		
		For 1650M w/PAT Blades - Must order w/ Factory installed Ripper		
		784007 or 784779. If installing on a winch machine, must order		
		this valve and 784604 Winch Ready Kit. Winch Ready Kit		
		includes joystick, mounting hardware and hyd plumbing to		
		rear of machine.		
		For 2050M w/PAT Blades - Must order w/ Factory installed Ripper		
		784007. If installing winch on machine, must order this valve		
		and 784604 Winch Ready Kit. Winch Ready Kit includes		
		joystick, mounting hardware and hyd plumbing to rear of		
	784668	machine. Hyd. valve, 4 spool w/ plugs		\$1,068.00
	704000	For field installed Ripper or Winch		\$1,000.00
		For 1150M - Not Required with factory installed option 784007		
		Ripper. Valve includes the ripper/winch control.		
		Ripper. valve includes the ripper/which control.		
		For 1650M - Not Required with factory installed Rippers 784007,		
		784779 or Winch Ready Kit 784604. (Does not include joystick		
		and plumbing)		
		For 2050M. Not Dominod with footomy installed option 704007		
		For 2050M - Not Required with factory installed option 784007		
		Ripper or 784604 - Winch ready kit. (Does not include		
		joystick and plumbing)		
		Note for all Models: This 4th valve is to be used if winch, ripper		
		or hydraulic attachment is required AFTER delivery & unit does		
		NOT already have 4 spool valve w/o plugs installed.		
F	or Semi-U			
	784566	Std. 2 spool valve & control		No Charge
		For use with No rear mounted hydraulic attachments.	↓ ↓ ↓	
	784611	3 Spool Valve w/o Plugs		No Charge
		Must order with FACTORY installed Ripper 784007 or 784779 HD		
		Ripper for 1650M. If installing winch, this valve must be ordered		
		& also Winch Ready Kit 784604. Winch Ready Kit provides		
		joystick & necessary hyd. plumbing to rear of machine.		



(Ex Works Calhoun, GA)					
	784612	Hydraulic valve, 3 spool			\$1,076.00
		For Field installed Ripper or Winch.			
		(Does Not include joystick and plumbing)			
		Note for All Models: This 3rd valve is to be used if winch,			
		ripper or hyd. attachment is required AFTER delivery &			
		unit does NOT already have 3 spool valve w/o plugs			
		installed.			

SD_50115 ENVIRONMENTAL DRAIN

	X50115X	No Environmental Drain		No Charge
	784729	Environmental Drain		\$327.00
		Includes valve and drain hose for fuel and hydraulic reservoir.		
		Quick coupler for engine oil and coolant evacuation		
		included. (DEF Drain hoses standard)		

SD_D5113 BLADE GUIDANCE READY

XD511:	X No Blade Guidance	No Charge
784605	Trimble Ready Package	\$8,661.00
	Factory-installed Trimble Ready Base Kit. This package includes	
	controls, mountings and wiring that allow for a plug-and-play	
	with the Trimble electronic devices (which are ordered separately	
	from Trimble dealer)	
784609	Leica Ready Package	\$8,822.00
	Factory-installed Leica Ready Base Kit. This package includes	
	controls, mountings and wiring that allow for a plug-and-play	
	with the Leica electronic devices (which are ordered separately	
	from Leica dealer)	
784610	Topcon Ready Package	\$12,028.00
	Factory-installed Topcon Ready Base Kit. This package includes	
	controls, mountings and wiring that allow for a plug-and-play	
	with the Topcon electronic devices (which are ordered separately	
	from Topcon dealer)	
	Only for use with PAT Blades.	

 SD_D5801 EXTERNAL MIRROR						
	XD5801X	No Rearview Attachment Mirror			No Charge	
	784565	Rearview Attachment Mirror			\$68.00	
		For use with Cab units that have rippers or winches.				
		Mounts to the exterior right hand side of unit.				



(Ex Works Calhoun, GA) Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
Blade	Guidance R	eady			
	47677960	Leica Ready Dealer-installed Leica Ready Base Kit. This package includes controls, mountings and wiring that allow for a plug-and-play with the Leica electronic devices (which are ordered separately from Leica dealer)	57 LB		\$9,968.00
	47732176	Trimble Ready Dealer-installed Trimble Ready Base Kit. This package includes controls, mountings and wiring that allow for a plug-and-play with the Trimble electronic devices (which are ordered separately from Trimble dealer)	165 LB		\$11,655.00
	47487270	Topcon Ready Dealer-installed Topcon Ready Base Kit. This package includes controls, mountings and wiring that allow for a plug-and-play with the Topcon electronic devices (which are ordered separately from Topcon dealer) Only for use with PAT Blades.	51 LB		\$12,028.00
Scree	ns				
	47688842	Cab Rear Screen	55 LB		\$704.00
Lights	5				
	47484689	Cab Work Lights (for use with sweeps)	6 LB		\$209.00
	47405118	Cab Work Lights (for use w/o sweeps)	4 LB		\$209.00
Other					
	47416157	Rearview Attachment Mirror For use with Cab units that have rippers or winches. Mounts on exterior righthand side of unit.	4 LB		\$79.00
	47550823	Turbine-Precleaner	3 LB		\$179.00
	47644019	Cab Air Quality System Cab pre-cleaner system to improve operator comfort and improve HVAC system performance in adverse conditions. 1150M - Prior to s/n NEDC11058 requires additional modifications to the standard rear cover. 1650M - Prior to s/n NEDC16052 requires additional modifications to the standard rear cover.	263 LB		\$2,196.00
	47737221	Valve, 3 to 4 Spool conversion Kit adds a 4th spool valve to an existing 3 spool valve	1 LB		\$418.00
	47519668	Sweeps	131 LB		\$1,022.00
	47710453	Cold Start Grid Heater	6 LB		\$283.00

Rear Attachments

	47569404	Drawbar	149 LB	\$1,486.00
	47569423	Rear Tow Hook	53 LB	\$309.00
	47750049	Kit, Ripper	3,855 LB	\$22,151.00
		Ripper, 3 Shanks		
		2" Shank with 2.6" Replaceable Point		

(Ex Works Calhoun, GA)

	47763314	Kit, Ripper Hvy Duty Heavy Duty Ripper 2" Shank with 6" Replacement Point	4,049 LB	\$23,665.00
	47569409	Drawbar Hitch with Step	198 LB	\$1,805.00
	47753781	Kit, Winch Includes joystick and hydraulic plumbing. Does Not include a winch.	88 LB	\$1,266.00



ADDITIONAL SUPPLIER OPTIONS

650-2050M

- Winches available through Allied Systems Company, Sherwood (Portland), OR
- Please contact Allen Johnson/ James Smith at 503-625-2560 for product information and pricing <u>marketing@alliedsystems.com</u> Download winch spec sheets, parts, service and operating manuals and product information at <u>http://www.alliedsystems.com</u>
 - Required Base Machine Configuration
 - Winch Ready PTO option for 650L, 750M, 850M; Ripper hydraulics for 1150M, 1650M and 2050M.

ALLIED WINCHES FOR CASE	GROUP NO.	MODEL	WT. LBS.	WT. KG.	Factory Winch	DIA WINCH
H4A HYDRAULIC WINCH						
Includes: Attaching Parts, Gear Ratio 94/1, Power-in,						
Power-out and Freespool. For: 650L Dozers (Requires PTO)	H4AH3RR16	650L	1710	776	784730	
H4A HYDRAULIC WINCH		1				
Includes: Attaching Parts, Gear Ratio 94/1, Power-in,		750M				
Power-out and Freespool. For: 750 - 850M Dozers (Requires PTO)	H4AH3RR17	850M	1710	776	784730	47423045
H5C HYDRAULIC WINCH		1				
Includes: Attaching Parts, Gear Ratio 48/1, Freespool,						
Brake Off, and Drawbar. For: 1150M Dozer (Requires ripper control on dozer)	H5CT2DR371	1150M	1980	898	784604	47756296
H6H HYDRAULIC WINCH		1		-		1650M
Includes: Attaching Parts, Gear Ratio 153/1, Brake-Off,						47753781
Freespool, and Drawbar.		1650M				2050M
For: 1650M, 2050M Dozer (Requires ripper control on dozer)	H6HT1NR42	2050M	2830	1280	784604	47753601

Install Allied Winches on CASE 650L - 2050M Crawler Dozers in Ooltewah, TN

CASE Dealers, you may now order Allied winches to be installed on the CASE 650L – 2050M Crawler Dozers. How it works:

- 1. Order 650L 2050M through CASE
- 2. Order the matching Allied winch directly with Allied. Advise Allied your dozer expected delivery time.
- Crawler must ship from Calhoun, GA to Ooltewah, TN for installation by Paladin. Please contact Allied at the above contact information for more details. Allied will arrange transportation of dozer from Calhoun to Ooltewah, TN. Once installation is complete, Allied will contact dealer for further transportation requirements.

650 – 2050M

- Forestry Screens, Light Guards, A/C condenser guards and other custom work provided by Paladin CustomWorks Ooltewah, TN
- Please contact Eric B. Price at 423-702-6958 for product information and pricing <u>eprice@paladinattachments.com</u>
 - Required Base Machine Configuration
 - Cab Rear Screen

2050M

- Landfill Package provided by Paladin CustomWorks Ooltewah, TN
- Please contact Eric B. Price at 423-702-6958 for product information and pricing <u>eprice@paladinattachments.com</u>
- Recommended Base Machine Configuration:
 - Semi-U Blade
 - Turbine Precleaner
 - Case Extended life tracks (CELT)
 - Cab Rear Screen

Last updated January 1, 2015



(Ex Works Calhoun, GA) Standard Equipment

ENGINE:

FPT 6 Cyl. F4HFE613J Diesel Tier IV interim certified 409 Displacement Horsepower: - Gross (SAE) 231 - Net (SAE) 214 Air cleaner - dry type, 2 stage, radial seal Anti-freeze solution to -34° F Fan, Hyd Driven, variable speed, Reversible Fuel tank: 107 gal. (US) Hand throttle Radiator: V-shaped cooling package DRIVETRAIN: Dual path infinitely variable, singlelever controlled hydrostatic drive with electronic straight tracking, power turns & counter-rotation Final drive - triple reduction - helical gear/planetary Brake/Decelerator Pedal Spring applied hydraulic release parking brake OPERATOR'S PROTECTIVE STRUCTURE: Cab, modular, isolation mounted with Heat and AC Adjustable armrests Foot rests Seat belt, 2" retractable Air Suspension seat, cloth, with back adjustment and lumbar support Tool storage area Headliner Floor mat

Seat tilts for access Front windshield wipers UNDERCARRIAGE: Hydraulic track adjusters Sealed and lubricated track chain Track and carrier rollers permanently lubricated Track adjuster guard Track gauge: 76" or 89" Track guides (front and rear) Track on ground: 104" or 129" Track rollers: 8 per side ELECTRICAL: Alternator: 120 AMP

24 volt electrical system Dual Batteries (Two 12V Batteries) 1200 CCA Fuse circuit protection Lights: 2 front, 1 rear (halogen) Master disconnect switch Single key start switch

GUARDS:

Crankcase Engine side shields Transmission bottom Integral final drive seal

DOZER BLADE:

Hydraulic angle and tilt Single lever hydraulic control for lift, angle and tilt Laser/GPS-Capable Joystick PAT Blade Width: Variable mechanical pitch adjustment (55° - 60°) 142" Extra Long Track (76" gauge) 160" Wide Track & LGP (86" gauge) Semi Universal Blade Width: 135" Straight PT Blade



(Ex Works Calhoun, GA) Standard Equipment

INSTRUMENTATION: Warning/Indicator Lights: Air filter Alternator Diagnostic fault indicator Engine coolant temperature Engine oil pressure Hydraulic filter Low fuel level DEF fluid level Park brake engaged Service soon indicator Transmission filter Transmission charge pressure Audible Warnings: Engine coolant temperature Engine oil pressure Low fuel level Transmission charge pressure Transmission/hydraulic temperature Gauges: Battery voltage Fuel level Digital hourmeter/tachometer/ diagnostic/service reminder Transmission oil temperature Transmission speed indicator Water temperature

OTHER STANDARD EQUIPMENT: Backup alarm Hinged grill Horn Lockup package Mirror Operators manual enclosure Pre-cleaner Front pull hook F-N-R detent controlled for direction, speed and steering DEF Drain Hose Refer to Additional Supplier Options for further Allied & Paladin options. CASE ProCare 3-yr/3000-hr factory warranty, planned maintenance and SiteWatch™ telematics CASE SiteWatch™ Telematics includes hardware and a 3-yr Advanced data subscription



(Ex Works Calhoun, GA) **Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price			
2050M PAT WT/LGP	48,756 LB		\$472,260.00			
2050M PAT XLT	45,414 LB		\$443,611.00			
2050M SEMI-U XLT	45,398 LB		\$412,439.00			
2050M STR PT WT/LGP	50,000 LB		\$430,768.00			
Includes the following Equipment Straight PT Blade (784247) \$13,595.00						



(Ex Works Calhoun, GA) Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
	Description	weight	I actory Data	LISUFILLE

REAR MOUNTED EQUIPMENT

SD_D7007 3	3 SHANK RIPPER	
784649	Rear Cover Plate	No Charge
784572	Rear Tow Hook	\$287.00
784573	Drawbar	\$1,304.00
	Not used with Semi-U or Straight PT commercial models.	
784627	Drawbar with Step	\$1,492.00
784604	Winch Ready Kit	\$2,606.00
	Must order with option 784508 - Cab Rear Screen for all models.	
	1150M - Must order option 784607 - 4 spool valve w/o plugs for PAT models.	
	1650M - Must order option 784607 - 4 spool valve w/o plugs for PAT models or 784611 - 3 spool valve w/o plugs for Semi-U	
	2050M - Must order option 784607 - 4 spool valve w/o plugs for PAT models or 784611 - 3 spool valve w/o plugs for Semi-U or straight blade models.	
	Winch Ready Kit includes joystick, hardware and hydraulic plumbing to rear of machine.	
784007	Ripper, 3 shanks Must order option 784607 - 4 Spool Valve w/o Plugs for PAT models or 784611 - 3 Spool Valve w/o Plugs for Semi-U or straight blade models. MUST order 784565 Rearview mirror on all cab units. 1150M / 1650M - 2" Shank with 2.6" Replaceable Point 2050M - 3" Shank with Replaceable 6" Point	\$27,623.00

TRACK SHOES

SD_10009 TRACK CHAIN/SHOES

	For XLT			
	784927	24" Closed Grousers and CLT		No Charge
		24" Closed Grousers and Case Lubricated Track (CLT)		
	784928	24" Open Grousers and CELT		\$2,412.00
		24" Open Grousers and Case Extended Life Track (CELT)		



(Ex Works Calhoun, GA)

For V	WT/LGP	
78	84885 28" Closed Grousers and CLT	\$4,525.00
	28" Closed Grousers and Case Lubricated Track (CLT)	
78	84886 28" Open Grousers and CELT	\$6,976.00
	28" Open Grousers and Case Extended Life Track (CELT)	
78	84535 30" Closed Grouser & CLT	\$5,203.00
	30" Closed grousers and Case Lubricated Track (CLT)	
78	84594 30" Open Grouser & CELT	\$7,672.00
	30" Open grouser and Case Extended Life Track (CELT)	
78	84601 36" Closed Grouser & CLT	\$7,240.00
	36" Closed grousers and Case Lubricated Track (CLT)	
78	84568 36" Open Grouser & CELT	\$9,766.00
	36" Open grouser and Case Extended Life Track (CELT)	

FRONT MOUNTED EQUIPMENT

SD_D5102 BLADES

For PA1	WT/LGP	
77418	38 PAT Blade (WT/LGP)	No Charge
	1650M Blade HGT 46"; Width 157"; Blade Capacity 5.22 cu yd	
	2050M Blade HGT 54"; Width 160"; Blade Capacity 7.24 cu yd	
77420	69 PAT WT/LGP - Folded Blade	\$9,126.00
	1650M Blade HGT 46"; Width 157"; Blade Capacity 5.28 cu yd	
	2050M Blade HGT 54"; Width 160"; Blade Capacity 7.24 cu yd	
For Sen	ni-U XLT	
7846	14 Semi-U Blade HSU	No Charge
	1650M Blade HGT 52"; Width 131"; Blade Capacity 6.33 cu yd	
	2050M Blade HGT 56"; Width 135"; Blade Capacity 7.29 cu yd	
For Stra	ight PT WT/LGP	
78424	47 Straight PT Blade	\$13,595.00
	Blade Height 43.7"; Blade Width 154"; Blade Capacity 4.94 cu yd	
For XLT	1650M; XLT 2050M	
7846	15 PAT Blade - XLT	No Charge
	1650M Blade HGT 46.5"; Width 130"; Blade Capacity 4.28 cu yd	
	2050M Blade HGT 53.9"; Width 142"; Blade Capacity 6.32 cu yd	

ADDITIONAL EQUIPMENT CRD

SCREENS

 S	D_05103 RE	AR SCREEN		
	X05103X	No Rear Screen		No Charge



	(Ex Works Calhoun, GA)	
784508	Cab Rear Screen	\$1,100.00
	Must order w/ Cab w/Heat/AC/Defroster/Lights option 784391	
	Note: For full cab forestry screen and installation, contact:	
	Paladin Custom Works, 370 Labeling Way,	
	Chattanooga, TN 37419. Phone: 423-702-6958	
	Fax: 423-825-5029 E-mail: eprice@paladinbrands.com	

GUARDS

SD_10013 TRACK ROLLER GUARD

_	 <u>B_10010 110</u>			
	784750	Standard Center Track Guard		No Charge
	784173	XLT/LGP Center Rock Guard		\$4,951.00
		Full Length		

S	SD_D5904 SWEEPS				
	XD5904X	No Sweeps			No Charge
	784702	Sweeps			\$1,621.00

DECALS AND OPERATOR'S MANUALS

SD_47083 OPERATOR'S MANUAL

	784138	Manuals & Decals - English		No Charge
	784140	Manuals & Decals - French		No Charge
	784142	Manuals & Decals - Spanish		No Charge

SD_02005 ENGINE PRE-CLEANER

	784725	Air Cleaner Cap		No Charge
	784731	Turbine Pre-Cleaner		\$154.00

SD_02025 COLD WEATHER STARTING

	X02025X	No Grid Heater/Cold Start		No Charge
	784106	Grid Heater		\$450.00
		Cold Start		

 SD_05105 SEAT BELT					
	784365	Seat Belt, 2"			No Charge
	784483	Seat belt, 3"			\$140.00
		In lieu of standard 2" seatbelt option 784365			

SD_05131 REAR WIPER FOR CAB

	X05131X	No Rear Wiper		No Charge
	784525	Rear Wiper for Cab		\$367.00
		Must order with Cab w/Heat/AC/Defroster/Lights		
		option 784391		

SD_05136 RADIO OPTION

X05136X No Radio or Speakers No Charge
--



		(Ex Works Calhoun, GA)		
Γ	784564	Radio		\$271.00
		Must order with Cab w/Heat/AC/Defroster/Lights		
		option 784391		

SD_05201 AIR QUALITY SYSTEM

	X05201X	No Cab Air System		No Charge
	784648	Cab Air Quality System		\$3,227.00
		Cab pre-cleaner system to improve operator comfort and improve		
		HVAC system performance in adverse conditions.		

SD_06003 WORK LIGHTS X06003X No work lights No Charge 784529 Opt Cab Light w/o sweeps \$166.00 Not used with Sweeps option 784702 Must order with Cab w/Heat/AC/Defroster/Lights \$166.00 option 784391 Opt Cab Lights w/ sweeps \$166.00 Must order with Sweeps option 784702 \$166.00 Must order with Cab w/Heat/AC/Defroster/Lights \$166.00 Must order with Cab w/Heat/AC/Defroster/Lights \$166.00 Must order with Sweeps option 784702 \$166.00 Must order with Sweeps option 784702 \$166.00 Must order with Cab w/Heat/AC/Defroster/Lights \$166.00 Option 784391 Ust order with Cab w/Heat/AC/Defroster/Lights

SD_20143 HYDRAULIC VALVES

 	DRAULIC VALVES		
For PAT Mo	dels		
784350	Std. 3 spool valve & control		No Charge
	For use with No rear mounted hydraulic attachments.		
784607	4 Spool Valve w/o Plugs		No Charge
	For FACTORY installed Ripper or Winch Ready Kit		
	For 1150M - Must order for Factory installed Ripper 784007. If		
	installing winch on machine, must order this valve and 784604		
	Winch Ready Kit. Winch Ready Kit includes joystick, mounting		
	hardware and hyd. plumbing to rear of machine.		
	For 1650M w/PAT Blades - Must order w/ Factory installed Ripper		
	784007 or 784779. If installing on a winch machine, must order		
	this valve and 784604 Winch Ready Kit. Winch Ready Kit		
	includes joystick, mounting hardware and hyd plumbing to		
	rear of machine.		
	For 2050M w/PAT Blades - Must order w/ Factory installed Ripper		
	784007. If installing winch on machine, must order this valve		
	and 784604 Winch Ready Kit. Winch Ready Kit includes		
	joystick, mounting hardware and hyd plumbing to rear of		
	machine.		



	(Ex Works Calhoun, GA)	
78466	8 Hyd. valve, 4 spool w/ plugs	\$1,068.00
	For field installed Ripper or Winch	
	For 1150M - Not Required with factory installed option 784007	
	Ripper. Valve includes the ripper/winch control.	
	For 1650M - Not Required with factory installed Rippers 784007,	
	784779 or Winch Ready Kit 784604. (Does not include joystick and plumbing)	
	For 2050M - Not Required with factory installed option 784007	
	Ripper or 784604 - Winch ready kit. (Does not include	
	joystick and plumbing)	
	Note for all Models: This 4th valve is to be used if winch, ripper	
	or hydraulic attachment is required AFTER delivery & unit does	
	NOT already have 4 spool valve w/o plugs installed.	
For Sem	i-U Models	
78456	6 Std. 2 spool valve & control	No Charge
	For use with No rear mounted hydraulic attachments.	
78461	1 3 Spool Valve w/o Plugs	No Charge
	Must order with FACTORY installed Ripper 784007 or 784779 HD	
	Ripper for 1650M. If installing winch, this valve must be ordered	
	& also Winch Ready Kit 784604. Winch Ready Kit provides	
	joystick & necessary hyd. plumbing to rear of machine.	
78461	2 Hydraulic valve, 3 spool	\$1,076.00
	For Field installed Ripper or Winch.	
	(Does Not include joystick and plumbing)	
	Note for All Models: This 3rd valve is to be used if winch,	
	ripper or hyd. attachment is required AFTER delivery &	
	unit does NOT already have 3 spool valve w/o plugs	
	installed.	

SD_50115 ENVIRONMENTAL DRAIN

	X50115X	No Environmental Drain		No Charge
	784729	Environmental Drain		\$327.00
		Includes valve and drain hose for fuel and hydraulic reservoir.		
		Quick coupler for engine oil and coolant evacuation		
		included. (DEF Drain hoses standard)		

SD_D5113 BLADE GUIDANCE READY

	XD5113X	No Blade Guidance			No Charge
	784605	Trimble Ready Package			\$8,661.00
		Factory-installed Trimble Ready Base Kit. This package includes			
		controls, mountings and wiring that allow for a plug-and-play			
		with the Trimble electronic devices (which are ordered separately			
		from Trimble dealer)			



(Ex Works Calhoun, GA)						
784609	Leica Ready Package		\$8,822.00			
	Factory-installed Leica Ready Base Kit. This package includes					
	controls, mountings and wiring that allow for a plug-and-play					
	with the Leica electronic devices (which are ordered separately					
	from Leica dealer)					
784610	Topcon Ready Package		\$12,028.00			
	Factory-installed Topcon Ready Base Kit. This package includes					
	controls, mountings and wiring that allow for a plug-and-play					
	with the Topcon electronic devices (which are ordered separately					
	from Topcon dealer)					
	Only for use with PAT Blades.					

SD_D5801 EXTERNAL MIRROR

	XD5801X	No Rearview Attachment Mirror		No Charge
	784565	Rearview Attachment Mirror		\$68.00
		For use with Cab units that have rippers or winches.		
		Mounts to the exterior right hand side of unit.		



(Ex Works Calhoun, GA) Factory Supplied Attachments

	der Code	Description	Weight	Factory Data	List Price
lade	Guidance R	eady			
	47677961	Leica Ready Dealer-installed Leica Ready Base Kit. This package includes controls, mountings and wiring that allow for a plug-and-play with the Leica electronic devices (which are ordered separately from Leica dealer)	57 LB		\$9,968.00
	47732691	Trimble Ready Dealer-installed Trimble Ready Base Kit. This package includes controls, mountings and wiring that allow for a plug-and-play with the Trimble electronic devices (which are ordered separately from Trimble dealer)	165 LB		\$11,655.00
	47651595	Topcon Ready Dealer-installed Topcon Ready Base Kit. This package includes controls, mountings and wiring that allow for a plug-and-play with the Topcon electronic devices (which are ordered separately from Topcon dealer) Only for use with PAT Blades.	51 LB		\$8,522.00
ores	ns				
ocree					
	47688842	Cab Rear Screen	55 LB		\$704.00
ights	47688842	Cab Rear Screen	55 LB		\$704.00
	47688842 47484689	Cab Work Lights (for use with sweeps)	6 LB		\$209.00
	47688842				\$209.00
.ights	47688842 47484689 47405118	Cab Work Lights (for use with sweeps)	6 LB		\$209.00
.ights	47688842 47484689 47405118	Cab Work Lights (for use with sweeps)	6 LB		\$209.00 \$209.00
.ights	47688842 47484689 47405118	Cab Work Lights (for use with sweeps) Cab Work Lights (for use w/o sweeps)	6 LB 4 LB		\$209.00 \$209.00 \$1,815.00
.ights	47688842 47484689 47405118 47415247	Cab Work Lights (for use with sweeps) Cab Work Lights (for use w/o sweeps) Sweeps Rearview Attachment Mirror For use with Cab units that have rippers or winches.	6 LB 4 LB 133 LB		\$209.00 \$209.00 \$1,815.00 \$79.00
.ights	47688842 47484689 47405118 47415247 47416157	Cab Work Lights (for use with sweeps) Cab Work Lights (for use w/o sweeps) Sweeps Rearview Attachment Mirror For use with Cab units that have rippers or winches. Mounts on exterior righthand side of unit.	6 LB 4 LB 133 LB 4 LB		\$209.00 \$209.00 \$1,815.00 \$79.00 \$179.00
	47688842 47484689 47405118 47415247 47416157 47550823	Cab Work Lights (for use with sweeps) Cab Work Lights (for use w/o sweeps) Sweeps Rearview Attachment Mirror For use with Cab units that have rippers or winches. Mounts on exterior righthand side of unit. Turbine-Precleaner Cab Air Quality System Cab pre-cleaner system to improve operator comfort and improve HVAC system performance in adverse conditions. 2050M - Prior to s/n NEDC20091 requires additional modifications	6 LB 4 LB 133 LB 4 LB 3 LB		

Red	ai Ai	llachments	-		
		47753601	Kit, Winch/Ripper Includes joystick and hydraulic plumbing. Does Not include a winch or a ripper.	89 LB	\$1,272.00
		47569404	Drawbar	149 LB	\$1,486.00
		47569423	Rear Tow Hook	53 LB	\$309.00
		47748758	Kit, Ripper Ripper, 3 Shank, 2 position with 6" Point and 3" shanks	4,261 LB	\$27,623.00



2050M CRAWLER DOZER US PRICE LIST							
(Ex Works Ca	(Ex Works Calhoun, GA)						
47569409 Drawbar Hitch with Step 198 LB \$1,805.00							



ADDITIONAL SUPPLIER OPTIONS

650-2050M

- Winches available through Allied Systems Company, Sherwood (Portland), OR
- Please contact Allen Johnson/ James Smith at 503-625-2560 for product information and pricing <u>marketing@alliedsystems.com</u> Download winch spec sheets, parts, service and operating manuals and product information at <u>http://www.alliedsystems.com</u>
 - Required Base Machine Configuration
 - Winch Ready PTO option for 650L, 750M, 850M; Ripper hydraulics for 1150M, 1650M and 2050M.

ALLIED WINCHES FOR CASE	GROUP NO.	MODEL	WT. LBS.	WT. KG.	Factory Winch	DIA WINCH
H4A HYDRAULIC WINCH						
Includes: Attaching Parts, Gear Ratio 94/1, Power-in,						
Power-out and Freespool. For: 650L Dozers (Requires PTO)	H4AH3RR16	650L	1710	776	784730	
H4A HYDRAULIC WINCH		1				
Includes: Attaching Parts, Gear Ratio 94/1, Power-in,		750M				
Power-out and Freespool. For: 750 - 850M Dozers (Requires PTO)	H4AH3RR17	850M	1710	776	784730	47423045
H5C HYDRAULIC WINCH		1				
Includes: Attaching Parts, Gear Ratio 48/1, Freespool,						
Brake Off, and Drawbar. For: 1150M Dozer (Requires ripper control on dozer)	H5CT2DR371	1150M	1980	898	784604	47756296
H6H HYDRAULIC WINCH		1				1650M
Includes: Attaching Parts, Gear Ratio 153/1, Brake-Off,						47753781
Freespool, and Drawbar.		1650M				2050M
For: 1650M, 2050M Dozer (Requires ripper control on dozer)	H6HT1NR42	2050M	2830	1280	784604	47753601

Install Allied Winches on CASE 650L - 2050M Crawler Dozers in Ooltewah, TN

CASE Dealers, you may now order Allied winches to be installed on the CASE 650L – 2050M Crawler Dozers. How it works:

- 1. Order 650L 2050M through CASE
- 2. Order the matching Allied winch directly with Allied. Advise Allied your dozer expected delivery time.
- 3. Crawler must ship from Calhoun, GA to Ooltewah, TN for installation by Paladin. Please contact Allied at the above contact information for more details. Allied will arrange transportation of dozer from Calhoun to Ooltewah, TN. Once installation is complete, Allied will contact dealer for further transportation requirements.

650 – 2050M

- Forestry Screens, Light Guards, A/C condenser guards and other custom work provided by Paladin CustomWorks Ooltewah, TN
- Please contact Eric B. Price at 423-702-6958 for product information and pricing <u>eprice@paladinattachments.com</u>
 - Required Base Machine Configuration
 - Cab Rear Screen

2050M

- Landfill Package provided by Paladin CustomWorks Ooltewah, TN
- Please contact Eric B. Price at 423-702-6958 for product information and pricing <u>eprice@paladinattachments.com</u>
- Recommended Base Machine Configuration:
 - Semi-U Blade
 - Turbine Precleaner
 - Case Extended life tracks (CELT)
 - Cab Rear Screen

Last updated January 1, 2015