

JCB TELETRUK TLT30D HIGH LIFT

JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: JANUARY 1, 2015

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR. PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

SAVANNAH, GA

STANDARD EQUIPMENT

ENGINE	62HP, Kohler KD12504TCR Diesel Engine, Tier IV compliant, dry type air cleaner, water separator, spin - on fuel filter, thermostart assist, anti-freeze protection to -35 degrees F.
TRANSMISSION	Torque Converter Response Hydrostatic drive system Single speed Hydrostatic transmission, power flow TCR
TIRES	Options of Industrial or Agricultural tread patterns
ELECTRICAL	12 volt, 60 Ah battery, with 65 amp alternator. Waterproof wire harness connectors meet/exceed IP67 electrical system rating. 2 front, 1 rear worklights
INSTRUMENTS	IDC (information display center) Visual warning system for coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil pressure and temperature, fuel gauge and hour meter.
TELESCOPIC BOOM	Two section 16' 9" lift height with hydraulic parallel lift 6,000lbs capacity to full height
HYDRAULICS	One set of auxiliaries, delivering 19gpm
CANOPY	Meets SAE J231 FOPS and SAE J1040 ROPS requirements, left side entry. Canopy and cab tilts up for improved access to mid-ship of the machine for service and maintenance. Vinyl operators seat, adjustable forward and back. Cab swing lock pin, metal side screen, single lever control for boom lift/lower and rollback/dump, tilt control lever forward and reverse hand lever, operator manual, roof mounted strobe, back up alarm.
CARRIAGE	Standard class III ITA carriage with option of 1 or 2 extra hydraulic quick disconnect couplings
OPTIONAL CAB	Meets SAE J231 FOPS and SAE J1040 ROPS requirements, left side entry. Glass in front, side, top and
WARRANTY	2 year full coverage warranty (please see the machine warranty certificate for details)

SECTIONS ARE ORGANIZED AS FOLLOWS: Section 1 - PACKAGE BUILDS Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS - NOT CURRENTLY OFFERED DEALER FIT - TELETRUK (PLEASE CONTACT JCB ATTACHMENTS)

SECTION I - PACKAGE BUILDS

Select one of the following machine PACKAGE BUILDS.

SALES	PACKAGE BUILD CODE:	<u> 75A</u>
CODE	ITEM	CANOPY
1175	TELETRUK 30D HL - Tier 4, 2WD, HIGH LIFT, 3 ton (6,000lb Cap) Telescopic Industrial Forklift	√
250A015	$27 \times 10 \times 12$ Front, $23 \times 9 \times 10$ Rear (P.P.S.) Semi Solids	√
250B401	STD Height Canopy Frame Right Hand Side Glass Only	✓
250C021	4 Spool Valve Block - 2 Levers & Button Control in Knob (Std Flow) 1/4" Hose	✓
250D051	Forward & Reverse Lever (TCR)	✓
250E046	42" Standard Class III Industrial Carriage (3B) Long Drop	✓
250F414	American operator handbook	√
250G401	Standard Vinyl Seat	✓
250H055	Carriage Angle Indicator, includes Standard Load Guard	✓
250H072	Quick Disconnect Side-Shift (includes load chart 250H078)	√
250J005	Quick Release Couplings, One Extra Service	✓
250L008	Strobe Warning Light Roof Mounted	✓
250L032	Reverse Alarm	√

Shipping Weight - Lbs.	914
Shipping Weight - Kgs.	415

SUGGESTED LIST PRICE

\$62,485

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES		WEI	GHT	U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	BASE MACHINE (E)			
1175	TELETRUK 30D HL - Tier 4, 2WD, HIGH LIFT, 3 ton (6,000lb Cap) Telescopic Industrial Forklift	0	0	\$48,176
	TIRES & WHEELS (E)			
250A015	27 x 10 x 12 Front, 23 x 9 x 10 Rear (P.P.S.) Semi Solids	500	227	\$3,261
250A016	27 x 10 x 12 Traction Front, 23 x 9 x 10 Industrial Rear	425	193	\$3,261
250A017	27 x 10 x 12 Traction Front, 23 x 9 x 10 Industrial Rear - Foam Filled	800	364	\$4,198
250A041	27 x 10 x 12 Front, 23 x 9 x 10 Rear Michelin XZM Pneumatic Radials	0	0	\$5,657
	OPERATORS COMPARTMENT (E)			
250B401	STD Height Canopy Frame Right Hand Side Glass Only	180	82	\$1,850
250B402	STD Height Canopy Frame Right Hand Side Mesh Only	150	68	\$2,358
250B403	Low Height Canopy Frame Right Hand Side Glass Only	180	82	\$1,850
250B404	Low Height Canopy Frame Right Hand Side Mesh Only	150	68	\$2,358
250B405	STD Height Partial Cab	180	82	\$3,447
250B406	Low Height Partial Cab	180	82	\$3,447
250B407	STD Height Full Cab: Includes Heater/Demister	285	130	\$6,327
250B408	Low Height Full Cab: Includes Heater/Demister	285	130	\$6,327
250B410	Low Height Canopy: Includes Top Glass	316	144	\$3,516
250B411	STD Height Canopy: Includes Top Glass, Front Screen & Wipers	320	145	\$2,779
250B412	Low Height Canopy: Includes Top Glass, Front Screen & Wipers	320	145	\$2,779
	HYDRAULICS (E)			
250C044	5 Spool Valve Block - 3 Levers & Button Control in Knob (Extra Flow) 3/8" Hose Side & Top Tray	40	18	\$4,600
	TRANSMISSION (E)			
250D051	Forward & Reverse Lever (TCR)	0	0	\$1,078
	FORKS (E)			
250E067	48" Standard Class III Industrial Carriage (3B) Long Drop	44	20	\$903
	LANGUAGE PACK (E)			
250F414	American operator handbook	0	0	\$0
	SEATS (E)			
250G401	Standard Vinyl Seat	10	5	\$684
250G402	Standard Fabric Seat	10	5	\$729
250G403	Fabric Air Suspension Seat	0	0	\$1,079

SALES		WEI	GHT	U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	FRONT END ANCILLARY			
250H014	Single Tilt Carriage Pin	0	0	\$343
250H043	Front Facing Front Wheel Mud Flaps	0	0	\$119
250H044	Load Guard Low Height 30"	35	16	\$347
250H045	Load Guard Standard Height 48"	40	18	\$364
250H054	Carriage Angle Indicator, includes Low Load Guard	36	16	\$691
250H055	Carriage Angle Indicator, includes Standard Load Guard	41	19	\$706
250H201	Wheel Protection Kit for 2WD Models	0	0	\$215
250H300	Greasing Kit: Includes a Grease Gun and a 400gm Cartridge of JCB High Pressure Grease	0	0	\$27
250H444	Heavy Duty Class 3 Carriage for Heavy/Tough Applications	0	0	\$542
	HYDRAULIC COUPLINGS			
250J005	Quick Release Couplings, One Extra Service	3	I	\$291
250J006	Quick Release Couplings, Two Extra Services	4	2	\$576
250J007	Quick Release Couplings Integral/Bolt-on Side-Shift	3	I	\$291
250J030	Alternative Lever Pattern: For Cabs with Side Glass	0	0	\$159
250J03 I	Alternative Lever Pattern: For Cabs with Side Mesh	0	0	\$159
	OPERATORS COMPARTMENT OPTIONS			
250H005	2KG Dry Powder Fire Extinguisher	15	7	\$237
250H030	Vinyl Side Door STD Height Enclosures Only	0	0	\$519
250H031	Vinyl Side Door LOW Height Enclosures Only	0	0	\$519
250H036	Panoramic Mirror	0	0	\$215
250L410	Face Fan for Tier IV	0	0	\$135
250L488	In Cab Coolant Temperature Gauge	0	0	\$164
	BUCKET OPTIONS			
250H046	General Purpose Shovel .65 yd3 54" wide, Struck Quick Disconnect (Lightweight applications)	110	50	\$3,828
250H050	Bagezee Bucket 1.0yd3 50" wide, Quick Disconnect	140	64	\$7,003

Select Optional Ec	quipment as desired	within limitat	tions if indicated.
eciece eptional me	anpiniene as aesne ea	witching mininea	nons in marcacea.

SALES	SALES		WEIGHT	
CODE	ITEM	(lbs.)	(kgs.)	LIST
	LIGHTING OPTIONS + EXTRAS			
250L006	Rotating Beacon Roof Mounted	2	I	\$135
250L047	Rotating Beacon Low Mounted	2	I	\$135
250L008	Strobe Warning Light Roof Mounted	2	I	\$248
250L032	Reverse Alarm	0	0	\$173
250L049	Strobe Warning Light Low Mounted	2	I	\$248
250L057	Radio Installation For Full or Partial Cab	0	0	\$325
250L463	2 Additional Work Lights Front Low Mounted	3	I	\$519
250L465	Road Lights Right Hand Dip For STD Height Cab	4	2	\$1,628
250L041	Reverse Alarm (White Noise)	0	0	\$248
250K050	Hydraulic Flow Divider (Twin Wheel Drive)	6	3	\$2,202
250K059	Trash Guard (For Waste Applications & Difficult Ground Conditions)	25	П	\$860
250K060	Speed Reduction Kit: To Reduce Travel Speed by 50%	0	0	\$1,854
250K061	No Creep Software: Gives Machine Characteristic of a Hydrostatic. Boom Hydraulics unchanged.	0	0	\$1,011
250K400	Cold Climate Kit: TIER 4 Builds only. Includes a Grid Heater.	0	0	\$112
250K480	Heavy Duty Body Kit: TLT35D 2WD Tier IV	0	0	\$1,558
250W412	Wastemaster + Heavy Duty Body Kit & Heavy Duty Carriage for 35D 2WD	0	0	\$3,254



JCB TELETRUK TLT35D TCR 4 x 2

JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: JANUARY 1, 2015

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR. PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

SAVANNAH, GA

STANDARD EQUIPMENT

ENGINE	74HP, Kohler KD12504TCR Diesel Engine, Tier IV compliant, dry type air cleaner, Water separator, spin - on fuel filter, thermostart assist, anti-freeze protection to -35 degrees F.
TRANSMISSION	Torque Converter Response Hydrostatic drive system Single speed Hydrostatic transmission, power flow TCR
TIRES	Options of Industrial or Agricultural tread patterns
ELECTRICAL	12 volt, 110 Ah battery, with 80 amp alternator. Waterproof wire harness connectors meet/exceed IP67 electrical system rating. 2 front, 1 rear worklights
INSTRUMENTS	IDC (information display center) Visual warning system for coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil pressure and temperature, fuel gauge and hour meter.
TELESCOPIC BOOM	Two section 14' 4" lift height with hydraulic parallel lift 7700lbs capacity to full height
HYDRAULICS	One set of auxiliaries, delivering 19gpm
CANOPY	Meets SAE J231 FOPS and SAE J1040 ROPS requirements, left side entry. Canopy and cab tilts up for improved access to mid-ship of the machine for service and maintenance. Vinyl operators seat, adjustable forward and back. Cab swing lock pin, metal side screen, single lever control for boom lift/lower and rollback/dump, tilt control lever forward and reverse hand lever, operator manual, roof mounted strobe, back up alarm.
CARRIAGE	Standard class III ITA carriage with option of 1 or 2 extra hydraulic quick disconnect couplings
OPTIONAL CAB	Meets SAE J231 FOPS and SAE J1040 ROPS requirements, left side entry. Glass in front, side, top and rear, optional side door in metal or canvas
WARRANTY	2 year full coverage warranty (please see the machine warranty certificate for details)

SECTIONS ARE ORGANIZED AS FOLLOWS: Section I - PACKAGE BUILDS Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS - NOT CURRENTLY OFFERED DEALER FIT - TELETRUK (PLEASE CONTACT JCB ATTACHMENTS)

SECTION I - PACKAGE BUILDS

Select one of the following machine PACKAGE BUILDS.

SALES		PACKAGE BUILD CODE:	<u> 77A</u>
CODE	ITEM		CANOPY
1177	TELETRUK 35D TCR - Tier 4, 2WD, 3.5 ton (7000lb Cap) Telescopic Industrial Forklift		1
250A015	27 x 10 x 12 Front, 23 x 9 x 10 Rear (P.P.S.) Semi Solids		1
250B401	STD Height Canopy Frame Right Hand Side Glass Only		1
250C021	4 Spool Valve Block - 2 Levers & Button Control in Knob (Std Flow) 1/4" Hose		✓
250D051	Forward & Reverse Lever (TCR)		1
250E046	42" Standard Class III Industrial Carriage (3B) Long Drop		1
250F414	American operator handbook		✓
250G401	Standard Vinyl Seat		1
250H055	Carriage Angle Indicator, includes Standard Load Guard		✓
250H072	Quick Disconnect Side-Shift (includes load chart 250H078)		✓
250J005	Quick Release Couplings, One Extra Service		1
250L008	Strobe Warning Light Roof Mounted		✓
250L032	Reverse Alarm		✓

Shipping Weight - Lbs.	11,064

Shipping Weight - Kgs. 5,019

SUGGESTED LIST PRICE

\$66,230

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	WEIGHT (lbs.) (kgs.)		U.S. LIST	
	BASE MACHINE (E)				
1177	TELETRUK 35D TCR - Tier 4, 2WD, 3.5 ton (7000lb Cap) Telescopic Industrial Forklift	10,150	4,614	\$51,921	
	TIRES & WHEELS (E)				
250A015	27 x 10 x 12 Front, 23 x 9 x 10 Rear (P.P.S.) Semi Solids	500	227	\$3,261	
250A016	27 x 10 x 12 Traction Front, 23 x 9 x 10 Industrial Rear	425	193	\$3,261	
250A017	27 x 10 x 12 Traction Front, 23 x 9 x 10 Industrial Rear - Foam Filled	800	364	\$4,198	
250A041	27 x 10 x 12 Front, 23 x 9 x 10 Rear Michelin XZM Pneumatic Radials	0	0	\$5,657	
	OPERATORS COMPARTMENT (E)				
250B401	STD Height Canopy Frame Right Hand Side Glass Only	180	82	\$1,850	
250B402	STD Height Canopy Frame Right Hand Side Mesh Only	150	68	\$2,358	
250B403	Low Height Canopy Frame Right Hand Side Glass Only	180	82	\$1,850	
250B404	Low Height Canopy Frame Right Hand Side Mesh Only	150	68	\$2,358	
250B405	STD Height Partial Cab	180	82	\$3,447	
250B406	Low Height Partial Cab	180	82	\$3,447	
250B407	STD Height Full Cab: Includes Heater/Demister	285	130	\$6,327	
250B408	Low Height Full Cab: Includes Heater/Demister	285	130	\$6,327	
250B410	Low Height Canopy: Includes Top Glass	316	144	\$3,516	
250B411	STD Height Canopy: Includes Top Glass, Front Screen & Wipers	320	145	\$2,779	
250B412	Low Height Canopy: Includes Top Glass, Front Screen & Wipers	320	145	\$2,779	
	HYDRAULICS (E)				
250C021	4 Spool Valve Block - 2 Levers & Button Control in Knob (Std Flow) 1/4" Hose	40	18	\$2,645	
250C022	5 Spool Valve Block - 3 Levers & Button Control in Knob (Std Flow) 1/4" Hose	40	18	\$3,832	
250C023	4 Spool Valve Block - 2 Levers & Button Control in Knob (Extra Flow) 3/8" Hose Side Tray	40	18	\$3,412	
250C024	5 Spool Valve Block - 3 Levers & Button Control in Knob (Extra Flow) 3/8" Hose Side & Top Tray	40	18	\$4,600	
250C061	4 Spool Valve Block - 2 Levers & Button Control in Knob (Std Flow) 1/4" Hose - Changeeze System	40	18	\$2,645	
250C062	5 Spool Valve Block - 3 Levers & Button Control in Knob (Std Flow) 1/4" Hose - Changeeze System	40	18	\$3,832	
250C063	4 Spool Valve Block - 2 Levers & Button Control in Knob (Extra Flow) 3/8" Hose Side Tray - Changeeze System	40	18	\$3,412	
250C064	5 Spool Valve Block - 3 Levers & Button Control in Knob (Extra Flow) 3/8" Hose Side & Top Tray - Changeeze System	40	18	\$4,600	
	TRANSMISSION (E)				
250D051	Forward & Reverse Lever (TCR)	0	0	\$1,078	
	FORKS (E)				
250E050	No Forks Fitted	0	0	\$0	
250E040	42" Standard Class III Industrial Carriage (3A)	38	17	\$745	
250E041	48" Standard Class III Industrial Carriage (3A)	44	20	\$806	
250E043	45" Standard Class III Industrial Carriage (3A)	40	18	\$793	
250E046	42" Standard Class III Industrial Carriage (3B) Long Drop	83	38	\$860	
250E047	48" Standard Class III Industrial Carriage (3B) Long Drop	44	20	\$902	
250E049	45" Standard Class III Industrial Carriage (3B) Long Drop	40	18	\$889	
	LANGUAGE PACK (E)				
250F414	American operator handbook	0	0	\$0	
	SEATS (E)				
250G401	Standard Vinyl Seat	10	5	\$684	
250G402	Standard Fabric Seat	10	5	\$729	
250G403	Fabric Air Suspension Seat	0	0	\$1,079	

SALES		WEIGHT		U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	FRONT END ANCILLARY			
250H005	2KG Dry Powder Fire Extinguisher	15	7	\$237
250H008	Boom Stop for Any Quick Disconnect Attachment (included in all 3B forks)	15	7	\$237
250H014	Single Tilt Carriage Pin	0	0	\$343
250H043	Front Facing Front Wheel Mud Flaps	0	0	\$119
250H044	Load Guard Low Height 30"	35	16	\$347
250H045	Load Guard Standard Height 48"	40	18	\$364
250H054	Carriage Angle Indicator, includes Low Load Guard	36	16	\$691
250H055	Carriage Angle Indicator, includes Standard Load Guard	41	19	\$706
250H201	Wheel Protection Kit for 2WD Models	0	0	\$215
250H300	Greasing Kit: Includes a Grease Gun and a 400gm Cartridge of JCB High Pressure Grease	0	0	\$27
250H444	Heavy Duty Class 3 Carriage for Heavy/Tough Applications	0	0	\$542
250H582	Changezee unit: Change from forks to shovel without leaving the cab	0	0	\$6,011
250H587	Changezee System includes: Hydraulic quick disconnect unit, Changezee forkframe and Changezee shovel	0	0	\$11,187
23011307	(no forks)	0	0	Ъ 11,107
	SIDE-SHIFT OPTIONS			
250H070	Integral Class III Side-Shift (gives 0 deration)	50	23	\$1,920
250H071	Bolt on Side-Shift Class III	55	25	\$1,557
250H072	Quick Disconnect Side-Shift (includes load chart 250H078)	55	25	\$2,514
250H077	Complete Quick Disconnect Sys (comes with H072 QD Side-Shift, H046 QD Shovel J005 1 Set QD	55	25	¢E (00
2301077	Couplings)	55	25	\$5,698
250H078	Load Chart USA Build (no attachments)	0	0	\$0
	HYDRAULIC COUPLINGS			
250J005	Quick Release Couplings, One Extra Service	3	I	\$291
250J006	Quick Release Couplings, Two Extra Services	4	2	\$576
250J007	Quick Release Couplings Integral/Bolt-on Side-Shift	3	I	\$291
250J030	Alternative Lever Pattern: For Cabs with Side Glass	0	0	\$159
250J03 I	Alternative Lever Pattern: For Cabs with Side Mesh	0	0	\$159
	OPERATORS COMPARTMENT OPTIONS			
250H030	Vinyl Side Door STD Height Enclosures Only	0	0	\$519
250H031	Vinyl Side Door LOW Height Enclosures Only	0	0	\$519
250H036	Panoramic Mirror	0	0	\$215
	DRIVE OPTIONS & PROTECTION			
250K050	Hydraulic Flow Divider (Twin Wheel Drive)	6	3	\$2,202
250K059	Trash Guard (For Waste Applications & Difficult Ground Conditions)	25	11	\$860
250K060	Speed Reduction Kit: To Reduce Travel Speed by 50%	0	0	\$1,854
250K061	No Creep Software: Gives Machine Characteristic of a Hydrostatic. Boom Hydraulics unchanged.	0	0	\$1,011
250K480	Heavy Duty Body Kit: TLT35D 2WD Tier IV	0	0	\$1,558
250K400	Cold Climate Kit: TIER 4 Builds only. Includes a Grid Heater.	0	0	\$112

SALES	ITEM	WEIGHT		U.S.
CODE		(lbs.)	(kgs.)	LIST
	BUCKET OPTIONS			
250H046	General Purpose Shovel .65 yd3 54" wide, Struck Quick Disconnect (Lightweight applications)	110	50	\$3,828
250H050	Bagezee Bucket 1.0yd3 50" wide, Quick Disconnect	140	64	\$7,003
	LIGHTING OPTIONS AND EXTRAS			
250L006	Rotating Beacon Roof Mounted	2	I	\$135
250L008	Strobe Warning Light Roof Mounted	2	I	\$248
250L032	Reverse Alarm	0	0	\$173
250L041	Reverse Alarm (White Noise)	0	0	\$248
250L047	Rotating Beacon Low Mounted	2	I	\$135
250L049	Strobe Warning Light Low Mounted	2	I	\$248
250L057	Radio Installation For Full or Partial Cab	0	0	\$325
250L463	2 Additional Work Lights Front Low Mounted	3	I	\$519
250L465	Road Lights Right Hand Dip For STD Height Cab	4	2	\$1,628
250L488	In Cab Coolant Temperature Gauge	0	0	\$164
250L410	Face Fan for Tier IV	0	0	\$135
250K400	Cold Climate Kit: TIER 4 Builds only. Includes a Grid Heater.	0	0	\$112
250W412	Wastemaster + Heavy Duty Body Kit & Heavy Duty Carriage for 35D 2WD	0	0	\$3,254



JCB TELETRUK TLT35D 4 x 4

JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: JANUARY 1, 2015

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR. PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

SAVANNAH, GA

STANDARD EQUIPMENT

ENGINE	74HP, Kohler KD12504TCR Diesel Engine, Tier IV compliant, dry type air cleaner,
	Water separator, spin - on fuel filter, thermostart assist, anti-freeze protection to -35 degrees F.
TRANSMISSION	Torque Converter Response Hydrostatic drive system
	2 speed Hydrostatic transmission, position 1 shovel work, position 2 general duty,
TIRES	Options of Industrial or Agricultural tread patterns
ELECTRICAL	12 volt, 110 Ah battery, with 80 amp alternator. Wire harness connectors meet/exceed
	IP67 electrical system rating. 2 front 1 rear worklights.
INSTRUMENTS	IDC (information display center) Visual warning system for coolant temperature,
	engine oil pressure, air cleaner, battery charge, transmission oil pressure and temperature,
	fuel gauge and hour meter. Livelink
TELESCOPIC BOOM	Two section 14' 3" lift height with hydraulic parallel lift 7700lbs capacity to full height
HYDRAULICS	One set of auxiliaries, delivering 19gpm
CANOPY	Meets SAE J231 FOPS and SAE J1040 ROPS requirements, left side entry. Canopy and cab tilts up for
	improved access to mid-ship of the machine for service and maintenance. Vinyl operators seat, adjustable
	fore and aft. Cab swing lock pin, metal side screen, single lever control for boom lift/lower and
	rollback/dump, tilt control lever forward and reverse hand lever, operator manual, roof mounted strobe, back up alarm.
CARRIAGE	Standard class III ITA carriage with option of 1 or 2 extra hydraulic quick disconnect couplings
	Maste SAE 1221 EORS and SAE 11040 BORS requirements left side antmy
OPTIONAL CAB	Meets SAE J231 FOPS and SAE J1040 ROPS requirements, left side entry.
OPTIONAL CAB	Meets SAE J231 FOPS and SAE J1040 ROPS requirements, left side entry. Glass in front, side, top and rear, optional side door in metal or canvas

SECTIONS ARE ORGANIZED AS FOLLOWS: Section 1 - PACKAGE BUILDS Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS - NOT CURRENTLY OFFERED DEALER FIT - TELETRUK (PLEASE CONTACT JCB ATTACHMENTS)



SECTION I - PACKAGE BUILDS

Select one of the following machine PACKAGE BUILDS.

SALES		PACKAGE BUILD CODE:	<u> 76A</u>
CODE	ITEM		CANOPY
1176	TELETRUK 35D 4x4 - Tier 4, 4WD, 3.5 ton (7000lb Cap) Telescopic Industrial Forklift		4
250A021	27 x 10 x 12 Traction Front & Rear Foam Filled Traction		✓
250B401	STD Height Canopy Frame Right Hand Side Glass Only		√
250C021	4 Spool Valve Block - 2 Levers & Button Control in Knob (Std Flow) 1/4" Hose		√
250D061	4WD Drive Controls for Tier IV		√
250E031	42" Standard Class III Industrial Carriage (3B) Long Drop		√
250F414	American operator handbook		√
250G401	Standard Vinyl Seat		√
250H055	Carriage Angle Indicator, includes Standard Load Guard		√
250H112	Quick Disconnect Side-Shift (includes load chart 250H120)		✓
250J005	Quick Release Couplings, One Extra Service		√
250L008	Strobe Warning Light Roof Mounted		✓
250L043	Reverse Alarm		✓

Shipping Weight - Lbs.	10,939
Shipping Weight - Kgs.	4,962

SUGGESTED LIST PRICE

\$77,373



SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES		WEIG	GHT	U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	BASE MACHINE (E)			
1176	TELETRUK 35D 4x4 - Tier 4, 4WD, 3.5 ton (7000lb Cap) Telescopic Industrial Forklift	9,900	4,500	\$60,341
	TIRES & WHEELS (E)			
250A020	27 x 10 x 12 Front & Rear Pneumatic Crossply Traction	500	227	\$4,283
250A021	27 x 10 x 12 Traction Front & Rear Foam Filled Traction	670	305	\$5,820
250A05 I	ITWS MDT Traction Tires	0	0	\$6,139
	OPERATORS COMPARTMENT (E)			
250B401	STD Height Canopy Frame Right Hand Side Glass Only	180	82	\$1,850
250B402	STD Height Canopy Frame Right Hand Side Mesh Only	150	68	\$2,358
250B403	Low Height Canopy Frame Right Hand Side Glass Only	180	82	\$1,850
250B404	Low Height Canopy Frame Right Hand Side Mesh Only	150	68	\$2,358
250B405	STD Height Partial Cab	180	82	\$3,447
250B406	Low Height Partial Cab	180	82	\$3,447
250B407	STD Height Full Cab: Includes Heater/Demister	285	130	\$6,327
250B408	Low Height Full Cab: Includes Heater/Demister	285	130	\$6,327
250B410	Low Height Canopy: Includes Top Glass	316	144	\$3,516
250B411	STD Height Canopy: Includes Top Glass, Front Screen & Wipers	320	145	\$2,779
250B412	Low Height Canopy: Includes Top Glass, Front Screen & Wipers	320	145	\$2,779
	HYDRAULICS (E)			
250C021	4 Spool Valve Block - 2 Levers & Button Control in Knob (Std Flow) I/4" Hose	40	18	\$2,645
250C022	5 Spool Valve Block - 3 Levers & Button Control in Knob (Std Flow) I/4" Hose	40	18	\$3,832
250C023	4 Spool Valve Block - 2 Levers & Button Control in Knob (Extra Flow) 3/8" Hose Side Tray	40	18	\$3,412
250C024	5 Spool Valve Block - 3 Levers & Button Control in Knob (Extra Flow) 3/8" Hose Side & Top Tray	40	18	\$4,600
250C061	4 Spool Valve Block - 2 Levers & Button Control in Knob (Std Flow) 1/4" Hose - Changeeze System	40	18	\$2,645
250C062	5 Spool Valve Block - 3 Levers & Button Control in Knob (Std Flow) 1/4" Hose - Changeeze System	40	18	\$3,832
250C063	4 Spool Valve Block - 2 Levers & Button Control in Knob (Extra Flow) 3/8" Hose Side Tray - Changeeze	40	18	\$3,412
	System			• /
250C064	5 Spool Valve Block - 3 Levers & Button Control in Knob (Extra Flow) 3/8" Hose Side & Top Tray -	40	18	\$4,600
	Changeeze System			
	TRANSMISSION (E)			
250D061	4WD Drive Controls for Tier IV	0	0	\$1,100
	FORKS (E)			
250E000	No Forks Fitted	0	0	\$0
250E031	42" Standard Class III Industrial Carriage (3B) Long Drop	38	17	\$877
250E032	48" Standard Class III Industrial Carriage (3B) Long Drop	44	20	\$921
250E033	45" Standard Class III Industrial Carriage (3B) Long Drop	40	18	\$907
	LANGUAGE PACK (E)			
250F414	American operator handbook	0	0	\$0
	SEATS (E)			
250G401	Standard Vinyl Seat	10	5	\$684
250G402	Standard Fabric Seat	10	5	\$729
250G403	Fabric Air Suspension Seat	0	0	\$1,079

SALES		WEI	GHT	U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	FRONT END ANCILLARY			
250H014	Single Tilt Carriage Pin	0	0	\$343
250H044	Load Guard Low Height 30"	35	16	\$347
250H045	Load Guard Standard Height 48"	40	18	\$364
250H054	Carriage Angle Indicator, includes Low Load Guard	36	16	\$691
250H055	Carriage Angle Indicator, includes Standard Load Guard	41	19	\$706
250H200	Wheel Protection Kit: for 4WD Models	0	0	\$215
250H300	Greasing Kit: Includes a Grease Gun and a 400gm Cartridge of JCB High Pressure Grease	0	0	\$27
250H444	Heavy Duty Class 3 Carriage for Heavy/Tough Applications	0	0	\$542
250H582	Changezee unit: Change from forks to shovel without leaving the cab	0	0	\$6,011
25011507	Changezee System includes: Hydraulic quick disconnect unit, Changezee forkframe and Changezee shovel	0	0	¢11107
250H587	(no forks)	0	0	\$11,187
	SIDE-SHIFT OPTIONS			
250H110	Integral Class III Side-Shift (gives 0 deration)	50	23	\$1,959
250H111	Bolt on Side-Shift Class III	55	25	\$1,589
250H112	Quick Disconnect Side-Shift (includes load chart 250H120)	55	25	\$2,565
2501117	Complete Quick Disconnect System (comes with H112 QD Side-Shift, H046 QD Shovel J005 1 Set QD		25	¢5 710
250H117	Couplings)	55	25	\$5,710
250H120	Load Chart USA Build (no attachments)	0	0	\$0
	HYDRAULIC COUPLINGS			
250J005	Quick Release Couplings, One Extra Service	3		\$291
250J006	Quick Release Couplings, Two Extra Services	4	2	\$576
250J007	Quick Release Couplings Integral/Bolt-on Side-Shift	3	I	\$291
250J030	Alternative Lever Pattern: For Cabs with Side Glass	0	0	\$159
250J03 I	Alternative Lever Pattern: For Cabs with Side Mesh	0	0	\$159
	OPERATORS COMPARTMENT OPTIONS			
250H005	2KG Dry Powder Fire Extinguisher	15	7	\$237
250H030	Vinyl Side Door STD Height Enclosures Only	0	0	\$519
250H031	Vinyl Side Door LOW Height Enclosures Only	0	0	\$519
250H036	Panoramic Mirror	0	0	\$215
250K011	3.5T 4x4 Plus Valve: Switch in Cab Activates Rear Axle Diff. Lock	0	0	\$1,553
250L410	Face Fan for Tier IV	0	0	\$135
250L488	In Cab Coolant Temperature Gauge	0	0	\$164

SALES		WEIGH	т	U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	BUCKET OPTIONS			
250H046	General Purpose Shovel .65 yd3 54" wide, Struck Quick Disconnect (Lightweight applications)	110	50	\$3,828
250H050	Bagezee Bucket I.0yd3 50" wide, Quick Disconnect	140	64	\$7,003
	LIGHTING OPTIONS + EXTRAS			
250L006	Rotating Beacon Roof Mounted	2	I	\$135
250L047	Rotating Beacon Low Mounted	2	Ι	\$135
250L008	Strobe Warning Light Roof Mounted	2	Ι	\$248
250L043	Reverse Alarm	0	0	\$248
250L049	Strobe Warning Light Low Mounted	2	Ι	\$248
250L057	Radio Installation For Full or Partial Cab	0	0	\$325
250L463	2 Additional Work Lights Front Low Mounted	3	Ι	\$519
250L465	Road Lights Right Hand Dip For STD Height Cab	4	2	\$1,628
250K060	Speed Reduction Kit: To Reduce Travel Speed by 50%	0	0	\$1,854
250K061	No Creep Software: Gives Machine Characteristic of a Hydrostatic. Boom Hydraulics unchanged.	0	0	\$1,011
250K400	Cold Climate Kit: TIER 4 Builds only. Includes a Grid Heater.	0	0	\$112
250K481	Heavy Duty Body Kit: TLT35D 4x4 Tier IV	0	0	\$1,558
250\V414	Wastemaster + Heavy Duty Body Kit for TLT35D 4x4	0	0	\$3,552
250W424	Wastemaster with Wide Core Radiator for 35D 4X4 T4	0	0	\$3,828