

JCB LOADALL **506-36**

JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: MARCH 1, 2015

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR. PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

SAVANNAH, GA

STANDARD EQ	UIPMENT
GENERAL	One piece unitized mainframe with sway control and componentized driveline
ENGINE	JCB Ecomax Turbo charged 4.4 L (269 cu in) 74 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
TRANSMISSION	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
AXLES	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
BRAKES	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
ELECTRICAL	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
INSTRUMENTS	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
STEERING	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
CAB/CANOPY	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
BOOM	3 section boom with a max lift height of 36' 4", hydraulic parallel lift, max lift capacity of 6,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
HYDRAULICS	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.

SECTIONS ARE ORGANIZED AS FOLLOWS: Section I - PACKAGE BUILDS Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

SECTION I - PACKAGE BUILDS

Select one of the following machine PACKAGE BUILD codes and ATTACHMENTS as required from Section 4. Package Build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

PACKAGE BUILD CODE	: <u>5BAA A</u>	<u>5BAA B</u>
ITEM	Canopy	Cab
506-36, 4 Wheel steer, Sway control, 74HP Turbo engine and powershift transmission	1	✓
13.00 x 24 Industrial tread, air filled.	~	✓
Servo Controls - 2 lever placing pattern, One Auxilliary Service	~	✓
Canopy with clear right hand side glass	~	
Cab fully glazed with front, roof and rear wipers. Includes heater		✓
Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	✓	
Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only		✓
Tool Carrier Quickhitch - Required to mount Carriage	✓	✓
Operators manual - English Language	✓	✓
Engine block heater	✓	~
Face level fan	✓	✓
	ITEM506-36, 4 Wheel steer, Sway control, 74HP Turbo engine and powershift transmission13.00 x 24 Industrial tread, air filled.Servo Controls - 2 lever placing pattern, One Auxilliary ServiceCanopy with clear right hand side glassCab fully glazed with front, roof and rear wipers. Includes heaterVinyl suspension seat, fixed back with 2" seatbelt, Canopy OnlyFabric suspension seat, adjustable back with 2" seatbelt, Cab OnlyTool Carrier Quickhitch - Required to mount CarriageOperators manual - English LanguageEngine block heater	ITEMCanopy506-36, 4 Wheel steer, Sway control, 74HP Turbo engine and powershift transmission✓13.00 x 24 Industrial tread, air filled.✓Servo Controls - 2 lever placing pattern, One Auxilliary Service✓Canopy with clear right hand side glass✓Cab fully glazed with front, roof and rear wipers. Includes heater✓Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only✓Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only✓Tool Carrier Quickhitch - Required to mount Carriage✓Operators manual - English Language✓Engine block heater✓

SUGGESTED LIST PRICE

\$97,571 \$102,134



SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES		U.S.
CODE	ITEM	LIST
	BASE MACHINE (E)	
5BAA	506-36, 4 Wheel steer, Sway control, 74HP Turbo engine and	\$83,000
	TIRES (E)	
500A013	13.00 \times 24 Industrial tread, air filled with puncture sealant	\$8,478
500A039	Galaxy I300-24/I4PR (Unballasted)	\$7,800
	CONTROLS (E)	
500B032	Servo Controls - 2 lever placing pattern, One Auxilliary Service	\$3,301
	OPERATORS AREA (E)	
500C045	Cab fully glazed with front, roof and rear wipers. Includes heater	\$7,013
500CIII	Canopy with clear right hand side glass	\$2,450
	SEATS (E)	
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$672
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$989
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$672
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$989
	QUICK COUPLER (E)	
500E021	Tool Carrier Quickhitch - Required to mount Carriage	\$735
	OPERATORS MANUAL (E)	
500F211	Operators manual - English Language	\$178
500F212	Operators manual - French	\$178

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES		U.S.
CODE	ITEM	LIST
	ELECTRICAL OPTIONS	
500G018	Front and Rear Roadlights, includes turn signals, stop, tail and reverse lights - Cab Builds	\$765
500G024	Road Light Kit: Right Hand Dip, Twin Reverse For Canopy Builds Only	\$765
500G188	Front Work Lights T4F	\$153
500G189	Front and Rear Worklights T4F	\$247
500G401	Rotating Beacon. Magnetic Base.	\$139
500G402	Strobe Light	\$172
	ENGINE OPTIONS	
500H083	Fuel tank protection (Guard on rear of tank between tire and tank)	\$491
500H091	Engine block heater	\$159
500T373	Arctic Diesel for cold climates	\$0
	OPERATORS AREA OPTIONS **	
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio	\$539
500K042	Sun shade	\$249
500K050	Front screen guard	\$527
500K051	Front screen and roof guard	\$908
500K080	Air Conditioning for 74HP builds	\$3,368
500K084	Fire Extinguisher 75/109hp (55/81kW) T4i, 75 hp (55kW) Only T4F	\$267
500K478	Face level fan	\$219

** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO **TECHWEB BULLETIN 3441.**

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES		WEI	WEIGHT	
CODE	ITEM	(lbs.)	(kgs.)	LIST
	CARRIAGES - Standard			
500M241	48" wide Carriage, 2.25" fork shaft, 12K Capacity	476	216	\$1,695
500M242	66" wide Carriage, 2.25" fork shaft, 12K Capacity	581	264	\$1,880
500M243	72" wide Carriage, 2.25" fork shaft, 12K Capacity	595	270	\$1,950
	CARRIAGES - Side Tilt			
500E482	48" wide Side Shift Carriage with 2.25" fork shaft, 10K Capacity	725	329	\$4,583
500E483	72" wide Side Shift Carriage with 2.25" fork shaft, 10K Capacity	988	448	\$4,952
	CARRIAGES - Side Shift			
500E480	48" wide Side Tilt Carriage, 2.25" fork shaft, 10K Capacity	732	332	\$5,256
500E481	72" wide Side Tilt Carriage, 2.25" fork shaft, 10K Capacity	875	397	\$5,538
	CARRIAGES - Swing			
500E484	72" wide Swing Carriage with 2.25" fork shaft, 10K Capacity	1,050	476	\$8,739
	FORKS			
500M224	48" x 5" x 2" pallet forks (2) for 2.25" fork shaft	318	144	\$580
500M225	60" x 5" x 2" pallet forks (2) for 2.25" fork shaft	362	164	\$1,400
500M229	48" x 4" x 2.5" pallet forks (2) for 2.25" fork shaft	318	144	\$1,717
500M803	72" \times 5" \times 2" pallet forks (2) for 2-1/4" fork shaft, 7000 lbs capacity at 36" load center	474	215	\$1,273
	OTHER ATTACHMENTS (Require E code Q-fit installed on machine)			
500L803	I.0 cu. yd, 96" wide Utility bucket	775	352	\$2,337
500T815	12' truss boom, 1400lbs capacity	205	93	\$2,979
500T816	Coupler Blank	85	39	\$776



JCB LOADALL **507-42**

JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: MARCH 1, 2015

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR. PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES



STANDARD EQUIPMENT

Section 3 - OPTIONS - NEV	
HYDRAULICS	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
воом	3 section boom with a max lift height of 42', hydraulic parallel lift, max lift capacity of 7,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
CAB/CANOPY	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
STEERING	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
INSTRUMENTS	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
ELECTRICAL	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
BRAKES	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
AXLES	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
TRANSMISSION	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
ENGINE	JCB Ecomax Turbo charged 4.4 L (269 cu in) 74 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
GENERAL	One piece unitized mainframe with sway control and componentized driveline, automatic rear axle stabilization system.

Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

SECTION I - PACKAGE BUILDS

Select one of the following machine PACKAGE BUILD codes and ATTACHMENTS as required from Section 4. Package Build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

SALES	PACKAGE BUILD CODE:	<u>58AB A</u>	<u>5BAB B</u>
CODE	ITEM	Canopy	Cab
5BAB	507-42, 4 Wheel steer, Sway control, RAS, 74HP Turbo engine and powershift transmission	✓	✓
500A031	14.00 x 24 Industrial tread, air filled - Galaxy	✓	✓
500B032	Servo Controls - 2 lever placing pattern, One Auxilliary Service	✓	✓
500C044	Canopy with clear right hand side and rear glass	✓	
500C046	Cab fully glazed with front, roof and rear wipers. Includes heater		✓
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	✓	
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only		✓
500E021	Tool Carrier Quickhitch - Required to mount Carriage	✓	✓
500F211	Operators manual - English Language	✓	✓
500H091	Engine block heater	✓	✓
500K478	Face level fan	✓	✓

SUGGESTED LIST PRICE

\$107,019 \$111,582



SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES		U.S.
CODE	ITEM	LIST
	BASE MACHINE (E)	
5BAB	507-42, 4 Wheel steer, Sway control, RAS, 74HP Turbo engine and powershift transmission	\$90,518
	TIRES (E)	
500A030	Sitemaster 1400-24 16PR Unballasted	\$8,786
500A031	14.00 x 24 Industrial tread, air filled - Galaxy	\$8,786
500A032	Sitemaster 1400-24 16PR Unballasted with Sealant	\$10,348
500A033	14.00 x 24 Industrial tread, air filled with puncture sealant - Galaxy	\$10,348
500A045	14.00 x 24 semi-solid airless - Solideal	\$15,403
	CONTROLS (E)	
500B032	Servo Controls - 2 lever placing pattern, One Auxilliary Service	\$3,301
	OPERATORS AREA (E)	
500C046	Cab fully glazed with front, roof and rear wipers. Includes heater	\$7,013
500C129	Canopy Build, No Heater, Side and Rear Glass, Only For 55kW T4F	\$2,450
	SEATS (E)	
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$672
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$989
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$672
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$989
	QUICK COUPLER (E)	
500E021	Tool Carrier Quickhitch - Required to mount Carriage	\$735
	OPERATORS MANUAL (E)	
500F211	Operators manual - English Language	\$178
500F212	Operators manual - French	\$178

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES		U.S.
CODE	ITEM	LIST
	ELECTRICAL OPTIONS	
500G028	Front and Rear Roadlights, includes turn signals, stop, tail and reverse lights - Cab Builds only	\$765
500G129	Work lights - front only	\$153
500G130	Work lights - front and rear	\$247
500G401	Rotating Beacon. Magnetic Base.	\$139
500G402	Strobe Light	\$172
	ENGINE OPTIONS	
500H083	Fuel tank protection (Guard on rear of tank between tire and tank)	\$491
500H091	Engine block heater	\$159
500T373	Arctic Diesel for cold climates	\$0
	OPERATORS AREA OPTIONS **	
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio	\$539
500K042	Sun shade	\$249
500K050	Front screen guard	\$527
500K051	Front screen and roof guard	\$908
500K083	Air Con For 55kW (75hp) For 507 T4F Only	\$3,368
500K084	Fire Extinguisher 75/109hp (55/81kW) T4i, 75 hp (55kW) Only T4F	\$267
500K478	Face level fan	\$219

** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO **TECHWEB BULLETIN 3441.**

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES	SALES		WEIGHT	
CODE	ITEM	(lbs.)	(kgs.)	LIST
	CARRIAGES - Standard			
500M241	48" wide Carriage, 2.25" fork shaft, 12K Capacity	476	216	\$1,695
500M242	66" wide Carriage, 2.25" fork shaft, 12K Capacity	581	264	\$1,880
500M243	72" wide Carriage, 2.25" fork shaft, 12K Capacity	595	270	\$1,950
	CARRIAGES - Side Tilt			
500E482	48" wide Side Shift Carriage with 2.25" fork shaft, 10K Capacity	725	329	\$4,583
500E483	72" wide Side Shift Carriage with 2.25" fork shaft, 10K Capacity	988	448	\$4,952
	CARRIAGES - Side Shift			
500E480	48" wide Side Tilt Carriage, 2.25" fork shaft, 10K Capacity	732	332	\$5,256
500E481	72" wide Side Tilt Carriage, 2.25" fork shaft, 10K Capacity	875	397	\$5,538
	CARRIAGES - Swing			
500E484	72" wide Swing Carriage with 2.25" fork shaft, 10K Capacity	1,050	476	\$8,739
	FORKS			
500M224	48" x 5" x 2" pallet forks (2) for 2.25" fork shaft	318	144	\$580
500M225	60" x 5" x 2" pallet forks (2) for 2.25" fork shaft	362	164	\$1,400
500M229	48" x 4" x 2.5" pallet forks (2) for 2.25" fork shaft	318	144	\$1,717
500M803	72" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft, 7000 lbs capacity at 36" load center	474	215	\$1,273
	OTHER ATTACHMENTS (Require E code Q-fit installed on machine)			
500L803	I.0 cu. yd, 96" wide Utility bucket	775	352	\$2,337
500T815	12' truss boom, 1400lbs capacity	205	93	\$2,979
500T816	Coupler Blank	85	39	\$776



JCB LOADALL **510-56**

JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: MARCH 1, 2015

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR. PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with sway control, stabilizers and componentized driveline, automatic rear axle stabilization system.
ENGINE	JCB Ecomax Turbo charged 4.4 L (269 cu in) 109 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
TRANSMISSION	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
AXLES	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
BRAKES	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
ELECTRICAL	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
INSTRUMENTS	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
STEERING	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
CAB/CANOPY	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
воом	4 section boom with a max lift height of 56', hydraulic parallel lift, max lift capacity of 10,000 lbs to full height. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
HYDRAULICS	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
SECTIONS ARE ORGAN	IIZED AS FOLLOWS:

SECTIONS ARE ORGANIZED AS FOLLOWS: Section I - PACKAGE BUILDS Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

SECTION I - PACKAGE BUILDS

Select one of the following machine PACKAGE BUILD codes and ATTACHMENTS as required from Section 4. Package Build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

SALES	PACKAGE BUILD CODE	: <u>5BAD A</u>	<u>5BAD B</u>
CODE	ITEM	Canopy	Cab
5BAD	510-56, 4 Wheel steer, Sway control, RAS, 109HP Turbo engine and powershift transmission	1	1
500A036	17.5-25 Galaxy Industrial tread ply, NO BALLAST	✓	✓
500B033	Servo Controls - 2 lever placing pattern, One Auxilliary Service	✓	✓
500C044	Canopy with clear right hand side and rear glass	✓	
500C046	Cab fully glazed with front, roof and rear wipers. Includes heater		1
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	√	
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only		✓
500E021	Tool Carrier Quickhitch - Required to mount Carriage	√	1
500F213	Operators manual - English Language	✓	1
500H091	Engine block heater	✓	1
500K478	Face level fan	✓	√

SUGGESTED LIST PRICE

\$147,357 \$151,920



SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES		U.S.
CODE	ITEM	LIST
	BASE MACHINE (E)	
5BAD	510-56, 4 Wheel steer, Sway control, RAS, 109HP Turbo engine and powershift transmission	\$131,139
	TIRES (E)	
500A014	17.50 x 25 Industrial tread, air filled with puncture sealant - Galaxy	\$11,345
500A045	14.00 x 24 semi-solid airless - Solideal	\$15,403
500A046	Galaxy 17.5-25 XLW 16PR Tread B Unballasted	\$10,608
	CONTROLS (E)	
500B033	Servo Controls - 2 lever placing pattern, One Auxilliary Service	\$3,301
	OPERATORS AREA (E)	
500C044	Canopy with clear right hand side and rear glass	\$2,450
500C130	Cab: Glass Lower Door T4F	\$7,013
	SEATS (E)	
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$672
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$989
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$672
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$989
	QUICK COUPLER (E)	
500E021	Tool Carrier Quickhitch - Required to mount Carriage	\$735
	OPERATORS MANUAL (E)	
500F213	Operators manual - English Language	\$178
500F214	Operators manual - French	\$178

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES		U.S.
CODE	ITEM	LIST
	ELECTRICAL OPTIONS	
500G020	Front and Rear Roadlights, includes turn signals, stop, tail and reverse lights - Cab Builds only	\$765
500G129	Work lights - front only	\$153
500G130	Work lights - front and rear	\$247
500G401	Rotating Beacon. Magnetic Base.	\$139
500G402	Strobe Light	\$172
	ENGINE OPTIONS	
500H083	Fuel tank protection (Guard on rear of tank between tire and tank)	\$491
500H091	Engine block heater	\$159
500T373	Arctic Diesel for cold climates	\$0
	OPERATORS AREA OPTIONS **	
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio	\$539
500K042	Sun shade	\$249
500K043	Fire extinguisher	\$267
500K050	Front screen guard	\$527
500K051	Front screen and roof guard	\$908
500K081	Air Conditioning	\$3,270
500K478	Face level fan	\$219

** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES		WEIGHT		U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	CARRIAGES - Standard			
500M241	48" wide Carriage, 2.25" fork shaft, 12K Capacity	476	216	\$1,695
500M242	66" wide Carriage, 2.25" fork shaft, 12K Capacity	581	264	\$1,880
500M243	72" wide Carriage, 2.25" fork shaft, 12K Capacity	595	270	\$1,950
	CARRIAGES - Side Tilt			
500Q903	48" wide Side Tilt Carriage, 2.25" fork shaft, 10K Capacity	732	332	\$4,743
500Q904	72" wide Side Tilt Carriage, 2.25" fork shaft, 10K Capacity	875	397	\$5,125
	CARRIAGES - Side Shift			
500Q905	48" wide Side Shift Carriage with 2.25" fork shaft, 10K Capacity	831	377	\$5,440
500Q906	72" wide Side Shift Carriage with 2.25" fork shaft, 10K Capacity	988	448	\$5,732
	CARRIAGES - Swing			
500Q907	72" wide Swing Carriage with 2.25" fork shaft, 10K Capacity	1,050	476	\$9,045
	FORKS			
500M224	48" x 5" x 2" pallet forks (2) for 2.25" fork shaft	318	144	\$580
500M225	60" x 5" x 2" pallet forks (2) for 2.25" fork shaft	362	164	\$1,400
500M229	48" x 4" x 2.5" pallet forks (2) for 2.25" fork shaft	318	144	\$1,717
500M803	72" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft, 7000 lbs capacity at 36" load center	474	215	\$1,273
	OTHER ATTACHMENTS (Require E code Q-fit installed on machine)			
500L803	I.0 cu. yd, 96" wide Utility bucket	775	352	\$2,337
500T815	12' truss boom, 1400lbs capacity	205	93	\$2,979
500T816	Coupler Blank	85	39	\$776



JCB LOADALL **512-56**

JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: MARCH 1, 2015

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR. PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with sway control, stabilizers and componentized driveline, automatic rear axle stabilization system.
ENGINE	JCB Ecomax Turbo charged 4.4 L (269 cu in) 109 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection down to -30 deg. F.
TRANSMISSION	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
AXLES	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
BRAKES	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
ELECTRICAL	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
INSTRUMENTS	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
STEERING	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
CAB/CANOPY	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
BOOM	4 section boom with a max lift height of 56', hydraulic parallel lift, max lift capacity of 12,000 lbs to full height. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
HYDRAULICS	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.

SECTIONS ARE ORGANIZED AS FOLLOWS: Section I - PACKAGE BUILDS Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

SECTION I - PACKAGE BUILDS

Select one of the following machine PACKAGE BUILD codes and ATTACHMENTS as required from Section 4. Package Build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

SALES	PACKAGE BUILD CODE:	<u>5BAE A</u>	<u>5BAE B</u>
CODE	ITEM	Canopy	Cab
5BAE	512-56, Sway control, Front stabilizers, RAS, 109HP Turbo engine and powershift transmission	✓	✓
500A036	17.5-25 Galaxy Industrial tread ply, NO BALLAST	√	✓
500B033	Servo Controls - 2 lever placing pattern, One Auxilliary Service	✓	✓
500C044	Canopy with clear right hand side and rear glass	✓	
500C046	Cab fully glazed with front, roof and rear wipers. Includes heater		✓
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	√	
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only		✓
500E023	Tool Carrier Quickhitch - Required to mount Carriage	√	✓
500F213	Operators manual - English Language	4	✓
500H091	Engine block heater	√	✓
500K478	Face level fan	√	✓

SUGGESTED LIST PRICE

\$158,206 \$162,769



SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

	U.S.
ITEM	LIST
BASE MACHINE (E)	
512-56, Sway control, Front stabilizers, RAS, 109HP Turbo engine and powershift transmission	\$141,987
TIRES (E)	
17.5-25 Goodyear tire, NO BALLAST	\$10,858
Goodyear 17.5R25 16PR (Unballasted with Sealant)	\$12,358
14.00 x 24 semi-solid airless - Solideal	\$15,403
Galaxy 17.5-25 XLW 16PR Tread B Unballasted	\$10,608
CONTROLS (E)	
Servo Controls - 2 lever placing pattern, One Auxilliary Service	\$3,301
OPERATORS AREA (E)	
Canopy with clear right hand side and rear glass	\$2,450
Cab: Glass Lower Door T4F	\$7,013
SEATS (E)	
Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$672
Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$989
Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$672
Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$989
QUICK COUPLER (E)	
Tool Carrier Quickhitch - Required to mount Carriage	\$735
OPERATORS MANUAL (E)	
Operators manual - English Language	\$178
Operators manual - French	\$178
	BASE MACHINE (E) 512-56, Sway control, Front stabilizers, RAS, 109HP Turbo engine and powershift transmission TIRES (E) 17.5-25 Goodyear tire, NO BALLAST Goodyear 17.5R25 16PR (Unballasted with Sealant) 14.00 x 24 semi-solid airless - Solideal Galaxy 17.5-25 XLW 16PR Tread B Unballasted CONTROLS (E) Servo Controls - 2 lever placing pattern, One Auxilliary Service OPERATORS AREA (E) Canopy with clear right hand side and rear glass Cab: Glass Lower Door T4F SEATS (E) Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only Vinyl suspension seat, adjustable back with 2" seatbelt, Cab Only Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only QUICK COUPLER (E) Tool Carrier Quickhitch - Required to mount Carriage OPERATORS MANUAL (E) Operators manual - English Language



SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES		U.S.
CODE	ITEM	LIST
	ELECTRICAL OPTIONS	
500G020	Front and Rear Roadlights, includes turn signals, stop, tail and reverse lights - Cab Builds only	\$765
500G129	Work lights - front only	\$153
500G130	Work lights - front and rear	\$247
500G401	Rotating Beacon. Magnetic Base.	\$139
500G402	Strobe Light	\$172
	ENGINE OPTIONS	
500H083	Fuel tank protection (Guard on rear of tank between tire and tank)	\$491
500H091	Engine block heater	\$159
500T373	Arctic Diesel for cold climates	\$0
	OPERATORS AREA OPTIONS **	
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio	\$539
500K042	Sun shade	\$249
500K043	Fire extinguisher	\$267
500K050	Front screen guard	\$527
500K051	Front screen and roof guard	\$908
500K081	Air Conditioning	\$3,270
500K478	Face level fan	\$219

** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO **TECHWEB BULLETIN 3441.**

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES		WEI	WEIGHT	
CODE	ITEM	(lbs.)	(kgs.)	LIST
	CARRIAGES - Standard			
500M241	48" wide Carriage, 2.25" fork shaft, 12K Capacity	476	216	\$1,695
500M242	66" wide Carriage, 2.25" fork shaft, 12K Capacity	581	264	\$1,880
500M243	72" wide Carriage, 2.25" fork shaft, 12K Capacity	595	270	\$1,950
	CARRIAGES - Side Tilt			
500E487	48" wide Side Tilt Carriage, 2.25" fork shaft, 12K Capacity	725	329	\$4,739
500E488	72" wide Side Tilt Carriage, 2.25" fork shaft, 12K Capacity	824	374	\$8,895
	CARRIAGES - Side Shift			
500E485	48" wide Side Shift Carriage with 2.25" fork shaft, 12K Capacity	787	357	TBD
500E486	72" wide Side Shift Carriage with 2.25" fork shaft, 12K Capacity	890	404	TBD
	FORKS			
500M229	48" x 4" x 2.5" pallet forks (2) for 2.25" fork shaft	318	144	\$1,717
500M230	60" x 6" x 2" pallet forks (2) for 2.25" fork shaft	362	164	\$2,010
500M231	72" x 6" x 2" pallet forks (2) for 2.25" fork shaft	362	164	\$2,632
	OTHER ATTACHMENTS (Require E code Q-fit installed on machine)			
500L803	I.0 cu. yd, 96" wide Utility bucket	775	352	\$2,337
500T815	12' truss boom, 1400lbs capacity	205	93	\$2,979
500T816	Coupler Blank	85	39	\$776



JCB LOADALL **514-56**

JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: MARCH 1, 2015

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR. PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with sway control, stabilizers and componentized driveline, automatic rear axle stabilization system.
ENGINE	JCB Ecomax Turbo charged 4.4 L (269 cu in) 109 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection down to -30 deg. F.
TRANSMISSION	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
AXLES	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
BRAKES	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
ELECTRICAL	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
INSTRUMENTS	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
STEERING	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
CAB/CANOPY	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
воом	4 section boom with a max lift height of 56', hydraulic parallel lift, max lift capacity of 14,000 lbs to full height. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
HYDRAULICS	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.

SECTIONS ARE ORGANIZED AS FOLLOWS: Section I - PACKAGE BUILDS Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

SECTION I - PACKAGE BUILDS

Select one of the following machine PACKAGE BUILD codes and ATTACHMENTS as required from Section 4. Package Build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

SALES	PACKAGE BUILD COD	E: <u>5BAF A</u>	<u>5BAF B</u>
CODE	ITEM	Canopy	Cab
5BAF	514-56, Sway control, Front stabilizers, RAS, 109HP Turbo engine and powershift transmission	√	~
500A042	17.5 x 25 Titan 20ply NO BALLAST	✓	✓
500B033	Servo Controls - 2 lever placing pattern, One Auxilliary Service	√	√
500C044	Canopy with clear right hand side and rear glass	√	
500C046	Cab fully glazed with front, roof and rear wipers. Includes heater		1
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	✓	
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only		✓
500E489	72" Side Tilt Carriage	✓	✓
500F213	Operators manual - English Language	✓	✓
500H091	Engine block heater	√	✓
500K478	Face level fan	✓	1

SUGGESTED LIST PRICE

\$189,325 \$193,888



SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES		U.S.
CODE	ITEM	LIST
	BASE MACHINE (E)	
5BAF	514-56, Sway control, Front stabilizers, RAS, 109HP Turbo engine and powershift transmission	\$171,804
	TIRES (E)	
500A042	17.5 x 25 Titan 20ply NO BALLAST	\$10,542
500A043	17.5 x 25 Titan 20ply NO BALLAST, with tire sealant	\$11,345
500A045	14.00 x 24 semi-solid airless - Solideal	\$15,403
	CONTROLS (E)	
500B033	Servo Controls - 2 lever placing pattern, One Auxilliary Service	\$3,301
	OPERATORS AREA (E)	
500C044	Canopy with clear right hand side and rear glass	\$2,450
500C130	Cab: Glass Lower Door T4F	\$7,013
	SEATS (E)	
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$672
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$989
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$672
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$989
	QUICK COUPLER (E)	
500E489	72" Side Tilt Carriage	\$0
	OPERATORS MANUAL (E)	
500F213	Operators manual - English Language	\$178
500F214	Operators manual - French	\$178



SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES		U.S.
CODE	ITEM	LIST
	ELECTRICAL OPTIONS	
500G020	Front and Rear Roadlights, includes turn signals, stop, tail and reverse lights - Cab Builds only	\$765
500G129	Work lights - front only	\$153
500G130	Work lights - front and rear	\$247
500G401	Rotating Beacon. Magnetic Base.	\$139
500G402	Strobe Light	\$172
	ENGINE OPTIONS	
500H700	Fuel Tank Protection Kit T4F	\$491
500H091	Engine block heater	\$159
500T373	Arctic Diesel for cold climates	\$0
	OPERATORS AREA OPTIONS **	
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio	\$539
500K042	Sun shade	\$249
500K043	Fire extinguisher	\$267
500K050	Front screen guard	\$527
500K051	Front screen and roof guard	\$908
500K081	Air Conditioning	\$3,270
500K478	Face level fan	\$219

** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

	FORKS			
500TBD	60" x 5" x 2" pallet forks (2) for 2.75" fork shaft	0	0	\$3,647
500M240	72" x 5" x 2" pallet forks (2) for 2.75" fork shaft	0	0	\$3,836



JCB COMPACT LOADALL 525-60 Hi-Viz

JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: JANUARY | 2015

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR. PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES



STANDARD EQUIPMENT

ENGINE	2.5L, 74 hp engine, Tier 4 Final compliant, Two-stage, dry type air filter with primary safety elements.
TRANSMISSION	Closed loop variable displacement pump with a continuously variable hydrostatic drive. Comprising of a hydraulic motor and control unit. Permanent 4 wheel drive. I5 mph travel speed.
TIRES	Option of pneumatic industrial tires or semi-solid industrial tires
AXLES	Front and rear drive axles: epicyclic hub reduction drive/steer axles with torque proportioning differentials
BRAKES	Service brakes: Hydraulically operated self-adjusting, oil-immersed in-board multi-disc type mounted on front axle. Parking brake: SAHR handbrake, self-adjusting, oil-immersed in-board multi disc type mounted on front axle operated by in-cab switch
ELECTRICAL	12 volt, meets IP67 water ingress test standard, 80 amp alternator, 102 AH heavy duty battery
INSTRUMENTS	Visual warning system for coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil pressure and termperature, fuel gauge and hour meter
CANOPY UNIT	Meets SAE J231 FOPS and SAE J1040 ROPS requirements. Glass right hand side screen and rear screen, vinyl covered suspension seat with seat belt, horn, in-cab storage. Single lever control joystick for boom lift/lower, rollback/dump, extend/retract and integral forward/reverse switch. Operators manual included.
CAB UNIT	Meets SAE J231 FOPS and SAE J1040 ROPS requirements. Fabricl covered suspension seat with seat belt, horn, in-cab storage, heater with defroster vent system, front windshield wiper with washer. Single lever control joystick for boom lift/lower, rollback/dump, extend/retract and integral forward/reverse switch. Operators manual included.
TELESCOPIC BOOM	Two section, 20' lift height with hydraulic parallel lift, 5,500 lbs. max capacity, 3,900 lbs to full height. Boom is manufactured from high tensile steel with low maintenance, hard wear pads.
ATTACHMENT MOUNTING	Option of either Universal Skid Steer Loader Quick Attach, Compact Tool Carrier Carriage or JCB Q-Fit Carriage
HYDRAULICS	21 gpm Two-stage gear pump, fitted with suction strainer and filter. One boom end auxiliary hydraulic service, with option for a second auxiliary service.

SECTIONS ARE ORGANIZED AS FOLLOWS: Section 1 - PACKAGE BUILDS Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)



SECTION I - PACKAGE BUILDS

Select one of the following machine PACKAGE BUILD codes and ATTACHMENTS from Section 4. Package Build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

SALES CODE	PACKAGE BUILD CODE:	<u>6003A</u> CAN/4WS	<u>6003B</u> CAB/4WS
6003	525-60 Hi-Viz T4	\checkmark	1
540A201	33 X 12-20 Solideal Solidair Industrial Tires. Machine width 72.4", height 75.6"	√	✓
540B208	SLJ, Manual Pin Lock, I Aux, No lever Lock	√	✓
540C205	Basic Canopy - No Roof Glass	√	
540C207	Basic Cab with Solid Lower Door with Front and Rear		✓
540D200	Vinyl Suspension Seat - Fixed Back with 3" Lap Belt	√	
540D201	Cloth Suspension Seat with Adjustable Back and 3" Lap Belt		✓
540E206	Skid-Steer Carriage - Manual Pin Locking	√	✓
540F201	Language Pack: USA	✓	✓
540G200	Front Worklights Only - 2 Front Cab Mounted Worklights	✓	✓
540H205	Electric Selectable 4 Wheel Steer	✓	✓
540K205	Face Level Fan	√	✓
540L201	General Purpose Bucket, Q-Fit, 1.1 yd3, 77" wide	✓	✓
	Shipping Weight - Lbs.	0	0
	Shipping Weight - Kgs.	0	0
	SUGGESTED LIST PRICE	\$72,680	\$74,549



SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES			WEIGHT	
CODE	ITEM	(lbs.)	(kgs.)	LIST
	BASE MACHINE (E)			
6003	525-60 Hi-Viz T4	0	0	\$57,767
	TIRES (E)			
540A200	12-16.5 Galaxy Beefy Baby Industrial Tires. Machine width 72.4", height 74.4"	0	0	\$2,508
540A201	33 X 12-20 Solideal Solidair Industrial Tires. Machine width 72.4", height 75.6"	0	0	\$3,288
	AUXILIARY HYDRAULICS (E)			
540B208	SLJ, Manual Pin Lock, 1 Aux, No lever Lock	0	0	\$2,120
540B209	SLJ, Hydraulic Pin Lock, I Aux, No Lever Lock	0	0	\$2,120
540B210	SLJ, Manual Pin Lock, 2 Aux, No lever Lock	0	0	\$2,744
540B211	SLJ, Hydraulic Pin Lock, 2 Aux, No Lever Lock	0	0	\$2,744
	OPERATORS AREA (E)			
540C200	Basic Canopy - No Roof Glass	0	0	\$3,083
540C205	Basic Canopy with Roof Wiper	0	0	\$3,227
540C206	Basic Cab with Glass Lower Door Includes Front & Rear Wiper	0	0	\$5,095
540C207	Basic Cab with Solid Lower Door with Front and Rear Wiper	0	0	\$5,095
	SEATS (E)			
540D200	Vinyl Suspension Seat - Fixed Back with 3" Lap Belt	0	0	\$672
540D201	Cloth Suspension Seat with Adjustable Back and 3" Lap Belt	0	0	\$672
	ATTACHMENT COUPLER OPTIONS (E)			
540E202	Q-Fit Carriage - Manual Pin Locking	0	0	\$2,060
540E209	Q-Fit Carriage - Hydraulic Pin Locking	0	0	\$2,523
540E206	Skid-Steer Carriage - Manual Pin Locking	0	0	\$2,153
	OPERATORS MANUAL (E)			
540F201	Language Pack: USA	0	0	\$0
540F202	Language Pack: French Canadian	0	0	\$0



SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

CODE	ITEM DRIVE TRAIN OPTIONS	(lbs.)	(1/20)	
			(kgs.)	LIST
	DRIVE TRAIN OF HONS			
540H200	Varispeed Transmission Includes Hand Throttle	0	0	\$1,990
540H202	Front Axle - Limited Slip Differential	0	0	\$793
	GENERAL MACHINE OPTIONS			
540G200	Front Worklights Only - 2 Front Cab Mounted Worklights	0	0	\$148
540G201	Front and Rear Worklights - 2 Front and 2 Rear Cab Mounted Worklights	0	0	\$337
540G203	Flashing Beacon - Magnetic Base	0	0	\$139
540G205	Strobe Beacon	0	0	\$166
540G206	Road Light Kit for Cab Builds	0	0	\$538
540G207	Road Light Kit for Canopy Builds	0	0	\$538
540G208	Road Light Kit for Canopy withroof Wiper Builds	0	0	\$538
540G209	I I 0v Engine Block Heater	0	0	\$246
540H205	Electric Selectable 4 Wheel Steer	0	0	\$616
540K201	Windscreen Guard	0	0	\$494
540K202	Radio Speaker Installation - No Radio	0	0	\$474
540K204	Fire Extinguisher	0	0	\$236
540K205	Face Level Fan	0	0	\$212
540K207	Tilt and Rake Steering Column	0	0	\$219
540K208	2 Speed Front Wiper	0	0	\$212
540K210	Roof Wiper for Cab Builds Only	0	0	\$144
540K211	Sun Blind for Cab Builds Only	0	0	\$24I
540K218	Air Conditioning	0	0	\$3,862
540L200	Load Guard for Q-Fit Carriage	0	0	\$586

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES			WEIGHT	
CODE	ITEM	(lbs.)	(kgs.)	LIST
	ATTACHMENTS			
	FORKS AND FORK FRAMES			
540M224	5 in x 1.5 in x 48 in (125 mm x 40 mm x 1200 mm) Forks and Pin for Q-fit Carriage	0	0	\$1,577
540M202	4 in x 1.75 in x 48 in (100 mm x 45 mm x 1200 mm) Forks and Pin for Q-fit Carriage	0	0	\$1,230
540M208	Industrial Fork Frame 54 in (1370 mm) Wide, Class II for Q-Fit Carriage	0	0	\$1,538
540M210	Industrial forks: 4 in x 1.75 in x 42 in (100 mm x 45 mm x 1067 mm) Class II for 540M208	0	0	\$974
540M211	Industrial forks: 4 in x 1.75 in x 48 in (100 mm x 45 mm x 1200 mm) Class II for 540M208	0	0	\$1,122
540M212	42 in (1067mm) long Industrial Pallet Forks and Frame for Skid-Steer Carriage	0	0	\$1,673
540L201	General Purpose Bucket, Q-Fit, I.I yd3, 77" wide	0	0	\$2,478



JCB LOADALL **531-70**

JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: JANUARY 1, 2015

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR. PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES
STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with rigid frame and componentized driveline
ENGINE	74 HP T4Final, dual element air cleaner, spin-on fuel filter, Fuel/water separator, Anti-freeze protection to -35 degrees F.
TRANSMISSION	JCB 4x4 Powershift, Powershuttle direction change, 20 mph travel speed, 2.2:1 ratio torque converter, transmission disconnect on loader lever.
AXLES	JCB MAX-TRAC with torque proportioning and outboard planetary drive.
BRAKES	Internal mounted inboard on front axle, multi disc, oil immersed, self adjusting, Independent disc type parking brake with brake on alarm and transmission disconnect.
ELECTRICAL	12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery. Reverse alarm.
INSTRUMENTS	Audible and visual warning system, Tachometer, Hourmeter, Fuel Gauge, Coolant temp. gauge, Warning light for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp., trans oil pressure, parking brake. Lift extend and tilt on single lever control.
CAB UNIT	Meets SAE J231 FOPS/ SAE J1040 ROPS requirements, suspension seat with seat belt, tilt steering column, heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, rear view and external mirrors, horn, in-cab storage. Backup alarm meets SAE J994. Operation and Parts manuals, operation video.
CANOPY UNIT	Meets SAE J231 FOPS/SAE J1040 ROPS requirements, suspension seat with seat belt, rear view mirror, horn, in-cab storage, backup alarm meets SAE J994, operation and parts manuals. Operation video.
TIRES	Choice of Options (none standard)
TELESCOPIC BOOM	Two section, 23' lift height with hydraulic parallel lift, 6000 lbs. maximum lift capacity.
CARRIAGE	Choice of Options (none standard)
HYDRAULICS	Single lever joystick with "Loader" pattern control. Open center system with 21.6 GPM. Single auxiliary hydraulic service.
LIVELINK	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
SECTIONS ARE ORGANIZE Section I - PACKAGE BUILDS	D AS FOLLOWS:

Section I - PACKAGE BUILDS Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

SECTION I - PACKAGE BUILDS

Select one of the following machine PACKAGE BUILD codes and ATTACHMENTS as required from Section 4. Package Build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

SALES	PACKAGE BUILD COD	DE:	<u>5621A</u>	<u>5621B</u>
CODE	ITEM		CAN/4WS	CAB/4WS
5621	531-70 4WD 4 Wheel steer, Telescopic handler with sway control, 74 hp		√	√
500A408	15.5-25 SGL(12 ply) Industrial tread bias ply		✓	✓
500B255	One auxiliary hydraulic service		1	√
500C072	Canopy with clear right hand side glass		✓	
500C065	Cab with heater, tinted glass, front and rear wiper			✓
500D410	Vinyl suspension seat, includes 2" seatbelt, Canopy Only		✓	
500D411	Fabric suspension seat, includes 2" seatbelt, Cab Only			√
500E411	48" wide Q-Fit carriage with 2" fork shaft (Required to install attachments including Q code carriages) (Use L409 Load Guard)		✓	✓
500F606	Operators manual - English Language		✓	1
500K478	Face level fan			✓
500H452	Engine block heater, 110-120 volt, 850 Watt			✓
500K148	Deluxe cab trim including radio installation kit with manual steer mode selector			✓
500G132	Front and Rear Worklights - Cab or Canopy		✓	✓



SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES		WEIG	нт	U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	BASE MACHINE (E)			
5621	531-70 4WD 4 Wheel steer, Telescopic handler with sway control, 74 hp	12,853	5,830	\$103,170
	TIRES (E)			
500A408	15.5-25 SGL(12 ply) Industrial tread bias ply	600	272	\$7,575
500A412	Michelin X-Mine D2 12.00 R 24	700	318	\$19,001
500A463	Michelin 460/70 R24 XMCL Agricultural Traction Radials	600	272	\$8,063
	AUXILIARY HYDRAULICS (E)			
500B255	One auxiliary hydraulic service	15	7	\$1,322
500B258	Two auxiliary hydraulic services	15	7	\$1,966
	OPERATORS AREA (E)			
500C065	Cab with heater, tinted glass, front and rear wiper	1,150	522	\$4,986
500C072	Canopy with clear right hand side glass	1,100	499	\$2,373
	SEATS (E)			
500D411	Fabric suspension seat, includes 2" seatbelt, Cab Only	50	23	\$777
500D415	Fabric suspension seat, includes 3" Seatbelt, Cab Only	50	23	\$857
500D412	Deluxe fabric air suspension seat	77	35	\$1,480
500D410	Vinyl suspension seat, includes 2" seatbelt, Canopy Only	50	23	\$605
500D414	Vinyl suspension seat, includes 3" Seatbelt Canopy Only	50	23	\$696
	Q-FIT CARRIAGE (E)			
500E400	No Carriage - includes mounting pins	50	23	\$0
	48" wide Q-Fit carriage with 2" fork shaft (Required to install attachments including Q code carriages)		-	* 2 2 4 2
500E411	(Use L409 Load Guard)	500	227	\$2,210
	OPERATORS MANUAL (E)			
500F606	Operators manual - English Language	5	2	\$0
500F856	Operators manual - French	5	2	\$0

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES		WEI	GHT	U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	OPERATORS COMPARTMENT OPTIONS			
500K181	Steering column tilt and telescope	20	9	\$227
500K466	Sun blind, front windshield and roof	4	2	\$25 I
500K470	Front windshield guard	10	5	\$516
500K478	Face level fan	5	2	\$221
500K122	Air Conditioning	120	54	\$3,995
500K153	Deluxe Cab Trim only for Manual Steer 2 lever	0	0	\$1,337
500K442	Mirror - Rear, High Visibility, Convex	0	0	\$265
500K445	Mirror - Front, High Visibility, Convex	0	0	\$265
500K477	Fire extinguisher	10	5	\$244
	ELECTRICAL OPTIONS			
500G132	Front and Rear Worklights - Cab or Canopy	70	32	\$360
500G139	Work lights - boom mounted	70	32	\$348
500G418	Front and Rear Roadlights (includes turn signals) - Cab	70	32	\$1,143
500G438	Front and Rear Roadlights (includes turn signals) - Canopy	70	32	\$1,177
500H452	Engine block heater, 110-120 volt, 850 Watt	3	I	\$264
500H235	4WD disconnect	33	15	\$623
	HYDRAULIC OPTIONS			
500J401	Hydraulic Locking Pins for Q-Fit Carriage	14	6	\$482
	OTHER BASE MACHINE OPTIONS			
500H516	Limited Slip Differential (Front Axle only)	0	0	\$82 I
500H524	Servo Assisted Brakes	40	18	\$814
500L409	Loadguard (Use with Q-Fit carriage)	35	16	\$612

** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.



SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES		WEIG	нт	U.S .
CODE	ITEM	(lbs.)	(kgs.)	LIST
	BUCKETS (Q-Fit mounted. Also require E code Q-fit installed on machine)			
500L803	I.0 cu. yd, 96" wide Utility bucket	775	352	\$2,337
500L118	I.I cu. yd, 88" wide 6 in I Multipurpose bucket	1,630	739	\$8,612
500L129	I.75 cu. yd, 96" wide GP bucket	1,005	456	\$3,781
500L809	2.0 cu. yd, 96" wide GP bucket	1,050	476	\$4,527
500L804	2.5 cu. yd, 96" wide light material bucket	1,310	594	\$4,496
500L810	96" wide cutting edge, for use on all 96" wide buckets	165	75	\$474
500P105	2.25 cu. yd, 96" wide light material bucket	905	411	\$3,593
	CARRIAGES (Q-Fit mounted. Also require E code Q-fit installed on machine)			
500Q800	48" wide side tilt carriage, 2-1/4" fork shaft	500	227	\$5,427
500Q801	66" wide side tilt framers carriage with 2-1/4" fork shaft	550	249	\$5,630
500Q802	48" wide side shift carriage with 2-1/4" fork shaft	500	227	\$5,833
500Q803	66" wide side shift framers carriage with 2-1/4" fork shaft	550	249	\$6,078
500Q804	60" wide ITA Class III industrial carriage, (Use with M808 forks)	200	91	\$2,901
	FORK SETS (Mount to E code Q-fit and Q code Carriages)			
500M106	48" x 4" x 2" pallet forks (2) for 2" fork shaft	250	113	\$1,080
500M512	60" x 4" x 2" pallet forks (2) for 2" fork shaft	330	150	\$1,282
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	250	113	\$936
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	318	144	\$580
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	362	164	\$1,400
500M803	72" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft, 7000 lbs capacity at 36" load center	474	215	\$1,273
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	462	210	\$2,497
500M806	72" x 5" x 2" pallet forks (2) for 2" fork shaft, 5060lbs capacity at 36" load center	374	170	\$2,092
500M807	48" x 2" x 1.5" block tines (6) for 2" fork shaft	336	152	\$2,579
500M808	48" x 5" x 2" ITA class III forks	370	168	\$1,095
	OTHER ATTACHMENTS (Require E code Q-fit installed on machine)			
500Q806	Q-Fit blank	100	45	\$662
500Q808	Angle broom, 96" wide	1,150	522	\$9,805



JCB LOADALL 531-70T

JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: JANUARY 1, 2015

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR. PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with rigid frame and componentized driveline
ENGINE	109 HP T4Final, dual element air cleaner, spin-on fuel filter,
	Fuel/water separator, Anti-freeze protection to -35 degrees F.
TRANSMISSION	JCB 4x4 Powershift, Powershuttle direction change, 20 mph travel speed, 2.2:1 ratio torque
	converter, transmission disconnect on loader lever.
AXLES	JCB MAX-TRAC with torque proportioning and outboard planetary drive.
BRAKES	Internal mounted inboard on front axle, multi disc, oil immersed, self adjusting, Independent
	disc type parking brake with brake on alarm and transmission disconnect.
ELECTRICAL	12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery. Reverse alarm.
INSTRUMENTS	Audible and visual warning system, Tachometer, Hourmeter, Fuel Gauge, Coolant temp. gauge,
	Warning light for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp.,
	trans oil pressure, parking brake. Lift extend and tilt on single lever control.
CAB UNIT	Meets SAE J231 FOPS/ SAE J1040 ROPS requirements, suspension seat with seat belt, tilt
	steering column, heater with defroster vent system, windshield wipers and washers for front/rear
	and roof glass, rear view and external mirrors, horn, in-cab storage. Backup alarm meets SAE J994.
	Operation and Parts manuals.
CANOPY UNIT	Meets SAE J231 FOPS/SAE J1040 ROPS requirements, suspension seat with seat belt,
	rear view mirror, horn, in-cab storage, backup alarm meets SAE J994, operation and
	parts manuals.
TIRES	Choice of Options (none standard)
TELESCOPIC BOOM	Two section, 23' lift height with hydraulic parallel lift, 6000 lbs. maximum lift capacity.
CARRIAGE	Choice of Options (none standard)
HYDRAULICS	Single lever joystick with "Loader" pattern control. Open center system with 21.6 GPM.
	Single auxiliary hydraulic service.
LIVELINK	2 year subscription allows for enhanced machine security, improved service monitoring, and
	modernized fleet control.

Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

SECTION I - PACKAGE BUILDS

Select one of the following machine PACKAGE BUILD codes and ATTACHMENTS as required from Section 4. Package Build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

SALES	PACKAGE BUILD CODE:	<u>5619B</u>
CODE	ITEM	CAB/4WS
5619	531-70T 4WD 4 Wheel steer, Telescopic handler, Rigid Frame, 109 hp Turbo, Powershift	✓
500A408	15.5-25 SGL(12 ply) Industrial tread bias ply	√
500B275	One auxiliary hydraulic service	✓
500C065	Cab with heater, tinted glass, front and rear wiper	✓
500D411	Fabric suspension seat, includes 2" seatbelt, Cab Only	√
500E411	48" wide Q-Fit carriage with 2" fork shaft (Required to install attachments including Q code carriages) (Use L409 Load Guard)	√
500F606	Operators manual - English Language	√
500G422	Front and Rear Roadlights (includes turn signals) - Cab	✓
500K478	Face level fan	✓
500H452	Engine block heater, 110-120 volt, 850 Watt	✓
500H349	Limited Slip Differential (Front Axle only)	✓
500K148	Deluxe cab trim including radio installation kit with manual steer mode selector	✓
500R401	Rear mounted I ton tow hitch	✓
500G132	Front and Rear Worklights - Cab or Canopy	✓

15,379
6,990
\$122,565

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES		WEIG		U.S.
CODE		(lbs.)	(kgs.)	LIST
	BASE MACHINE (E)			
5619	531-70T 4WD 4 Wheel steer, Telescopic handler, Rigid Frame, 109 hp Turbo, Powershift	12,853	5,830	\$102,058
	TIRES (E)			
500A407	Goodyear 17.5 LR24 Agricultural Traction Radial	600	272	\$7,452
500A408	15.5-25 SGL(12 ply) Industrial tread bias ply	600	272	\$7,575
500A412	Michelin X-Mine D2 12.00 R 24	700	318	\$19,001
500A464	Michelin 500/70 R24 XMCL Agricultural Traction Floatation Radials	673	305	\$8,908
500A492	Alliance 460/70R24 A580	600	272	\$7,736
	AUXILIARY HYDRAULICS (E)			
500B275	One auxiliary hydraulic service	15	7	\$1,322
500B278	Two auxiliary hydraulic services	15	7	\$2,026
	OPERATORS AREA (E)			
500C065	Cab with heater, tinted glass, front and rear wiper	1,150	522	\$4,986
500C072	Canopy with clear right hand side glass	1,100	499	\$2,373
	SEATS (E)			
500D411	Fabric suspension seat, includes 2" seatbelt, Cab Only	50	23	\$777
500D415	Fabric suspension seat, includes 3" Seatbelt, Cab Only	50	23	\$857
500D410	Vinyl suspension seat, includes 2" seatbelt, Canopy Only	50	23	\$605
500D414	Vinyl suspension seat, includes 3" Seatbelt Canopy Only	50	23	\$696
500D100	Grammer Heated Deluxe Air Suspension seat	35	16	\$1,649
	Q-FIT CARRIAGE (E)			
500E400	No Carriage - includes mounting pins	50	23	\$0
500E411	48" wide Q-Fit carriage with 2" fork shaft (Required to install attachments including Q code carriages) (Use L409 Load Guard)	500	227	\$2,210
	OPERATORS MANUAL (E)			
500F606	Operators manual - English Language	5	2	\$0
500F856	Operators manual - French	5	2	\$0

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES		WEI	GHT	U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	OPERATORS COMPARTMENT OPTIONS			
500K445	Mirror - Front, High Visibility, Convex	0	0	\$265
500K148	Deluxe cab trim including radio installation kit with manual steer mode selector	3	I	\$570
500K181	Steering column tilt and telescope	20	9	\$227
500K466	Sun blind, front windshield and roof	4	2	\$25 I
500K470	Front windshield guard	10	5	\$516
500K477	Fire extinguisher	10	5	\$244
500K478	Face level fan	5	2	\$221
500K231	Air Conditioning	0	0	\$3,994
500K 187	Cab air filter	5	2	\$425
	ELECTRICAL OPTIONS			
500G132	Front and Rear Worklights - Cab or Canopy	70	32	\$360
500G139	Work lights - boom mounted	70	32	\$348
500G422	Front and Rear Roadlights (includes turn signals) - Cab	70	32	\$1,145
500G438	Front and Rear Roadlights (includes turn signals) - Canopy	70	32	\$1,177
500H452	Engine block heater, 110-120 volt, 850 Watt	3	I	\$264
500H702	Reversing engine cooling fan	2	I	\$863
500H235	4WD disconnect	33	15	\$623
	HYDRAULIC OPTIONS			
500J40 I	Hydraulic Locking Pins for Q-Fit Carriage	14	6	\$482
	OTHER BASE MACHINE OPTIONS			
500H349	Limited Slip Differential (Front Axle only)	0	0	\$845
500L409	Loadguard (Use with Q-Fit carriage)	35	16	\$612
	тожнітсн			
500R401	Rear mounted I ton tow hitch	55	25	\$234

** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO **TECHWEB BULLETIN 3441.**



SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES		WEIC	SHT	U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	BUCKETS (Q-Fit mounted. Also require E code Q-fit installed on machine)			
500L803	I.0 cu. yd, 96" wide Utility bucket	775	352	\$2,337
500L118	I.I cu. yd, 88" wide 6 in I Multipurpose bucket	1,630	739	\$8,612
500L129	I.75 cu. yd, 96" wide GP bucket	1,005	456	\$3,781
500L809	2.0 cu. yd, 96" wide GP bucket	1,050	476	\$4,527
500L804	2.5 cu. yd, 96" wide light material bucket	1,310	594	\$4,496
500L810	96" wide cutting edge, for use on all 96" wide buckets	165	75	\$474
500P105	2.25 cu. yd, 96" wide light material bucket	905	411	\$3,593
500E263	I.75 cu. yd, 96" wide scrap grapple, twin independent clamps	1,850	839	\$10,087
500E422	2.25 cu. yd, 96" wide trash clamp bucket, single full width clamp	2,350	1,066	\$10,571
	CARRIAGES (Q-Fit mounted. Also require E code Q-fit installed on machine)			
500Q800	48" wide side tilt carriage, 2-1/4" fork shaft	500	227	\$5,427
500Q801	66" wide side tilt framers carriage with 2-1/4" fork shaft	550	249	\$5,630
500Q802	48" wide side shift carriage with 2-1/4" fork shaft	500	227	\$5,833
500Q803	66" wide side shift framers carriage with 2-1/4" fork shaft	550	249	\$6,078
500Q804	60" wide ITA Class III industrial carriage, (Use with M808 forks)	200	91	\$2,901
	FORK SETS (Mount to E code Q-fit and Q code Carriages)			
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	250	113	\$936
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	318	144	\$580
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	362	164	\$1,400
500M803	72" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft, 7000 lbs capacity at 36" load center	474	215	\$1,273
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	462	210	\$2,497
500M806	72" x 5" x 2" pallet forks (2) for 2" fork shaft, 5060lbs capacity at 36" load center	374	170	\$2,092
500M807	48" x 2" x 1.5" block tines (6) for 2" fork shaft	336	152	\$2,579
500M808	48" x 5" x 2" ITA class III forks	370	168	\$1,095
	OTHER ATTACHMENTS (Require E code Q-fit installed on machine)			
500Q806	Q-Fit blank	100	45	\$662
500Q808	Angle broom, 96" wide	1,150	522	\$9,805



JCB LOADALL 535-140 HiViz

JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: JANUARY 1, 2015

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR. PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with sway control, stabilizers and componentized driveline
ENGINE	109 HP T4Final, Dual element air cleaner, spin-on fuel filter, Fuel/water separator, Anti-freeze protection to -35 deg. F.
TRANSMISSION	JCB 4x4 Powershift, Powershuttle direction change, 2.2:1 ratio torque converter, transmission disconnect on loader lever.
AXLES	JCB MAX-TRAC with torque proportioning and outboard planetary drive
BRAKES	Internal mounted multi-disc, oil immersed, Servo assisted hydraulic actuation, self adjusting, Independent disc type parking brake with brake on alarm and transmission disconnect.
ELECTRICAL	12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery.
INSTRUMENTS	Audible and visual warning system, Tachometer, Hourmeter, Fuel Gauge, Coolant temp. gauge, Warning light for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp., trans oil pressure, parking brake.
CAB UNIT	Meets SAE J231 FOPS/ SAE J1040 ROPS requirements, suspension seat with seat belt, tilt steering column, heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, rear view mirror, horn, in-cab storage. Backup alarm meets SAE J994, Operation and Parts manuals, operation video.
CANOPY UNIT	Meets SAE J231 FOPS/SAE J1040 ROPS requirements, suspension seat with seat belt, tilt steering column, rear view mirror, horn, in-cab storage, backup alarm meets SAE J994, operation and parts manuals. Operation video.
TIRES	Choice of Options available (none standard)
TELESCOPIC BOOM	Three section, 45' 2" lift height with hydraulic parallel lift, 8000 lbs. maximum lift capacity, 2000 lbs. to full height. Both boom sections extended by hydraulic cylinders.
CARRIAGE	Choice of Options available (none standard)
HYDRAULICS	Open center system with 29 GPM. Single auxiliary hydraulic service.
LIVELINK	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.

SECTIONS ARE ORGANIZED AS FOLLOWS: Section 1 - PACKAGE BUILDS Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

SECTION I - PACKAGE BUILDS

Select one of the following machine PACKAGE BUILD codes and ATTACHMENTS as required from Section 4. Package Build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

SALES	PACKAGE BUILD CO	DE:	<u>5678A</u>	<u>5678B</u>
CODE	ITEM		CANOPY	CAB
5678	535-140 HiViz 4WD 4WS, Sway Control and Stabilizers, 109HP		√	1
500A441	15.5-25 SGL(12 ply) Industrial tread bias ply, Calcium Chloride Ballast		✓	✓
500B300	One auxiliary hydraulic service		✓	1
500C068	Canopy with clear right hand side glass		✓	
500C082	Cab with heater, tinted glass, front and rear wiper			1
500D410	Vinyl suspension seat, includes 2" seatbelt, Canopy Only		✓	
500D411	Fabric suspension seat, includes 2" seatbelt, Cab Only			✓
5005007	48" Wide Q-Fit Carriage with 2 1/4" Fork Shaft (Required to install attachments including Q code		✓	1
500E006	carriages) (Use L409 Load Guard)			•
500F855	Operators manual - English Language		✓	✓
500K478	Face level fan			✓
500H450	Engine block heater, 110-120 volt, 850 Watt			1
500G132	Front and Rear Worklights - Cab or Canopy		✓	1
	Shipping Weight - Lbs.	Γ	23,222	23,280
		_		

Shipping Weight - Kgs.

SUGGESTED LIST PRICE

10,555 10,582 \$154,928 \$158,308

All prices and specifications subject to change without notice

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES		WEIGHT		U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	BASE MACHINE (E)			
5678	535-140 HiViz 4WD 4WS, Sway Control and Stabilizers, 109HP	18,970	8,605	\$137,297
	TIRES (E)			
500A441	15.5-25 SGL(12 ply) Industrial tread bias ply, Calcium Chloride Ballast	2,512	1,139	\$7,574
500A410	Michelin I 5.5 R25 L2 XTLA Radial	550	249	\$8,595
500A423	15.5-25 Industrial traction (12 ply)	0	0	\$5,642
	AUXILIARY HYDRAULICS (E)			
500B300	One auxiliary hydraulic service	15	7	\$4,610
	OPERATORS AREA (E)			
500C068	Canopy with clear right hand side glass	1,100	499	\$2,352
500C082	Cab with heater, tinted glass, front and rear wiper	1,150	522	\$5,085
	SEATS (E)			
500D411	Fabric suspension seat, includes 2" seatbelt, Cab Only	50	23	\$777
500D413	Air Suspension Seat - Deluxe Heated includes 2" seatbelt - Cab Only	77	35	\$1,830
500D415	Fabric suspension seat, includes 3" Seatbelt, Cab Only	50	23	\$857
500D410	Vinyl suspension seat, includes 2" seatbelt, Canopy Only	50	23	\$605
500D414	Vinyl suspension seat, includes 3" Seatbelt Canopy Only	50	23	\$696
	Q-FIT CARRIAGE (E)			
500E400	No Carriage - includes mounting pins	50	23	\$0
5005004	48" Wide Q-Fit Carriage with 2 1/4" Fork Shaft (Required to install attachments including Q code	500	227	¢2 121
500E006	carriages) (Use L409 Load Guard)	500	227	\$2,131
	66" Wide Q-Fit Framers Carriage with 2 1/4" Fork Shaft (Required to install attachments including Q			
500E007	code carriages) (Use L409 Load Guard)	500	227	\$2,747
	OPERATORS MANUAL (E)			
500F855	Operators manual - English Language	5	2	\$0
500F856	Operators manual - French	5	2	\$0

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

	WEI	GHT	U.S.
ITEM	(lbs.)	(kgs.)	LIST
OPERATORS COMPARTMENT OPTIONS			
Front windshield guard	10	5	\$516
Steering column tilt and telescope	20	9	\$227
Face level fan	5	2	\$22 I
Air Conditioning	40	18	\$3,878
Sun blind, front windshield and roof	4	2	\$25 I
Fire extinguisher	10	5	\$244
ELECTRICAL OPTIONS			
Engine block heater, 110-120 volt, 850 Watt	3	I	\$254
Electric 4WD disconnect	33	15	\$637
Front and Rear Roadlights (includes turn signals) - Cab	70	32	\$1,143
Front and Rear Roadlights (includes turn signals) - Canopy	70	32	\$1,143
Front and Rear Worklights - Cab or Canopy	70	32	\$360
Reversing engine cooling fan	10	5	\$869
HYDRAULIC OPTIONS			
Hydraulic Pin Locking - Q-Fit Carriages	4	6	\$477
OTHER BASE MACHINE OPTIONS			
Loadguard (Use with Q-Fit carriage)	35	16	\$612
	OPERATORS COMPARTMENT OPTIONSFront windshield guardSteering column tilt and telescopeFace level fanAir ConditioningSun blind, front windshield and roofFire extinguisherELECTRICAL OPTIONSEngine block heater, 110-120 volt, 850 WattElectric 4WD disconnectFront and Rear Roadlights (includes turn signals) - CabFront and Rear Roadlights (includes turn signals) - CanopyFront and Rear Worklights - Cab or CanopyReversing engine cooling fanHYDRAULIC OPTIONSHydraulic Pin Locking - Q-Fit CarriagesOTHER BASE MACHINE OPTIONS	ITEM(lbs.)OPERATORS COMPARTMENT OPTIONS(Front windshield guard10Steering column tilt and telescope20Face level fan5Air Conditioning40Sun blind, front windshield and roof4Fire extinguisher10ELECTRICAL OPTIONS3Electric AVD disconnect33Front and Rear Roadlights (includes turn signals) - Cab70Front and Rear Roadlights (includes turn signals) - Canopy70Front and Rear Worklights - Cab or Canopy70Reversing engine cooling fan10Hydraulic Pin Locking - Q-Fit Carriages14OTHER BASE MACHINE OPTIONS14	OPERATORS COMPARTMENT OPTIONSFront windshield guard105Steering column tilt and telescope209Face level fan52Air Conditioning4018Sun blind, front windshield and roof42Fire extinguisher105ElectricAL OPTIONS31Electric 4WD disconnect3315Front and Rear Roadlights (includes turn signals) - Cab7032Front and Rear Roadlights (includes turn signals) - Cab or Canopy7032Front and Rear Worklights - Cab or Canopy7032Reversing engine cooling fan105HYDRAULIC OPTIONS146OTHER BASE MACHINE OPTIONS146

** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO **TECHWEB BULLETIN 3441.**

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES		WEIGHT		U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	BUCKETS (Q-Fit mounted. Also require E code Q-fit installed on machine)			
500L129	I.75 cu. yd, 96" wide GP bucket	1,005	456	\$3,781
500L809	2.0 cu. yd, 96" wide GP bucket	1,050	476	\$4,527
500P105	2.25 cu. yd, 96" wide light material bucket	905	411	\$3,593
500L804	2.5 cu. yd, 96" wide light material bucket	1,310	594	\$4,496
500L118	I.I cu. yd, 88" wide 6 in I Multipurpose bucket	1,630	739	\$8,612
500L810	96" wide cutting edge, for use on all 96" wide buckets	165	75	\$474
	CARRIAGES (Q-Fit mounted. Also require E code Q-fit installed on machine)			
500Q800	48" wide side tilt carriage, 2-1/4" fork shaft	500	227	\$5,427
500Q801	66" wide side tilt framers carriage with 2-1/4" fork shaft	550	249	\$5,630
500Q802	48" wide side shift carriage with 2-1/4" fork shaft	500	227	\$5,833
500Q803	66" wide side shift framers carriage with 2-1/4" fork shaft	550	249	\$6,078
500Q804	60" wide ITA Class III industrial carriage, (Use with M808 forks)	200	91	\$2,901
	CARRIAGES (Boom Mounted)			
500P803	66" wide Direct Mount Framers carriage with 2-1/4" fork shaft	884	401	\$6,345
	FORK SETS (Mount to E code Q-fit, P and Q code Carriages)			
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	250	113	\$936
500M808	48" x 5" x 2" ITA class III forks	370	168	\$1,095
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	318	144	\$580
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	362	164	\$1,400
500M803	72" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft, 7000 lbs capacity at 36" load center	474	215	\$1,273
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	462	210	\$2,497
	OTHER ATTACHMENTS (Require E code Q-fit installed on machine)			
500Q806	Q-Fit blank	100	45	\$662
500Q808	Angle broom, 96" wide	1,150	522	\$9,805



JCB LOADALL

JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: JANUARY 1, 2015

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR. PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

SAVANNAH, GA

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with rigid frame and componentized driveline
ENGINE	109 HP T4Final, Dual element air cleaner, spin-on fuel filter, Fuel/water separator, Thermostart assist, Anti-freeze protection to -35 deg. F.
TRANSMISSION	JCB 4x4 Powershift, Powershuttle direction change, 2.2:1 ratio torque converter, transmission disconnect on loader lever.
AXLES	JCB MAX-TRAC with torque proportioning and outboard planetary drive.
BRAKES	Internal mounted inboard on front axle, multi disc, oil immersed, Servo assisted Hydraulic actuation, self adjusting. Independent disc type parking brake with brake on alarm and transmission disconnect.
ELECTRICAL	12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery. Reverse alarm
INSTRUMENTS	Audible and visual warning system, Tachometer, Hourmeter, Fuel Gauge, Coolant temp. gauge, Warning light for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp., trans oil pressure, parking brake, lift extend and tilt on single lever control.
CAB UNIT	Meets SAE J231 FOPS/ SAE J1040 ROPS requirements, suspension seat with seat belt, tilt steering column, heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, rear view and external mirrors, horn, in-cab storage. Backup alarm meets SAE J994, Operation video.
CANOPY UNIT	Meets SAE J231 FOPS/SAE J1040 ROPS requirements, suspension seat with seat belt, rear view mirror, horn, in-cab storage, backup alarm meets SAE J994, operation and parts manual Operation video.
TIRES	Choice of Options available (none standard)
TELESCOPIC BOOM	Two section, 23' lift height with hydraulic parallel lift, 9,000 lbs. Maximum lift capacity.
CARRIAGE	Choice of Options available (none standard)
HYDRAULICS	Single lever joystick with "Loader" pattern control. Open center system with 23.2 GPM. Single auxiliary hydraulic service.
LIVELINK	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
SECTIONS ARE ORGANIZ	

SECTIONS ARE ORGANIZED AS FOLLOWS: Section I - PACKAGE BUILDS

Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

SECTION I - PACKAGE BUILDS

Select one of the following machine PACKAGE BUILD codes and ATTACHMENTS as required from Section 4. Package Build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

SALES	PACKAGE BUILD CODE:	<u>5624B</u>	<u>5624C</u>
CODE	ITEM	CAB	CAB / AC
5624	541-70T 4WD 4 Wheel steer, Telescopic handler, Rigid Frame, 109 hp Turbo, Powershift	✓	✓
500A463	Michelin 460/70 R24 XMCL Agricultural Traction Radials		✓
500A408	15.5-25 SGL(12 ply) Industrial tread bias ply	✓	
500B281	One auxiliary hydraulic service	✓	✓
500C065	Cab with heater, tinted glass, front and rear wiper	✓	✓
500D411	Fabric suspension seat, includes 2" seatbelt, Cab Only	✓	✓
500E415	48" wide Q-Fit carriage with 2-1/4" fork shaft, (Required to install attachments including Q code carriages) (Use L409 Load Guard)	✓	1
500F606	Operators manual - English Language	✓	✓
500G422	Front and Rear Roadlights (includes turn signals) - Cab	✓	✓
500K478	Face level fan	✓	✓
500H452	Engine block heater, 110-120 volt, 850 Watt	✓	✓
500H349	Limited Slip Differential (Front Axle only)	✓	✓
500K231	Air Conditioning		✓
500G132	Front and Rear Worklights - Cab or Canopy	√	√
	Shipping Weight - Lbs.	16,956	16,956
	Shipping Weight - Kgs.	7,707	7,707
	SUGGESTED LIST PRICE	\$131,238	\$135,721

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES			нт	U.S.	
CODE	ITEM		(kgs.)	LIST	
	BASE MACHINE (E)				
5624	541-70T 4WD 4 Wheel steer, Telescopic handler, Rigid Frame, 109 hp Turbo, Powershift	14,485	6,570	\$111,024	
	TIRES (E)				
500A408	15.5-25 SGL(12 ply) Industrial tread bias ply	600	272	\$7,575	
500A412	Michelin X-Mine D2 12.00 R 24	700	318	\$19,001	
500A463	Michelin 460/70 R24 XMCL Agricultural Traction Radials	600	272	\$8,063	
500A464	Michelin 500/70 R24 XMCL Agricultural Traction Floatation Radials	673	305	\$8,908	
	AUXILIARY HYDRAULICS (E)				
500B281	One auxiliary hydraulic service	15	7	\$1,322	
500B284	Two auxiliary hydraulic services	15	7	\$1,966	
	OPERATORS AREA (E)				
500C065	Cab with heater, tinted glass, front and rear wiper	1,150	522	\$4,986	
500C072	Canopy with clear right hand side glass	1,100	499	\$2,373	
	SEATS (E)				
500D411	Fabric suspension seat, includes 2" seatbelt, Cab Only	50	23	\$777	
500D415	Fabric suspension seat, includes 3" Seatbelt, Cab Only	50	23	\$857	
500D410	Vinyl suspension seat, includes 2" seatbelt, Canopy Only	50	23	\$605	
500D414	Vinyl suspension seat, includes 3" Seatbelt Canopy Only	50	23	\$696	
500D100	Grammer Heated Deluxe Air Suspension seat	35	16	\$1,649	
	Q-FIT CARRIAGE (E)				
500E400	No Carriage - includes mounting pins	50	23	\$0	
5005415	48" wide Q-Fit carriage with 2-1/4" fork shaft, (Required to install attachments including Q code	500	227	¢2.15.1	
500E415	carriages) (Use L409 Load Guard)	500	227	\$2,151	
	OPERATORS MANUAL (E)				
500F606	Operators manual - English Language	5	2	\$0	
500F856	Operators manual - French	5	2	\$0	

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES	SALES		WEIGHT		
CODE	ITEM	(lbs.)	(kgs.)	LIST	
	тожнітсн				
500R258	Rear mounted 10 ton hydraulic tow hitch with hydraulics and electrics. Seat mounted joystick	251	114	\$2,710	
	OPERATORS COMPARTMENT OPTIONS				
500K148	Deluxe cab trim including radio installation kit with manual steer mode selector	3	I	\$570	
500K181	Steering column tilt and telescope	20	9	\$227	
500K466	Sun blind, front windshield and roof	4	2	\$25 I	
500K470	Front windshield guard	10	5	\$516	
500K477	Fire extinguisher	10	5	\$244	
500K478	Face level fan	5	2	\$22 I	
500K231	Air Conditioning	0	0	\$3,994	
	ELECTRICAL OPTIONS				
500G422	Front and Rear Roadlights (includes turn signals) - Cab	70	32	\$1,145	
500G438	Front and Rear Roadlights (includes turn signals) - Canopy	70	32	\$1,177	
500G132	Front and Rear Worklights - Cab or Canopy	70	32	\$360	
500H452	Engine block heater, 110-120 volt, 850 Watt	3	I	\$264	
500H702	Reversing engine cooling fan	2	I	\$863	
500H235	4WD disconnect	33	15	\$623	
	HYDRAULIC OPTIONS				
500J401	Hydraulic Locking Pins for Q-Fit Carriage	14	6	\$482	
	OTHER BASE MACHINE OPTIONS				
500L409	Loadguard (Use with Q-Fit carriage)	35	16	\$612	
500H349	Limited Slip Differential (Front Axle only)	0	0	\$845	

** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES		WEIGHT		U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	BUCKETS (Q-Fit mounted. Also require E code Q-fit installed on machine)			
500L118	I.I cu. yd, 88" wide 6 in I Multipurpose bucket	1,630	739	\$8,612
500L129	I.75 cu. yd, 96" wide GP bucket	1,005	456	\$3,781
500L804	2.5 cu. yd, 96" wide light material bucket	1,310	594	\$4,496
500L809	2.0 cu. yd, 96" wide GP bucket	1,050	476	\$4,527
500L810	96" wide cutting edge, for use on all 96" wide buckets	165	75	\$474
500P105	2.25 cu. yd, 96" wide light material bucket	905	411	\$3,593
	CARRIAGES (Q-Fit mounted. Also require E code Q-fit installed on machine)			
500Q800	48" wide side tilt carriage, 2-1/4" fork shaft	500	227	\$5,427
500Q801	66" wide side tilt framers carriage with 2-1/4" fork shaft	550	249	\$5,630
500Q802	48" wide side shift carriage with 2-1/4" fork shaft	500	227	\$5,833
500Q803	66" wide side shift framers carriage with 2-1/4" fork shaft	550	249	\$6,078
500Q804	60" wide ITA Class III industrial carriage, (Use with M808 forks)	200	91	\$2,901
	FORK SETS (Mount to E code Q-fit and Q code Carriages)			
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	250	113	\$936
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	318	144	\$580
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	362	164	\$1,400
500M803	72" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft, 7000 lbs capacity at 36" load center	474	215	\$1,273
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	462	210	\$2,497
500M808	48" x 5" x 2" ITA class III forks	370	168	\$1,095
	OTHER ATTACHMENTS (Require E code Q-fit installed on machine)			
500Q806	Q-Fit blank	100	45	\$662
500Q808	Angle broom, 96" wide	1,150	522	\$9,805



JCB LOADALL **550-140**

JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: JANUARY 1, 2015

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR. PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with sway control, stabilizers and componentized driveline
ENGINE	109 HP T4Final, Dual element air cleaner, spin-on fuel filter, Fuel/water separator, Anti-freeze protection to -35 deg. F.
TRANSMISSION	JCB 4x4 Powershift, Powershuttle direction change, 2.2:1 ratio torque converter, transmission disconnect on loader lever.
AXLES	JCB MAX-TRAC with torque proportioning and outboard planetary drive
BRAKES	Internal mounted, multi-disc, oil immersed, Servo assisted hydraulic actuation, self adjusting. Independent disc type parking brake with brake on alarm and transmission disconnect.
ELECTRICAL	12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery.
INSTRUMENTS	Audible and visual warning system, Tachometer, Hourmeter, Fuel Gauge, Coolant temp. gauge, Warning light for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp., trans oil pressure, parking brake.
CAB UNIT	Meets SAE J231 FOPS/ SAE J1040 ROPS requirements, suspension seat with seat belt, tilt steering column, heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, rear view mirror, front worklights, horn, in-cab storage. Backup alarm meets SAE J994, Operation and part manuals, operation video.
CANOPY UNIT	Meets SAE J231 FOPS/SAE J1040 ROPS requirements, suspension seat with seat belt, tile steering, rear view mirror, horn, in-cab storage, backup alarm meets SAE J994, operation and parts manuals. Operation video.
TIRES	Choice of Options available (none standard)
TELESCOPIC BOOM	Three section, 44' 3" lift height with hydraulic parallel lift, 10,000 lbs. Maximum lift capacity. Boom sections extended by hydraulic cylinders.
CARRIAGE	Choice of Options available (none standard)
HYDRAULICS	Open center system with 29 GPM, single auxiliary hydraulic service.
LIVELINK	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.

SECTIONS ARE ORGANIZED AS FOLLOWS: Section 1 - PACKAGE BUILDS Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

SECTION I - PACKAGE BUILDS

Select one of the following machine PACKAGE BUILD codes and ATTACHMENTS as required from Section 4. Package Build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

SALES	PACKAGE BUILD CODE	: <u>5625A</u>	<u>5625B</u>
CODE	ITEM	CANOPY	CAB
5625	550-140 4WD 4 Wheel steer, Telescopic handler with sway control and Stabilizers, 109 hp	1	√
500A469	17.5-25 SGL(16 ply) Industrial tread bias ply, Calcium Chloride Ballast	✓	√
500B466	One auxiliary hydraulic service	✓	✓
500C073	Canopy with clear right hand side glass	✓	
500C080	Cab with heater, tinted glass, front and rear wiper		✓
500D410	Vinyl suspension seat, includes 2" seatbelt, Canopy Only	✓	
500D411	Fabric suspension seat, includes 2" seatbelt, Cab Only		√
500E414	66" wide Q-Fit Framers carriage with 2-1/4" fork shaft, (Required to install attachments including Q code	1	
3002414	carriages) (Use L409 Load Guard)	•	•
500F855	Operators manual - English Language	✓	✓
500K478	Face level fan		✓
500H450	Engine block heater, 110-120 volt, 850 Watt		✓
500K157	Deluxe cab trim including radio installation kit with manual steer mode selector		√
500G132	Front and Rear Worklights - Cab or Canopy	4	✓
	Shipping Weight - Lbs.	29,378	29,439
	Shipping Weight - Kgs.	13,354	13,381
	SUGGESTED LIST PRICE	\$173,616	\$177,567

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES	ES		WEIGHT		
CODE	ITEM		(kgs.)	LIST	
	BASE MACHINE (E)				
5625	550-140 4WD 4 Wheel steer, Telescopic handler with sway control and Stabilizers, 109 hp	24,449	11,090	\$153,682	
	TIRES (E)				
500A469	17.5-25 SGL(16 ply) Industrial tread bias ply, Calcium Chloride Ballast	3,189	1,447	\$9,260	
500A473	17.5-25 SGL(12 ply) Industrial tread bias ply, NO BALLAST	3,189	1,447	\$7,626	
	AUXILIARY HYDRAULICS (E)				
500B466	One auxiliary hydraulic service	15	7	\$4,610	
	OPERATORS AREA (E)				
500C073	Canopy with clear right hand side glass	1,100	499	\$2,352	
500C080	Cab with heater, tinted glass, front and rear wiper	1,150	522	\$5,085	
	SEATS (E)				
500D411	Fabric suspension seat, includes 2" seatbelt, Cab Only	50	23	\$777	
500D413	Air Suspension Seat - Deluxe Heated includes 2" seatbelt - Cab Only	77	35	\$1,830	
500D415	Fabric suspension seat, includes 3" Seatbelt, Cab Only	50	23	\$857	
500D410	Vinyl suspension seat, includes 2" seatbelt, Canopy Only	50	23	\$605	
500D414	Vinyl suspension seat, includes 3" Seatbelt Canopy Only	50	23	\$696	
500D412	Deluxe fabric air suspension seat	77	35	\$1,480	
	Q-FIT CARRIAGE (E)				
500E400	No Carriage - includes mounting pins	50	23	\$0	
5005412	48" wide Q-Fit carriage with 2-1/4" fork shaft, (Required to install attachments including Q code	500	227	#2 1 2 1	
500E413	carriages) (Use L409 Load Guard)	500	227	\$2,131	
	66" wide Q-Fit Framers carriage with 2-1/4" fork shaft, (Required to install attachments including Q code			** = /=	
500E414	carriages) (Use L409 Load Guard)	500	227	\$2,747	
	OPERATORS MANUAL (E)				
500F855	Operators manual - English Language	5	2	\$0	
500F856	Operators manual - French	5	2	\$0	

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES		WEI	U.S.	
CODE	ITEM	(lbs.)	(kgs.)	LIST
	OPERATORS COMPARTMENT OPTIONS			
500K470	Front windshield guard	10	5	\$516
500K478	Face level fan	5	2	\$22 I
500K133	Air Conditioning	40	18	\$3,878
500K157	Deluxe cab trim including radio installation kit with manual steer mode selector	3	I	\$57I
500K466	Sun blind, front windshield and roof	4	2	\$25 I
500K477	Fire extinguisher	10	5	\$244
	ELECTRICAL OPTIONS			
500H450	Engine block heater, 110-120 volt, 850 Watt	3	Ι	\$254
500G410	Front and Rear Roadlights (includes turn signals) - Cab	70	32	\$1,144
500G429	Front and Rear Roadlights (includes turn signals) - Canopy	70	32	\$1,144
500G132	Front and Rear Worklights - Cab or Canopy	70	32	\$360
500H704	Reversing Fan	10	5	\$863
	HYDRAULIC OPTIONS			
500J404	Hydraulic Pin Locking - Q-Fit Carriages	14	6	\$477
	OTHER BASE MACHINE OPTIONS			
500L409	Loadguard (Use with Q-Fit carriage)	35	16	\$612
500P817	Loadguard (Use with Side Tilt carriage)	35	16	\$528

A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES		WEIGHT		U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	BUCKETS (Q-Fit mounted. Also require E code Q-fit installed on machine)			
500L129	I.75 cu. yd, 96" wide GP bucket	1,005	456	\$3,781
500L809	2.0 cu. yd, 96" wide GP bucket	1,050	476	\$4,527
500P105	2.25 cu. yd, 96" wide light material bucket	905	411	\$3,593
500L804	2.5 cu. yd, 96" wide light material bucket	1,310	594	\$4,496
500L118	I.I cu. yd, 88" wide 6 in I Multipurpose bucket	1,630	739	\$8,612
500L805	2.25 cu. yd, 96" wide scrap grapple, twin independent clamps	2,350	1,066	\$9,040
500L810	96" wide cutting edge, for use on all 96" wide buckets	165	75	\$474
	CARRIAGES (Q-Fit mounted. Also require E code Q-fit installed on machine)			
500Q800	48" wide side tilt carriage, 2-1/4" fork shaft	500	227	\$5,427
500Q801	66" wide side tilt framers carriage with 2-1/4" fork shaft	550	249	\$5,630
500Q802	48" wide side shift carriage with 2-1/4" fork shaft	500	227	\$5,833
500Q803	66" wide side shift framers carriage with 2-1/4" fork shaft	550	249	\$6,078
500Q804	60" wide ITA Class III industrial carriage, (Use with M808 forks)	200	91	\$2,901
	CARRIAGES (Boom Mounted)			
500P803	66" wide Direct Mount Framers carriage with 2-1/4" fork shaft	884	401	\$6,345
	FORK SETS (Mount to E code Q-fit and Q code Carriages)			
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	250	113	\$936
500M808	48" x 5" x 2" ITA class III forks	370	168	\$1,095
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	318	144	\$580
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	362	164	\$1,400
500M803	72" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft, 7000 lbs capacity at 36" load center	474	215	\$1,273
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	462	210	\$2,497
	OTHER ATTACHMENTS (Require E code Q-fit installed on machine)			
500Q806	Q-Fit blank	100	45	\$662
500Q808	Angle broom, 96" wide	1,150	522	\$9,805



JCB LOADALL **550-170**

JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: JANUARY 1, 2015

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR. PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with sway control, stabilizers and componentized driveline
ENGINE	109 HP T4Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator Thermostart assist, Anti-freeze protection to -35 deg. F.
TRANSMISSION	JCB 4x4 Powershift, Powershuttle direction change, 2.2:1 ratio torque converter, transmission disconnect on loader lever.
AXLES	JCB MAX-TRAC with torque proportioning and outboard planetary drive
BRAKES	Internal mounted, multi-disc, oil immersed, Servo assisted hydraulic actuation, self adjusting. Independent disc type parking brake with brake on alarm and transmission disconnect.
ELECTRICAL	12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery.
INSTRUMENTS	Audible and visual warning system, Tachometer, Hourmeter, Fuel Gauge, Coolant temp. gauge, Warning light for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp., trans oil pressure, parking brake.
CAB UNIT	Meets SAE J231 FOPS/ SAE J1040 ROPS requirements, suspension seat with seat belt, tilt steering column, heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, rear view mirror, horn, in-cab storage. Backup alarm meets SAE J994, Operation and part manuals, operation video.
CANOPY UNIT	Meets SAE J231 FOPS/SAE J1040 ROPS requirements, suspension seat with seat belt, tile steering, column, rear view mirror, horn, in-cab storage, backup alarm meets SAE J994, operation and parts manuals. Operation video.
TIRES	17.5 - 25 (16 ply) Industrial Tread Bias Ply - NO BALLAST
TELESCOPIC BOOM	Three section, 54' 9" lift height with hydraulic parallel lift, 10,000 lbs. Maximum lift capacity. Boom sections extended by hydraulic cylinders.
CARRIAGE	Choice of Options available (none standard)
HYDRAULICS	Open center system with 42.8 GPM, single auxiliary hydraulic service.
LIVELINK	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.

SECTIONS ARE ORGANIZED AS FOLLOWS: Section 1 - PACKAGE BUILDS Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

SECTION I - PACKAGE BUILDS

Select one of the following machine PACKAGE BUILD codes and ATTACHMENTS as required from Section 4. Package Build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

SALES	PACKAGE BUILD CO	DE:	<u>5626A</u>	<u>5626B</u>
CODE	ITEM		CANOPY	CAB
5626	550-170 4WD / 4WS Telescopic Handler with Sway Control and Stabilizers, 109hp		✓	✓
500A435	17.5-25 (16 ply) Industrial Tread Bias ply, NO BALLAST		✓	1
500B474	One servo auxiliary hydraulic service		√	1
500C074	Canopy with clear right hand side glass		✓	
500C079	Cab with heater, tinted glass, front and rear wiper			✓
500D410	Vinyl suspension seat, includes 2" seatbelt, Canopy Only		√	
500D411	Fabric suspension seat, includes 2" seatbelt, Cab Only			✓
500E400	No Carriage - includes mounting pins		√	√
500P803	66" wide Direct Mount Framers carriage with 2-1/4" fork shaft		✓	✓
500F855	Operators manual - English Language		√	✓
500K478	Face level fan			√
500H450	Engine block heater, 110-120 volt, 850 Watt			√
500K166	Deluxe cab trim including radio installation kit with manual steer mode selector			√
500G136	Front and Rear Worklights - Cab or Canopy		√	1
500G434	Front and Rear Roadlights (includes turn signals) - Cab			√
500G471	Front and Rear Roadlights (includes turn signals) - Canopy		✓	
	Shipping Weight - Lbs.	C	31,388	31,449
	Shipping Weight - Kgs.		14,267	14,295

SUGGESTED LIST PRICE

\$192,609 \$196,561



SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES		WEIGHT		U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	BASE MACHINE (E)			
5626	550-170 4WD / 4WS Telescopic Handler with Sway Control and Stabilizers, 109hp	27,494	12,471	\$164,418
	TIRES (E)			
500A435	17.5-25 (16 ply) Industrial Tread Bias ply, NO BALLAST	1,650	748	\$12,489
500A491	17.25-25 (16 ply) Galaxy	0	0	\$9,098
	AUXILIARY HYDRAULICS (E)			
500B474	One servo auxiliary hydraulic service	15	7	\$4,908
	OPERATORS AREA (E)			
500C074	Canopy with clear right hand side glass	1,100	499	\$2,352
500C079	Cab with heater, tinted glass, front and rear wiper	1,150	522	\$5,085
	SEATS (E)			
500D411	Fabric suspension seat, includes 2" seatbelt, Cab Only	50	23	\$777
500D413	Air Suspension Seat - Deluxe Heated includes 2" seatbelt - Cab Only	77	35	\$1,830
500D415	Fabric suspension seat, includes 3" Seatbelt, Cab Only	50	23	\$857
500D410	Vinyl suspension seat, includes 2" seatbelt, Canopy Only	50	23	\$605
500D414	Vinyl suspension seat, includes 3" Seatbelt Canopy Only	50	23	\$696
500D412	Deluxe fabric air suspension seat	77	35	\$1,480
	Q-FIT CARRIAGE (E)			
500E400	No Carriage - includes mounting pins	50	23	\$0
500E425	48" wide Q-Fit carriage with 2-1/4" fork shaft, (Use L409 Load Guard)	500	227	\$3,856
	OPERATORS MANUAL (E)			
500F855	Operators manual - English Language	5	2	\$0
500F856	Operators manual - French	5	2	\$0

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES		WEI	WEIGHT	
CODE	ITEM	(lbs.)	(kgs.)	LIST
	OPERATORS COMPARTMENT OPTIONS			
500K470	Front windshield guard	10	5	\$516
500K478	Face level fan	5	2	\$22 I
500K133	Air Conditioning	40	18	\$3,878
500K166	Deluxe cab trim including radio installation kit with manual steer mode selector	3	I	\$57I
500K466	Sun blind, front windshield and roof	4	2	\$25 I
500K477	Fire extinguisher	10	5	\$244
	ELECTRICAL OPTIONS **			
500H450	Engine block heater, 110-120 volt, 850 Watt	3	I	\$254
500G434	Front and Rear Roadlights (includes turn signals) - Cab	70	32	\$1,144
500G471	Front and Rear Roadlights (includes turn signals) - Canopy	70	32	\$1,144
500G136	Front and Rear Worklights - Cab or Canopy	70	32	\$349
	HYDRAULIC OPTIONS			
500J405	Hydraulic Pin Locking	14	6	\$477

** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO **TECHWEB BULLETIN 3441.**

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES		WEIGHT		U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	BUCKETS (Q-Fit mounted. Also require E code Q-fit installed on machine)			
500L129	I.75 cu. yd, 96" wide GP bucket	1,005	456	\$3,781
500L809	2.0 cu. yd, 96" wide GP bucket	1,050	476	\$4,527
500P105	2.25 cu. yd, 96" wide light material bucket	905	411	\$3,593
500L804	2.5 cu. yd, 96" wide light material bucket	1,310	594	\$4,496
500L118	I.I cu. yd, 88" wide 6 in I Multipurpose bucket	1,630	739	\$8,612
500L810	96" wide cutting edge, for use on all 96" wide buckets	165	75	\$474
	CARRIAGES (Q-Fit mounted. Also require E code Q-fit installed on machine)			
500Q800	48" wide side tilt carriage, 2-1/4" fork shaft	500	227	\$5,427
500Q801	66" wide side tilt framers carriage with 2-1/4" fork shaft	550	249	\$5,630
500Q802	48" wide side shift carriage with 2-1/4" fork shaft	500	227	\$5,833
500Q803	66" wide side shift framers carriage with 2-1/4" fork shaft	550	249	\$6,078
500Q804	60" wide ITA Class III industrial carriage, (Use with M808 forks)	200	91	\$2,901
	CARRIAGES (Boom Mounted)			
500P803	66" wide Direct Mount Framers carriage with 2-1/4" fork shaft	884	401	\$6,345
	FORK SETS (Mount to E code Q-fit and Q code Carriages)			
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	250	113	\$936
500M808	48" x 5" x 2" ITA class III forks	370	168	\$1,095
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	318	144	\$580
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	362	164	\$1,400
500M803	72" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft, 7000 lbs capacity at 36" load center	474	215	\$1,273
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	462	210	\$2,497
	OTHER ATTACHMENTS (Require E code Q-fit installed on machine)			
500Q806	Q-Fit blank	100	45	\$662
500Q808	Angle broom, 96" wide	1,150	522	\$9,805



JCB ROUGH TERRAIN FORKLIFT 930 RTFL

JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: JANUARY 1, 2015

Issue 2

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR. PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES
STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with componentized driveline
ENGINE	4.4L (268 CID), 74 HP Tier 4 Final JCB Ecomax, Turbo, Dual element air cleaner, spin-on fuel filter, Fuel/water separator, Engine block heater, Thermostart assist, Anti-freeze protection to -35 deg. F.
TRANSMISSION - 2WD	JCB 4x2 Synchroshuttle, synchronized shifting in all gears, powershuttle direction change, 2.2:1 ratio torque converter.
TRANSMISSION - 4WD	JCB 4x4 Synchroshuttle, synchronized shifting in all gears, powershuttle direction change, 2WD/4WD Selection. 2.2:1 ratio torque converter.
AXLES - 2WD	Front JCB MAX-TRAC with torque proportioning and outboard planetary drive.
AXLES - 4WD	Front and rear JCB MAX-TRAC with torque proportioning and outboard planetary drive.
BRAKES	Internal mounted inboard on front axle, multi disc, oil immersed, hydraulic servo actuation, self-adjusting Independent disc type parking brake with brake on alarm and transmission disconnect.
ELECTRICAL	12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery.
INSTRUMENTS	Audible and visual warning system, hourmeter, Fuel Gauge, Coolant temp. gauge, warning lights for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp., trans oil pressure, parking brake, indicators for lights, hazard lights, turn signals (if fitted).
CAB UNIT	Meets ANSI B56.6 FOPS, deluxe trim, fixed seat with seat belt. Heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, front worklight, horn, in-cab storage, 3" seatbelt. Backup alarm meets SAE J994, Operation manual.
CANOPY UNIT	Meets ANSI B56.6 FOPS, fixed seat with seat belt, front worklights, horn, in-cab storage, 3" seatbelt, backup alarm meets SAE J994, Operation manual (no rear glass, no rear fenders).
TIRES - 2WD	Front: 15.5 - 25 (8 ply) Sure Grip Lug, Rear: 14.5/75 - 16.1 (10 ply) Laborer.
TIRES - 4WD	Front: 15.5 - 25 (8 ply) Sure Grip Lug, Rear: 14 - 17.5 - (10 ply) Traction.
HYDRAULICS	Open center system with 20 GPM.

SECTIONS ARE ORGANIZED AS FOLLOWS: Section I - PACKAGE BUILDS Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS **DEALER FIT - RTFL** (LISTED SEPARATELY FOR ALL RTFLS)

GA

SECTION I - PACKAGE BUILD & MAST/CARRIAGE COMBINATIONS

Select one of the following machine PACKAGE BUILDS AND a Mast and Carriage COMBO code from section 4. To provide Dealers with our best availability and greatest flexibility, Mast and Carriage Combinations are installed to order.

If the Package Build combination shown on this page does not meet your requirements, please order a machine using the Custom Build Sections following.

SALES CODE	PACKAGE BUILD CODE:	7246A CANOPY 2WD	<u>7247A</u> CANOPY 4WD
	930 2WD 6000lb capacity Straight Mast Rough Terrain Forklift (Requires Mast, Carriage, Forks and		4110
7246	Operator Enclosure, includes Servo Brakes.)	√	
70.47	930 4WD 6000lb capacity Straight Mast Rough Terrain Forklift (Requires Mast, Carriage, Forks and		1
7247	Operator Enclosure, includes Servo Brakes.)		•
700A111	Front: 15.5-25 (8 ply) Industrial, Rear: 14- 17.5(10 ply) Laborer	✓	
700A205	Front: 15.5-25 (12 ply) Industrial, Rear: 14-17.5 (10 ply) Traction		1
700B225	No Mast	√	√
700C204	Canopy with roof wiper and screen guard	√	√
700D404	4 spool valve block. Sideshift hydraulics and one auxiliary hydraulic circuit (May require hose kit	./	1
700D404	depending on application. See hose kits in Dealer Fit section)	CANOPY 2WD ✓ ✓	•
700E100	No Carriage (Code is required to mount Carriage)	✓	✓
700F116	Operators manual English	✓	√
700R111	Vinyl Suspension Seat for Canopy	✓	1
	Shipping Weight - Lbs.	9,985	10,425
		,	., .
	Shipping Weight - Kgs.	4,529	4,729
	SUGGESTED LIST PRICE (EXCLUDES MAST AND CARRIAGE)	\$63,011	\$74,461

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES		WEIG	нт	U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	BASE MACHINE (E)			
7246	930 2WD 6000lb capacity Straight Mast Rough Terrain Forklift (Requires Mast, Carriage, Forks and	WEIG (Ibs.) 9,380 9,720 600 700 0	4,264	\$53,090
7240	Operator Enclosure, includes Servo Brakes.)	7,500	7,207	455,070
7247	930 4WD 6000lb capacity Straight Mast Rough Terrain Forklift (Requires Mast, Carriage, Forks and	0 700	4 41 0	¢(474)
/24/	Operator Enclosure, includes Servo Brakes.)	9,720	4,418	\$64,741
	TIRES (E)			
	2-Wheel Drive Tire Sets			
700A111	Front: 15.5-25 (8 ply) Industrial, Rear: 14- 17.5(10 ply) Laborer	600	273	\$5,256
	4-Wheel Drive Tire Sets			
700A205	Front: 15.5-25 (12 ply) Industrial, Rear: 14-17.5 (10 ply) Traction	700	318	\$5,056
	NO MAST (E)			
700B225	No Mast	0	0	\$0
	OPERATORS AREA (E)			
700C204	Canopy with roof wiper and screen guard	0	0	\$3,596
700C203	Fully glazed cab with heater, 3 wipers and screen guard. Includes 700K106 interior mirror	0	0	\$6,859
700C201	Fully glazed cab with heater and 3 wipers. No screen guard	0	0	\$6,448
700C202	Canopy with roof wiper, no screen guard	0	0	\$2,147
700C205	Fully glazed cab with heater, 3 wipers and AC. Includes 700K106 interior mirror.	0	0	\$12,401
700C206	Fully glazed cab with heater, 3 wipers, screen guard and AC. Includes 700K106 interior mirror.	0	0	\$12,796
	HYDRAULICS (E)			
700D403	3 spool valve block. Sideshift hydraulics	0	0	\$222
	4 spool valve block. Sideshift hydraulics and one auxiliary hydraulic circuit (May require hose kit	9,380 9,720 600 700 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	•	
700D404	depending on application. See hose kits in Dealer Fit section)		0	\$613
	NO CARRIAGE (E)			
700E100	No Carriage (Code is required to mount Carriage)	0	0	\$0
	OPERATORS MANUAL (E)			
700F116	Operators manual English	5	2	\$0
700F117	Operators manual French	5	2	\$0
	SEATS (E)			
700R110	Cloth Suspension Seat for Cab	0	0	\$456
700R111	Vinyl Suspension Seat for Canopy	0	0	\$456
700R112	Cloth Air Suspension Seat for Cab	0	0	\$992
700R113	Vinyl Air Suspension Seat for Canopy	0	0	\$992

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES		WEI	GHT	U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	OTHER OPERATORS COMPARTMENT OPTIONS			
700K103	Fire Extinguisher	0	0	\$205
700K106	Rear View Mirror (internal) - Canopy only	0	0	\$34
700K108	Double Exterior Side Mirror Kit	0	0	\$267
700K121	Face level fan	5	-	\$201
700K132	LiveLink	0	0	\$709
	OTHER ELECTRICAL OPTIONS			
700G106	Roadlight Kit and 700G106 Exterior Mirrors	0	0	\$686
700G109	Worklight Kit includes Front and Rear Lights	0	0	\$369
700GIII	Battery Isolator	0	0	\$236
700K107	Rotating Beacon	0	0	\$195
	OTHER BASE MACHINE OPTIONS			
700N107	930 Rear Fenders	40	18	\$503

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select ONE mast and carriage combination and ONE fork set per machine order

SALES		WEIG	GHT	U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	MAST AND CARRIAGE COMBINATIONS (Floating shaft carriages include 2" shaft)			
700XC05	22' Clearview, Triplex w/ 66" Floating Shaft Carriage	2,913	1,324	\$13,946
700XC07	22' Clearview, Triplex w/ 60" Class III ITA Carriage	2,963	1,347	\$13,470
700XC06	22' Clearview, Triplex w/ 84" Floating Shaft Carriage	2,983	1,356	\$14,652
700XC08	22' Clearview, Triplex w/ 72" Class III ITA Carriage	3,037	1,380	\$14,288
700XC01	15' Freelift, Triplex w/ 66" Floating Shaft Carriage	2,573	1,170	\$15,730
700XC03	15' Freelift, Triplex w/ 60" Class III ITA Carriage	2,622	1,192	\$15,365
700XC04	15' Freelift, Triplex w/ 72" Class III ITA Carriage	2,697	1,226	\$16,688
700XC02	15' Freelift, Triplex w/ 84" Floating Shaft Carriage	2,644	1,202	\$17,057
700XC09	22' Freelift, Triplex w/ 66" Floating Shaft Carriage	2,974	1,352	\$16,699
700XC10	22' Freelift, Triplex w/ 84" Floating Shaft Carriage	3,045	I,384	\$17,750
700XCII	22' Freelift Triplex, w/ 60" Class III ITA Carriage	3,025	1,375	\$17,368
700XC12	22' Freelift Triplex, w/ 72" Class III ITA Carriage	3,098	I,408	\$18,531
	FORK SETS			
700M805	48" x 4" x 2" pallet forks (2) for 2" fork shaft	250	114	\$480
700M808	48" x 5" x 2" ITA class III forks	370	168	\$1,095
700M810	72" x 5" x 2" ITA class III forks 10,000lb cap.	500	227	\$1,273
700M512	60" x 4" x 2" pallet forks (2) for 2" fork shaft 8,000lb cap.	282	128	\$1,282
700M806	72" x 5" x 2" pallet forks (2) for 2" fork shaft, 5060lbs capacity at 36" load center	374	170	\$2,092
700M807	48" x 2" x 1.5" block tines (6) for 2" fork shaft	336	153	\$2,326
	HOSE KITS			
700XE10	Single Internal Hose Kit for 6,000lb - 22' Clearview Masts	44	20	\$1,387
700XEI I	Single Internal Hose Kit for 6,000lb - 15' FL Masts	25	П	\$1,248
700XE12	Single Internal Hose Kit for 6,000lb - 22' FL Masts	30	14	\$1,387
	FORK POSITIONING KITS			
700XE01	Fork Positioning kit for 66" wide shaft carriages. (use standard shaft mount Pallet Forks)	0	0	\$2,274
700XE02	Fork Positioning kit for 84" wide shaft carriages. (use standard shaft mount Pallet Forks)	0	0	\$2,607



JCB ROUGH TERRAIN FORKLIFT 940 RTFL

JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: JANUARY 1, 2015

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR. PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with componentized driveline
ENGINE	4.4L (268 CID), 74 HP Tier 4 Final JCB Ecomax, Turbo, Dual element air cleaner, spin-on fuel filter, Fuel/water separator, Thermostart assist, Engine block heater, Anti-freeze protection to -35 deg. F.
TRANSMISSION - 2WD	JCB 4x2 Synchroshuttle, synchronized shifting in all gears, powershuttle direction change, 2.2:1 ratio torque converter.
TRANSMISSION - 4WD	JCB 4x4 Synchroshuttle, synchronized shifting in all gears, powershuttle direction change, 2WD/4WD Selection. 2.2:1 ratio torque converter.
AXLES - 2WD	Front JCB MAX-TRAC with torque proportioning and outboard planetary drive.
AXLES - 4WD	Front and rear JCB MAX-TRAC with torque proportioning and outboard planetary drive.
BRAKES	Internal mounted inboard on front axle, multi disc, oil immersed, hydraulic actuation, self-adjusting Independent disc type parking brake with brake on alarm and transmission disconnect.
ELECTRICAL	12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery.
INSTRUMENTS	Audible and visual warning system, hourmeter, Fuel Gauge, Coolant temp. gauge, warning lights for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp., trans oil pressure, parking brake, indicators for lights, hazard lights, turn signals (if fitted).
CAB UNIT	Meets ANSI B56.6 FOPS, deluxe trim, fixed seat with seat belt. Heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, front worklight, horn, in-cab storage, 3" seatbelt. Backup alarm meets SAE J994, Operation manual.
CANOPY UNIT	Meets ANSI B56.6 FOPS, fixed seat with seat belt, front worklights, horn, in-cab storage, 3" seatbelt, backup alarm meets SAE J994, Operation manual (no rear glass, no rear fenders).
TIRES - 2WD	Front: 15.5 - 25 (12 ply) Sure Grip Lug, Rear: 12.5/80 - 18 (10 ply)
TIRES - 4WD	Front: 15.5 - 25 (12 ply) Sure Grip Lug, Rear: 14 - 17.5 - (10 ply) Traction.
HYDRAULICS	Open center system with 20 GPM.

SECTIONS ARE ORGANIZED AS FOLLOWS: Section I - PACKAGE BUILDS Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS **DEALER FIT - RTFL** (LISTED SEPARATELY FOR ALL RTFLS)

SECTION I - PACKAGE BUILDS

Select one of the following machine PACKAGE BUILDS AND a Mast and Carriage COMBO code from section 4. To provide Dealers with our best availability and greatest flexibility, Mast and Carriage Combinations are installed to order.

If the Package Build combination shown on this page does not meet your requirements, please order a machine using the Custom Build Sections following.

SALES	PACKAGE BUILD CODE	: <u>7248A</u> CANOPY	<u>7249A</u> CANOPY
CODE	ITEM	2WD	4WD
70.40	940 2WD 8000lb capacity Straight Mast Rough Terrain Forklift (Requires Mast,	/	
7248	Carriage, Forks and Operator Enclosure.)	v	
7249	940 4WD 8000lb capacity Straight Mast Rough Terrain Forklift (Requires Mast,	CANOPY 2WD ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	
/ 249	Carriage, Forks and Operator Enclosure.)		*
700A111	Front: 15.5-25 (8 ply) Industrial, Rear: 14- 17.5(10 ply) Laborer	✓	
700A205	Front: 15.5-25 (12 ply) Industrial, Rear: 14-17.5 (10 ply) Traction		✓
700B226	No Mast	✓	✓
700C204	Canopy with roof wiper and screen guard	1	√
700D404	4 spool valve block. Sideshift hydraulics and one auxiliary hydraulic circuit (May require hose kit	1	1
700D404	depending on application. See hose kits in Dealer Fit section)	CANOPY 2WD ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	*
700E100	No Carriage (Code is required to mount Carriage)	✓	✓
700F116	Operators manual English	1	✓
700R111	Vinyl Suspension Seat for Canopy	✓	1
	Shipping Weight - Lbs.	10,527	10,967
	Shipping Weight - Kgs.	4,775	4,975
	SUGGESTED LIST PRICE (EXCLUDES MAST AND CARRIAGE)	\$67,966	\$79,012

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES				U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	BASE MACHINE (E)			
7248	940 2WD 8000lb capacity Straight Mast Rough Terrain Forklift (Requires Mast, Carriage, Forks and	9,922 4,5 10,262 4,6 600 2 700 3 0 3 0 3 0 4	4,510	\$58,045
7210	Operator Enclosure.)		1,510	φ30,015
7249	940 4WD 8000lb capacity Straight Mast Rough Terrain Forklift (Requires Mast, Carriage, Forks and	10.262	4,665	\$69,292
/ 247	Operator Enclosure.)	10,262	4,005	Ф07,272
	TIRES (E)			
	2-Wheel Drive Tire Sets			
700A111	Front: 15.5-25 (8 ply) Industrial, Rear: 14- 17.5(10 ply) Laborer	600	273	\$5,256
	4-Wheel Drive Tire Sets			
700A205	Front: 15.5-25 (12 ply) Industrial, Rear: 14-17.5 (10 ply) Traction	700	318	\$5,056
	NO MAST (E)			
700B226	No Mast	0	0	\$0
	OPERATORS AREA (E)			
700C210	Canopy with roof wiper and screen guard	0	0	\$3,596
700C203	Fully glazed cab with heater, 3 wipers and screen guard. Includes 700K106 interior mirror	0	0	\$6,859
700C201	Fully glazed cab with heater and 3 wipers. No screen guard	0	0	\$6,448
700C209	Canopy with roof wiper, no screen guard	0	0	\$2,147
700C207	Fully glazed cab with heater, 3 wipers and AC. Includes 700K106 interior mirror.	0	0	\$12,401
700C208	Fully glazed cab with heater, 3 wipers, screen guard and AC. Includes 700K106 interior mirror.	0	0	\$12,796
	HYDRAULICS (E)			
700D403	3 spool valve block. Sideshift hydraulics	0	0	\$222
	4 spool valve block. Sideshift hydraulics and one auxiliary hydraulic circuit (May require hose kit	700 700 0 0 0 0 0 0 0 0 0 0 0 0		
700D404	depending on application. See hose kits in Dealer Fit section)	0	0	\$613
	NO CARRIAGE (E)			
700E100	No Carriage (Code is required to mount Carriage)	0	0	\$0
	OPERATORS MANUAL (E)			
700F116	Operators manual English	5	2	\$0
700F117	Operators manual French	5	2	\$0
	SEATS (E)			
700R110	Cloth Suspension Seat for Cab	0	0	\$456
700R111	Vinyl Suspension Seat for Canopy	0	0	\$456
700R112	Cloth Air Suspension Seat for Cab	0	0	\$992
700R113	Vinyl Air Suspension Seat for Canopy	0	0	\$992

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES		WEI	GHT	U.S.
CODE	ITEM	(lbs.)	(kgs.)	LIST
	OTHER OPERATORS COMPARTMENT OPTIONS			
700K103	Fire Extinguisher	0	0	\$205
700K106	Rear View Mirror (internal) - Canopy only	0	0	\$34
700K107	Rotating Beacon	0	0	\$195
700K108	Double Exterior Side Mirror Kit	0	0	\$267
700K121	Face level fan	5	2	\$20 I
700K132	LiveLink	0	0	\$709
	OTHER ELECTRICAL OPTIONS			
700G106	Roadlight Kit and 700G106 Exterior Mirrors	0	0	\$686
700G109	Worklight Kit includes Front and Rear Lights	0	0	\$369
700G111	Battery Isolator	0	0	\$236
	OTHER BASE MACHINE OPTIONS			
700N108	940 Rear Fenders	0	0	\$503

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select ONE mast and carriage combination and ONE fork set per machine order

SALES		WEIGHT		U.S.	
CODE	ITEM	(lbs.)	(kgs.)	LIST	
	MAST AND CARRIAGE COMBINATIONS (Floating shaft carriages include 2-1/4" shaft)				
700XD05	22' Clearview, Triplex w/ 66" Floating Shaft Carriage	4,193	1,906	\$17,544	
700XD07	22' Clearview, Triplex w/ 60" Class III ITA Carriage	4,220	1,918	\$17,558	
700XD06	22' Clearview, Triplex w/ 84" Floating Shaft Carriage	4,268	1,940	\$18,628	
700XD08	22' Clearview, Triplex w/ 72" Class III ITA Carriage	4,294	1,952	\$18,794	
700XD01	15' Freelift, Triplex w/ 66" Floating Shaft Carriage	3,342	1,519	\$18,556	
700XD03	15' Freelift, Triplex w/ 60" Class III ITA Carriage	3,374	1,534	\$18,929	
700XD04	15' Freelift, Triplex w/ 72" Class III ITA Carriage	3,448	1,567	\$19,823	
700XD02	15' Freelift, Triplex w/ 84" Floating Shaft Carriage	3,417	1,553	\$19,282	
700XD09	22' Freelift, Triplex w/ 66" Floating Shaft Carriage	3,943	1,792	\$20,63 I	
700XD11	22' Freelift Triplex, w/ 60" Class III ITA Carriage	3,975	1,807	\$20,647	
700XD10	22' Freelift, Triplex w/ 84" Floating Shaft Carriage	4,018	1,826	\$21,890	
700XD12	22' Freelift Triplex, w/ 72" Class III ITA Carriage	4,049	1,840	\$22,062	
	FORK SETS				
700M808	48" x 5" x 2" ITA class III forks	370	168	\$1,095	
700M810	72" x 5" x 2" ITA class III forks 10,000lb cap.	500	227	\$1,273	
700M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	318	145	\$580	
700M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft 10,000lb cap.	362	165	\$1,400	
700M803	72" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft, 6200lbs capacity at 36" load center	474	215	\$1,273	
700M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	462	210	\$2,497	
	HOSE KITS				
700XE13	Single Internal Hose Kit for 8,000 & 10,000lb - 22' Clearview Masts	44	20	\$1,387	
700XE14	Single Internal Hose Kit for 8,000 & 10,000lb - 15' FreeLift Masts	25	11	\$1,248	
700XE15	Single Internal Hose Kit for 8,000 & 10,000lb - 22' FreeLift Masts	30	14	\$1,387	
	FORK POSITIONING KITS				
700XE01	Fork Positioning kit for 66" wide shaft carriages. (use standard shaft mount Pallet Forks)	0	0	\$2,274	
700XE02	Fork Positioning kit for 84" wide shaft carriages. (use standard shaft mount Pallet Forks)	0	0	\$2,607	



JCB ROUGH TERRAIN FORKLIFT 950 RTFL

JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: JANUARY 1, 2015

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR. PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with componentized driveline
ENGINE	4.4L (268 CID), 74 HP Tier 4 Final JCB Ecomax, Turbo, Dual element air cleaner, spin-on fuel filter, Fuel/water separator, Thermostart assist, Engine block heater, Anti-freeze protection to -35 deg. F.
TRANSMISSION - 4WD	JCB 4x4 Synchroshuttle, synchronized shifting in all gears, powershuttle direction change, 2WD/4WD Selection. 2.2:1 ratio torque converter.
AXLES - 4WD	Front and rear JCB MAX-TRAC with torque proportioning and outboard planetary drive.
BRAKES	Internal mounted inboard on front axle, multi disc, oil immersed, hydraulic actuation, self-adjusting Independent disc type parking brake with brake on alarm and transmission disconnect.
ELECTRICAL	12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery.
INSTRUMENTS	Audible and visual warning system, hourmeter, Fuel Gauge, Coolant temp. gauge, warning lights for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp., trans oil pressure, parking brake, indicators for lights, hazard lights, turn signals (if fitted).
CAB UNIT	Meets ANSI B56.6 FOPS, deluxe trim, fixed seat with seat belt. Heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, front worklight, horn, in-cab storage, 3" seatbelt. Backup alarm meets SAE J994, Operation manual.
CANOPY UNIT	Meets ANSI B56.6 FOPS, fixed seat with seat belt, front worklights, horn, in-cab storage, 3" seatbelt, backup alarm meets SAE J994, Operation manual (no rear glass, no rear fenders).
TIRES - 4WD	Front: 15.5 - 25 (12 ply) Sure Grip Lug, Rear: 14 - 17.5 - (10 ply) Traction.
HYDRAULICS	Open center system with 20 GPM.

SECTIONS ARE ORGANIZED AS FOLLOWS:

Section 1 - PACKAGE BUILDS Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS **DEALER FIT - RTFL** (LISTED SEPARATELY FOR ALL RTFLS)

SECTION I - PACKAGE BUILDS

Select one of the following machine PACKAGE BUILDS AND a Mast and Carriage COMBO code from section 4. To provide Dealers with our best availability and greatest flexibility, Mast and Carriage Combinations are installed to order.

If the Package Build combination shown on this page does not meet your requirements, please order a machine using the Custom Build Sections following.

SALES CODE	PACKAGE BUILD CODE:	<u>7250A</u> CANOPY 4WD
7250	950 4WD 10000lb capacity Straight Mast Rough Terrain Forklift (Requires Mast, Carriage, Forks and	1
7250	Operator Enclosure.)	•
700A205	Front: 15.5-25 (12 ply) Industrial, Rear: 14-17.5 (10 ply) Traction	✓
700B226	No Mast	✓
700C204	Canopy with roof wiper and screen guard	✓
7000 404	4 spool valve block. Sideshift hydraulics and one auxiliary hydraulic circuit (May require hose kit	1
700D404	depending on application. See hose kits in Dealer Fit section)	*
700E100	No Carriage (Code is required to mount Carriage)	✓
700F116	Operators manual English	√
700R111	Vinyl Suspension Seat for Canopy	√

SUGGESTED LIST PRICE (EXCLUDES MAST AND CARRIAGE)

\$86,941

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
	BASE MACHINE (E)	
70.50	950 4WD 10000lb capacity Straight Mast Rough Terrain Forklift (Requires Mast, Carriage, Forks and Operator	A77.00 L
7250	Enclosure.)	\$77,221
	TIRES (E)	
	4-Wheel Drive Tire Sets	
700A205	Front: 15.5-25 (12 ply) Industrial, Rear: 14-17.5 (10 ply) Traction	\$5,056
	NO MAST (E)	
700B226	No Mast	\$0
	OPERATORS AREA (E)	
700C210	Canopy with roof wiper and screen guard	\$3,596
700C203	Fully glazed cab with heater, 3 wipers and screen guard. Includes 700K106 interior mirror	\$6,859
700C201	Fully glazed cab with heater and 3 wipers. No screen guard	\$6,448
700C209	Canopy with roof wiper, no screen guard	\$2,147
700C207	Fully glazed cab with heater, 3 wipers and AC. Includes 700K106 interior mirror.	\$12,401
700C208	Fully glazed cab with heater, 3 wipers, screen guard and AC. Includes 700K106 interior mirror.	\$12,796
	HYDRAULICS (E)	
700D403	3 spool valve block. Sideshift hydraulics	\$222
7000 404	4 spool valve block. Sideshift hydraulics and one auxiliary hydraulic circuit (May require hose kit depending on	¢(1)
700D404	application. See hose kits in Dealer Fit section)	\$613
	NO CARRIAGE (E)	
700E100	No Carriage (Code is required to mount Carriage)	\$0
	OPERATORS MANUAL (E)	
700F116	Operators manual English	\$0
700F117	Operators manual French	\$0
	SEATS (E)	
700R110	Cloth Suspension Seat for Cab	\$456
700R111	Vinyl Suspension Seat for Canopy	\$456
700R112	Cloth Air Suspension Seat for Cab	\$992
700R113	Vinyl Air Suspension Seat for Canopy	\$992

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES		U.S.
CODE	ITEM	LIST
	OTHER OPERATORS COMPARTMENT OPTIONS	
700K103	Fire Extinguisher	\$205
700K106	Rear View Mirror (internal) - Canopy only	\$34
700K107	Rotating Beacon	\$195
700K108	Double Exterior Side Mirror Kit	\$267
700K121	Face level fan	\$201
700K132	LiveLink	\$709
	OTHER ELECTRICAL OPTIONS	
700G106	Roadlight Kit and 700G106 Exterior Mirrors	\$686
700G109	Worklight Kit includes Front and Rear Lights	\$369
700GIII	Battery Isolator	\$236
	OTHER BASE MACHINE OPTIONS	
700N119	950 Rear Fenders	\$503

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select ONE mast and carriage combination and ONE fork set per machine order

SALES		U.S.
CODE	ITEM	LIST
	MAST AND CARRIAGE COMBINATIONS (Floating shaft carriages include 2-1/4" shaft)	
700XF10	22' Clearview, Triplex w/ 66" Floating Shaft Carriage	\$19,994
700XFI2	22' Clearview, Triplex w/ 60" Class III ITA Carriage	\$21,220
700XFI I	22' Clearview, Triplex w/ 84" Floating Shaft Carriage	\$20,017
700XFI3	22' Clearview, Triplex w/ 72" Class III ITA Carriage	\$21,409
700XF18	22' Freelift, Triplex w/ 66" Floating Shaft Carriage	\$22,597
700XF19	22' Freelift, Triplex w/ 84" Floating Shaft Carriage	\$23,480
700XF20	22' Freelift Triplex, w/ 60" Class III ITA Carriage	\$23,051
700XF21	22' Freelift Triplex, w/ 72" Class III ITA Carriage	\$24,139
700XF14	15' Freelift, Triplex w/ 66" Floating Shaft Carriage	\$20,337
700XF15	15' Freelift, Triplex w/ 84" Floating Shaft Carriage	\$21,132
700XF16	15' Freelift, Triplex w/ 60" Class III ITA Carriage	\$20,746
700XF17	15' Freelift, Triplex w/ 72" Class III ITA Carriage	\$21,725
	FORK SETS	
700M808	48" x 5" x 2" ITA class III forks	\$1,095
700M810	72" x 5" x 2" ITA class III forks 10,000lb cap.	\$1,273
700M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$580
700M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft 10,000lb cap.	\$1,400
700M803	72" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft, 6200lbs capacity at 36" load center	\$1,273
700M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,497
	HOSE KITS	
700XE13	Single Internal Hose Kit for 8,000 & 10,000lb - 22' Clearview Masts	\$1,387
700XE14	Single Internal Hose Kit for 8,000 & 10,000lb - 15' FreeLift Masts	\$1,248
700XE15	Single Internal Hose Kit for 8,000 & 10,000lb - 22' FreeLift Masts	\$1,387
	FORK POSITIONING KITS	
700XE01	Fork Positioning kit for 66" wide shaft carriages. (use standard shaft mount Pallet Forks)	\$2,274
700XE02	Fork Positioning kit for 84" wide shaft carriages. (use standard shaft mount Pallet Forks)	\$2,607



JCB TELESCOPIC HANDLER

527-58 AGRI

JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

CHANGES TO INDIVIDUAL PRICE PAGES MAY OCCUR. PLEASE REFER TO THE "WHAT'S NEW" SECTION FOR A COMPLETE LIST OF UPDATES.

> EFFECTIVE: JANUARY 1. 2014 ISSUE 2

Т

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with rigid frame and componentized driveline.
ENGINE	JCB Dieselmax turbo engine, 100 hp TIER 4I. Dual element air cleaner, spin-on fuel filter, fuel/water separator, thermo start assist, anti-freeze protection to -35 deg F, wide core radiator and optional reverse drive cooling fan.
TRANSMISSION	2 speed hydrostatic transmission, powershuttle direction change, 20 mph travel speed
AXLES	JCB manufactured with outboard planetary drive. Front axle with optional limited slip differential.
BRAKES	Internal mounted inboard on front axle, multi disc, oil immersed, self adjusting, independent disc type parking brake with brake on alarm and transmission disconnect.
ELECTRICAL	12 volt, Meets IP67 water ingress test standard, 65 amp alternator, 780 CCA, 92 AH low maintenance battery.
INSTRUMENTS	Audible and visual warning system, tachometer, hourmeter, fuel gauge, coolant temp gauge, warning lights for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp, trans oil pressure, parking brake, lift-extend and tilt on single lever control.
CAB UNIT	Meets SAE J231 FOPS/SAE J1040 ROPS requirements, mechanical suspension seat with seat belt, tilt steering column, heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, front and rear worklights, horn, in cab storage, backup alarm meets SAE J994 and operators manual.
TIRES	Michelin 380/75R20 Agricultural Traction tire
TELESCOPIC BOOM	Two section, 19ft lift height with hydraulic parallel lift, 5000 lbs maximum lift capacity.
CARRIAGE	48" wide, "Q-Fit" for easy attachment changes, includes fork shaft.
HYDRAULICS	Single lever joystick with "loader" pattern control and proportional boom extend and auxiliary functions, open center load sensing system with gear pump, single auxiliary hydraulic service.
LIVELINK	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
SECTIONS ARE ORGANIZ Section I - PACKAGE BUILDS Section 2 - CUSTOM BUILD - Section 3 - OPTIONS - NEW	S NEW FACTORY BUILT ORDERS

Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

SECTION I - PACKAGE BUILDS

Select one of the following machine PACKAGE BUILD codes and OPTIONS as required from Section 3. Package build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

SALES	PACKAGE BUILD CODE:	
CODE	ITEM	CAB
5718	527-58 AGRI telescopic handler, 5,000 lb maximum lift capacity, Tier 4i JCB EcoMAX 109hp turbo engine, 4 wheel drive, 4 wheel steer, 2 range hydrostatic transmission and gear pump hydraulic system.	
500A020	Michelin 380/75R20 Agricultural Traction	1
500B482	One auxilliary circuit, single lever joystick, HYDRAULIC pin locking	✓
500C097	Cab with heater and tinted glass	✓
500D002	Deluxe fabric seat with air suspension	✓
500E046	Q-Fit carriage with HYDRAULIC pin locking - use with 500B046, 500B047, 500B482 and 500B483	
500F660	Operators manual - English Language	
500G128	Work lights - cab mounted front and rear	
500H342	Auto Steer select	
500H394	Auto Reverse engine cooling fan	✓
500H396	Limited Slip Differential (Front Axle only)	✓
500H452	Engine block heater, 110-120 volt, 850 Watt	✓
500K021	Sun blind, front windshield and roof	✓
500K056	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio	✓
500K193	Air Conditioning for 500C097	✓
	Shipping Weight - Lbs.	13,838
	Shipping Weight - Kgs.	6,290

SUGGESTED LIST PRICE

\$109,606

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES			WEIGHT	
CODE	ITEM	(lbs.)	(kgs.)	LIST
	BASE MACHINE (E)			
5718	527-58 AGRI telescopic handler, 5,000 lb maximum lift capacity, Tier 4i JCB EcoMAX 109hp turbo engine, 4 wheel drive, 4 wheel steer, 2 range hydrostatic transmission and gear pump hydraulic system.	11,389	5,166	\$86,687
	TIRES (E)			
500A020	Michelin 380/75R20 Agricultural Traction	550	249	\$5,710
500A021	Goodyear 16.0/70-20 Traction	500	227	\$8,108
	AUXILIARY HYDRAULICS (E)			
500B480	One auxilliary circuit, single lever joystick, MANUAL pin locking	24	П	\$2,068
500B481	Two auxilliary circuits, single lever joystick, MANUAL pin locking	29	13	\$2,677
500B482	One auxilliary circuit, single lever joystick, HYDRAULIC pin locking	24	11	\$2,068
500B483	Two auxilliary circuits, single lever joystick, HYDRAULIC pin locking	29	13	\$2,677
	OPERATOR'S AREA (E)			
500C097	Cab with heater and tinted glass	1,180	535	\$4,703
	SEATS (E)			
500D002	Deluxe fabric seat with air suspension	35	16	\$1,396
500D411	Fabric suspension seat, includes 2" seatbelt, CAB ONLY	50	23	\$727
500D415	Fabric suspension seat, includes 3" Seatbelt, CAB ONLY	50	23	\$80 I
	CARRIAGE (E)			
500E045	Q-Fit carriage with MANUAL pin locking - use with 500B042. 500B043, 500B480 and 500B481	490	222	\$2,010
500E046	Q-Fit carriage with HYDRAULIC pin locking - use with 500B046, 500B047, 500B482 and 500B483	500	227	\$2,461
	OPERATOR'S MANUAL (E)			
500F660	Operators manual - English Language	5	2	\$0

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES		WEI	WEIGHT	
CODE	ITEM	(lbs.)	(kgs.)	LIST
	OPERATOR'S COMPARTMENT OPTIONS			
500H342	Auto Steer select	5	2	\$60I
500K056	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio	5	2	\$462
500K021	Sun blind, front windshield and roof	4	2	\$234
	ELECTRICAL OPTIONS			
500G128	Work lights - cab mounted front and rear	7	3	\$329
500G153	Boom Mounted Work Lights	4	2	\$328
500H344	Varispeed, transmission control - creep speed	10	5	\$1,941
500H394	Auto Reverse engine cooling fan	2	I	\$275
500H396	Limited Slip Differential (Front Axle only)	9	4	\$774
500H452	Engine block heater, 110-120 volt, 850 Watt	3	I	\$246
500K035	Face level fan - NOT available with 500K021 sun blind	5	2	\$329
500K I 93	Air Conditioning for 500C097	120	54	\$3,659
	OTHER BASE MACHINE OPTIONS			
500L114	Load guard for Q-Fit carriage	35	16	\$555
5005010	SRS - Smooth Ride System - Hydraulic Suspension for Main Boom	20	9	\$2,827

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES		WEIG	WEIGHT	
CODE	ITEM	(lbs.)	(kgs.)	LIST
	FORK SETS			
500M157	42" x 4" x 2" pallet forks	250	113	\$1,217
500M158	48" x 4" x 2" pallet forks	250	113	\$1,539