

MSRP LIST

Group 6 _Sub 9

Manufacturer: John Deere

MSRP List Name: Lawn Tractors

Percent Discount: 16%

MSRP List Date: 20Apr2015

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

Select Series X300 Tractor with 42X Edge Xtra Deck Equipment for Base Machine

Exclusive Air Intake System
V-Twin Engine
Overhead Valves
Hemispheric Cylinder Head
V-Valve Technology
Cast Iron Cylinder Liners
Full Pressure Lubrication with
Replaceable Oil Filter
*18.5 HP
42 IN. EDGE XTRA CUTTING SYSTEM
Two .67 In. StarLock Greaseable
Spindles
Two Front 2.6 In. Wide
Anti-Scalp Wheels
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
28 in Uncut Circle Radius
TIRES
15x6-6 Front Turf Tires
20x10-8 Rear Turf Tires
STEERING
2 Wheel Low Effort Steering
System
16 In. Turning Radius

Cast Iron Front Axle with
Replaceable Metal Bushings
.75 In. Front Spindles
AUTOMATIC (HYDROSTATIC)
TRANSMISSION
Twin Touch Foot control
Tuff-Torque K46 Transaxle
Internal Wet Disk Brakes
Tow valve
5.5 mph (8.9 km/h) Forward,
4.0 mph (6.4 km/h) Reverse
Travel Speed
Cruise Control
OPERATOR STATION
14 In. Steering Wheel
15 In. Open Back Seat with
Access
Grip, 7 In. Fore-Aft Adjustment
and Adjustable Suspension
Cup Holder
ELECTRICAL SYSTEM
340 CCA Battery
15 Amp Regulated Charging System
Four-Position Key Switch with
Headlight Switch
Hour Meter
Seat/PTO Interlock Switches
Reverse Implement Option

MISCELLANEOUS
3.3 US Gallon Fuel Tank Capacity
Welded C-Channel Frame
Rear Hitch Accepts 2 Quik-Tatch
Weights
Electric Mower/Implement PTO
Drive Clutch
Foot Pedal Deck and Implement
Lift System
Heavy Duty Cargo Mount System
*Engine HP is Provided by the
Engine Manufacturer to be Used
for Comparison Purposes Only,
Actual Operating HP will be
Less. Refer to the Engine
Manufacturer's Web Site for
Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

Select Series X300 - 42X

F.O.B. Janesville, Wisconsin

470KM	Select Series X300 Tractor with 42X Edge Xtra Deck <i>Not Available for Sale in California.</i>	2,999.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

SKU23044	Blades: 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95

FRONT MOUNTED THATCHERS:

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor with 42X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TY13056	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
	BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	41.70
		Material Collection System Power Flow/Rear Bagger Chutes:	
	BG20766	Rear Bagger Chute for 42 In. Mowers	103.79
		Miscellaneous:	
	AM136716	12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	20.57
	BM24915	12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
	BM17981	12 Volt Work Light Kit	52.43
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	BM23056	Bumper (X300s, X500, X530, X534)	64.20
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG256	Home Maintenance Kit <i>For use with MY2006-2010 (Serial 010001-180000).</i>	45.62
	LG265	Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	44.27
	M146542	Rubber Blade Squeegee <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	58.49
	AM136046	Seat Net Kit	31.25
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor with 42X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM23054	Sun Shade (X300/X500 M-T)	164.79
		Mower Deck and Mower Deck Attachments:	
	SKU24193	42 In. Edge Xtra Deck (42X)	600.00
	BM22550	Anti-Scalp Wheel Extension Kit	63.13
	AM141034	Blade Kit (42X, Bagging)	47.94
	AM141033	Blade Kit (42X, Mulching)	45.81
	AM141032	Blade Kit (42X, Side Discharge)	54.65
	BM20505	Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
	AM130907	Mower Deck Leveling Gauge	6.95
	BM21816	Mulch Kit (42 In. or 42X)	101.66
		Order Zone:	
	LP23117	125 lb. Electric Broadcast Spreader Barrier Shield	65.00
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	399.00
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1001	42-In. Tractor Grass Groomer	99.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LPJD100	Bucket Holder (Single)	39.95
	LP33711	Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	399.95
	LP47168	MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95
	LP93617	Riding Mower Deluxe Cover (M)	89.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36740	X300 Series Weather Enclosure	426.99
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor with 42X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP92324	Seat Cover - Yellow	26.99
		Seats / Wheels / Tires:	
	TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
		Snow Blowers:	
	SKU23045	44 In. Snow Blower (X300's, X500, X520) <i>Rear Weights and Tire Chains are Recommended for Additional Traction. Winter Grill Cover Recommended on Air-cooled Engines to Prevent Carburetor Icing. X300, X304 Tractors Shipped less deck or with 38X, 42X or 42M (SN -150000) Decks need to also Order AM136646 Lift Assist Spring Kit.</i>	1,555.00
	AM136646	Lift Assist Spring Kit	62.08
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	91.38
		Spanish North American Kit:	
	BM24925	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
	BM25360	Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X300,X310,X304,X324,X320,X360).</i>	42.80
		Weights:	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
	BM17962	Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

Select Series X310 Tractor with 42X Edge Xtra Deck Equipment for Base Machine

Exclusive Air Intake System
V-Twin Engine
Overhead Valves
Hemispheric Cylinder Head
V-Valve Technology
Cast Iron Cylinder Liners
Full Pressure Lubrication with
Replaceable Oil Filter
*18.5 HP
42 IN. EDGE XTRA CUTTING SYSTEM
Two .67 In. StarLock Greaseable
Spindles
Two Front 2.6 In. Wide
Anti-Scalp Wheels
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
31.6 in Uncut Circle Radius
TIRES
15x6-6 Front Turf Tires
20x10-8 Rear Turf Tires
STEERING
2 Wheel Low Effort Steering
System
Hydraulic Power Steering

22 In. Turning Radius
Cast Iron Front Axle with
Replaceable Metal Bushings
.75 In. Front Spindles
AUTOMATIC (HYDROSTATIC)
TRANSMISSION
Twin Touch Foot control
Tuff-Torque K58 H Transaxle
Internal Wet Disk Brakes
Tow valve
5.8 mph (9.3 km/h) Forward,
3.5 mph (5.6km/h) Reverse
Travel Speed
Cruise Control
OPERATOR STATION
14 In. Steering Wheel
15 In. Open Back Seat with
Access
Grip, 7 In. Fore-Aft Adjustment
and Adjustable Suspension
Cup Holder
ELECTRICAL SYSTEM
340 CCA Battery
15 Amp Regulated Charging System
Four-Position Key Switch with
Headlight Switch
Hour Meter
Seat/PTO Interlock Switches

Reverse Implement Option
MISCELLANEOUS
3.3 US Gallon Fuel Tank Capacity
Welded C-Channel Frame
Rear Hitch Accepts 2 Quik-Tatch
Weights
Electric Mower/Implement PTO
Drive Clutch
Hydraulic Power Deck and
Implement Lift System
Heavy Duty Cargo Mount System
*Engine HP is Provided by the
Engine Manufacturer to be Used
for Comparison Purposes Only,
Actual Operating HP will be
Less. Refer to the Engine
Manufacturer's Web Site for
Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

Select Series X310 - 42X

F.O.B. Janesville, Wisconsin

4791M	Select Series X310 Tractor with 42X Edge Xtra Deck <i>Not Available for Sale in California.</i>	3,999.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

SKU23044	Blades: 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95

FRONT MOUNTED THATCHERS:

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X310 Tractor with 42X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TY13056	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
	BM21679	Material Collection System Hoppers: 7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	41.70
	BG20766	Material Collection System Power Flow/Rear Bagger Chutes: Rear Bagger Chute for 42 In. Mowers	103.79
	AM136716	Miscellaneous: 12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	20.57
	BM24915	12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
	BM17981	12 Volt Work Light Kit	52.43
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	BM23056	Bumper (X300s, X500, X530, X534)	64.20
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG256	Home Maintenance Kit <i>For use with MY2006-2010 (Serial 010001-180000).</i>	45.62
	LG265	Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	44.27
	M146542	Rubber Blade Squeegee <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	58.49
	AM136046	Seat Net Kit	31.25
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X310 Tractor with 42X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM23054	Sun Shade (X300/X500 M-T)	164.79
		Mower Deck and Mower Deck Attachments:	
	BM22550	Anti-Scalp Wheel Extension Kit	63.13
	AM141034	Blade Kit (42X, Bagging)	47.94
	AM141033	Blade Kit (42X, Mulching)	45.81
	AM141032	Blade Kit (42X, Side Discharge)	54.65
	BM20505	Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
	AM130907	Mower Deck Leveling Gauge	6.95
	BM21816	Mulch Kit (42 In. or 42X)	101.66
		Order Zone:	
	LP23117	125 lb. Electric Broadcast Spreader Barrier Shield	65.00
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	399.00
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1001	42-In. Tractor Grass Groomer	99.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LPJD100	Bucket Holder (Single)	39.95
	LP47168	MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95
	LP93617	Riding Mower Deluxe Cover (M)	89.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36740	X300 Series Weather Enclosure	426.99
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		Seats / Wheels / Tires:	
	TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
		Snow Blowers:	

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X310 Tractor with 42X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	SKU23045	44 In. Snow Blower (X300's, X500, X520) <i>Rear Weights and Tire Chains are Recommended for Additional Traction. Winter Grill Cover Recommended on Air-cooled Engines to Prevent Carburetor Icing. X300, X304 Tractors Shipped less deck or with 38X, 42X or 42M (SN -150000) Decks need to also Order AM136646 Lift Assist Spring Kit.</i>	1,555.00
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	91.38
	BM24925	Spanish North American Kit: Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
	BM25360	Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X300,X310,X304,X324,X320,X360).</i>	42.80
	R66949	Weights: Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
	BM17962	Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

Select Series X300 Tractor Less Deck, California Model

Equipment for Base Machine

JOHN DEERE iTORQUE POWER SYSTEM
 Exclusive Air Intake System
 V-Twin Engine
 Overhead Valves
 Hemispheric Cylinder Head
 V-Valve Technology
 Cast Iron Cylinder Liners
 Full Pressure Lubrication with Replaceable Oil Filter
 *18.5 HP
 LESS MOWER STANDARD
 OPTIONAL 38 IN. or 42 IN. EDGE XTRA CUTTING SYSTEM or 42 IN. EDGE MULCH CUTTING SYSTEM
 Two .67 In. StarLock Greaseable Spindles
 Two Front 2.6 In. Wide Anti-Scalp Wheels
 4 Point Mounting
 Adjustable Down Stop
 .25 In. Cut Height Increments
 1 to 4 In. Cutting Heights
 On Board Leveling Gauge
 Exact Adjust Leveling Ports
 28 In. Uncut Circle Radius (38X, 42X)
 27 in Uncut Circle Radius (42 Edge Mulch)
 Removable Material Gates with On Board Storage (42 Edge Mulch)
 OPTIONAL 48 IN. EDGE XTRA CUTTING SYSTEM
 Three .79 In. Greaseable Spindles
 Two Front and Two Rear 2.6 In. Wide Rotateable Anti-Scalp

Wheels
 No Tools Anti-Scalp Wheel Cut Height Adjustment
 Two 2.9 In Wide Front Anti-Scalp Rollers
 4 Point Mounting
 Adjustable Down Stop
 .25 In. Cut Height Increments
 1 to 4 In. Cutting Heights
 On Board Leveling Gauge
 Exact Adjust Leveling Ports
 21 In. Uncut Circle Radius
 TIRES
 15x6-6 Front Turf Tires
 20x10-8 Rear Turf Tires
 STEERING
 2 Wheel Low Effort Steering System
 16 In. Turning Radius
 Cast Iron Front Axle with Replaceable Metal Bushings
 .75 In. Front Spindles
 AUTOMATIC (HYDROSTATIC) TRANSMISSION
 Twin Touch Foot control
 Tuff-Torque K46 Transaxle
 Internal Wet Disk Brakes
 Tow valve
 5.5 mph (8.9 km/h) Forward, 4.0 mph (6.4 km/h) Reverse
 Travel Speed
 Cruise Control
 OPERATOR STATION
 14 In. Steering Wheel
 15 In. Open Back Seat with Access
 Grip, 7 In. Fore-Aft Adjustment

and Adjustable Suspension
 Cup Holder
 ELECTRICAL SYSTEM
 340 CCA Battery
 15 Amp Regulated Charging System
 Four-Position Key Switch with Headlight Switch
 Hour Meter
 Seat/PTO Interlock Switches
 Reverse Implement Option
 MISCELLANEOUS
 3.3 US Gallon Fuel Tank Capacity
 Welded C-Channel Frame
 Rear Hitch Accepts 2 Quik-Tatch Weights
 Electric Mower/Implement PTO
 Drive Clutch
 Foot Pedal Deck and Implement Lift System
 Heavy Duty Cargo Mount System
 *Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X300

F.O.B. Janesville, Wisconsin

470NM	Select Series X300 Tractor Less Deck, California Model	2,499.00
-------	--	----------

ATTACHMENTS FOR FIELD CONVERSION

Blades:		
SKU23044	44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
Engine:		
AM135845	Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
FRONT MOUNTED THATCHERS:		
TY13056	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor Less Deck, California Model
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
	BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	41.70
		Material Collection System Power Flow Blowers:	
	BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial) 010001-040000, Model X500 M-T Tractor (Serial 010001-020000), MY2008- X320 (Serial 085001-), MY2008- X324 (Serial 085001-) MY2008- X500 (Serial 030001-) and X360.</i>	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
	BM21681	Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
	BM20982	Rear Bagger Chute for 38 In. Mowers	75.97
	BG20766	Rear Bagger Chute for 42 In. Mowers	103.79
		Miscellaneous:	
	AM136716	12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	20.57
	BM24915	12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
	BM17981	12 Volt Work Light Kit	52.43
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	BM23056	Bumper (X300s, X500, X530, X534)	64.20
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG256	Home Maintenance Kit <i>For use with MY2006-2010 (Serial 010001-180000).</i>	45.62
	LG265	Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	44.27
	M146542	Rubber Blade Squeegee <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	58.49

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor Less Deck, California Model

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM136046	Seat Net Kit	31.25
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	SKU24192	Mower Deck and Mower Deck Attachments: 38 in Edge Xtra Deck (38X) <i>Requires M156856 Right-Hand Lift Arm.</i>	600.00
	SKU24194	42 In. Edge Mulch Deck (42M) <i>Also order AM136646 Lift Assist Spring Kit when used on X300-38, X300-42X, X300-Less deck, X304-42X, X300-42X or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.</i>	700.00
	SKU24193	42 In. Edge Xtra Deck (42X)	600.00
	SKU24195	48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	BM22550	Anti-Scalp Wheel Extension Kit	63.13
	M127673	Blade (48C/48X, Mulching)	18.29
	M145476	Blade (48C/48X, Side Discharge)	12.98
	AM141040	Blade Kit (38X, Mulching)	31.51
	AM141039	Blade Kit (38X, Side Discharge Kit)	32.75
	AM140332	Blade Kit (42M, Mulching Low Lift)	41.70
	AM140973	Blade Kit (42M, Mulching)	34.08
	AM141034	Blade Kit (42X, Bagging)	47.94
	AM141033	Blade Kit (42X, Mulching)	45.81
	AM141032	Blade Kit (42X, Side Discharge)	54.65
	AM141041	Blade, Kit (38X) Bagging	36.75
	BM20505	Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
	AM130907	Mower Deck Leveling Gauge	6.95
	AM108476	Mower Deck Wear Plate (38 In. Mower)	168.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor Less Deck, California Model
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	M150883	Mower Leaf Mulcher Plate Assembly (38/38X)	38.54
	AM103851	Mower Lip Kit (Left), 38 In. Mower	168.00
	AM103852	Mower Lip Kit (Right Rear), 38 In. Mower	74.12
	BM21817	Mulch Kit (38 In. or 38X) <i>For 2 Spindle Mowers</i>	134.81
	BM21816	Mulch Kit (42 In. or 42X)	101.66
	BM20007	Mulch Kit (48C/48X)	160.50
		Order Zone:	
	LP23117	125 lb. Electric Broadcast Spreader Barrier Shield	65.00
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	399.00
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1001	42-In. Tractor Grass Groomer	99.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LPJD100	Bucket Holder (Single)	39.95
	LP33711	Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	399.95
	LP47168	MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95
	LP93617	Riding Mower Deluxe Cover (M)	89.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36740	X300 Series Weather Enclosure	426.99
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		Seats / Wheels / Tires:	
	TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	70.96

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor Less Deck, California Model
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Snow Blowers:	
SKU23045		44 In. Snow Blower (X300's, X500, X520) <i>Rear Weights and Tire Chains are Recommended for Additional Traction. Winter Grill Cover Recommended on Air-cooled Engines to Prevent Carburetor Icing. X300, X304 Tractors Shipped less deck or with 38X, 42X or 42M (SN -150000) Decks need to also Order AM136646 Lift Assist Spring Kit.</i>	1,555.00
AM136646		Lift Assist Spring Kit	62.08
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	91.38
		Spanish North American Kit:	
BM24925		Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
BM25360		Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X300,X310,X304,X324,X320,X360).</i>	42.80
		Weights:	
R66949		Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
BM23621		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of up to four R66949 Quik-Tatch Weights on front of X300s.</i>	60.99
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

Select Series X320 Tractor Less Deck, California Model Equipment for Base Machine

JOHN DEERE iTORQUE POWER SYSTEM
Exclusive Air Intake System
V-Twin Engine
Overhead Valves
Hemispheric Cylinder Head
V-Valve Technology
Cast Iron Cylinder Liners
Full Pressure Lubrication with Replaceable Oil Filter
*22 HP
LESS MOWER STANDARD
OPTIONAL 38 IN. or 42 IN. EDGE XTRA CUTTING SYSTEM or 42 IN. EDGE MULCH CUTTING SYSTEM
Two .67 In. StarLock Greaseable Spindles
Two Front 2.6 In. Wide Anti-Scalp Wheels
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
28 In. Uncut Circle Radius (38X, 42X)
27 in Uncut Circle Radius (42 Edge Mulch)
Removable Material Gates with On Board Storage (42 Edge Mulch)
OPTIONAL 48 IN. EDGE XTRA CUTTING SYSTEM
Three .79 In. Greaseable Spindles
Two Front and Two Rear 2.6 In. Wide Rotatable Anti-Scalp Wheels

No Tools Anti-Scalp Wheel Cut Height Adjustment
Two 2.9 In Wide Front Anti-Scalp Rollers
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
21 In. Uncut Circle Radius
TIRES
15x6.5-8 Front Turf Tires
22x11-10 Rear Turf Tires
STEERING
2 Wheel Low Effort Steering System
16 In. Turning Radius
Cast Iron Front Axle with Replaceable Metal Bushings
.75 In. Front Spindles
AUTOMATIC (HYDROSTATIC) TRANSMISSION
Twin Touch Foot control
Tuff-Torque K58 Transaxle
Internal Wet Disk Brakes
Tow valve
6.2 mph (10 km/hr) Forward, 3.5mph (5.6 km/h) Reverse
Travel Speed
Cruise Control
OPERATOR STATION
14 In. Steering Wheel
15 In. Open Back Seat with Access
Grip, 7 In. Fore-Aft Adjustment and Adjustable Suspension
Cup Holder

ELECTRICAL SYSTEM
340 CCA Battery
15 Amp Regulated Charging System
Four-Position Key Switch with Headlight Switch
Hour Meter
Seat/PTO Interlock Switches
Reverse Implement Option
MISCELLANEOUS
3.3 US Gallon Fuel Tank Capacity
Capacity
Welded C-Channel Frame
Rear Hitch Accepts 2 Quik-Tatch Weights
Electric Mower/Implement PTO Drive Clutch
Foot Pedal Deck and Implement Lift System
Adjustable Lift Assist Spring
Heavy Duty Cargo Mount System
*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X320

F.O.B. Janesville, Wisconsin

472KM	Select Series X320 Tractor Less Deck, California Model	3,399.00
-------	--	----------

ATTACHMENTS FOR FIELD CONVERSION

SKU23044	Blades: 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
TY13056	FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X320 Tractor Less Deck, California Model
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
	BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	41.70
		Material Collection System Power Flow Blowers:	
	BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial) 010001-040000, Model X500 M-T Tractor (Serial 010001-020000), MY2008- X320 (Serial 085001-), MY2008- X324 (Serial 085001-) MY2008- X500 (Serial 030001-) and X360.</i>	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
	BM21681	Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
	BG20766	Rear Bagger Chute for 42 In. Mowers	103.79
		Miscellaneous:	
	AM136716	12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	20.57
	BM24915	12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
	BM17981	12 Volt Work Light Kit	52.43
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	BM23056	Bumper (X300s, X500, X530, X534)	64.20
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG249	Home Maintenance Kit <i>Fits 2010 and earlier models only (Serial-180000).</i>	47.52
	LG265	Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	44.27
	M146542	Rubber Blade Squeegee <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	58.49
	AM136046	Seat Net Kit	31.25

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X320 Tractor Less Deck, California Model

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	AM141155	Wheel Cover, 10 In. (Stainless Steel)	76.03
		Mower Deck and Mower Deck Attachments:	
	SKU24194	42 In. Edge Mulch Deck (42M) <i>Also order AM136646 Lift Assist Spring Kit when used on X300-38, X300-42X, X300-Less deck, X304-42X, X300-42X or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.</i>	700.00
	SKU24193	42 In. Edge Xtra Deck (42X)	600.00
	SKU24195	48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	SKU21897	54 in Edge Xtra Deck (54X)	1,300.00
	BM22550	Anti-Scalp Wheel Extension Kit	63.13
	M127673	Blade (48C/48X, Mulching)	18.29
	M145476	Blade (48C/48X, Side Discharge)	12.98
	M152726	Blade (54C/54X, High Lift)	19.59
	M145516	Blade (54C/54X, Mulching)	19.77
	M143520	Blade (54C/54X, Side Discharge)	16.77
	AM140332	Blade Kit (42M, Mulching Low Lift)	41.70
	AM140973	Blade Kit (42M, Mulching)	34.08
	AM141034	Blade Kit (42X, Bagging)	47.94
	AM141033	Blade Kit (42X, Mulching)	45.81
	AM141032	Blade Kit (42X, Side Discharge)	54.65
	BM20505	Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
	BM20985	Leaf Bagging Kit (54C/54X Mower)	126.26
	AM130907	Mower Deck Leveling Gauge	6.95

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X320 Tractor Less Deck, California Model

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM21816	Mulch Kit (42 In. or 42X)	101.66
	BM20007	Mulch Kit (48C/48X)	160.50
	BM20827	Mulch Kit (54C/54D/54X)	217.21
		Order Zone:	
	LP23117	125 lb. Electric Broadcast Spreader Barrier Shield	65.00
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	399.00
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1001	42-In. Tractor Grass Groomer	99.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LPJD100	Bucket Holder (Single)	39.95
	LP33711	Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	399.95
	LP47168	MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95
	LP93617	Riding Mower Deluxe Cover (M)	89.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36740	X300 Series Weather Enclosure	426.99
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		Seats / Wheels / Tires:	
	TY24327	Tire Chains for 22x11-10 In. Turf Tires	76.64
		Snow Blowers:	
	SKU23045	44 In. Snow Blower (X300's, X500, X520) <i>Rear weights and tire chains are recommended for additional traction. Winter grill cover recommended on air-cooled engines to prevent carburetor icing.</i>	1,555.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X320 Tractor Less Deck, California Model
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	91.38
	BM24925	Spanish North American Kit: Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
	BM25360	Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X300,X310,X304,X324,X320,X360).</i>	42.80
	R66949	Weights: Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of up to four R66949 Quik-Tatch Weights on front of X300s.</i>	60.99
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>Requires BM17978 Wheel Weight Mounting Hardware Kit.</i>	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

Select Series X300R Tractor with 42 In. Edge Xtra Rear Discharge Deck Equipment for Base Machine

Exclusive Air Intake System	15x6-6 Front Turf Tires	Headlight Switch
V-Twin Engine	20x10-8 Rear Turf Tires	Hour Meter
Overhead Valves	STEERING	Seat/PTO Interlock Switches
Hemispheric Cylinder Head	2 Wheel Low Effort Steering	Reverse Implement Option
V-Valve Technology	System	MISCELLANEOUS
Cast Iron Cylinder Liners	20 In. Turning Radius	2.0 US Gallon Fuel Tank Capacity
Full Pressure Lubrication with	Cast Iron Front Axle with	Welded C-Channel Frame
Replaceable Oil Filter	Replaceable Metal Bushings	Electric Mower/Implement PTO
*18.5 HP	.75 In. Front Spindles	Drive Clutch
42 IN. EDGE XTRA REAR DISCHARGE	AUTOMATIC (HYDROSTATIC)	Foot Pedal Deck and Implement
CUTTING SYSTEM	TRANSMISSION	Lift System
Two .67 In. StarLock	Twin Touch Foot Control	Adjustable Lift Assist Spring
Greaseable Spindles	Tuff-Torque K46 Transaxle	*Engine HP is Provided by the
Two Front 2.6 In. Wide Anti-	Internal Wet Disk Brakes	Engine Manufacturer to be Used
Scalp Wheels	Tow valve	for Comparison Purposes Only,
Wash Ports	5.3 mph (8.5 km/h) Forward,	Actual Operating HP will be
4 Point Mounting	4.0 mph (6.4 km/h) Reverse	Less. Refer to the Engine
Adjustable Down Stop	Travel Speed	Manufacturer's Web Site for
.25 In. Cut Height Increments	Cruise Control	Additional Information.
1 to 3.75 In. Cutting Heights	OPERATOR STATION	
On Board Leveling Gauge	14 In. Steering Wheel	
Exact Adjust Leveling Ports	15 In. Open Back Seat with	
29 In. Uncut Circle Radius	Access Grip, 7 In. Fore-Aft	
INTEGRATED COLLECTION SYSTEM	Adjustment and Adjustable	
8.5 bu. (300 Liter) Collection	Suspension	
Hopper	Cup Holder	
Turbostar Fan	ELECTRICAL SYSTEM	
Automatic PTO Shut Off/Hopper	340 CCA Battery	
Full	15 Amp Regulated Charging System	
TIRES	Four-Position Key Switch with	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X300R

F.O.B. Janesville, Wisconsin

4759M	Select Series X300R Tractor with 42 In. Edge Xtra Rear Discharge Deck <i>Not Available for Sale in California.</i>	4,199.00
-------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

SKU23044	Blades: 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300R Tractor with 42 In. Edge Xtra Rear Discharge Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		FRONT MOUNTED THATCHERS:	
	TY13056	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
	BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
		Miscellaneous:	
	AM136716	12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	20.57
	BM24915	12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
	BM17981	12 Volt Work Light Kit	52.43
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	BM23056	Bumper (X300s, X500, X530, X534)	64.20
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG256	Home Maintenance Kit <i>For use with MY2007-2009 (Serial 040001-150000).</i>	45.62
	LG265	Home Maintenance Kit <i>For use with MY2010- (Serial 150001-).</i>	44.27
	BM22196	Rear Deflector Kit (X300R)	125.19
	M146542	Rubber Blade Squeegee <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	58.49
	AM136046	Seat Net Kit	31.25
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13
	BM23054	Sun Shade (X300/X500 M-T)	164.79

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300R Tractor with 42 In. Edge Xtra Rear Discharge Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Mower Deck and Mower Deck Attachments:	
	AM140974	Blade Kit (X300R, Bagging and Rear Discharge)	43.92
	AM140975	Blade Kit (X300R, Mulching)	41.51
	AM130907	Mower Deck Leveling Gauge	6.95
	BM22326	Mulch Kit (X300R)	116.63
		Order Zone:	
	LP40000	40-In. Tractor Shovel	899.95
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		Seats / Wheels / Tires:	
	BM19123	31 Lb. Plastic Rear Wheel Weights	67.41
	TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
		Snow Blowers:	
	SKU23045	44 In. Snow Blower (X300's, X500, X520) <i>Rear Weights and Tire Chains are Recommended for Additional Traction. Winter Grill Cover Recommended on Air-cooled Engines to Prevent Carburetor Icing. Collection Hopper or a BM22196 Rear Deflector Kit are Required. For Snow Blowers built prior to April 2008 (Serial -030001) see DTAC Solution 79224 for Adaptation Instructions.</i>	1,555.00
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	91.38
		Spanish North American Kit:	
	BM24926	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300R).</i>	42.80
	BM25361	Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X300R).</i>	42.80
		Weights:	
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
	BM17962	Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

Select Series X300 Tractor with 48X Edge Xtra Deck Equipment for Base Machine

Exclusive Air Intake System
V-Twin Engine
Overhead Valves
Hemispheric Cylinder Head
V-Valve Technology
Cast Iron Cylinder Liners
Full Pressure Lubrication with Replaceable Oil Filter
*18.5 HP
48 IN. EDGE XTRA CUTTING SYSTEM
Three .79 In. Greaseable Spindles
Two Front and Two Rear 2.6 In. Wide Rotateable Anti-Scalp Wheels
No Tools Anti-Scalp Wheel Cut Height Adjustment
Two 2.9 In Wide Front Anti-Scalp Rollers
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
21 In. Uncut Circle Radius
TIRES
15x6-6 Front Turf Tires
20x10-8 Rear Turf Tires
STEERING

2 Wheel Low Effort Steering System
16 In. Turning Radius
Cast Iron Front Axle with Replaceable Metal Bushings
.75 In. Front Spindles
AUTOMATIC (HYDROSTATIC) TRANSMISSION
Twin Touch Foot control
Tuff-Torque K46 Transaxle
Internal Wet Disk Brakes
Tow valve
5.5 mph (8.9 km/h) Forward,
4.0 mph (6.4 km/h) Reverse
Travel Speed
Cruise Control
OPERATOR STATION
14 In. Steering Wheel
15 In. Open Back Seat with Access
Grip, 7 In. Fore-Aft Adjustment and Adjustable Suspension
Cup Holder
ELECTRICAL SYSTEM
340 CCA Battery
15 Amp Regulated Charging System
Four-Position Key Switch with Headlight Switch
Hour Meter
Seat/PTO Interlock Switches

Reverse Implement Option
MISCELLANEOUS
3.3 US Gallon Fuel Tank Capacity
Welded C-Channel Frame
Rear Hitch Accepts 2 Quik-Tatch Weights
Electric Mower/Implement PTO
Drive Clutch
Foot Pedal Deck and Implement Lift System
Adjustable Lift Assist Spring
Heavy Duty Cargo Mount System
*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X300 - 48X

F.O.B. Janesville, Wisconsin

470LM	Select Series X300 Tractor with 48X Edge Xtra Deck <i>Not Available for Sale in California.</i>	3,399.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

SKU23044	Blades: 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor with 48X Edge Xtra Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		FRONT MOUNTED THATCHERS:	
	TY13056	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
	BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	41.70
		Material Collection System Power Flow Blowers:	
	BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial) 010001-040000, Model X500 M-T Tractor (Serial 010001-020000), MY2008- X320 (Serial 085001-), MY2008- X324 (Serial 085001-) MY2008- X500 (Serial 030001-) and X360.</i>	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
	BM21681	Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
		Miscellaneous:	
	AM136716	12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	20.57
	BM24915	12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
	BM17981	12 Volt Work Light Kit	52.43
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	BM23056	Bumper (X300s, X500, X530, X534)	64.20
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG256	Home Maintenance Kit <i>For use with MY2006-2010 (Serial 010001-180000).</i>	45.62
	LG265	Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	44.27
	M146542	Rubber Blade Squeegee <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	58.49

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor with 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM136046	Seat Net Kit	31.25
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	SKU24195	Mower Deck and Mower Deck Attachments: 48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	M127673	Blade (48C/48X, Mulching)	18.29
	M145476	Blade (48C/48X, Side Discharge)	12.98
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
	AM130907	Mower Deck Leveling Gauge	6.95
	BM20007	Mulch Kit (48C/48X)	160.50
	LP23117	Order Zone: 125 lb. Electric Broadcast Spreader Barrier Shield	65.00
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	399.00
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LPJD100	Bucket Holder (Single)	39.95
	LP33711	Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	399.95
	LP47168	MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95
	LP93617	Riding Mower Deluxe Cover (M)	89.99

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor with 48X Edge Xtra Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP93917	Riding Mower Standard Cover	69.99
	LP36740	X300 Series Weather Enclosure	426.99
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		Seats / Wheels / Tires:	
	TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
		Snow Blowers:	
	SKU23045	44 In. Snow Blower (X300's, X500, X520)	1,555.00
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	91.38
		Spanish North American Kit:	
	BM24925	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
	BM25360	Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X300,X310,X304,X324,X320,X360).</i>	42.80
		Weights:	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
	BM17962	Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

Select Series X300 Tractor Less Deck Equipment for Base Machine

Exclusive Air Intake System
V-Twin Engine
Overhead Valves
Hemispheric Cylinder Head
V-Valve Technology
Cast Iron Cylinder Liners
Full Pressure Lubrication with
Replaceable Oil Filter
*18.5 HP
LESS MOWER STANDARD
OPTIONAL 38 IN. or 42 IN. EDGE
XTRA CUTTING SYSTEM or 42 IN.
EDGE MULCH CUTTING SYSTEM
Two .67 In. StarLock Greaseable
Spindles
Two Front 2.6 In. Wide
Anti-Scalp Wheels
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
28 In. Uncut Circle Radius
(38X, 42X)
27 in Uncut Circle Radius
(42 Edge Mulch)
Removable Material Gates with
On Board Storage (42 Edge
Mulch)
OPTIONAL 48 IN. EDGE XTRA
CUTTING SYSTEM
Three .79 In. Greaseable
Spindles
Two Front and Two Rear 2.6 In.
Wide Rotateable Anti-Scalp
Wheels

No Tools Anti-Scalp Wheel Cut
Height Adjustment
Two 2.9 In Wide Front
Anti-Scalp Rollers
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
21 In. Uncut Circle Radius
TIRES
15x6-6 Front Turf Tires
20x10-8 Rear Turf Tires
STEERING
2 Wheel Low Effort Steering
System
16 In. Turning Radius
Cast Iron Front Axle with
Replaceable Metal Bushings
.75 In. Front Spindles
AUTOMATIC (HYDROSTATIC)
TRANSMISSION
Twin Touch Foot control
Tuff-Torque K46 Transaxle
Internal Wet Disk Brakes
Tow valve
5.5 mph (8.9 km/h) Forward,
4.0 mph (6.4 km/h) Reverse
Travel Speed
Cruise Control
OPERATOR STATION
14 In. Steering Wheel
15 In. Open Back Seat with
Access
Grip, 7 In. Fore-Aft Adjustment
and Adjustable Suspension

Cup Holder
ELECTRICAL SYSTEM
340 CCA Battery
15 Amp Regulated Charging System
Four-Position Key Switch with
Headlight Switch
Hour Meter
Seat/PTO Interlock Switches
Reverse Implement Option
MISCELLANEOUS
3.3 US Gallon Fuel Tank Capacity
Welded C-Channel Frame
Rear Hitch Accepts 2 Quik-Tatch
Weights
Electric Mower/Implement PTO
Drive Clutch
Foot Pedal Deck and Implement
Lift System
Heavy Duty Cargo Mount System
*Engine HP is Provided by the
Engine Manufacturer to be Used
for Comparison Purposes Only,
Actual Operating HP will be
Less. Refer to the Engine
Manufacturer's Web Site for
Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

Select Series X300

F.O.B. Janesville, Wisconsin

470MM	Select Series X300 Tractor Less Deck <i>Not Available for Sale in California.</i>	2,499.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Blades:

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

Select Series X300 Tractor Less Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	SKU23044	44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
	AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
	TY13056	FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
	BM21679	Material Collection System Hoppers: 7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	41.70
	BM22696	Material Collection System Power Flow Blowers: 48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial) 010001-040000, Model X500 M-T Tractor (Serial 010001-020000), MY2008- X320 (Serial 085001-), MY2008- X324 (Serial 085001-) MY2008- X500 (Serial 030001-) and X360.</i>	541.41
	BM21681	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
	BM20982	Rear Bagger Chute for 38 In. Mowers	75.97
	BG20766	Rear Bagger Chute for 42 In. Mowers	103.79
	AM136716	Miscellaneous: 12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	20.57
	BM24915	12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
	BM17981	12 Volt Work Light Kit	52.43
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	BM23056	Bumper (X300s, X500, X530, X534)	64.20
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor Less Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LG256	Home Maintenance Kit <i>For use with MY2006-2010 (Serial 010001-180000).</i>	45.62
	LG265	Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	44.27
	M146542	Rubber Blade Squeegee <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	58.49
	AM136046	Seat Net Kit	31.25
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13
	BM23054	Sun Shade (X300/X500 M-T)	164.79
		Mower Deck and Mower Deck Attachments:	
	SKU24192	38 in Edge Xtra Deck (38X)	600.00
	SKU24194	42 In. Edge Mulch Deck (42M) <i>Also order AM136646 Lift Assist Spring Kit when used on X300-38, X300-42X, X300-Less deck, X304-42X, X300-42X or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.</i>	700.00
	SKU24195	48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	BM22550	Anti-Scalp Wheel Extension Kit	63.13
	M127673	Blade (48C/48X, Mulching)	18.29
	M145476	Blade (48C/48X, Side Discharge)	12.98
	AM141040	Blade Kit (38X, Mulching)	31.51
	AM141039	Blade Kit (38X, Side Discharge Kit)	32.75
	AM140332	Blade Kit (42M, Mulching Low Lift)	41.70
	AM140973	Blade Kit (42M, Mulching)	34.08
	AM141034	Blade Kit (42X, Bagging)	47.94
	AM141033	Blade Kit (42X, Mulching)	45.81
	AM141032	Blade Kit (42X, Side Discharge)	54.65
	AM141041	Blade, Kit (38X) Bagging	36.75
	BM20505	Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

Select Series X300 Tractor Less Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
	AM130907	Mower Deck Leveling Gauge	6.95
	AM108476	Mower Deck Wear Plate (38 In. Mower)	168.00
	M150883	Mower Leaf Mulcher Plate Assembly (38/38X)	38.54
	AM103851	Mower Lip Kit (Left), 38 In. Mower	168.00
	AM103852	Mower Lip Kit (Right Rear), 38 In. Mower	74.12
	BM21817	Mulch Kit (38 In. or 38X) <i>For 2 Spindle Mowers</i>	134.81
	BM21816	Mulch Kit (42 In. or 42X)	101.66
	BM20007	Mulch Kit (48C/48X)	160.50
		Order Zone:	
	LP23117	125 lb. Electric Broadcast Spreader Barrier Shield	65.00
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	399.00
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1001	42-In. Tractor Grass Groomer	99.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LPJD100	Bucket Holder (Single)	39.95
	LP33711	Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	399.95
	LP47168	MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95
	LP93617	Riding Mower Deluxe Cover (M)	89.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36740	X300 Series Weather Enclosure	426.99

Protection:

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

Select Series X300 Tractor Less Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		Seats / Wheels / Tires:	
	TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
		Snow Blowers:	
	SKU23045	44 In. Snow Blower (X300's, X500, X520) <i>Rear Weights and Tire Chains are Recommended for Additional Traction. Winter Grill Cover Recommended on Air-cooled Engines to Prevent Carburetor Icing. X300, X304 Tractors Shipped less deck or with 38X, 42X or 42M (SN -150000) Decks need to also Order AM136646 Lift Assist Spring Kit.</i>	1,555.00
	AM136646	Lift Assist Spring Kit	62.08
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	91.38
		Spanish North American Kit:	
	BM24925	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
	BM25360	Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X300,X310,X304,X324,X320,X360).</i>	42.80
		Weights:	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
	BM17962	Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

Select Series X304 Tractor with 4 Wheel Steer and 42X Edge Xtra Deck Equipment for Base Machine

Exclusive Air Intake System
V-Twin Engine
Overhead Valves
Hemispheric Cylinder Head
V-Valve Technology
Cast Iron Cylinder Liners
Full Pressure Lubrication with
Replaceable Oil Filter
*18.5 HP
42 IN. EDGE XTRA CUTTING SYSTEM
Two .67 In. StarLock Greaseable
Spindles
Two Front 2.6 In. Wide
Anti-Scalp Wheels
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
16 In. Uncut Circle Radius
TIRES
15x6-6 Front Turf Tires
20x10-10 Rear Turf Tires
STEERING
4 Wheel Low Effort Steering
System
15 In. Turning Radius

Cast Iron Front Axle with
Replaceable Metal Bushings
.75 In. Front Spindles
AUTOMATIC (HYDROSTATIC)
TRANSMISSION
Twin Touch Foot control
Tuff-Torque k46 Transaxle
Internal Wet Disk Brakes
Tow valve
5.5 mph (8.9 km/h) Forward,
4.0 mph (6.4 km/h) Reverse
Travel Speed
Cruise Control
OPERATOR STATION
14 In. Steering Wheel
15 In. Open Back Seat with
Access
Grip, 7 In. Fore-Aft Adjustment
and Adjustable Suspension
Cup Holder
ELECTRICAL SYSTEM
340 CCA Battery
15 Amp Regulated Charging System
Four-Position Key Switch with
Headlight Switch
Hour Meter
Seat/PTO Interlock Switches
Reverse Implement Option

MISCELLANEOUS
3.3 US Gallon Fuel Tank Capacity
Welded C-Channel Frame
Optional Rear Weight Bracket
Accepts 2 Quick Tatch Weights
Electric Mower/Implement PTO
Drive Clutch
Foot Pedal Deck and Implement
Lift System
Heavy Duty Cargo Mount System
*Engine HP is Provided by the
Engine Manufacturer to be Used
for Comparison Purposes Only,
Actual Operating HP will be
Less. Refer to the Engine
Manufacturer's Web Site for
Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

Select Series X304

F.O.B. Janesville, Wisconsin

4718M	Select Series X304 Tractor with 4 Wheel Steer and 42X Edge Xtra Deck <i>Not Available for Sale in California.</i>	3,799.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

SKU23044	Blades: 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95

FRONT MOUNTED THATCHERS:

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X304 Tractor with 4 Wheel Steer and 42X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TY13056	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
	BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	41.70
		Material Collection System Power Flow/Rear Bagger Chutes:	
	BG20766	Rear Bagger Chute for 42 In. Mowers	103.79
		Miscellaneous:	
	AM136716	12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	20.57
	BM24915	12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
	BM17981	12 Volt Work Light Kit	52.43
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	BM23056	Bumper (X300s, X500, X530, X534)	64.20
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG256	Home Maintenance Kit <i>For use with MY2006-2010 (Serial 010001-180000).</i>	45.62
	LG265	Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	44.27
	M146542	Rubber Blade Squeegee <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	58.49
	AM136046	Seat Net Kit	31.25
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

Select Series X304 Tractor with 4 Wheel Steer and 42X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	AM141155	Wheel Cover, 10 In. (Stainless Steel)	76.03
		Mower Deck and Mower Deck Attachments:	
	SKU24193	42 In. Edge Xtra Deck (42X)	600.00
	BM22550	Anti-Scalp Wheel Extension Kit	63.13
	AM141034	Blade Kit (42X, Bagging)	47.94
	AM141033	Blade Kit (42X, Mulching)	45.81
	AM141032	Blade Kit (42X, Side Discharge)	54.65
	BM20505	Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
	AM130907	Mower Deck Leveling Gauge	6.95
	BM21816	Mulch Kit (42 In. or 42X)	101.66
		Order Zone:	
	LP23117	125 lb. Electric Broadcast Spreader Barrier Shield	65.00
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1001	42-In. Tractor Grass Groomer	99.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LP33711	Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	399.95
	LP47168	MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95
	LP93617	Riding Mower Deluxe Cover (M)	89.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36740	X300 Series Weather Enclosure	426.99
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X304 Tractor with 4 Wheel Steer and 42X Edge Xtra Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Seats / Wheels / Tires:	
TY16200		Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
		Snow Blowers:	
SKU23045		44 In. Snow Blower (X300's, X500, X520) <i>Rear Weights and Tire Chains are Recommended for Additional Traction. Winter Grill Cover Recommended on Air-cooled Engines to Prevent Carburetor Icing. X300, X304 Tractors Shipped less deck or with 38X, 42X or 42M (SN -150000) Decks need to also Order AM136646 Lift Assist Spring Kit.</i>	1,555.00
AM136646		Lift Assist Spring Kit	62.08
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	91.38
		Spanish North American Kit:	
BM24925		Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
BM25360		Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X300,X310,X304,X324,X320,X360).</i>	42.80
		Weights:	
R66949		Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
BM23621		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
BM24011		Weight Bracket, Rear (X304, X324, X534) <i>Allows installation of R66949 Quik-Tatch Weights</i>	89.89
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

Select Series X320 Tractor with 48X Edge Xtra Deck Equipment for Base Machine

Exclusive Air Intake System
V-Twin Engine
Overhead Valves
Hemispheric Cylinder Head
V-Valve Technology
Cast Iron Cylinder Liners
Full Pressure Lubrication with Replaceable Oil Filter
*22 HP
48 IN. EDGE XTRA CUTTING SYSTEM
Three .79 In. Greaseable Spindles
Two Front and Two Rear 2.6 In. Wide Rotateable Anti-Scalp Wheels
No Tools Anti-Scalp Wheel Cut Height Adjustment
Two 2.9 In Wide Front Anti-Scalp Rollers
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
21 In. Uncut Circle Radius
TIRES
15x6.5-8 Front Turf Tires
22x11-10 Rear Turf Tires
STEERING

2 Wheel Low Effort Steering System
16 In. Turning Radius
Cast Iron Front Axle with Replaceable Metal Bushings
.75 In. Front Spindles
AUTOMATIC (HYDROSTATIC) TRANSMISSION
Twin Touch Foot control
Tuff-Torque K58 Transaxle
Internal Wet Disk Brakes
Tow valve
6.2 mph (10 km/hr) Forward, 3.5 mph (5.6 km/h) Reverse
Travel Speed
Cruise Control
OPERATOR STATION
14 In. Steering Wheel
15 In. Open Back Seat with Access
Grip, 7 In. Fore-Aft Adjustment and Adjustable Suspension
Cup Holder
ELECTRICAL SYSTEM
340 CCA Battery
15 Amp Regulated Charging System
Four-Position Key Switch with Headlight Switch
Hour Meter
Seat/PTO Interlock Switches

Reverse Implement Option
MISCELLANEOUS
3.3 US Gallon Fuel Tank Capacity
Low-Fuel Light
Welded C-Channel Frame
Rear Hitch Accepts 2 Quik-Tatch Weights
Electric Mower/Implement PTO
Drive Clutch
Foot Pedal Deck and Implement Lift System
Adjustable Lift Assist Spring
Heavy Duty Cargo Mount System
*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X320 - 48X

F.O.B. Janesville, Wisconsin

472FM	Select Series X320 Tractor with 48X Edge Xtra Deck <i>Not Available for Sale in California.</i>	4,299.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

SKU23044	Blades: 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

Select Series X320 Tractor with 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		FRONT MOUNTED THATCHERS:	
	TY13056	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
	BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	41.70
		Material Collection System Power Flow Blowers:	
	BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial) 010001-040000, Model X500 M-T Tractor (Serial 010001-020000), MY2008- X320 (Serial 085001-), MY2008- X324 (Serial 085001-) MY2008- X500 (Serial 030001-) and X360.</i>	541.41
	BM22144	48X HP Power Flow Blower Assembly for 48X Mower with Non-Rotateable Anti-Scalp Wheels (X300/X500 M-T) <i>For use with MY2007 X320 (Serial 040001-085000), X324 (Serial 040001-085000), and the Model X500 M-T Tractor (Serial 020001-030000). Also for use with non-current SKU22194 (48X with Non-Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
	BM21681	Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
		Miscellaneous:	
	AM136716	12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	20.57
	BM24915	12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
	BM17981	12 Volt Work Light Kit	52.43
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	BM23056	Bumper (X300s, X500, X530, X534)	64.20
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG249	Home Maintenance Kit <i>Fits 2010 and earlier models only (Serial-180000).</i>	47.52

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X320 Tractor with 48X Edge Xtra Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LG265	Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	44.27
	M146542	Rubber Blade Squeegee <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	58.49
	AM136046	Seat Net Kit	31.25
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	AM141155	Wheel Cover, 10 In. (Stainless Steel)	76.03
		Mower Deck and Mower Deck Attachments:	
	SKU24195	48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	M127673	Blade (48C/48X, Mulching)	18.29
	M145476	Blade (48C/48X, Side Discharge)	12.98
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
	AM130907	Mower Deck Leveling Gauge	6.95
	BM20007	Mulch Kit (48C/48X)	160.50
		Order Zone:	
	LP23117	125 lb. Electric Broadcast Spreader Barrier Shield	65.00
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	399.00
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LPJD100	Bucket Holder (Single)	39.95
	LP33711	Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	399.95

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X320 Tractor with 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP47168	MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95
	LP93617	Riding Mower Deluxe Cover (M)	89.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36740	X300 Series Weather Enclosure	426.99
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		Seats / Wheels / Tires:	
	TY24327	Tire Chains for 22x11-10 In. Turf Tires	76.64
		Snow Blowers:	
	SKU23045	44 In. Snow Blower (X300's, X500, X520)	1,555.00
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	91.38
		Spanish North American Kit:	
	BM24925	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
	BM25360	Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X300,X310,X304,X324,X320,X360).</i>	42.80
		Weights:	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

Select Series X320 Tractor with 54X Edge Xtra Deck Equipment for Base Machine

Exclusive Air Intake System
V-Twin Engine
Overhead Valves
Hemispheric Cylinder Head
V-Valve Technology
Cast Iron Cylinder Liners
Full Pressure Lubrication with Replaceable Oil Filter
*22 HP
54 IN. EDGE XTRA CUTTING SYSTEM
Three .79 In. Greaseable Spindles
Two Front and Two Rear 2.6 In. Wide Rotateable Anti-Scalp Wheels
No Tools Anti-Scalp Wheel Cut Height Adjustment
Two 2.9 In Wide Front Anti-Scalp Rollers
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
18 In. Uncut Circle Radius
TIRES
15x6.5-8 Front Turf Tires
22x11-10 Rear Turf Tires
STEERING

2 Wheel Low Effort Steering System
16 In. Turning Radius
Cast Iron Front Axle with Replaceable Metal Bushings
.75 In. Front Spindles
AUTOMATIC (HYDROSTATIC) TRANSMISSION
Twin Touch Foot control
Tuff-Torque K58 Transaxle
Internal Wet Disk Brakes
Tow valve
6.2 mph (10 km/hr) Forward,
3.5 mph (5.6 km/h) Reverse
Travel Speed
Cruise Control
OPERATOR STATION
14 In. Steering Wheel
15 In. Open Back Seat with Access
Grip, 7 In. Fore-Aft Adjustment and Adjustable Suspension
Cup Holder
ELECTRICAL SYSTEM
340 CCA Battery
15 Amp Regulated Charging System
Four-Position Key Switch with Headlight switch
Hour Meter
Seat/PTO Interlock Switches

Reverse Implement Option
MISCELLANEOUS
3.3 US Gallon Fuel Tank Capacity
Low-Fuel Light
Welded C-Channel Frame
Rear Hitch Accepts 2 Quik-Tatch Weights
Electric Mower/Implement PTO
Drive Clutch
Foot Pedal Deck and Implement Lift System
Adjustable Lift Assist Spring
Heavy Duty Cargo Mount System
*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X320 - 54X

F.O.B. Janesville, Wisconsin

472JM	Select Series X320 Tractor with 54X Edge Xtra Deck <i>Not Available for Sale in California.</i>	4,599.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

SKU23044	Blades: 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X320 Tractor with 54X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		FRONT MOUNTED THATCHERS:	
	TY13056	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
	BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	41.70
		Material Collection System Power Flow Blowers:	
	BM22697	54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
	BM21681	Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
		Miscellaneous:	
	AM136716	12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	20.57
	BM24915	12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
	BM17981	12 Volt Work Light Kit	52.43
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	BM23056	Bumper (X300s, X500, X530, X534)	64.20
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG249	Home Maintenance Kit <i>Fits 2010 and earlier models only (Serial-180000).</i>	47.52
	LG265	Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	44.27
	M146542	Rubber Blade Squeegee <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	58.49
	AM136046	Seat Net Kit	31.25
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X320 Tractor with 54X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	AM141155	Wheel Cover, 10 In. (Stainless Steel)	76.03
		Mower Deck and Mower Deck Attachments:	
	SKU21897	54 in Edge Xtra Deck (54X)	1,300.00
	M152726	Blade (54C/54X, High Lift)	19.59
	M145516	Blade (54C/54X, Mulching)	19.77
	M143520	Blade (54C/54X, Side Discharge)	16.77
	BM20985	Leaf Bagging Kit (54C/54X Mower)	126.26
	AM130907	Mower Deck Leveling Gauge	6.95
	BM20827	Mulch Kit (54C/54D/54X)	217.21
		Order Zone:	
	LP23117	125 lb. Electric Broadcast Spreader Barrier Shield	65.00
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	399.00
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LPJD100	Bucket Holder (Single)	39.95
	LP33711	Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	399.95
	LP47168	MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95
	LP93617	Riding Mower Deluxe Cover (M)	89.99
	LP93917	Riding Mower Standard Cover	69.99

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X320 Tractor with 54X Edge Xtra Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP36740	X300 Series Weather Enclosure	426.99
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		Seats / Wheels / Tires:	
	TY24327	Tire Chains for 22x11-10 In. Turf Tires	76.64
		Snow Blowers:	
	SKU23045	44 In. Snow Blower (X300's, X500, X520)	1,555.00
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	91.38
		Spanish North American Kit:	
	BM24925	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
	BM25360	Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X300,X310,X304,X324,X320,X360).</i>	42.80
		Weights:	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

Select Series X324 Tractor with 4 Wheel Steer and 48X Edge Xtra Deck Equipment for Base Machine

Exclusive Air Intake System	4 Wheel Low Effort Steering System	Reverse Implement Option
V-Twin Engine	15 In. Turning Radius	MISCELLANEOUS
Overhead Valves	Cast Iron Front Axle with Replaceable Metal Bushings	3.3 US Gallon Fuel Tank Capacity
Hemispheric Cylinder Head	.75 In. Front Spindles	Low-Fuel Light
V-Valve Technology	AUTOMATIC (HYDROSTATIC)	Welded C-Channel Frame
Cast Iron Cylinder Liners	TRANSMISSION	Optional Rear Weight Bracket
Full Pressure Lubrication with Replaceable Oil Filter	Twin Touch Foot control	Accepts 2 Quick Tatch Weights
*22 HP	Tuff-Torque K58 Transaxle	Electric Mower/Implement
48 IN. EDGE XTRA CUTTING SYSTEM	Internal Wet Disk Brakes	PTO Drive Clutch
Three .79 In. Greaseable Spindles	Tow valve	Foot Pedal Deck and Implement Lift System
Two Front and Two Rear 2.6 In. Wide Rotateable Anti-Scalp Wheels	5.9 mph (9.5 km/hr) Forward, 3.5mph (5.6 km/h) Reverse	Adjustable Lift Assist Spring
No Tools Anti-Scalp Wheel Cut Height Adjustment	Travel Speed	Heavy Duty Cargo Mount System
Two 2.9 In Wide Front Anti-Scalp Rollers	Cruise Control	*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.
4 Point Mounting	OPERATOR STATION	
Adjustable Down Stop	14 In. Steering Wheel	
.25 In. Cut Height Increments	15 In. Open Back Seat with Access	
1 to 4 In. Cutting Heights	Grip, 7 In. Fore-Aft Adjustment and Adjustable Suspension	
On Board Leveling Gauge	Cup Holder	
Exact Adjust Leveling Ports	ELECTRICAL SYSTEM	
9 In. Uncut Circle Radius	340 CCA Battery	
TIRES	15 Amp Regulated Charging System	
15x6-6 Front Turf Tires	Four-Position Key Switch with Headlight Switch	
20x10-10 Rear Turf Tires	Hour Meter	
STEERING	Seat/PTO Interlock Switches	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X324

F.O.B. Janesville, Wisconsin

4737M	Select Series X324 Tractor with 4 Wheel Steer and 48X Edge Xtra Deck <i>Not Available for Sale in California.</i>	4,799.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

SKU23044	Blades: 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

Select Series X324 Tractor with 4 Wheel Steer and 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		FRONT MOUNTED THATCHERS:	
	TY13056	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
	BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	41.70
		Material Collection System Power Flow Blowers:	
	BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial) 010001-040000, Model X500 M-T Tractor (Serial 010001-020000), MY2008- X320 (Serial 085001-), MY2008- X324 (Serial 085001-) MY2008- X500 (Serial 030001-) and X360.</i>	541.41
	BM22144	48X HP Power Flow Blower Assembly for 48X Mower with Non-Rotateable Anti-Scalp Wheels (X300/X500 M-T) <i>For use with MY2007 X320 (Serial 040001-085000), X324 (Serial 040001-085000), and the Model X500 M-T Tractor (Serial 020001-030000). Also for use with non-current SKU22194 (48X with Non-Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
	BM21681	Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
		Miscellaneous:	
	AM136716	12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	20.57
	BM24915	12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
	BM17981	12 Volt Work Light Kit	52.43
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	BM23056	Bumper (X300s, X500, X530, X534)	64.20
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG249	Home Maintenance Kit <i>Fits 2010 and earlier models only (Serial-180000).</i>	47.52

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X324 Tractor with 4 Wheel Steer and 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LG265	Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	44.27
	M146542	Rubber Blade Squeegee <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	58.49
	AM136046	Seat Net Kit	31.25
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	AM141155	Wheel Cover, 10 In. (Stainless Steel)	76.03
		Mower Deck and Mower Deck Attachments:	
	SKU24195	48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	M127673	Blade (48C/48X, Mulching)	18.29
	M145476	Blade (48C/48X, Side Discharge)	12.98
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
	AM130907	Mower Deck Leveling Gauge	6.95
	BM20007	Mulch Kit (48C/48X)	160.50
		Order Zone:	
	LP23117	125 lb. Electric Broadcast Spreader Barrier Shield	65.00
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	399.00
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LP33711	Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	399.95

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X324 Tractor with 4 Wheel Steer and 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP47168	MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95
	LP93617	Riding Mower Deluxe Cover (M)	89.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36740	X300 Series Weather Enclosure	426.99
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		Seats / Wheels / Tires:	
	TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
		Snow Blowers:	
	SKU23045	44 In. Snow Blower (X300's, X500, X520)	1,555.00
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	91.38
		Spanish North American Kit:	
	BM24925	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
	BM25360	Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X300,X310,X304,X324,X320,X360).</i>	42.80
		Weights:	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
	BM24011	Weight Bracket, Rear (X304, X324, X534) <i>Allows installation of R66949 Quik-Tatch Weights</i>	89.89
	BM17962	Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

Select Series X360 Tractor with 48X Edge Xtra Deck Equipment for Base Machine

Exclusive Air Intake System	2 Wheel Low Effort Steering System	Hour Meter
V-Twin Engine	Hydraulic Power Steering	Seat/PTO Interlock Switches
Overhead Valves	22 In. Turning Radius	Reverse Implement Option
Hemispheric Cylinder Head	Cast Iron Front Axle with Replaceable Metal Bushings	MISCELLANEOUS
V-Valve Technology	.75 In. Front Spindles	3.3 US Gallon Fuel Tank Capacity
Cast Iron Cylinder Liners	AUTOMATIC (HYDROSTATIC) TRANSMISSION	Low-Fuel Light
Full Pressure Lubrication with Replaceable Oil Filter	Twin Touch Foot control	Welded C-Channel Frame
*22 HP	Tuff-Torque K58 Transaxle	Rear Hitch Accepts 2 Quik-Tatch Weights
48 IN. EDGE XTRA CUTTING SYSTEM	Internal Wet Disk Brakes	Electric Mower/Implement PTO
Three .79 In. Greaseable Spindles	Tow valve	Drive Clutch
Two Front and Two Rear 2.6 In. Wide Rotatable Anti-Scalp Wheels	6.2 mph (10.0 km/h) Forward, 3.5mph (5.6 km/h) Reverse Travel Speed	Hydraulic Power Deck and Implement Lift System
No Tools Anti-Scalp Wheel Cut Height Adjustment	Cruise Control	Heavy Duty Cargo Mount System
Two 2.9 In Wide Front Anti-Scalp Rollers	OPERATOR STATION	*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.
4 Point Mounting	14 In. Steering Wheel	
Adjustable Down Stop	5-Position Tilt Steering Wheel	
.25 In. Cut Height Increments	15 In. Open Back Seat with Access	
1 to 4 In. Cutting Heights	Grip, 7 In. Fore-Aft Adjustment and Adjustable Suspension	
On Board Leveling Gauge	Cup Holder	
Exact Adjust Leveling Ports	ELECTRICAL SYSTEM	
24 In. Uncut Circle Radius	340 CCA Battery	
TIRES	15 Amp Regulated Charging System	
15x6.5-8 Front Turf Tires	Four-Position Key Switch with	
22x11-10 Rear Turf Tires		
STEERING		

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X360

F.O.B. Janesville, Wisconsin

9695M	Select Series X360 Tractor with 48X Edge Xtra Deck <i>Not Available for Sale in California.</i>	5,299.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

SKU23044	Blades: 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X360 Tractor with 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		FRONT MOUNTED THATCHERS:	
	TY13056	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
	BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	41.70
		Material Collection System Power Flow Blowers:	
	BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial) 010001-040000, Model X500 M-T Tractor (Serial 010001-020000), MY2008- X320 (Serial 085001-), MY2008- X324 (Serial 085001-) MY2008- X500 (Serial 030001-) and X360.</i>	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
	BM21681	Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
		Miscellaneous:	
	AM136716	12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	20.57
	BM24915	12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
	BM17981	12 Volt Work Light Kit	52.43
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	BM23056	Bumper (X300s, X500, X530, X534)	64.20
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG249	Home Maintenance Kit <i>Fits 2010 and earlier models only (Serial-180000).</i>	47.52
	LG265	Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	44.27
	M146542	Rubber Blade Squeegee <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	58.49

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X360 Tractor with 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM136046	Seat Net Kit	31.25
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	AM141155	Wheel Cover, 10 In. (Stainless Steel)	76.03
		Mower Deck and Mower Deck Attachments:	
	SKU24195	48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	M127673	Blade (48C/48X, Mulching)	18.29
	M145476	Blade (48C/48X, Side Discharge)	12.98
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
	AM130907	Mower Deck Leveling Gauge	6.95
	BM20007	Mulch Kit (48C/48X)	160.50
		Order Zone:	
	LP23117	125 lb. Electric Broadcast Spreader Barrier Shield	65.00
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	399.00
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LPJD100	Bucket Holder (Single)	39.95
	LP47168	MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95
	LP93617	Riding Mower Deluxe Cover (M)	89.99
	LP93917	Riding Mower Standard Cover	69.99

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X360 Tractor with 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP36740	X300 Series Weather Enclosure	426.99
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		Seats / Wheels / Tires:	
	TY24327	Tire Chains for 22x11-10 In. Turf Tires	76.64
		Snow Blowers:	
	SKU23045	44 In. Snow Blower (X300's, X500, X520)	1,555.00
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	91.38
		Spanish North American Kit:	
	BM24925	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
	BM25360	Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X300,X310,X304,X324,X320,X360).</i>	42.80
		Weights:	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

Select Series X300R Tractor with 42 In. Edge Xtra Rear Discharge Deck, California Model

Equipment for Base Machine

JOHN DEERE iTORQUE POWER SYSTEM	TIRES	Four-Position Key Switch with
Exclusive Air Intake System	15x6-6 Front Turf Tires	Headlight Switch
V-Twin Engine	20x10-8 Rear Turf Tires	Hour Meter
Overhead Valves	STEERING	Seat/PTO Interlock Switches
Hemispheric Cylinder Head	2 Wheel Low Effort Steering	Reverse Implement Option
V-Valve Technology	System	MISCELLANEOUS
Cast Iron Cylinder Liners	20 In. Turning Radius	2.0 US Gallon Fuel Tank Capacity
Full Pressure Lubrication with	Cast Iron Front Axle with	Welded C-Channel Frame
Replaceable Oil Filter	Replaceable Metal Bushings	Electric Mower/Implement PTO
*18.5 HP	.75 In. Front Spindles	Drive Clutch
42 IN. EDGE XTRA REAR DISCHARGE	AUTOMATIC (HYDROSTATIC)	Foot Pedal Deck and Implement
CUTTING SYSTEM	TRANSMISSION	Lift System
Two .67 In. StarLock	Twin Touch Foot Control	Adjustable Lift Assist Spring
Greaseable Spindles	Tuff-Torque K46 Transaxle	*Engine HP is Provided by the
Two Front 2.6 In. Wide Anti-	Internal Wet Disk Brakes	Engine Manufacturer to be Used
Scalp Wheels	Tow valve	for Comparison Purposes Only,
Wash Ports	5.3 mph (8.5 km/h) Forward,	Actual Operating HP will be
4 Point Mounting	4.0 mph (6.4 km/h) Reverse	Less. Refer to the Engine
Adjustable Down Stop	Travel Speed	Manufacturer's Web Site for
.25 In. Cut Height Increments	Cruise Control	Additional Information.
1 to 3.75 In. Cutting Heights	OPERATOR STATION	
On Board Leveling Gauge	14 In. Steering Wheel	
Exact Adjust Leveling Ports	15 In. Open Back Seat with	
29 In. Uncut Circle Radius	Access Grip, 7 In. Fore-Aft	
INTEGRATED COLLECTION SYSTEM	Adjustment and Adjustable	
8.5 bu. (300 Liter) Collection	Suspension	
Hopper	Cup Holder	
Turbostar Fan	ELECTRICAL SYSTEM	
Automatic PTO Shut Off/Hopper	340 CCA Battery	
Full	15 Amp Regulated Charging System	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X300R

F.O.B. Janesville, Wisconsin

475AM	Select Series X300R Tractor with 42 In. Edge Xtra Rear Discharge Deck, California Model	4,299.00
-------	---	----------

ATTACHMENTS FOR FIELD CONVERSION

Blades:		
SKU23044	44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
Engine:		
AM135845	Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
FRONT MOUNTED THATCHERS:		
TY13056	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300R Tractor with 42 In. Edge Xtra Rear Discharge Deck, California Model
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Miscellaneous:	
	AM136716	12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	20.57
	BM24915	12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	BM23056	Bumper (X300s, X500, X530, X534)	64.20
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG256	Home Maintenance Kit <i>For use with MY2007-2009 (Serial 040001-150000).</i>	45.62
	LG265	Home Maintenance Kit <i>For use with MY2010- (Serial 150001-).</i>	44.27
	BM22196	Rear Deflector Kit (X300R)	125.19
	M146542	Rubber Blade Squeegee <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	58.49
	AM136046	Seat Net Kit	31.25
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13
		Mower Deck and Mower Deck Attachments:	
	AM140974	Blade Kit (X300R, Bagging and Rear Discharge)	43.92
	AM140975	Blade Kit (X300R, Mulching)	41.51
	AM130907	Mower Deck Leveling Gauge	6.95
	BM22326	Mulch Kit (X300R)	116.63
		Order Zone:	
	LP40000	40-In. Tractor Shovel	899.95
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

**Select Series X300R Tractor with 42 In. Edge Xtra Rear Discharge Deck, California
Model**
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP92324	Seat Cover - Yellow	26.99
		Seats / Wheels / Tires:	
	BM19123	31 Lb. Plastic Rear Wheel Weights	67.41
		Snow Blowers:	
	SKU23045	44 In. Snow Blower (X300's, X500, X520) <i>Rear Weights and Tire Chains are Recommended for Additional Traction. Winter Grill Cover Recommended on Air-cooled Engines to Prevent Carburetor Icing. Collection Hopper or a BM22196 Rear Deflector Kit are Required. For Snow Blowers built prior to April 2008 (Serial -030001) see DTAC Solution 79224 for Adaptation Instructions.</i>	1,555.00
		Winter Grill Cover	
	AM145350	Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).	91.38
		Spanish North American Kit:	
	BM24926	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300R).</i>	42.80
	BM25361	Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X300R).</i>	42.80
		Weights:	
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of up to four R66949 Quik-Tatch Weights on front of X300s.</i>	60.99
	BM17962	Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

Select Series X304 Tractor Less Deck, California Model

Equipment for Base Machine

JOHN DEERE iTORQUE POWER SYSTEM	4 Point Mounting	340 CCA Battery
Exclusive Air Intake System	Adjustable Down Stop	15 Amp Regulated Charging System
V-Twin Engine	.25 In. Cut Height Increments	Four-Position Key Switch with
Overhead Valves	1 to 4 In. Cutting Heights	Headlight Switch
Hemispheric Cylinder Head	On Board Leveling Gauge	Hour Meter
V-Valve Technology	Exact Adjust Leveling Ports	Seat/PTO Interlock Switches
Cast Iron Cylinder Liners	9 In. Uncut Circle Radius	Reverse Implement Option
Full Pressure Lubrication with	TIRES	MISCELLANEOUS
Replaceable Oil Filter	15x6-6 Front Turf Tires	3.3 US Gallon Fuel Tank Capacity
*18.5 HP	20x10-10 Rear Turf Tires	Welded C-Channel Frame
LESS MOWER STANDARD	STEERING	Optional Rear Weight Bracket
OPTIONAL 42 IN. EDGE XTRA	4 Wheel Low Effort Steering	Accepts 2 Quick Tatch Weights
CUTTING SYSTEM	System	Electric Mower/Implement PTO
Two .67 In. StarLock Greaseable	15 In. Turning Radius	Drive Clutch
Spindles	Cast Iron Front Axle with	Foot Pedal Deck and Implement
Two Front 2.6 In. Wide	Replaceable Metal Bushings	Lift System
Anti-Scalp Wheels	.75 In. Front Spindles	Heavy Duty Cargo Mount System
4 Point Mounting	AUTOMATIC (HYDROSTATIC)	*Engine HP is Provided by the
Adjustable Down Stop	TRANSMISSION	Engine Manufacturer to be Used
.25 In. Cut Height Increments	Twin Touch Foot control	for Comparison Purposes Only,
1 to 4 In. Cutting Heights	Tuff-Torque k46 Transaxle	Actual Operating HP will be
On Board Leveling Gauge	Internal Wet Disk Brakes	Less. Refer to the Engine
Exact Adjust Leveling Ports	Tow valve	Manufacturer's Web Site for
28 in Uncut Circle Radius	5.5 mph (8.9 km/h) Forward,	Additional Information.
OPTIONAL 48 IN. EDGE XTRA	4.0mph (6.4 km/h) Reverse	
CUTTING SYSTEM	Travel Speed	
Three .79 In. Greaseable	Cruise Control	
Spindles	OPERATOR STATION	
Two Front and Two Rear 2.6 In.	14 In. Steering Wheel	
Wide Rotateable Anti-Scalp	15 In. Open Back Seat with	
Wheels	Access	
No Tools Anti-Scalp Wheel Cut	Grip, 7 In. Fore-Aft Adjustment	
Height Adjustment	and Adjustable Suspension	
Two 2.9 In Wide Front Anti-Scalp	Cup Holder	
Rollers	ELECTRICAL SYSTEM	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X304

F.O.B. Janesville, Wisconsin

4719M	Select Series X304 Tractor Less Deck, California Model	3,299.00
-------	--	----------

ATTACHMENTS FOR FIELD CONVERSION

SKU23044	Blades: 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
TY13056	FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X304 Tractor Less Deck, California Model
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
	BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	41.70
		Material Collection System Power Flow Blowers:	
	BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial) 010001-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008- X320 (Serial 085001-), MY2008- X324 (Serial 085001-) MY2008- X500 (Serial 030001-) and X360.</i>	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
	BM21681	Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
	BG20766	Rear Bagger Chute for 42 In. Mowers	103.79
		Miscellaneous:	
	AM136716	12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	20.57
	BM24915	12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
	BM17981	12 Volt Work Light Kit	52.43
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	BM23056	Bumper (X300s, X500, X530, X534)	64.20
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG256	Home Maintenance Kit <i>For use with MY2006-2010 (Serial 010001-180000).</i>	45.62
	LG265	Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	44.27
	M146542	Rubber Blade Squeegee <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	58.49
	AM136046	Seat Net Kit	31.25
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X304 Tractor Less Deck, California Model
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	SKU24194	Mower Deck and Mower Deck Attachments: 42 In. Edge Mulch Deck (42M) <i>Also order AM136646 Lift Assist Spring Kit when used on X300-38, X300-42X, X300-Less deck, X304-42X, X300-42X or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.</i>	700.00
	SKU24193	42 In. Edge Xtra Deck (42X)	600.00
	SKU24195	48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	BM22550	Anti-Scalp Wheel Extension Kit	63.13
	M127673	Blade (48C/48X, Mulching)	18.29
	M145476	Blade (48C/48X, Side Discharge)	12.98
	AM140332	Blade Kit (42M, Mulching Low Lift)	41.70
	AM140973	Blade Kit (42M, Mulching)	34.08
	AM141034	Blade Kit (42X, Bagging)	47.94
	AM141033	Blade Kit (42X, Mulching)	45.81
	AM141032	Blade Kit (42X, Side Discharge)	54.65
	BM20505	Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
	AM130907	Mower Deck Leveling Gauge	6.95
	BM21816	Mulch Kit (42 In. or 42X)	101.66
	BM20007	Mulch Kit (48C/48X)	160.50
	LP23117	Order Zone: 125 lb. Electric Broadcast Spreader Barrier Shield	65.00
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	399.00
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
	LP40000	40-In. Tractor Shovel	899.95

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X304 Tractor Less Deck, California Model
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP1001	42-In. Tractor Grass Groomer	99.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LPJD100	Bucket Holder (Single)	39.95
	LP33711	Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	399.95
	LP47168	MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95
	LP93617	Riding Mower Deluxe Cover (M)	89.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36740	X300 Series Weather Enclosure	426.99
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		Seats / Wheels / Tires:	
	TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
		Snow Blowers:	
	SKU23045	44 In. Snow Blower (X300's, X500, X520) <i>Rear Weights and Tire Chains are Recommended for Additional Traction. Winter Grill Cover Recommended on Air-cooled Engines to Prevent Carburetor Icing. X300, X304 Tractors Shipped less deck or with 38X, 42X or 42M (SN -150000) Decks need to also Order AM136646 Lift Assist Spring Kit.</i>	1,555.00
	AM136646	Lift Assist Spring Kit	62.08
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	91.38
		Spanish North American Kit:	
	BM24925	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
	BM25360	Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X300,X310,X304,X324,X320,X360).</i>	42.80
		Weights:	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X304 Tractor Less Deck, California Model
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of up to four R66949 Quik-Tatch Weights on front of X300s.</i>	60.99
	BM24011	Weight Bracket, Rear (X304, X324, X534) <i>Allows installation of R66949 Quik-Tatch Weights</i>	89.89
	BM17962	Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

**Current Attachments for Non-Current LT and LTR Lawn Tractors (LT150, LT160,
LT180, LT190 and LTR180)**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Mower Deck and Mower Deck Attachments:	
SKU20799		38 In. Side Discharge Mower (Not for LT190) <i>See Sales Manual for Belt Guide Requirements</i>	660.00
SKU20744		42 In. Convertible Mower (Not for LT190) <i>See Sales Manual for Belt Guide Requirements</i>	782.00
BM20686		42 In. Rear Discharge Mulch Plug Attachment (LTR155, LTR166, LTR180)	176.56
BM20635		42M Mower Wash Port Kit <i>For Freedom 42" Mower.</i>	50.29
SKU20801		48 In. Convertible Mower (LT180) <i>See Sales Manual for Belt Guide Requirements.</i>	1,147.00
BM20505		Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
		Seats / Wheels / Tires:	
BM19123		31 Lb. Plastic Rear Wheel Weights <i>Not for LT190</i>	67.41
		Weights:	
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM21432		Rear Weight Bracket Kit	109.14
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>Requires BM17978 Mounting Hardware For LT190.</i>	103.79
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Current Attachments for Non-Current LX200 Series Lawn Tractors (LX280, LX280 AWS and LX289)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Mower Deck and Mower Deck Attachments:	
SKU19943		38 In. Side Discharge Mower	761.00
SKU19671		42 In. Convertible Mower (42C) <i>Not for LX280 AWS.</i>	812.00
BM20635		42M Mower Wash Port Kit <i>For Freedom 42" Mower.</i>	50.29
SKU21354		48 In. Convertible Mower (48C)	1,080.00
SKU21394		54 In. Convertible Mower (54C)	1,320.00
BM20505		Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
		Weights:	
BM19511		Front Weight Bracket/Bumper <i>For GT225, GT235, GT235E, GT245 and GX255 Tractors. French Canada Dealers must order M139913, Warning Decal.</i>	138.03
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM17296		Rear Weight Mounting Kit (LX Series) <i>For (2) R66949 Weights. Mounting Kit is not Needed for LX280 and LX289 Tractors. LX277 AWS, LX280 AWS also Requires BM17977 Adapter Kit.</i>	83.46
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>Front Wheel Weight for LX280 and LX289. Requires BM17978 Wheel Weight Mounting Hardware Kit.</i>	103.79
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

**Current Attachments for Non-Current 100 Series Lawn Tractors
(102, 115, 125, 135, 145, 155C and 190C)**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Material Collection System:	
BM21888		6.5 Bushel Hopper and Chute for 100 Series, 42 In. <i>Front Ballast is Recommended when Bagging, Especially on Hills or Inclines.</i>	349.00
		Miscellaneous:	
BG20020		46 In. Snow Blade <i>Requires Rear Ballast and Tire Chains.</i>	339.19
BG20260		Sun Canopy	99.00
		Mower Deck and Mower Deck Attachments:	
BG20439		48 In. Complete Mower Deck <i>This bundle is not orderable in Canada. Please order through Parts.</i>	930.90
BG20477		54 In. Complete Mower Deck <i>This bundle is not orderable in Canada. Please order through Parts.</i>	1,155.60
BG20304		54 In. Mulch Kit <i>Fits G110, 190C.</i>	226.84
BM21816		Mulch Kit (42 In. or 42X) <i>Used in place of GY00115 Cover as High Performance Mulching Option.</i>	101.66
		Weights:	
R66949		Quik-Tatch Weight, 42 Lb. <i>Two Required.</i>	63.13
BG20029		Quik-Tatch Weight, 42 Lb. (Boxed) <i>Two Required.</i>	64.20
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77