

## MSRP LIST

Group 12 \_Sub 20

Manufacturer: John Deere

MSRP List Name: Compact Utility Tractors /John Deere Tractors

Percent Discount: 16%

MSRP List Date: 11May2015, 02July2018 and 18July2018

# AGRICULTURAL PRODUCTS

## JOHN DEERE TRACTORS

### 5045E Utility Tractor

Equipment for Base Machine

#### ENGINE:

50 (37.2 kW) 97/68/EC Engine Horsepower @ 2100\*  
RPM  
37 (27.5 kW) PTO Horsepower @ 2100 RPM  
3 Cylinder Turbocharged John Deere PowerTech  
Diesel Engine 179 C.I.D. (2.9L)  
EPA Final Tier 4 Compliant  
Dry Type Air Cleaner with Safety Element  
Underhood Muffler with Vertical Exhaust Stack  
Anti-Freeze  
Hand and Foot Throttles  
Key Engine Shutoff  
Fan Finger Guard  
Slide-out Cleaning Screen  
Heavy Duty Air Intake Pre-Heater  
Fuel Cooler  
19.6 U.S. Gallon (74 L) Fuel Tank Capacity  
TRANSMISSION:  
Differential Lock  
Neutral Start Safety Switch

#### REAR AXLE:

Flanged Rear Axle  
Planetary Final Drives  
STEERING AND BRAKES:  
Hydrostatic Power Steering  
Hydraulically Actuated Wet Disk Brakes  
Self-Equalizing and Self-Adjusting  
HYDRAULICS:  
Open Center Hydraulic System  
Tandem Gear Pump 18.2 GPM (68.9 LPM) Maximum Total  
Flow  
Steering Pump 6.8 GPM (25.7 LPM)  
Implement Pump 11.4 GPM (43.1 LPM)  
POWER TAKE OFF SHAFT:  
Operator Presence Safety Warning PTO  
Flip Up PTO Shield  
Safety Start Switch  
ROCKSHAFT, HITCH AND DRAWBAR:

Rear Rockshaft with Position Control, Draft  
Control, and Adjustable Rate of Drop  
3-Point (Category II) Hitch with Sway Bars  
Convertible to Category I  
Adjustable Drawbar  
INSTRUMENTATION:  
Electric Fuel Gauge  
Tachometer/Hour Meter  
Oil Pressure Indicator Light  
Coolant Temperature Gauge  
Alternator Indicator Light  
Air Restriction Indicator Light  
Turn Signal Indicator Light  
High Beam Light  
PTO Engagement Light  
Digital Display - Hour Meter  
ELECTRICAL:  
12-Volt Electrical System  
One Battery - 623 CCA\*\* with 145 Minute Reserve  
Capacity  
40 Amp Alternator  
One Rear Work Light  
LIGHTS:  
Two Front Halogen Headlights  
Two Turn/Flashing Warning Lights  
Two Tail Lights  
MISCELLANEOUS:  
SMV Emblem  
Tilt-Up Hood  
Toolbox  
\* Manufacturer's Rating  
\*\* Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

1726LV	5045E Utility Tractor	19,943.00
--------	-----------------------	-----------

#### DESTINATION

0202	United States	In Base Price
0184	Canada	Same Price
0205	French Quebec	Same Price

#### OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	Same Price
0437	Spanish Operator's Manual and Decal Kit	Same Price

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5045E Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>OPERATOR'S MANUAL ...Continued...</b>			
<b>TRANSMISSION</b>			
1363		9F/3R SyncShuttle Transmission (TSS) 9F/3R Full Top Shaft Synchronized [TSS] Synchronized Speed Shifts Integrated Park Position Right Hand Shifted Speeds Left Hand Shifted Ranges Mechanical PTO engagement Fixed Draft Links	In Base Price
<b>LOADERS</b>			
1725		Loader Prep Package Includes loader mounting frames and hood guard. Compatible with 520M and H240 loader Requires code 3420 (Dual Mid Valves with Joystick Control) Hydraulic hoses and hydraulic connections still need to be ordered with loader.	1,369.00
1799		Less Loader Prep Package Recommended for applications <i>WITHOUT</i> front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments.	In Base Price
<b>OPERATOR'S STATION</b>			
2000		Open Operator Station Fixed Open Operator Station 2 Post Foldable Roll-Over Protection Structure (ROPS) Deluxe Adjustable Vinyl Seat with Retractable Seat Belt Beverage Holder Single Rear Work Light Floor Mat included when Option Code 1381 - PowrReverser Transmission selected	In Base Price
<b>MID SELECTIVE CONTROL VALVES</b>			
3400		Less Mid Valves Recommended for applications <i>WITHOUT</i> front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments. Requires Code 6020 (2WD).	In Base Price
3420		Dual Mid Valves with Joystick Control Recommended for applications <i>WITH</i> front loaders. Requires Code 6040 (MFWD).	1,168.00
<b>REAR WHEELS AND TIRES</b>			
5101		14.9-28 In. 6PR R1 Bias 2WD requires Code 6102. MFWD requires Code 6101.	45.00
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias Requires code 6103.	1,078.00
5113		21.5L-16.1 In. 6PR R3 Bias	-320.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5045E Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>REAR WHEELS AND TIRES ...Continued...</b>			
<i>2WD requires Code 6103. MFWD requires Code 6171.</i>			
5115		13.6-28 In. 6PR R1 Bias <i>2WD requires Code 6102. MFWD requires Code 6101.</i>	In Base Price
5184		16.9-24 In. 6PR R4 Bias <i>2WD requires Code 6113. MFWD requires Code 6133.</i>	-61.00
5185		16.9-28 In. 6PR R1 Bias <i>2WD requires Code 6102. MFWD requires Code 6101.</i>	301.00
5180		420/85R30 (16.9R30) R1W Radial <i>Requires option code 6180.</i>	2,311.00
<b>FRONT WHEELS AND TIRES</b>			
6102		7.50-16 In. 6PR F2 Bias <i>For option code 6020 (2WD)</i>	In Base Price
6103		27/12LL-15 In. 6PR Turf Special Bias <i>For option code 6020 (2WD)</i>	486.00
6113		11LL-15 In. 8PR F3 (Truck Type) Bias <i>For option code 6020 (2WD)</i>	114.00
6101		9.5-24 In. 6PR R1 Bias <i>For option code 6040 (MFWD)</i>	1,052.00
6133		12.5/80-18 In. 6PR I3(R4 Type) Bias <i>For option code 6040 (MFWD)</i>	728.00
6171		9.5-16 In. 6PR R3 Bias <i>For option code 6040 (MFWD)</i>	396.00
6180		280/85R24 (11.2R24) R1W Radial	2,106.00
<b>FRONT AXLE</b>			
6020		Two-Wheel Drive (2WD) <i>Requires Code 1363 (9F/3R SyncShuttle Transmission) Not available on cab models</i>	In Base Price
6040		Mechanical Front Wheel Drive (MFWD) <i>MFWD Mechanical Engagement Engagement Indicator Light on PowrReverser Transmission.</i>	5,322.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
LVB25547		<b>Lighting Equipment</b> Auxiliary Rear Work Light Kit (1 Light) <i>Open Station Only.</i>	63.80

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5045E Utility Tractor**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
		<b>Mid Selective Control Valves</b>	
BSJ10346		Mid-Mount Dual SCV with 3rd Function Joystick Assembly <i>Compatible with 520M loaders only. To be used with loader diverter kit (ordered separately). For 5E 3 cyl tractors with serials ending after HJ100101.</i>	726.00
BSJ10262		Mid-Mount Dual SCV with Joystick Control <i>Compatible with 5E 3 cylinder Cab and OOS Tractors with serials ending after HJ100101.</i>	1,417.90
		<b>Miscellaneous</b>	
LVB25817		Backup Alarm Kit <i>Compatible with open station 5E 3-Cyl configured with 9X3 transmission.</i>	162.80
BSJ10370		Creeper Conversion Kit <i>Compatible with FT4 5E 3 cylinder open operator station (OOS) tractors with 9X3 transmission only.</i>	860.20
R133359		Drawbar - Offset	310.00
RE39830		Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	279.47
RE39829		Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	282.28
BSJ10077		Horizontal Side Exhaust <i>5045E, 5055E, 5065E and 5075E Only.</i>	425.70
SJ11072		Left-Hand Telescopic Draft Link	381.03
AL113087		Lockable Fuel Tank	27.55
SJ11073		Right Hand Telescopic Draft Link	381.03
LVB25926		Single Horn Kit <i>OOS tractors only</i>	51.70
		<b>Miscellaneous</b>	
BLV10921		Backhoe Mounting Kit <i>For use on 485 backhoe in conjunction with FT4 5E 3 cylinder OOS tractors.</i>	2,292.40
LVB25785		Canopy - Deluxe <i>Requires BSJ10341 Canopy Mounting Bracket and Hardware Kit ordered separately. Open Station Tractors Only.</i>	828.30
T12553		Center Link Conversion Bushing, Cat. II to Cat. I <i>One required.</i>	13.87
R66432		Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	16.72
BRE10151		Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i>	356.40
BRE10153		Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i>	123.20

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5045E Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
R262449		Front Weight Support, 187 Lbs <i>Requires (4) 19H3405 Cap Screws and (4) 12H236 Washers, ordered separately.</i>	400.58
L154683		Rear Axle 1.2 in. Extension (30 mm) <i>Two required.</i> <i>Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>	184.69
L154682		Rear Axle 1.6 in. Extension (40 mm) <i>Two required.</i> <i>Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.</i>	216.57
L154684		Rear Axle 4.4 in. Extension (111 mm) <i>Two required.</i> <i>Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.</i>	305.70
RE244177		Rear View Mirror Mounting Kit OOS <i>Requires AL80127 and/or AL80126. OOS Only.</i> <i>Kit contains support plates and hardware for one rear view mirror. Mirror not included.</i>	33.07
R127764		Weight, front suitcase 43 kg (95 lb) quantity of one	136.40
R213907		Weight, rear wheel - 43.09 kg (95 lb) <i>Not compatible on wheels sized 24" or smaller. Maximum of 2 per wheel. Starter bolts not included in this kit. R183851 bolt, quantity 8, needed</i>	147.40
BSJ10341		<b>Open Operator's Station</b> Canopy Mounting Kit	74.80
LVB25334		<b>Operator's Station</b> Canopy - Standard <i>Requires BSJ10341 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	476.30
BSJ10303		<b>Rear Fenders</b> Rear Fender Extension Kit without Work Lights <i>Open Station Tractors only.</i>	337.70
LVB25976		<b>Rear Hitch</b> iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
BSJ10287		<b>Rear Selective Control Valves</b> Second Rear SCV with Detented Float and Lever Control <i>Compatible with 5E 3-Cylinder Open Station tractors.</i>	809.60
TY27545		<b>Three-point Hitch</b> Quik-Coupler, Economy, Category 2	580.37

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

---

**5045E Utility Tractor**  
Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5055E Utility Tractor (41-45 PTO hp)**  
Equipment for Base Machine

**ENGINE:**

57 (42.0 kW) 97/68/EC Engine Horsepower @ 2100\* RPM  
45 (33.1 kW) PTO Horsepower @ 2100 ERPM (Open Station)  
41 (30.1 kW) PTO Horsepower @ 2100 ERPM (Cab)  
3 Cylinder Turbocharged  
John Deere PowerTech Diesel Engine  
179 C.I.D. (2.9L)  
EPA Final Tier 4 Compliant  
Dry Type Air Cleaner with Safety Element  
Underhood Muffler with Vertical Exhaust Stack  
Anti-Freeze  
Hand and Foot Throttles  
Key Engine Shutoff  
Fan Finger Guard  
Heavy Duty Air Intake Pre-Heater  
Fuel Cooler

**TRANSMISSION:** 9F/3R TSS

9F/3R SyncShuttle  
Synchronized Speed Shifts, Integrated Park Position  
Right Hand Shifted Speeds  
Left Hand Shifted Ranges  
Differential Lock  
Neutral Start Safety Switch

**REAR AXLE:**

Flanged Rear Axle  
Planetary Final Drives

**STEERING AND BRAKES:**

Hydrostatic Power Steering  
Hydraulically Actuated Wet Disk Brakes  
Self-Equalizing and Self-Adjusting

**HYDRAULICS:**

Open Center Hydraulic System  
Tandem Gear Pump 18.2 GPM (68.9 LPM)  
Maximum Total Flow  
Steering Pump 6.8 GPM (25.7 LPM)  
Implement Pump 11.4 GPM (43.1 LPM) 2  
One Rear Selective Control Valve

**POWER TAKE-OFF SHAFT:** 9x3 TSSTransmission

Independent "Live" 540 RPM Rear PTO Shaft  
Operator Presence Safety Warning - PTO  
Flip Up PTO Shield  
Safety Start Switch  
**ROCKSHAFT, HITCH AND DRAWBAR:**  
Rear Rockshaft with Position Control,  
Draft Control, and Adjustable Rate of Drop  
3-Point (Category II) Hitch

with Sway Chains -  
Convertible to Category I  
Adjustable Drawbar

**INSTRUMENTATION:**

Electric Fuel Gauge  
Tachometer/Hour Meter  
Oil Pressure Indicator Light  
Coolant Temperature Gauge  
Alternator Indicator Light  
Air Restriction Indicator Light  
Turn Signal Indicator Light  
High Beam Light  
PTO Engagement Light  
Digital Display - Hour Meter

**ELECTRICAL:** Open Station

12-Volt Electrical System  
One Battery - 623 CCA\*\* with  
145 Minute Reserve Capacity  
40 Amp Alternator  
**LIGHTS:**  
Two Front Halogen Headlights  
Two Turn/Flashing Warning Lights  
Two Tail Lights  
One Rear Work Light (Open Station)

**MISCELLANEOUS:**

SMV Emblem  
Tilt-Up Hood  
Toolbox

**BASE MACHINE:** Open Station

2-Post Foldable Roll-Over Protective  
Structure (ROPS)  
Deluxe Adjustable Vinyl Seat with  
Retractable Seat Belt  
18 U.S. Gallon (68 L) Fuel Tank Capacity  
Adjustable Front Axle (56-80 In.)  
8-Position Steel Rear Wheels with  
Two Rear Tires 14.9-28 6PR (R1)  
2-Position Steel Front Wheels with  
Two Front Tires 7.50-16 6PR (F2)

\* Manufacturer's Rating  
\*\* Cold Cranking Amps

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

1734LV	5055E Utility Tractor (41-45 PTO hp)	22,097.00
--------	--------------------------------------	-----------

**OPERATORS MANUAL**

0409	English Operators Manual and Decal Kit	In Base Price
0413	French Operators Manual and Decal Kit	Same Price



AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5055E Utility Tractor (41-45 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>OPERATORS MANUAL ...Continued...</b>			
0437		Spanish Operators Manual and Decal Kit	Same Price
<b>TRANSMISSION</b>			
1363		9F/3R SyncShuttle Transmission (TSS) <i>9F/3R Full Top Shaft Synchronized [TSS]</i> <i>Synchronized Speed Shifts</i> <i>Integrated Park Position</i> <i>Code 1363 with Code 2050 - Standard Cab is available only on 5055E (Base Code 1734LV)</i>	In Base Price
1381		12F/12R PowrReverser Transmission - 540/540E (PR) <i>Electrohydraulic (EH) Directional Reverser</i> <i>Wet Traction Clutch</i> <i>Wet PTO Clutch</i> <i>Neutral Start Safety Switch</i> <i>Electrohydraulic (EH) PTO engagement</i> <i>Economy-PTO/Standard PTO</i> <i>MFWD indicator light</i> <i>Digital hour meter indicator</i> <i>Digital ground speed indicator</i> <i>Digital PTO speed indicator</i> <i>Requires Code 6040 - MFWD.</i>	2,160.00
<b>OPERATOR STATION</b>			
2000		Open Operator Station <i>Fixed Open Operator Station</i> <i>2 Post Foldable Roll-Over Protection Structure (ROPS)</i> <i>Beverage Holder</i> <i>Single Rear Work Light</i> <i>18 Gallon Fuel Tank</i>	In Base Price
2050		Cab <i>Left Side Door</i> <i>Air Conditioning</i> <i>Cup Holders</i> <i>Radio/CD Ready (Antenna Cable, Two Speakers, and Wiring Harness)</i> <i>Front Windshield Wiper</i> <i>Mechanical Suspension Seat</i> <i>21.6 Gallon Fuel Tank</i> <i>Requires Code 6040 MFWD.</i> <i>Requires Code 4120 Telescopic Draft Link.</i>	7,488.00
<b>MID SELECTIVE CONTROL VALVES</b>			
3400		Less Mid Valves <i>Recommended for applications WITHOUT front loaders.</i> <i>Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments.</i> <i>Requires Code 6020 - 2WD.</i> <i>In order to install dual mid valves in the field, order kit BSJ10083.</i>	In Base Price
3420		Dual Mid Valves with Joystick Control <i>Recommended for applications WITH front loaders.</i> <i>Requires Code 6040 - MFWD.</i>	1,162.00
<b>DRAFT LINKS</b>			

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5055E Utility Tractor (41-45 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>DRAFT LINKS ...Continued...</b>			
4115		Fixed Draft Links	In Base Price
4120		Telescopic Draft Links	518.00
<b>REAR WHEELS WITH TIRES (TWO)</b>			
5101		14.9-28 In. 6PR R1 Bias <i>Code 6020 requires Code 6102.</i> <i>Code 6040 requires Code 6101.</i>	In Base Price
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias <i>Requires Code 6103.</i>	1,033.00
5113		21.5L-16.1 In. 6PR R3 Bias <i>Code 6020 requires Code 6103.</i> <i>Code 6040 requires Code 6171.</i>	-365.00
5184		16.9-24 In. 6PR R4 Bias <i>Code 6020 requires Code 6113.</i> <i>Code 6040 requires Code 6133.</i>	-106.00
5185		16.9-28 In. 6PR R1 Bias <i>Code 6020 requires Code 6102.</i> <i>Code 6040 requires Code 6101.</i>	256.00
<b>FRONT AXLE</b>			
6020		2 Wheel Drive <i>Requires Code 1363.</i>	In Base Price
6040		MFWD (4 Wheel Drive) <i>Mechanical Engagement.</i> <i>Engagement Indicator Light on PowrReverser Transmission.</i> <i>Requires Code 3420.</i>	5,296.00
<b>FRONT WHEELS WITH TIRES (TWO)</b>			
<b>FOR OPTION CODE 6020 (2WD):</b>			
6102		7.50-16 In. 6PR F2 Bias <i>Requires Code 2000 - Open Operator Station.</i>	In Base Price
6103		27/12LL-15 In. 6PR Turf Special Bias <i>Requires Code 2000 - Open Operator Station.</i>	486.00
6113		11L-15 In. 8PR F3 (Truck Type) Bias <i>Requires Code 2000 - Open Operator Station.</i>	114.00
<b>FOR OPTION CODE 6040 (MFWD):</b>			
6101		9.5-24 In. 6PR R1 Bias	1,052.00
6133		12.5/80-18 In. 6PR I3(R4 Type) Bias	728.00
6171		9.5-16 In. 6PR R3 Bias	396.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5055E Utility Tractor (41-45 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Axle - Rear:</b>	
L154683		Rear Axle 1.2 In. Extension (30 mm) <i>Two required.</i> <i>Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>	168.82
L154682		Rear Axle 1.6 In. Extension (40 mm) <i>Two required.</i> <i>Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.</i>	197.95
L154684		Rear Axle 4.4 In. Extension (111 mm) <i>Two required.</i> <i>Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.</i>	279.43
		<b>Engine:</b>	
LV150155		Engine Coolant Heater Kit (3 Cyl.)	96.80
		<b>Fenders:</b>	
LVB25714		Rear Fender Extension Kit <i>Cab Tractors only.</i>	209.00
BSJ10044		Rear Fender Extension Kit without Work Lights <i>Open Station Tractors only.</i>	335.50
		<b>Hitch and Drawbar:</b>	
T12553		Center Link Conversion Bushing, Cat. II to Cat. I <i>One required.</i>	13.45
R66432		Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	16.04
R133359		Drawbar - Offset	310.00
RE39830		Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	246.55
RE39829		Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	282.28
TY16042		Quik-Coupler, Economy, Category 2	580.37
		<b>Hitch:</b>	
SJ11072		Left Hand Telescopic Draft Link	367.78
SJ11073		Right Hand Telescopic Draft Link	367.78
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings(LVU15507).</i> <i>Not compatible on a 5115M.</i>	357.50
		<b>Hydraulic Controls:</b>	
BSJ10083		Mid-Mount Dual SCV with Joystick Control <i>Compatible with Open Station 2WD Tractors.</i>	1,411.30

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5055E Utility Tractor (41-45 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
		<b>Hydraulics:</b>	
BLV10347		Mid-Mount Dual SCV with Joystick Control <i>Compatible with 5E Cab Tractors.</i>	1,411.30
LVB25771		Second Rear SCV with Detented Float and Lever Control <i>For 9x3 TSS Open Station Tractors.</i>	805.20
BLV10348		Second Rear SCV with Detented Float and Lever Control <i>Compatible with 5E Cab Tractors.</i>	805.20
BLV10431		Second Rear SCV with Detented Float and Lever Control <i>For 12x12 PR Open Station Tractors.</i>	805.20
		<b>Lighting:</b>	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Open Station Only.</i>	63.80
BLV10120		Beacon Light Kit	236.50
		<b>Miscellaneous:</b>	
LVB25728		Backup Alarm Kit <i>Compatible with 5E 3-Cyl Cab tractors and PR Open Station Tractors.</i>	161.70
LVB25817		Backup Alarm Kit <i>NOT compatible with 2WD front axle and 5D Series Tractors. Compatible with 5E 3-Cyl TSS open station tractors only.</i>	161.70
BSJ10063		Creeper Gear Kit <i>For 9F/3R TSS transmission only.</i>	855.80
BLV10407		Operator's Manual and Decal Kit - French	0.00
BLV10406		Operator's Manual and Decal Kit - Spanish	0.00
LVB25727		PowrReverser Modulation Control Kit <i>For 12x12 PR Tractors Only.</i>	147.40
LVB25926		Single Horn Kit <i>OOS tractors only</i>	51.70
LVB26096		Single Horn Kit <i>CAB tractors only.</i>	51.70
		<b>Operator Environment:</b>	
SJ10170		Antenna <i>Cab only</i>	28.49
AH104259		Ash Tray <i>Cab only.</i>	50.62
BLV10419		Cab Instructional Seat <i>For Cab Tractors only. Requires SJ20970 to be Ordered Separately.</i>	611.60

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5055E Utility Tractor (41-45 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
	LVB25785	Canopy - Deluxe <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately. Open Station Tractors Only.</i>	961.40
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	583.00
	LVB25332	Canopy Mounting Bracket and Hardware Kit <i>Requires LVB25334 or LVB25785 Canopy Kit ordered separately.</i>	105.60
	AR60937	Cigarette Lighter <i>Cab only.</i>	13.16
	RE334177	John Deere/Delco AM/FM Weatherband Radio <i>Cab Only. Requires Standard Cab Antenna Kit (SJ10170), ordered separately. MY2011 and newer Tractors also require the following: AT209965 Ground Strap, 37M7090 Self-tapping screw M6 X 1 X 16 to attach Ground Strap to roof metal structure, 14M7450 Flange nut M5 x 0.8 to attach ground strap to radio.</i>	412.64
	RE244177	Kit, Rear View Mirror Mounting Kit <i>Requires AL80127 and/or AL80126. Cab Only. Kit contains support plates and hardware for one rear view mirror.</i>	33.07
	AL80126	Mirror, Telescopic, LH, Manually Adjustable <i>Cab Compatible Only.</i>	171.60
	AL80127	Mirror, Telescopic, RH, Manually Adjustable <i>Cab Compatible Only.</i>	171.60
	BLV10350	Right Hand Door <i>Cab Only</i>	291.50
	BLV10173	Wiper/Washer, Rear <i>Cab only.</i>	343.20
	AL113087	<b>Vandal Protection:</b> Vandal Protection, Lockable Fuel Tank Cap	36.75
	R262449	<b>Weights:</b> Front Weight Support, 187 Lbs <i>Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.</i>	400.58
	R127764	Weight, Front Suitcase 95 Lb. (43 kg) Quantity of One	134.20
	R213907	Weight, Rear Wheel - 95 Lb. <i>Not compatible on wheels sized 24" or smaller. Maximum of 2 per wheel.</i>	147.40

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5065E Utility Tractor (49-53 PTO hp)**  
Equipment for Base Machine

**ENGINE:**

65 (48 kW) 97/68/EC Engine Horsepower @ 2100 RPM\*  
53 (39.0 kW) PTO Horsepower @ 2100 RPM\* (Open Station)  
49 (36.0 kW) PTO Horsepower @ 2100 RPM\* (Cab)  
3 Cylinder Turbocharged  
John Deere PowerTech Diesel Engine  
179 C.I.D. (2.9L)  
EPA Final Tier 4 Compliant  
Dry Type Air Cleaner with Safety Element  
Underhood Muffler with Vertical Exhaust Stack  
Anti-Freeze  
Hand and Foot Throttles  
Key Engine Shutoff  
Fan Finger Guard  
Heavy Duty Air Intake Pre-Heater  
Fuel Cooler

**TRANSMISSION:** 9F/3R TSS

9F/3R SyncShuttle  
Synchronized Speed Shifts, Integrated Park Position  
Right Hand Shifted Speeds  
Left Hand Shifted Ranges  
Differential Lock  
Neutral Start Safety Switch

**REAR AXLE:**

Flanged Rear Axle  
Planetary Final Drives

**STEERING AND BRAKES:**

Hydrostatic Power Steering  
Hydraulically Actuated Wet Disk Brakes  
Self-Equalizing and Self-Adjusting

**HYDRAULICS:**

Open Center Hydraulic System  
Tandem Gear Pump 18.2 GPM (68.8 LPM)  
Maximum Total Flow  
Steering Pump 6.8 GPM (25.7 LPM)  
Implement Pump 11.4 GPM (43.1 LPM)  
One Rear Selective Control Valve

**POWER TAKE-OFF SHAFT:** 9x3 TSS Transmission  
Independent "Live" 540 RPM Rear PTO Shaft  
Operator Presence Safety Warning - PTO  
Safety Start Switch  
Flip Up PTO Shield

**ROCKSHAFT, HITCH AND DRAWBAR:**

Rear Rockshaft with Position Control,  
Draft Control, and Adjustable Rate of Drop  
3-Point (Category II) Hitch

with Sway Chains -  
Convertible to Category I  
Interchangeable Hitch Balls  
Adjustable Drawbar

**INSTRUMENTATION:**

Electric Fuel Gauge  
Tachometer/Hour Meter  
Oil Pressure Indicator Light  
Coolant Temperature Gauge  
Alternator Indicator Light  
Air Restriction Indicator Light  
Turn Signal Indicator Light  
High Beam Light  
PTO Engagement Light  
Digital Display - Hour Meter  
**ELECTRICAL:** Open Station  
12-Volt Electrical System  
One Battery - 623 CCA\*\* with  
145 Minute Reserve Capacity  
40 Amp Alternator

**LIGHTS:**

Two Front Halogen Headlights  
Two Turn/Flashing Warning Lights  
Two Tail Lights  
One Rear Work Light (Open Station)

**MISCELLANEOUS:**

SMV Emblem  
Tilt-Up Hood  
Fender Mounted Toolbox

**BASE MACHINE:**

Open Station  
2-Post Foldable Roll-Over Protective Structure (ROPS)  
Deluxe Adjustable Vinyl Seat with Retractable Seat Belt  
18 U.S. Gallon (68 L) Fuel Tank Capacity  
Adjustable Front Axle (56-80 In.)  
8-Position Steel Rear Wheels with Two Rear Tires 16.9-28 6PR (R1)  
2-Position Steel Front Wheels with Two Front Tires 7.50-16 6PR (F2)

\* Manufacturer's Rating  
\*\* Cold Cranking Amps

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

1744LV	5065E Utility Tractor (49-53 PTO hp)	24,708.00
--------	--------------------------------------	-----------

**OPERATORS MANUAL**

0409	English Operators Manual and Decal Kit	In Base Price
------	--	---------------

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5065E Utility Tractor (49-53 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>OPERATORS MANUAL ...Continued...</b>	
0413		French Operators Manual and Decal Kit	Same Price
0437		Spanish Operators Manual and Decal Kit	Same Price
		<b>TRANSMISSION</b>	
1363		9F/3R SyncShuttle Transmission (TSS) 9F/3R Full Top Shaft Synchronized [TSS] Synchronized Speed Shifts Integrated Park Position Code 1363 with Code 2050 - Standard Cab is NOT available on 5065E (Base Code 1744LV) and 5075E (Base Code 1754LV)	In Base Price
1381		12F/12R PowrReverser Transmission - 540/540E (PR) Electrohydraulic (EH) Directional Reverser Wet Traction Clutch Wet PTO Clutch Neutral Start Safety Switch Electrohydraulic (EH) PTO engagement Economy-PTO/Standard PTO MFWD indicator light Digital hour meter indicator Digital ground speed indicator Digital PTO speed indicator Requires Code 6040 - MFWD.	2,160.00
		<b>OPERATOR STATION</b>	
2000		Open Operator Station Fixed Open Operator Station 2 Post Foldable Roll-Over Protection Structure (ROPS) Beverage Holder Single Rear Work Light 18 Gallon Fuel Tank	In Base Price
2050		Cab Left Side Door Air Conditioning Cup Holders Radio/CD Ready (Antenna Cable, Two Speakers, and Wiring Harness) Front Windshield Wiper Mechanical Suspension Seat 21.6 Gallon Fuel Tank Requires Code 6040 MFWD. Requires Code 4120 Telescopic Draft Link.	7,488.00
		<b>MID SELECTIVE CONTROL VALVES</b>	
3400		Less Mid Valves Recommended for applications WITHOUT front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments. Requires Code 6020 - 2WD. In order to install dual mid valves in the field, order kit BSJ10083.	In Base Price
3420		Dual Mid Valves with Joystick Control Recommended for applications WITH front loaders. Requires Code 6040 - MFWD.	1,162.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5065E Utility Tractor (49-53 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>DRAFT LINKS</b>			
4115		Fixed Draft Links	In Base Price
4120		Telescopic Draft Links	518.00
<b>REAR WHEELS WITH TIRES (TWO)</b>			
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias <i>Requires Code 6103.</i>	777.00
5113		21.5L-16.1 In. 6PR R3 Bias <i>Code 6020 requires Code 6103. Code 6040 requires Code 6171.</i>	-621.00
5184		16.9-24 In. 6PR R4 Bias <i>Code 6040 requires Code 6133.</i>	-362.00
5185		16.9-28 In. 6PR R1 Bias <i>Code 6020 requires Code 6102. Code 6040 requires Code 6101.</i>	In Base Price
<b>FRONT AXLE</b>			
6020		2 Wheel Drive <i>Requires Code 1363.</i>	In Base Price
6040		MFWD (4 Wheel Drive) <i>Mechanical Engagement. Engagement Indicator Light on PowrReverser Transmission. Requires Code 3420.</i>	5,296.00
<b>FRONT WHEELS WITH TIRES (TWO)</b>			
6102		<b>FOR OPTION CODE 6020 (2WD):</b> 7.50-16 In. 6PR F2 Bias <i>Requires Code 2000 - Open Operator Station.</i>	In Base Price
6103		27/12LL-15 In. 6PR Turf Special Bias <i>Requires Code 2000 - Open Operator Station.</i>	486.00
6101		<b>FOR OPTION CODE 6040 (MFWD):</b> 9.5-24 In. 6PR R1 Bias	1,052.00
6133		12.5/80-18 In. 6PR I3(R4 Type) Bias	728.00
6171		9.5-16 In. 6PR R3 Bias	396.00

**ATTACHMENTS FOR FIELD CONVERSION**



AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5065E Utility Tractor (49-53 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
L154683		<b>Axle - Rear:</b> Rear Axle 1.2 In. Extension (30 mm) <i>Two required.</i> <i>Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>	168.82
L154682		Rear Axle 1.6 In. Extension (40 mm) <i>Two required.</i> <i>Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.</i>	197.95
L154684		Rear Axle 4.4 In. Extension (111 mm) <i>Two required.</i> <i>Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.</i>	279.43
LV150155		<b>Engine:</b> Engine Coolant Heater Kit (3 Cyl.)	96.80
LVB25714		<b>Fenders:</b> Rear Fender Extension Kit <i>Cab Tractors only.</i>	209.00
BSJ10044		Rear Fender Extension Kit without Work Lights <i>Open Station Tractors only.</i>	335.50
T12553		<b>Hitch and Drawbar:</b> Center Link Conversion Bushing, Cat. II to Cat. I <i>One required.</i>	13.45
R66432		Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	16.04
R133359		Drawbar - Offset	310.00
RE39830		Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	246.55
RE39829		Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	282.28
TY16042		Quik-Coupler, Economy, Category 2	580.37
SJ11072		<b>Hitch:</b> Left Hand Telescopic Draft Link	367.78
SJ11073		Right Hand Telescopic Draft Link	367.78
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings(LVU15507).</i> <i>Not compatible on a 5115M.</i>	357.50
BSJ10083		<b>Hydraulic Controls:</b> Mid-Mount Dual SCV with Joystick Control <i>Compatible with Open Station 2WD Tractors.</i>	1,411.30

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5065E Utility Tractor (49-53 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
		<b>Hydraulics:</b>	
BLV10347		Mid-Mount Dual SCV with Joystick Control <i>Compatible with 5E Cab Tractors.</i>	1,411.30
LVB25771		Second Rear SCV with Detented Float and Lever Control <i>For 9x3 TSS Open Station Tractors.</i>	805.20
BLV10348		Second Rear SCV with Detented Float and Lever Control <i>Compatible with 5E Cab Tractors.</i>	805.20
BLV10431		Second Rear SCV with Detented Float and Lever Control <i>For 12x12 PR Open Station Tractors.</i>	805.20
		<b>Lighting:</b>	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Open Station Only.</i>	63.80
BLV10120		Beacon Light Kit	236.50
		<b>Miscellaneous:</b>	
LVB25728		Backup Alarm Kit <i>Compatible with 5E 3-Cyl Cab tractors and PR Open Station Tractors.</i>	161.70
LVB25817		Backup Alarm Kit <i>NOT compatible with 2WD front axle and 5D Series Tractors. Compatible with 5E 3-Cyl TSS open station tractors only.</i>	161.70
BSJ10063		Creeper Gear Kit <i>For 9F/3R TSS transmission only.</i>	855.80
BLV10407		Operator's Manual and Decal Kit - French	0.00
BLV10406		Operator's Manual and Decal Kit - Spanish	0.00
LVB25727		PowrReverser Modulation Control Kit <i>For 12x12 PR Tractors Only.</i>	147.40
LVB25926		Single Horn Kit <i>OOS tractors only</i>	51.70
LVB26096		Single Horn Kit <i>CAB tractors only.</i>	51.70
		<b>Operator Environment:</b>	
SJ10170		Antenna <i>Cab only</i>	28.49
AH104259		Ash Tray <i>Cab only.</i>	50.62
BLV10419		Cab Instructional Seat <i>For Cab Tractors only. Requires SJ20970 to be Ordered Separately.</i>	611.60

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5065E Utility Tractor (49-53 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
	LVB25785	Canopy - Deluxe <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately. Open Station Tractors Only.</i>	961.40
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	583.00
	LVB25332	Canopy Mounting Bracket and Hardware Kit <i>Requires LVB25334 or LVB25785 Canopy Kit ordered separately.</i>	105.60
	AR60937	Cigarette Lighter <i>Cab only.</i>	13.16
	RE334177	John Deere/Delco AM/FM Weatherband Radio <i>Cab Only. Requires Standard Cab Antenna Kit (SJ10170), ordered separately. MY2011 and newer Tractors also require the following: AT209965 Ground Strap, 37M7090 Self-tapping screw M6 X 1 X 16 to attach Ground Strap to roof metal structure, 14M7450 Flange nut M5 x 0.8 to attach ground strap to radio.</i>	412.64
	RE244177	Kit, Rear View Mirror Mounting Kit <i>Requires AL80127 and/or AL80126. Cab Only. Kit contains support plates and hardware for one rear view mirror.</i>	33.07
	AL80126	Mirror, Telescopic, LH, Manually Adjustable <i>Cab Compatible Only.</i>	171.60
	AL80127	Mirror, Telescopic, RH, Manually Adjustable <i>Cab Compatible Only.</i>	171.60
	BLV10350	Right Hand Door <i>Cab Only</i>	291.50
	BLV10173	Wiper/Washer, Rear <i>Cab only.</i>	343.20
	AL113087	<b>Vandal Protection:</b> Vandal Protection, Lockable Fuel Tank Cap	36.75
	R262449	<b>Weights:</b> Front Weight Support, 187 Lbs <i>Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.</i>	400.58
	R127764	Weight, Front Suitcase 95 Lb. (43 kg) Quantity of One	134.20
	R213907	Weight, Rear Wheel - 95 Lb. <i>Not compatible on wheels sized 24" or smaller. Maximum of 2 per wheel.</i>	147.40

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 3046R Compact Utility Tractor (34 PTO hp)

Equipment for Base Machine

<b>ENGINE:</b> Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 45.3 (33.3 kW) PTO HP 34.1 (25.4 kW) HST Engine HP (kW), Gross SAE J1995: 45.3 (33.3) @ 2600 rpm, PS Displacement, L: 1.496	Maintenance Free Battery with 770 Cold Cranking Amps  <b>OPERATOR PROTECTIVE STRUCTURE:</b> Deluxe Adjustable Vinyl Seat with Retractable Seat Belt Folding ROPS (Roll-Over Protective Structure) meets SAE J2194 and OSHA 1928 ROPS Certification Standards Isolated Foot Rest  <b>COMFORTGARD CAB (OPTIONAL):</b> 12-Volt Auxiliary Power Outlet Air Conditioning and Heater Cell Phone Holder Deluxe Fabric Covered Seat with Retractable Seat Belt Armrests Dual Forward Work Lights Exclusive Raised Header Bar Two-Speed Front Windshield Wiper/Washer Fully Isolated Cab High Impact Polymer Fenders with Integrated Tail Lights Radio Preparation (with antenna, speakers, wiring, media player storage slot) Molded Rubber Floormat Operator Manual Holder Rearview Mirror (Inside)	Monitor Mounting Bosses (2 sets) Right Hand and Left Hand Console Storage Right Hand Control Center Sealed Quiet Cabin Sun Visor Swing-Out Rear Window with removable rear plug for monitor or controller wiring harnesses Tilt Steering Two Front/Two Rear Roof Mounted Warning Lights Operator Presence with Safety Interlock System Reverse Implement Option (RIO)  <b>BASE MACHINE (4WD):</b> 11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires
<b>TRANSMISSION:</b> 4-Wheel Drive HST Transmission Differential Lock		
<b>HYDRAULICS:</b> Dual Mid Selective Control Valve with Joystick Control Lever, Float, Regenerative Function, and SCV and Regenerative Lockout		
<b>PTO:</b> Independent 540 RPM Rear PTO Electronically Engaged with Mechanical Mid-Both-Rear Selector		
<b>ELECTRICAL:</b> 12-Volt Electrical System 75 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position		

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Grovetown, Georgia*

0292LV	3046R Compact Utility Tractor (34 PTO hp)	30,101.00
--------	---	-----------

#### DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
024H	United States Minor Outlying	Same Price
020A	Virgin Islands, US	Same Price
0205	Quebec	Same Price

#### OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	Same Price
0437	Spanish Operator's Manual and Decal Kit	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>OPERATOR'S MANUAL Continued...</b>			
<b>OPERATOR'S STATION</b>			
2000		Open Station with Standard Seat <i>If ordering transmission option 1520 (eHydro) the following set of options are required: 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).</i>	In Base Price
2050		Cab with Standard Seat <i>The following set of options are required: 1520 (eHydro), 3320 (Dual Mid SCV), and 3400 (Less Mid PTO)</i>	8,289.00
2060		Deluxe Cab with Air Ride Seat <i>Includes Rear Wiper and Rear Work Light.</i>  <i>The following set of options are required: 1520 (eHydro), 3330 (Mid DSCV and Single Electrohydraulic Rear SCV), and 3420 (Mid PTO)</i>	9,166.00
2005		Open Station with Air Ride Seat <i>The following set of options are required: 1520 (eHydro), 3330 (Dual Mid &amp; Single EH Rear SCV), and 3420 (Mid PTO).</i>	495.00
<b>RADIO</b>			
2650		Less Radio	In Base Price
2660		Factory Installed Stereo <i>Jensen Stereo with AM/FM, and Weatherband.</i> <i>SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately.</i>  <i>Available ONLY on Cab configurations.</i>	471.00
<b>TRANSMISSION</b>			
1520		eHydro <i>3 Range Electronic Controlled Hydrostatic Transmission (featuring Load Match, Speed Match, Motion Match)</i>	In Base Price
<b>MID POWER TAKE-OFF (PTO)</b>			
3400		Less Mid PTO <i>Requires SCV option 3320 (Dual Mid SCV).</i>	In Base Price
3420		Mid PTO <i>Requires SCV option 3330 (Dual Mid &amp; Single EH Rear SCV).</i>	720.00
<b>SELECTIVE CONTROL VALVES</b>			
3320		Dual Mid Selective Control Valve	In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV <i>Available only as Dealer-installed option on Cab with Standard Seat configuration (option code 2050).</i>	985.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 3046R Compact Utility Tractor (34 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>REAR WHEELS AND TIRES</b>			
<i>All tires offered are of bias ply construction.</i>			
5211		11.2-24 (6PR, R1 Bar, 5 Position)	In Base Price
5223		41x14-20 (4PR, R3 Turf, 2 Position)	-220.00
5233		41LLx18-16.1 (6PR, R3 Turf Special, 1 Position)	523.00
5220		15-19.5 (6PR, R4 Industrial, 2 Position)	-92.00
5230		43x16-20 (4PR, R4 Industrial, 2 Position)	-70.00
<b>FRONT WHEELS AND TIRES</b>			
<i>All tires offered are of bias ply construction.</i>			
6211		180/95 - 14 (6PR, R1 Bar, 2 Position) <i>Standard Measurement: 7 - 14 (6PR, R1 Bar, 2 Position)</i>	In Base Price
6223		27x8.5-15 (6PR, R3 Turf, 2 Position)	65.00
6233		25/10.50LLx15 (6PR, R3 Turf Special, 2 Position)	127.00
6220		25x8.50-14 (6PR, R4 Industrial, 2 Position)	55.00
6230		27x8.50-15 (6PR, R4 Industrial, 2 Position)	127.00
<b>LOADERS</b>			
1701		Factory Installed Loader with Bucket <i>Pricing includes 320R Loader and loader installation charge with the following options:</i>  <i>61 In. (1550mm) Quick Change Materials Bucket</i> <i>Compact Utility Tractor Carrier</i> <i>Mounting Frame</i> <i>Hood Guard</i>  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	5,849.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 320R Loader and loader installation charge with the following options:</i>  <i>Compact Utility Tractor Carrier</i> <i>Mounting Frame</i> <i>Hood Guard</i>  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	5,111.00
1795		Less Loader	In Base Price
<b>THREE-POINT HITCH</b>			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i> <i>Not compatible with telescoping draft links</i>	291.00
4061		Less iMatch Quick Hitch Category 1	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Ballast Box</b>	
	BW15074	Ballast Box Extension	138.60
		<b>Drawbar</b>	
	LP63768	Magnetic hitch pin	18.99
		<b>Engine</b>	
	BLV10640	Engine Coolant Heater Kit (110 Volt)	66.00
	BLV10605	Turbo Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU31058 Left-hand Side Panel through Parts.</i>	491.70
		<b>Fenders</b>	
	BLV10698	Rear Fender Extension Kit (Cab Only) <i>For MY17 tractors and older.</i>	337.70
	BLV10892	Rear Fender Extension Kit (Cab Only)	337.70
	LVB25684	Rear Fender Extension Kit (Open Station Only) <i>For MY17 tractors and older.</i>	273.90
	BLV10893	Rear Fender Extension Kit (Open Station Only)	273.90
	BLV10757	Turnable Front Fender Kit (Cab Only) <i>For MY17 tractors and older.</i>	589.96
	BLV10895	Turnable Front Fender Kit (Cab Only)	576.40
		<b>Front Power Take-Off (PTO)</b>	
	BLV10475	2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	306.01
	BLV10452	Front Power Take-Off (PTO) Bracket (3120-3720, 3033R-3046R)	92.40
		<b>Front Quick-Hitch</b>	
	BLV10439	Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket).</i>	1,353.00
		<b>Front Wheels and Tires</b>	
	BLV10862	27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	716.10
	BLV10860	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		<b>Hood Guards</b>	
	BWA1190	Deluxe Hood Guard	591.80
	BW16585	Deluxe Hood Guard Attachment	325.60
	BW15219	Hood Guard	266.20
		<b>Hydraulics</b>	
	BLV10761	4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	856.90

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10888	EH Third SCV (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details. Compatible with MY2015 Cab tractors with serial number 140703 and above.</i>	939.40
	BLV10961	EH Third SCV (Cab Only) <i>For MY18 and newer Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Options Table) for ordering information.</i>	939.40
	BLV10362	EH Third SCV (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,218.80
	BLV10500	EH Third SCV (OOS Only) <i>For MY15 and newer Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV OptionsTable) for ordering information.</i>	939.40
	BLV10649	Electric Diverter Kit (Cab Only) <i>Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,545.50
	BLV10983	Electric Diverter Kit (OOS Only) <i>Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV OptionsTable) for ordering information.</i>	1,486.10
	BLV10964	Power Beyond Kit (Cab) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Options Table) for ordering information.</i>	414.70
	BLV11010	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe. See Sales Manual (SCV Reference Table) or ordering details.</i>	414.70
	BLV10962	Power Beyond Kit (OOS) <i>For use with 3rd SCV. Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Options Table) for ordering information.</i>	414.70
	BLV10650	Top and Tilt Field Kit <i>Requires Electric Diverter Kit.</i>	1,354.10
		<b>Lighting</b>	
	LVB24852	Beacon Light Kit (Cab Only)	244.20
	BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	80.30
		<b>Lighting Equipment</b>	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).</i>	63.80
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90



JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	80.30
		<b>Mirrors</b>	
	LVB24844	External Mirror Kit (Cab Only)	191.40
	BLV11034	Left Hand Mirror Kit	191.40
		<b>Miscellaneous</b>	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	BLV11095	7-Pin Trailer Connector (Cab Only)	129.80
	BLV10174	7-Pin Trailer Connector (OOS Only)	103.40
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 lb	12.10
	BLV10648	Back-up Alarm Kit <i>Requires eHydro Transmission Option.</i>	132.00
	BW15073	Ballast Box	292.60
	LVA21038	Filter Pak	186.68
	LVB24851	Horn Kit (Cab Only)	49.50
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
	BLV11052	Rear License Plate Kit (Cab Only) (Includes Light) <i>For MY18 and newer Tractors.</i>	64.90
	BLV10924	Rear License Plate Kit (Includes Light) <i>For MY18 and newer Tractors.</i>	64.90
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is Pre-Wired.</i>	151.80
	BLV11035	RightHand Mirror Kit	191.40
	TY4453	Tire Chains <i>For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only.</i>	308.55

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	TY4457	Tire Chains <i>For use with 41x14.0-20 In. 4PR (R3) Rear Tires.</i>	323.33
	LVB24930	Tool Box Kit <i>Cab Only.</i>	62.70
	LP95637	Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	159.99
	TY25324	Weather Protection Umbrella	113.73
	LVU15507	iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	30.24
		<b>Operator Environment</b>	
	LVB25688	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	661.10
	LVB24856	Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built prior to March 15, 2017.</i>	254.10
	BLV10938	Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built after March 15, 2017.</i>	254.10
		<b>Operator's Station</b>	
	RE343680	Accessory Mounting Bracket	55.81
	LVB24983	Air Seat Suspension Kit (Cab Only)	727.10
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	BRE10015	Cell Phone Mount Kit	62.70
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
	BRE10152	Self - Leveling Cup Holder	61.60
	SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	243.61
		<b>PTO</b>	
	LVB24846	Mid PTO Control Kit (Cab Only) <i>For MY17 tractors and older.  Not compatible with PRT configurations.</i>	159.50
	BLV10848	Mid PTO Control Kit (Cab Only)	159.50

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25537	Mid PTO Kit <i>For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1)19M7788 Through Parts.</i>  <i>Cab Tractor also Requires BLV10848, Mid PTO Controls.</i> <i>Note for MY17 tractors and older:</i> <i>For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1)19M7788 Through Parts. Cab Tractor also Requires LVB24846, Mid PTO Controls.</i>	765.60
	LVB25308	<b>Rear Hitch</b> Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	354.20
	LVU12858	iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	23.03
	LVB25976	iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
	TY15651	<b>Tire Chains</b> Tire Chains <i>For use with 25x8.50-14 (R4) Front Tires.</i>	98.26
	TY15649	Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires.</i> <i>Not for use with Front Fender Kit.</i>	97.03
	LVB26139	<b>Transmission</b> PRT Oil Cooler Kit	301.40
	BLV10641	Transmission Oil Heater	88.00
	BM19940	<b>Weights</b> Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 lb	11.00
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit, BLV10442 or BLV10441 (Front Weight Bracket Extension Kit).</i>	59.91

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVU32113	Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit, BLV10442 or BLV10441 (Front Weight Bracket Extension Kit).</i>	99.00
	BM17968	Rear Wheel Weight, 48.5 lb <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel, 106 Lb. (48Kg) <i>Starter and Additional Weight for 24 In. Wheel. Requires Attaching Hardware 4 each of 03H1605 (Bolt) and 14H1039 (Nut) for Starter Weight and BM19940 for Additional Weight. Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		<b>Wheels and Tires Front</b>	
	BLV10868	25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	716.10
	BLV10864	25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	625.90
	BLV10866	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
		<b>Wheels and Tires Rear</b>	
	BLV10861	11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,848.00
	BLV10865	15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,731.40
	BLV10867	41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,570.80
	BLV10869	41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,504.70
	BLV10863	43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,760.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4105 Compact Utility Tractor (33 PTO hp)

Equipment for Base Machine

ENGINE:	Lever, Float, Regenerative	Protective Structure)
Yanmar Liquid Cooled	Function, and SCV Lockout	Meets ASAE S478 and OSHA 1928
TurboDiesel Engine	PTO:	ROPS Certification Standards
Interim Tier IV EPA Emissions	Independent 540 RPM Rear PTO	Operator Presence with Safety
Certified	Electronically Actuated	Interlock System
Engine HP 40.2 (29.8 kW)**	ELECTRICAL:	BASE MACHINE (4WD):
PTO HP 32.5 (24.2 kW) HST	12-Volt Electrical System	R1 or R4 Tires
Rated Speed 2600 RPM	40 Amp Alternator	
**Manufactures Estimate of	Key Ignition Starter with	
Power (ISO) per 97/68 EC	Accessory and Pre-Heat	
TRANSMISSION:	Position	
4-Wheel Drive	Maintenance Free Battery with	
HST Transmission	500 Cold Cranking Amps	
Differential Lock	OPERATOR PROTECTIVE STRUCTURE:	
HYDRAULICS:	Adjustable High Back Vinyl Seat	
Dual Mid Selective Control	with Spring Suspension	
Valve with Joystick Control	Fixed ROPS (Roll-Over	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>F.O.B. Grovetown, Georgia</i>			
1493LV		4105 Compact Utility Tractor (33 PTO hp)	23,634.00
<b>OPERATOR STATION</b>			
1505		Open Station with Standard Seat	In Base Price
<b>TRANSMISSION</b>			
2025		HST Transmission	In Base Price
<b>MID PTO</b>			
2500		Less Mid PTO	In Base Price
<b>WHEELS WITH TIRES (TWO)</b>			
<i>All tires offered are of bias ply construction.</i>			
4555		8-16 (8PR, Front R1 Bar, 1 Position) 14.90-24 (6PR, Rear R1 Bar, 1 Position)	In Base Price
4560		10-16.5 (8PR, Front R4 Industrial, 1 Position) 17.50L-24 (6PR, Rear R4 Industrial, 1 Position)	273.00
<b>SELECTIVE CONTROL VALVES</b>			
7010		Dual Mid Selective Control Valve	In Base Price
<b>ATTACHMENTS - ORDER AS DESIRED</b>			
9800		Spanish North American Kit: Spanish North American Operator's Manual and Decal Kit	No Charge

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4105 Compact Utility Tractor (33 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
	AT118553	Air Cleaner Service Indicator (Donaldson)	59.64
	BLV10640	Engine Coolant Heater Kit (110 Volt)	64.64
	LVA13457	Spark Arrester Screen	46.33
	LVB25884	Vertical Exhaust Kit	397.10
		<b>Hitch:</b>	
	LVB25308	Telescoping Draft Links	352.00
	LVU15507	iMatch Quick Hitch Bushings	10.40
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	357.50
		<b>Hood Guards:</b>	
	BW15783	Hood Guard (4105) <i>For Tractor serial numbers 1LV4105HKAH410001 and below For Tractors 1LV4105HKAH410001 and above use BW16040.</i>	251.90
	BW16040	Hood Guard (4105) <i>For Tractor serial numbers 1LV4105HKAH410001 and above. For Tractors 1LV4105HKAH410001 and below, use BW15783.</i>	259.60
		<b>Hydraulics:</b>	
	LVB26030	Electrohydraulic Third SCV Kit (OOS Only) <i>For 3120-3720 and 4105 Tractors, Dual SCV is Standard. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,212.20
	LVB25505	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2010 tractors and older. See sales manual for details.</i>	412.50
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for MY2011 serial number break.</i>	412.50
		<b>Lighting:</b>	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	LVB25016	Warning Light Brush Guard Kit (Two Guards)	49.50
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	84.70

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4105 Compact Utility Tractor (33 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Miscellaneous:</b>	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	LVB25015	55 Amp Alternator	313.50
	LVB26021	Cruise Control Kit	313.50
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires</i>	628.68
		<b>Operator Environment:</b>	
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	583.00
	LVB25332	Canopy Mounting Bracket and Hardware Kit	105.60
		<b>Spanish North American Kit:</b>	
	LVB25990	Spanish North American Operators Manual and Decal Kit <i>For 4105 Tractor</i>	68.20
	LVB26188	Spanish North American Operators Manual and Decal Kit	77.00
		<b>Transmission:</b>	
	BLV10641	Transmission Oil Heater	86.83
		<b>Weights:</b>	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB19607	Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires CH15318, Pin.</i>	63.13
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) BLV10443.</i>	108.90
	T19293	Weight, Rear Wheel 110 Lb.	171.60
		<b>Wheels and Tires Front:</b>	
	BM19108	10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
		<b>Wheels and Tires Rear:</b>	
	LVB26029	17.50L-24 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	2,203.30

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4044M Compact Utility Tractor (33 PTO hp)

Equipment for Base Machine

ENGINE:  
 Yanmar  
 4 Cylinder Naturally Aspirated  
 Diesel Engine  
 Tier IV EPA Emissions  
 Certified  
 Engine HP 43.1 (31.7 kW)\*\*  
 PTO HP 32.5 (23.0 kW)  
 \*\*Engine HP (kW), Gross SAE  
 J1995: 43.1 (31.7) @ 2600 rpm,  
 PS  
 Displacement, L: 2.2  
 TRANSMISSION:  
 PowrReverser  
 Synchronized - 4 Speeds  
 Forward, 4 Speeds Reverse  
 Dual Multi-Disk Wet Clutches  
 Differential Lock  
 4-Wheel Drive  
 LoadMatch  
 MotionMatch

INSTRUMENTATION:  
 Performance Tracking System  
 Diagnostic Control Panel  
 Hour Meter  
 PTO Hour Meter  
 Filter Cleaning Tracking  
 ELECTRICAL:  
 12-Volt Electrical System  
 75 Amp Alternator  
 Key Ignition Starter with  
 Accessory and Pre-Heat Position  
 Wet Battery with 770 Cold  
 Cranking Amps  
 OPERATOR PROTECTIVE STRUCTURE:  
 Adjustable Vinyl Seat with  
 Retractable Seat Belt  
 Folding ROPS (Roll-Over  
 Protective Structure)  
 Meets SAE J2194 and OSHA 1928  
 ROPS Certification Standards for  
 North America and Europe

Flat Foot Deck  
 Operator Presence with Safety  
 Interlock  
 HYDRAULICS:  
 Not included in base machine  
 BASE MACHINE (4WD):  
 13.60-28 (4PR, R1 Bar, 5  
 Position) Rear Wheels & Tires  
 8-16 (6PR, R1 Bar, 2 Position)  
 Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Grovetown, Georgia*

0311LV	4044M Compact Utility Tractor (33 PTO hp)	26,852.00
--------	---	-----------

#### DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
024D	American Samoa	Same Price
024H	United States Minor Outlying	Same Price
0205	Quebec	Same Price

#### OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	Same Price
0437	Spanish Operator's Manual and Decal Kit	Same Price

#### TRANSMISSION

1381	12F/12R PowrReverser	In Base Price
1520	eHydro	1,106.00

#### LOADERS



JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044M Compact Utility Tractor (33 PTO hp)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1701		<b>LOADERS Continued...</b> Factory Installed Loader with Bucket <i>Pricing includes 400E Loader and loader installation charge with the following options:</i>  <i>73 In. (1850mm) Quick Change Materials Bucket</i> <i>Compact Utility Tractor Carrier</i> <i>Mounting Frame</i> <i>Two Function Single Lever Control</i> <i>Hood Guard</i> <i>Non-Self Leveling Loader</i>  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	5,987.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 400E Loader and loader installation charge with the following options:</i>  <i>Compact Utility Tractor Carrier</i> <i>Mounting Frame</i> <i>Two Function Single Lever Control</i> <i>Hood Guard</i> <i>Non-Self Leveling Loader</i>  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	5,113.00
1795		Less Loader	In Base Price
<b>OPERATOR'S STATION</b>			
2000		Open Station with Standard Seat	In Base Price
<b>THREE-POINT HITCH</b>			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i> <i>Not compatible with telescoping draft links</i>	291.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
<b>DRAWBAR AND TRAILER HITCH</b>			
4300		Less Rear Drawbar	In Base Price
4310		Rear Drawbar <i>Includes support bracket and retention pin.</i>	221.00
<b>REAR AXLE</b>			
5090		Less Wheel Spacer	In Base Price
5091		Wheel Spacer <i>Totaling 11 inches (5.5 inches each).</i>	420.00
<b>REAR WHEELS AND TIRES</b>			
<i>All tires offered are of bias ply construction.</i>			
5221		13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4044M Compact Utility Tractor (33 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>REAR WHEELS AND TIRES Continued...</b>			
5240		16.9-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
<b>FRONT WHEELS AND TIRES</b>			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Ballast Box</b>	
BW15074		Ballast Box Extension	138.60
		<b>Drawbar</b>	
LP63768		Magnetic hitch pin	18.99
		<b>Engine</b>	
BLV10640		Engine Coolant Heater Kit (110 Volt)	66.00
BLV10608		Vertical Exhaust Kit (Non Turbo) <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i>	399.30
		<b>Hood Guards</b>	
BW16155		Deluxe Hood Guard Attachment	170.50
BW16335		Hood Guard <i>Compatible with 4M less loader only.</i>	288.20
		<b>Hydraulics</b>	
		<i>Please review the SCV reference table, in the Sales Manual, for ordering information and compatibility information.</i>	
BLV10050		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	892.10
BLV11029		Dual Mid Valve Kit <i>For 4M H180/400E compatibility and 4M Less Loader configurations.</i>  <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	687.50
BLV10767		Electrohydraulic Third SCV Kit with Rear Tubing <i>For 4M D170 Loader Configurations.</i>  <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	975.70

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044M Compact Utility Tractor (33 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10764	Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>For 4M H180 compatibility and 4M Less Loader configurations.</i>  <i>Includes mid and rear hydraulic lines and couplers.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	975.70
	BLV10456	Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10498	Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10969	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	414.70
	BLV10040	Top and Tilt Field Kit (OOS Only) <i>For MY17 tractors and older.</i>  <i>Not compatible with 3 Point Hitch Downforce Kit.</i>	1,280.40
	BLV10965	Top and Tilt Field Kit (OOS Only) <i>For MY18 tractors and newer.</i>  <i>Not compatible with 3 Point Hitch Downforce Kit.</i>	1,280.40
	LVB24852	<b>Lighting</b> Beacon Light Kit (Cab Only)	244.20
	LVB25547	<b>Lighting Equipment</b> Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i> <i>Includes 1 Light.</i>	63.80
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400).</i> <i>Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
	BLV10497	LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights.</i> <i>Each light has 360 degree rotation.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i>	303.60
	BLV10400	Warning Light Brush Guard Kit (Two Guards) <i>Includes 2 guards</i>	84.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i>	80.30
	BLV11034	<b>Mirrors</b> Left Hand Mirror Kit	191.40

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044M Compact Utility Tractor (33 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Miscellaneous</b>	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	BLV10174	7-Pin Trailer Connector (OOS Only)	103.40
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 lb	12.10
	BLV10358	Back-up Alarm Kit	132.00
	BW15073	Ballast Box	292.60
	BLV10388	Cruise Control Kit <i>For 4M HST tractors. Requires Service Advisor software order number LVU27044. See instruction sheet for more details.</i>	69.30
	LVA21039	Filter Pak	198.02
	BLV10359	Horn Kit	59.40
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
	BLV10924	Rear License Plate Kit (Includes Light) <i>For MY18 and newer Tractors.</i>	64.90
	BLV11035	RightHand Mirror Kit	191.40
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	LVB24865	Tool Box Kit <i>For use on 4M tractors less loader.</i>	166.10
	TY25324	Weather Protection Umbrella	113.73
	BLV10029	Wheel Spacer Set, 140MM	528.00
	LVU15507	iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	30.24
		<b>Operator Environment</b>	
	BLV10401	Premium Seat Kit (OOS Only)	829.40
		<b>Operator's Station</b>	
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044M Compact Utility Tractor (33 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Rear Hitch</b>	
BLV10375		Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	391.60
BLV10844		Tractor Drawbar Assembly	277.20
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	23.03
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
		<b>Tire Chains</b>	
TY15988		Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	628.68
TY4462		Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19
		<b>Transmission</b>	
BLV10641		Transmission Oil Heater	88.00
		<b>Weights</b>	
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 lb <i>For 20 In. Wheel only.</i>	11.00
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>  <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	59.91
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	99.00
BM17968		Rear Wheel Weight, 48.5 lb <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044M Compact Utility Tractor (33 PTO hp)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	T19293	Weight, Rear Wheel, 106 Lb. (48Kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		<b>Wheels and Tires Front</b>	
	BLV10872	10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	BLV10874	27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
	BLV10876	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
	BLV10870	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		<b>Wheels and Tires Rear</b>	
	BLV10871	13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
	BLV10873	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
	BLV10877	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10
	BLV10875	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4052M Compact Utility Tractor (40 PTO hp)

Equipment for Base Machine

ENGINE:  
 Yanmar  
 4 Cylinder  
 Turbocharged Diesel Engine  
 Tier IV EPA Emissions Certified  
 Engine HP 51.5 (37.9 kW)\*\*  
 PTO HP 39.9 (29.7 kW)  
 \*\*Engine HP (kW), Gross SAE  
 J1995: 51.5 (37.9) @ 2600 rpm,  
 PS  
 Displacement, L: 2.1  
 TRANSMISSION:  
 PowrReverser  
 Synchronized - 4 Speeds  
 Forward, 4 Speeds Reverse  
 Dual Multi-Disk Wet Clutches  
 Differential Lock  
 4-Wheel Drive  
 LoadMatch  
 MotionMatch

INSTRUMENTATION:  
 Performance Tracking System  
 Diagnostic Control Panel  
 Hour Meter  
 PTO Hour Meter  
 Filter Cleaning Tracking  
 ELECTRICAL:  
 12-Volt Electrical System  
 75 Amp Alternator  
 Key Ignition Starter with  
 Accessory and Pre-Heat Position  
 Wet Battery with 770 Cold  
 Cranking Amps  
 OPERATOR PROTECTIVE STRUCTURE:  
 Adjustable Vinyl Seat with  
 Retractable Seat Belt  
 Folding ROPS (Roll-Over  
 Protective Structure)  
 Meets SAE J2194 and OSHA 1928  
 ROPS Certification Standards for

North America and Europe  
 Flat Foot Deck  
 Operator Presence with Safety  
 Interlock  
 HYDRAULICS:  
 Not included in base machine  
 BASE MACHINE (4WD):  
 13.60-28 (4PR, R1 Bar, 5  
 Position) Rear Wheels & Tires  
 8-16 (6PR, R1 Bar, 2 Position)  
 Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Grovetown, Georgia*

0351LV	4052M Compact Utility Tractor (40 PTO hp)	29,662.00
--------	---	-----------

#### DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
024D	American Samoa	Same Price
024H	United States Minor Outlying	Same Price
0205	Quebec	Same Price

#### OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	Same Price
0437	Spanish Operator's Manual and Decal Kit	Same Price

#### TRANSMISSION

1381	12F/12R PowrReverser	In Base Price
1520	eHydro	1,106.00

#### LOADERS

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4052M Compact Utility Tractor (40 PTO hp)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1701		<b>LOADERS Continued...</b> Factory Installed Loader with Bucket <i>Pricing includes 400E Loader and loader installation charge with the following options:</i>  <i>73 In. (1850mm) Quick Change Materials Bucket</i> <i>Compact Utility Tractor Carrier</i> <i>Mounting Frame</i> <i>Two Function Single Lever Control</i> <i>Hood Guard</i> <i>Non-Self Leveling Loader</i>  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	5,987.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 400E Loader and loader installation charge with the following options:</i>  <i>Compact Utility Tractor Carrier</i> <i>Mounting Frame</i> <i>Two Function Single Lever Control</i> <i>Hood Guard</i> <i>Non-Self Leveling Loader</i>  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	5,113.00
1795		Less Loader	In Base Price
<b>OPERATOR'S STATION</b>			
2000		Open Station with Standard Seat	In Base Price
<b>THREE-POINT HITCH</b>			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i> <i>Not compatible with telescoping draft links</i>	291.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
<b>DRAWBAR AND TRAILER HITCH</b>			
4300		Less Rear Drawbar	In Base Price
4310		Rear Drawbar <i>Includes support bracket and retention pin.</i>	221.00
<b>REAR AXLE</b>			
5090		Less Wheel Spacer	In Base Price
5091		Wheel Spacer <i>Totaling 11 inches (5.5 inches each).</i>	420.00
<b>REAR WHEELS AND TIRES</b>			
<i>All tires offered are of bias ply construction.</i>			
5221		13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price



# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4052M Compact Utility Tractor (40 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>REAR WHEELS AND TIRES Continued...</b>			
5240		16.9-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
<b>FRONT WHEELS AND TIRES</b>			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Ballast Box</b>	
BW15074		Ballast Box Extension	138.60
		<b>Drawbar</b>	
LP63768		Magnetic hitch pin	18.99
		<b>Engine</b>	
BLV10640		Engine Coolant Heater Kit (110 Volt)	66.00
BLV10609		Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i>	399.30
		<b>Hood Guards</b>	
BW16155		Deluxe Hood Guard Attachment	170.50
BW16335		Hood Guard <i>Compatible with 4M less loader only.</i>	288.20
		<b>Hydraulics</b>	
		<i>Please review the SCV reference table, in the Sales Manual, for ordering information and compatibility information.</i>	
BLV10050		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	892.10
BLV11029		Dual Mid Valve Kit <i>For 4M H180/400E compatibility and 4M Less Loader configurations.</i>  <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	687.50
BLV10767		Electrohydraulic Third SCV Kit with Rear Tubing <i>For 4M D170 Loader Configurations.</i>  <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	975.70

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4052M Compact Utility Tractor (40 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BLV10764		Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>For 4M H180 compatibility and 4M Less Loader configurations.</i>  <i>Includes mid and rear hydraulic lines and couplers.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	975.70
BLV10456		Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
BLV10498		Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
BLV10969		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	414.70
BLV10040		Top and Tilt Field Kit (OOS Only) <i>For MY17 tractors and older.</i>  <i>Not compatible with 3 Point Hitch Downforce Kit.</i>	1,280.40
BLV10965		Top and Tilt Field Kit (OOS Only) <i>For MY18 tractors and newer.</i>  <i>Not compatible with 3 Point Hitch Downforce Kit.</i>	1,280.40
LVB24852		<b>Lighting</b> Beacon Light Kit (Cab Only)	244.20
LVB25547		<b>Lighting Equipment</b> Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i> <i>Includes 1 Light.</i>	63.80
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400).</i> <i>Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights.</i> <i>Each light has 360 degree rotation.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i>	303.60
BLV10400		Warning Light Brush Guard Kit (Two Guards) <i>Includes 2 guards</i>	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i>	80.30
BLV11034		<b>Mirrors</b> Left Hand Mirror Kit	191.40

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4052M Compact Utility Tractor (40 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Miscellaneous</b>	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	BLV10174	7-Pin Trailer Connector (OOS Only)	103.40
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 lb	12.10
	BLV10358	Back-up Alarm Kit	132.00
	BW15073	Ballast Box	292.60
	BLV10388	Cruise Control Kit <i>For 4M HST tractors. Requires Service Advisor software order number LVU27044. See instruction sheet for more details.</i>	69.30
	LVA21039	Filter Pak	198.02
	BLV10359	Horn Kit	59.40
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
	BLV10924	Rear License Plate Kit (Includes Light) <i>For MY18 and newer Tractors.</i>	64.90
	BLV11035	RightHand Mirror Kit	191.40
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	LVB24865	Tool Box Kit <i>For use on 4M tractors less loader.</i>	166.10
	TY25324	Weather Protection Umbrella	113.73
	BLV10029	Wheel Spacer Set, 140MM	528.00
	LVU15507	iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	30.24
		<b>Operator Environment</b>	
	BLV10401	Premium Seat Kit (OOS Only)	829.40
		<b>Operator's Station</b>	
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4052M Compact Utility Tractor (40 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Rear Hitch</b>	
BLV10375		Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	391.60
BLV10844		Tractor Drawbar Assembly	277.20
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	23.03
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
		<b>Tire Chains</b>	
TY15988		Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	628.68
TY4462		Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19
		<b>Transmission</b>	
BLV10641		Transmission Oil Heater	88.00
		<b>Weights</b>	
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 lb <i>For 20 In. Wheel only.</i>	11.00
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>  <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	59.91
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	99.00
BM17968		Rear Wheel Weight, 48.5 lb <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4052M Compact Utility Tractor (40 PTO hp)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	T19293	Weight, Rear Wheel, 106 Lb. (48Kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		<b>Wheels and Tires Front</b>	
	BLV10872	10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	BLV10874	27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
	BLV10876	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
	BLV10870	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		<b>Wheels and Tires Rear</b>	
	BLV10871	13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
	BLV10873	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
	BLV10877	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10
	BLV10875	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4066M Compact Utility Tractor (52 PTO hp)

Equipment for Base Machine

ENGINE:  
 Yanmar  
 4 Cylinder Intercooled  
 Turbocharged Diesel Engine  
 Tier IV EPA Emissions  
 Certified  
 Engine HP 65.9 (48.5 kW)\*\*  
 PTO HP 52 (38.8 kW)  
 \*\*Engine HP (kW), Gross SAE  
 J1995: 65.9 (48.5) @ 2600 rpm,  
 PS  
 Displacement, L: 2.1  
 TRANSMISSION:  
 PowrReverser  
 Synchronized - 4 Speeds  
 Forward, 4 Speeds Reverse  
 Dual Multi-Disk Wet Clutches  
 Differential Lock  
 4-Wheel Drive  
 LoadMatch  
 MotionMatch

INSTRUMENTATION:  
 Performance Tracking System  
 Diagnostic Control Panel  
 Hour Meter  
 PTO Hour Meter  
 Filter Cleaning Tracking  
 ELECTRICAL:  
 12-Volt Electrical System  
 75 Amp Alternator  
 Key Ignition Starter with  
 Accessory and Pre-Heat Position  
 Wet Battery with 770 Cold  
 Cranking Amps  
 OPERATOR PROTECTIVE STRUCTURE:  
 Adjustable Vinyl Seat with  
 Retractable Seat Belt  
 Folding ROPS (Roll-Over  
 Protective Structure)  
 Meets SAE J2194 and OSHA 1928  
 ROPS Certification Standards for  
 North America and Europe

Flat Foot Deck  
 Operator Presence with Safety  
 Interlock  
 HYDRAULICS:  
 Not included in base machine  
 BASE MACHINE (4WD):  
 13.60-28 (4PR, R1 Bar, 5  
 Position) Rear Wheels & Tires  
 8-16 (6PR, R1 Bar, 2 Position)  
 Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Grovetown, Georgia*

0372LV	4066M Compact Utility Tractor (52 PTO hp)	35,142.00
--------	---	-----------

#### DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
024D	American Samoa	Same Price
024H	United States Minor Outlying	Same Price
0205	Quebec	Same Price

#### OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	Same Price
0437	Spanish Operator's Manual and Decal Kit	Same Price

#### TRANSMISSION

1381	12F/12R PowrReverser	In Base Price
1520	eHydro	1,106.00

#### LOADERS

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS**

**4066M Compact Utility Tractor (52 PTO hp)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1701		<b>LOADERS Continued...</b> Factory Installed Loader with Bucket <i>Pricing includes 400E Loader and loader installation charge with the following options:</i>  <i>73 In. (1850mm) Quick Change Materials Bucket</i> <i>Compact Utility Tractor Carrier</i> <i>Mounting Frame</i> <i>Two Function Single Lever Control</i> <i>Hood Guard</i> <i>Non-Self Leveling Loader</i>  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	5,987.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 400E Loader and loader installation charge with the following options:</i>  <i>Compact Utility Tractor Carrier</i> <i>Mounting Frame</i> <i>Two Function Single Lever Control</i> <i>Hood Guard</i> <i>Non-Self Leveling Loader</i>  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	5,113.00
1795		Less Loader	In Base Price
<b>OPERATOR'S STATION</b>			
2000		Open Station with Standard Seat	In Base Price
<b>THREE-POINT HITCH</b>			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i> <i>Not compatible with telescoping draft links</i>	291.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
<b>DRAWBAR AND TRAILER HITCH</b>			
4300		Less Rear Drawbar	In Base Price
4310		Rear Drawbar <i>Includes support bracket and retention pin.</i>	221.00
<b>REAR AXLE</b>			
5090		Less Wheel Spacer	In Base Price
5091		Wheel Spacer <i>Totaling 11 inches (5.5 inches each).</i>	420.00
<b>REAR WHEELS AND TIRES</b>			
<i>All tires offered are of bias ply construction.</i>			
5221		13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4066M Compact Utility Tractor (52 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>REAR WHEELS AND TIRES Continued...</b>			
5240		16.9-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
<b>FRONT WHEELS AND TIRES</b>			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Ballast Box</b>	
BW15074		Ballast Box Extension	138.60
		<b>Drawbar</b>	
LP63768		Magnetic hitch pin	18.99
		<b>Engine</b>	
BLV10640		Engine Coolant Heater Kit (110 Volt)	66.00
BLV10609		Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i>	399.30
		<b>Hood Guards</b>	
BW16155		Deluxe Hood Guard Attachment	170.50
BW16335		Hood Guard <i>Compatible with 4M less loader only.</i>	288.20
		<b>Hydraulics</b>	
		<i>Please review the SCV reference table, in the Sales Manual, for ordering information and compatibility information.</i>	
BLV10050		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	892.10
BLV11029		Dual Mid Valve Kit <i>For 4M H180/400E compatibility and 4M Less Loader configurations.</i>  <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	687.50
BLV10767		Electrohydraulic Third SCV Kit with Rear Tubing <i>For 4M D170 Loader Configurations.</i>  <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	975.70



JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4066M Compact Utility Tractor (52 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10764	Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>For 4M H180 compatibility and 4M Less Loader configurations.</i>  <i>Includes mid and rear hydraulic lines and couplers.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	975.70
	BLV10456	Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10498	Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10969	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	414.70
	BLV10040	Top and Tilt Field Kit (OOS Only) <i>For MY17 tractors and older.</i>  <i>Not compatible with 3 Point Hitch Downforce Kit.</i>	1,280.40
	BLV10965	Top and Tilt Field Kit (OOS Only) <i>For MY18 tractors and newer.</i>  <i>Not compatible with 3 Point Hitch Downforce Kit.</i>	1,280.40
	LVB24852	<b>Lighting</b> Beacon Light Kit (Cab Only)	244.20
	LVB25547	<b>Lighting Equipment</b> Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i> <i>Includes 1 Light.</i>	63.80
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400).</i> <i>Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
	BLV10497	LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights.</i> <i>Each light has 360 degree rotation.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i>	303.60
	BLV10400	Warning Light Brush Guard Kit (Two Guards) <i>Includes 2 guards</i>	84.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i>	80.30
	BLV11034	<b>Mirrors</b> Left Hand Mirror Kit	191.40

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4066M Compact Utility Tractor (52 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Miscellaneous</b>	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	BLV10174	7-Pin Trailer Connector (OOS Only)	103.40
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 lb	12.10
	BLV10358	Back-up Alarm Kit	132.00
	BW15073	Ballast Box	292.60
	BLV10388	Cruise Control Kit <i>For 4M HST tractors. Requires Service Advisor software order number LVU27044. See instruction sheet for more details.</i>	69.30
	LVA21039	Filter Pak	198.02
	BLV10359	Horn Kit	59.40
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
	BLV10924	Rear License Plate Kit (Includes Light) <i>For MY18 and newer Tractors.</i>	64.90
	BLV11035	RightHand Mirror Kit	191.40
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	LVB24865	Tool Box Kit <i>For use on 4M tractors less loader.</i>	166.10
	TY25324	Weather Protection Umbrella	113.73
	BLV10029	Wheel Spacer Set, 140MM	528.00
	LVU15507	iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	30.24
		<b>Operator Environment</b>	
	BLV10401	Premium Seat Kit (OOS Only)	829.40
		<b>Operator's Station</b>	
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4066M Compact Utility Tractor (52 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Rear Hitch</b>	
BLV10375		Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	391.60
BLV10844		Tractor Drawbar Assembly	277.20
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	23.03
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
		<b>Tire Chains</b>	
TY15988		Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	628.68
TY4462		Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19
		<b>Transmission</b>	
BLV10641		Transmission Oil Heater	88.00
		<b>Weights</b>	
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 lb <i>For 20 In. Wheel only.</i>	11.00
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>  <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	59.91
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	99.00
BM17968		Rear Wheel Weight, 48.5 lb <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4066M Compact Utility Tractor (52 PTO hp)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	T19293	Weight, Rear Wheel, 106 Lb. (48Kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		<b>Wheels and Tires Front</b>	
	BLV10872	10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	BLV10874	27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
	BLV10876	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
	BLV10870	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		<b>Wheels and Tires Rear</b>	
	BLV10871	13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
	BLV10873	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
	BLV10877	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10
	BLV10875	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4044R Compact Utility Tractor (33 PTO hp)

Equipment for Base Machine

ENGINE:	75 Amp Alternator	Molded Rubber Floormat
Yanmar	Key Ignition Starter with	Operator Manual Holder
4 Cylinder Naturally Aspirated	Accessory and Pre-Heat Position	Rearview Mirror (inside)
Diesel Engine	Wet Battery with 770 Cold	Monitor Bosses (2 sets)
Tier IV EPA Emissions	Cranking Amps	Right Hand and Left Hand
Certified	OPERATOR PROTECTIVE STRUCTURE:	Console Storage
Engine HP 43.1 (31.7)**	Deluxe Adjustable Vinyl Seat	Right Hand Control Center
PTO HP 32.5 (23.0 kW) HST	with Arm Rests, Swivel and	Sealed Quiet Cabin
**Engine HP (kW), Gross SAE	Retractable Seat Belt	Sun visor
J1995: 43.1 (31.7) @ 2600 rpm,	Folding ROPS (Roll-Over	Swing-Out Rear Window
PS	Protective Structure)	w/removable plug for monitor or
Displacement, L: 2.2	Meets SAE J2194 and OSHA 1928	controller harnesses
TRANSMISSION:	ROPS Certification Standards for	Tilt Steering
HST Transmission	North America and Europe	Two Front/Two Rear Roof Mounted
3 Range	Isolated Foot Rest	Warning Lights
Differential Lock	Center Console Tool Storage	HITCH:
4-Wheel Drive	Operator Presence with Safety	HitchAssist
Cruise Control	Interlock	Aux. 3 Point Hitch Control
LoadMatch	CAB:	BASE MACHINE (4WD):
MotionMatch	12 Volt Auxiliary Power Outlet	13.60-28 (4PR, R1 Bar, 5
SpeedMatch	Air Conditioning and Heater	Position) Rear Wheels & Tires
eThrottle	Cell Phone Holder	8-16 (6PR, R1 Bar, 2 Position)
HYDRAULICS:	Deluxe Fabric Covered Seat with	Front Wheels & Tires
Dual Mid Selective Control	Retractable Seat Belt and	
Valve with Joystick Control	Armrests	
Lever, Float, Regenerative	Dual Forward Work Lights	
Function	Two Speed Front Windshield	
INSTRUMENTATION:	Wiper/Washer	
Performance Tracking System	Fully Isolated Deluxe Cab	
Diagnostic Control Panel	High Impact Polymer Fenders	
Hour Meter	with Integrated Tail Lights	
Speedometer	Radio Preparation (w/antenna,	
ELECTRICAL:	speakers, wiring, media player	
12-Volt Electrical System	storage slot	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Grovetown, Georgia*

0321LV	4044R Compact Utility Tractor (33 PTO hp)	31,076.00
--------	---	-----------

#### DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
024D	American Samoa	Same Price
024H	United States Minor Outlying	Same Price
0205	Quebec	Same Price

#### OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044R Compact Utility Tractor (33 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>OPERATOR'S MANUAL Continued...</b>			
0437		Spanish Operator's Manual and Decal Kit	Same Price
<b>TRANSMISSION</b>			
1381		12F/12R PowrReverser <i>Includes response control feature. Requires Operator Station option 2005 (Open Station with Deluxe Seat).</i>	-1,263.00
1520		eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	In Base Price
<b>LOADERS</b>			
1701		Factory Installed Loader with Bucket <i>Pricing includes 440R Loader and loader installation charge with the following options:</i>  73 In. (1850mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	6,685.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 440R Loader and loader installation charge with the following options:</i>  Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	5,811.00
1795		Less Loader	In Base Price
<b>OPERATOR'S STATION</b>			
2005		Open Station with Deluxe Seat <i>Deluxe Seat includes armrest and swivel base.</i>	In Base Price
2050		Cab with Standard Seat <i>Requires Transmission option 1520 (eHydro).</i>	8,289.00
<b>RADIO</b>			
2650		Less Radio	In Base Price
2660		Factory Installed Stereo <i>Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately.</i>	471.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044R Compact Utility Tractor (33 PTO hp)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>RADIO Continued...</b>			
<i>Available ONLY with option codes 2050 and 2060.</i>			
<b>THREE-POINT HITCH</b>			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i> <i>Not compatible with telescoping draft links</i>	291.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
<b>REAR AXLE</b>			
5090		Less Wheel Spacer	In Base Price
5091		Wheel Spacer <i>Totaling 11 inches (5.5 inches each).</i>	420.00
<b>REAR WHEELS AND TIRES</b>			
<i>All tires offered are of bias ply construction.</i>			
5221		13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.9-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
<b>FRONT WHEELS AND TIRES</b>			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BW15074		<b>Ballast Box</b> Ballast Box Extension	138.60
LP63768		<b>Drawbar</b> Magnetic hitch pin	18.99
BLV10640		<b>Engine</b> Engine Coolant Heater Kit (110 Volt)	66.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044R Compact Utility Tractor (33 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10608	Vertical Exhaust Kit (Non Turbo) <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i>	399.30
		<b>Fenders</b>	
	BLV10791	Fixed Front Fender Kit (Cab Only) <i>For 4R Series Cab Tractors with vertical exhaust.</i>	531.30
	BLV10698	Rear Fender Extension Kit (Cab Only) <i>For MY17 tractors and older.</i>	337.70
	BLV10892	Rear Fender Extension Kit (Cab Only)	337.70
	BLV10756	Turnable Front Fender Kit (Cab Only) <i>For MY17 tractors and older.</i>	629.20
	BLV10896	Turnable Front Fender Kit (Cab Only)	629.20
		<b>Front Hitch</b>	
	BLV10990	Aux. Hydraulic Coupler Kit 1 <i>Includes couplers, hoses, and hardware to extend tractor mid Selective Control Valve to front hitch.</i>	221.10
	BLV10991	Aux. Hydraulic Coupler Kit 2 <i>Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th &amp; 5th Selective Control Valve to front hitch.</i>  <i>Requires installation of 4th &amp; 5th Selective Control Valve Kit AND Aux Hydraulic Coupler Kit 1.</i>	221.10
	BLV10088	Category 1 Three-Point Hitch Lift Arms and Torsion Tube <i>Requires Front Three-Point Hitch BLV10086.</i>	710.60
	BLV10989	Front Three-Point Hitch <i>For MY18 tractors and newer.</i>  <i>Lift Arms and Torsion Tube ordered separately, BLV10088.</i>	1,717.10
	BLV10091	Heavy Duty Push Bar <i>Requires Front Three-Point Hitch BLV10086.</i>	429.00
		<b>Hood Guards</b>	
	BW16155	Deluxe Hood Guard Attachment	170.50
	BW16335	Hood Guard	288.20
		<b>Hydraulics</b> <i>Please review the SCV reference table, in the Sales Manual, for ordering information and compatibility information.</i>	
	BLV10045	4th & 5th Selective Control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	971.30
	BLV10050	4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	892.10



JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044R Compact Utility Tractor (33 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10966	Electric 3 Spool Diverter Kit (Cab and OOS) <i>Includes two additional SCV's.</i> <i>Not compatible with 3 Point Hitch Downforce Kit.</i>	1,530.10
	BLV10763	Electrohydraulic Third SCV Kit with Rear Tubing (Cab Only) <i>Includes mid and rear hydraulic lines and couplers.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	975.70
	BLV10764	Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>Includes mid and rear hydraulic lines and couplers.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	975.70
	BLV10457	Load Center Assembly (Cab Only) <i>Electronic housing for powering all electric hydraulic kits.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10456	Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10498	Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10969	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	414.70
	BLV10499	Top and Tilt Field Kit (Cab Only) <i>For MY17 tractors and older.</i>  <i>Not compatible with 3 Point Hitch Downforce Kit.</i>	1,280.40
	BLV10967	Top and Tilt Field Kit (Cab Only) <i>Not compatible with 3 Point Hitch Downforce Kit.</i>	1,280.40
	BLV10040	Top and Tilt Field Kit (OOS Only) <i>For MY17 tractors and older.</i>  <i>Not compatible with 3 Point Hitch Downforce Kit.</i>	1,280.40
	BLV10965	Top and Tilt Field Kit (OOS Only) <i>For MY18 tractors and newer.</i>  <i>Not compatible with 3 Point Hitch Downforce Kit.</i>	1,280.40
		<b>Lighting</b>	
	LVB24852	Beacon Light Kit (Cab Only)	244.20
	BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	80.30
		<b>Lighting Equipment</b>	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i> <i>Includes 1 Light.</i>	63.80
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620).</i> <i>Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044R Compact Utility Tractor (33 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	80.30
		<b>Mirrors</b>	
	LVB24844	External Mirror Kit (Cab Only)	191.40
	BLV11034	Left Hand Mirror Kit	191.40
		<b>Miscellaneous</b>	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	BLV11095	7-Pin Trailer Connector (Cab Only)	129.80
	BLV10174	7-Pin Trailer Connector (OOS Only)	103.40
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 lb	12.10
	BLV10358	Back-up Alarm Kit <i>For 4R PRT Transmission Tractors. Standard on 4R eHydro Transmission Tractors.</i>	132.00
	BW15073	Ballast Box	292.60
	LVA21039	Filter Pak	198.02
	BLV10359	Horn Kit	59.40
	BLV11052	Rear License Plate Kit (Cab Only) (Includes Light) <i>For MY18 and newer Tractors.</i>	64.90
	BLV10924	Rear License Plate Kit (Includes Light) <i>For MY18 and newer Tractors.</i>	64.90
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights.  Cab is Pre-Wired.</i>	151.80
	BLV11035	RightHand Mirror Kit	191.40
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	LVB24865	Tool Box Kit	166.10
	TY25324	Weather Protection Umbrella	113.73
	BLV10029	Wheel Spacer Set, 140MM	528.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044R Compact Utility Tractor (33 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVU15507	iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	30.24
		<b>Operator Environment</b>	
	BLV10379	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	727.10
	LVB24856	Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built prior to March 15, 2017.</i>	254.10
	BLV10938	Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built after March 15, 2017.</i>	254.10
		<b>Operator's Station</b>	
	RE343680	Accessory Mounting Bracket	55.81
	LVB24983	Air Seat Suspension Kit (Cab Only)	727.10
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	BRE10015	Cell Phone Mount Kit	62.70
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
	BRE10152	Self - Leveling Cup Holder	61.60
	SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	243.61
		<b>PTO</b>	
	BLV10832	2 Speed PTO Kit (Cab Only) <i>Also order software part number LVU29170 through JDPoint.</i>	759.00
	BLV10385	2 Speed PTO Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	759.00
		<b>Rear Hitch</b>	
	BLV10968	3 Point Hitch Downforce Kit <i>Provides additional down-pressure to 3 point hitch. Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.</i>  <i>Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456. Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.</i>  <i>Not compatible with Top and Tilt Kit or Electric 3 Spool Diverter Kit.</i>  <i>Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.</i>	1,094.50

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044R Compact Utility Tractor (33 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10375	Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	391.60
	LVU12858	iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	23.03
	LVB25976	iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
		<b>Tire Chains</b>	
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	628.68
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19
		<b>Transmission</b>	
	BLV10641	Transmission Oil Heater	88.00
		<b>Weights</b>	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 lb <i>For 20 In. Wheel only.</i>	11.00
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>  <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	59.91
	LVU32113	Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	99.00
	BM17968	Rear Wheel Weight, 48.5 lb <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel, 106 Lb. (48Kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60

**Wheels and Tires Front**

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

---

**4044R Compact Utility Tractor (33 PTO hp)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10872	10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	BLV10874	27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
	BLV10876	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
	BLV10870	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		<b>Wheels and Tires Rear</b>	
	BLV10871	13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
	BLV10873	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
	BLV10877	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10
	BLV10875	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4052R Compact Utility Tractor (40 PTO hp)

Equipment for Base Machine

52R  
ENGINE:  
Yanmar  
4 Cylinder  
Turbocharged Diesel Engine  
Tier IV EPA Emissions  
Certified  
Engine HP 51.5 (37.9 kW)\*\*  
PTO HP 39.9 (29.7 kW) HST  
\*\*Engine HP (kW), Gross SAE  
J1995: 51.5 (37.9) @ 2600 rpm,  
PS  
Displacement, L: 2.2  
TRANSMISSION:  
HST Transmission  
3 Range  
Differential Lock  
4-Wheel Drive  
Cruise Control  
LoadMatch  
MotionMatch  
SpeedMatch  
eThrottle  
HYDRAULICS:  
Dual Mid Selective Control  
Valve with Joystick Control  
Lever, Float, Regenerative  
Function, and Regenerative  
Lockout  
INSTRUMENTATION:  
Performance Tracking System  
Diagnostic Control Panel  
Hour Meter  
Speedometer

ELECTRICAL:  
12-Volt Electrical System  
75 Amp Alternator  
Key Ignition Starter with  
Accessory and Pre-Heat Position  
Wet Battery with 770 Cold  
Cranking Amps  
OPERATOR PROTECTIVE STRUCTURE:  
Deluxe Adjustable Vinyl Seat  
with Arm Rests, Swivel and  
Retractable Seat Belt  
Folding ROPS (Roll-Over  
Protective Structure)  
Meets SAE J2194 and OSHA 1928  
ROPS Certification Standards for  
North America and Europe  
Isolated Foot Rest  
Center Console Tool Storage  
Operator Presence with Safety  
Interlock  
CAB:  
12 Volt Auxiliary Power Outlet  
Air Conditioning and Heater  
Armrests  
Cell Phone Holder  
Deluxe Fabric Covered Seat with  
Retractable Seat Belt  
Dual Forward Work Lights  
Two Speed Front Windshield  
Wiper/Washer  
Fully Isolated Deluxe Cab  
High Impact Polymer Fenders  
with Integrated Tail Lights  
Radio Preparation (w/antenna,

speakers, wiring, media player  
storage slot  
Molded Rubber Floor Mat  
Operator Manual Holder  
Rearview Mirror (inside)  
Monitor Bosses (2 sets)  
Right Hand and Left Hand  
Console Storage  
Right Hand Control Center  
Sealed Quiet Cabin  
Sun visor  
Swing-Out Rear Window  
w/removable plug for monitor or  
controller harnesses  
Tilt Steering  
Two Front/Two Rear Roof Mounted  
Warning Lights  
HITCH:  
HitchAssist  
Aux. 3 Point Hitch Control  
BASE MACHINE (4WD):  
13.60-28 (4PR, R1 Bar, 5  
Position) Rear Wheels & Tires  
8-16 (6PR, R1 Bar, 2 Position)  
Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Grovetown, Georgia*

0361LV	4052R Compact Utility Tractor (40 PTO hp)	33,914.00
--------	---	-----------

#### DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
024D	American Samoa	Same Price
024H	United States Minor Outlying	Same Price
0205	Quebec	Same Price

#### OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4052R Compact Utility Tractor (40 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>OPERATOR'S MANUAL Continued...</b>			
0437		Spanish Operator's Manual and Decal Kit	Same Price
<b>TRANSMISSION</b>			
1381		12F/12R PowrReverser <i>Includes response control feature. Requires Operator Station option 2005 (Open Station with Deluxe Seat).</i>	-1,263.00
1520		eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	In Base Price
<b>LOADERS</b>			
1701		Factory Installed Loader with Bucket <i>Pricing includes 440R Loader and loader installation charge with the following options:</i>  73 In. (1850mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	6,685.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 440R Loader and loader installation charge with the following options:</i>  Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	5,811.00
1795		Less Loader	In Base Price
<b>OPERATOR'S STATION</b>			
2005		Open Station with Deluxe Seat <i>Deluxe Seat includes armrest and swivel base.</i>	In Base Price
2050		Cab with Standard Seat <i>Requires Transmission option 1520 (eHydro).</i>	8,289.00
<b>RADIO</b>			
2650		Less Radio	In Base Price
2660		Factory Installed Stereo <i>Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately.</i>	471.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4052R Compact Utility Tractor (40 PTO hp)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>RADIO Continued...</b>			
<i>Available ONLY with option codes 2050 and 2060.</i>			
<b>THREE-POINT HITCH</b>			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i> <i>Not compatible with telescoping draft links</i>	291.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
<b>REAR AXLE</b>			
5090		Less Wheel Spacer	In Base Price
5091		Wheel Spacer <i>Totaling 11 inches (5.5 inches each).</i>	420.00
<b>REAR WHEELS AND TIRES</b>			
<i>All tires offered are of bias ply construction.</i>			
5221		13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.9-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
<b>FRONT WHEELS AND TIRES</b>			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BW15074		<b>Ballast Box</b> Ballast Box Extension	138.60
LP63768		<b>Drawbar</b> Magnetic hitch pin	18.99
BLV10640		<b>Engine</b> Engine Coolant Heater Kit (110 Volt)	66.00



JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4052R Compact Utility Tractor (40 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10609	Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i>	399.30
		<b>Fenders</b>	
	BLV10791	Fixed Front Fender Kit (Cab Only) <i>For 4R Series Cab Tractors with vertical exhaust.</i>	531.30
	BLV10698	Rear Fender Extension Kit (Cab Only) <i>For MY17 tractors and older.</i>	337.70
	BLV10892	Rear Fender Extension Kit (Cab Only)	337.70
	BLV10756	Turnable Front Fender Kit (Cab Only) <i>For MY17 tractors and older.</i>	629.20
	BLV10896	Turnable Front Fender Kit (Cab Only)	629.20
		<b>Front Hitch</b>	
	BLV10990	Aux. Hydraulic Coupler Kit 1 <i>Includes couplers, hoses, and hardware to extend tractor mid Selective Control Valve to front hitch.</i>	221.10
	BLV10991	Aux. Hydraulic Coupler Kit 2 <i>Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th &amp; 5th Selective Control Valve to front hitch.</i>  <i>Requires installation of 4th &amp; 5th Selective Control Valve Kit AND Aux Hydraulic Coupler Kit 1.</i>	221.10
	BLV10088	Category 1 Three-Point Hitch Lift Arms and Torsion Tube <i>Requires Front Three-Point Hitch BLV10086.</i>	710.60
	BLV10989	Front Three-Point Hitch <i>For MY18 tractors and newer.</i>  <i>Lift Arms and Torsion Tube ordered separately, BLV10088.</i>	1,717.10
	BLV10091	Heavy Duty Push Bar <i>Requires Front Three-Point Hitch BLV10086.</i>	429.00
		<b>Hood Guards</b>	
	BW16155	Deluxe Hood Guard Attachment	170.50
	BW16335	Hood Guard	288.20
		<b>Hydraulics</b> <i>Please review the SCV reference table, in the Sales Manual, for ordering information and compatibility information.</i>	
	BLV10045	4th & 5th Selective Control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	971.30
	BLV10050	4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	892.10

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4052R Compact Utility Tractor (40 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10966	Electric 3 Spool Diverter Kit (Cab and OOS) <i>Includes two additional SCV's. Not compatible with 3 Point Hitch Downforce Kit.</i>	1,530.10
	BLV10763	Electrohydraulic Third SCV Kit with Rear Tubing (Cab Only) <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	975.70
	BLV10764	Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	975.70
	BLV10457	Load Center Assembly (Cab Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10456	Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10498	Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10969	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering details.</i>	414.70
	BLV10499	Top and Tilt Field Kit (Cab Only) <i>For MY17 tractors and older.  Not compatible with 3 Point Hitch Downforce Kit.</i>	1,280.40
	BLV10967	Top and Tilt Field Kit (Cab Only) <i>Not compatible with 3 Point Hitch Downforce Kit.</i>	1,280.40
	BLV10040	Top and Tilt Field Kit (OOS Only) <i>For MY17 tractors and older.  Not compatible with 3 Point Hitch Downforce Kit.</i>	1,280.40
	BLV10965	Top and Tilt Field Kit (OOS Only) <i>For MY18 tractors and newer.  Not compatible with 3 Point Hitch Downforce Kit.</i>	1,280.40
		<b>Lighting</b>	
	LVB24852	Beacon Light Kit (Cab Only)	244.20
	BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	80.30
		<b>Lighting Equipment</b>	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Includes 1 Light.</i>	63.80
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4052R Compact Utility Tractor (40 PTO hp)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	80.30
		<b>Mirrors</b>	
	LVB24844	External Mirror Kit (Cab Only)	191.40
	BLV11034	Left Hand Mirror Kit	191.40
		<b>Miscellaneous</b>	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	BLV11095	7-Pin Trailer Connector (Cab Only)	129.80
	BLV10174	7-Pin Trailer Connector (OOS Only)	103.40
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 lb	12.10
	BLV10358	Back-up Alarm Kit <i>For 4R PRT Transmission Tractors. Standard on 4R eHydro Transmission Tractors.</i>	132.00
	BW15073	Ballast Box	292.60
	LVA21039	Filter Pak	198.02
	BLV10359	Horn Kit	59.40
	BLV11052	Rear License Plate Kit (Cab Only) (Includes Light) <i>For MY18 and newer Tractors.</i>	64.90
	BLV10924	Rear License Plate Kit (Includes Light) <i>For MY18 and newer Tractors.</i>	64.90
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights.  Cab is Pre-Wired.</i>	151.80
	BLV11035	RightHand Mirror Kit	191.40
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	LVB24865	Tool Box Kit	166.10
	TY25324	Weather Protection Umbrella	113.73
	BLV10029	Wheel Spacer Set, 140MM	528.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4052R Compact Utility Tractor (40 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVU15507	iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	30.24
		<b>Operator Environment</b>	
	BLV10379	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	727.10
	LVB24856	Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built prior to March 15, 2017.</i>	254.10
	BLV10938	Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built after March 15, 2017.</i>	254.10
		<b>Operator's Station</b>	
	RE343680	Accessory Mounting Bracket	55.81
	LVB24983	Air Seat Suspension Kit (Cab Only)	727.10
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	BRE10015	Cell Phone Mount Kit	62.70
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
	BRE10152	Self - Leveling Cup Holder	61.60
	SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	243.61
		<b>PTO</b>	
	BLV10832	2 Speed PTO Kit (Cab Only) <i>Also order software part number LVU29170 through JDPoint.</i>	759.00
	BLV10385	2 Speed PTO Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	759.00
		<b>Rear Hitch</b>	
	BLV10968	3 Point Hitch Downforce Kit <i>Provides additional down-pressure to 3 point hitch. Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.</i>  <i>Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456. Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.</i>  <i>Not compatible with Top and Tilt Kit or Electric 3 Spool Diverter Kit.</i>  <i>Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.</i>	1,094.50

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4052R Compact Utility Tractor (40 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10375	Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	391.60
	LVU12858	iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	23.03
	LVB25976	iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
		<b>Tire Chains</b>	
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	628.68
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19
		<b>Transmission</b>	
	BLV10641	Transmission Oil Heater	88.00
		<b>Weights</b>	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 lb <i>For 20 In. Wheel only.</i>	11.00
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>  <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	59.91
	LVU32113	Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	99.00
	BM17968	Rear Wheel Weight, 48.5 lb <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel, 106 Lb. (48Kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60

**Wheels and Tires Front**

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

---

**4052R Compact Utility Tractor (40 PTO hp)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10872	10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	BLV10874	27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
	BLV10876	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
	BLV10870	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		<b>Wheels and Tires Rear</b>	
	BLV10871	13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
	BLV10873	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
	BLV10877	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10
	BLV10875	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4066R Compact Utility Tractor (52 PTO hp)

Equipment for Base Machine

ENGINE:	75 Amp Alternator	Molded Rubber Floormat
Yanmar	Key Ignition Starter with	Operator Manual Holder
4 Cylinder Intercooled	Accessory and Pre-Heat Position	Rearview Mirror (inside)
Turbocharged Diesel Engine	Wet Battery with 770 Cold	Monitor Bosses (2 sets)
Tier IV EPA Emissions Certified	Cranking Amps	Right Hand and Left Hand
Engine HP 65.9 (48.5 kW)**	OPERATOR PROTECTIVE STRUCTURE:	Console Storage
PTO HP 52 (38.8 kW) HST	Deluxe Adjustable Vinyl Seat	Right Hand Control Center
**Engine HP (kW), Gross SAE	with Arm Rests, Swivel and	Sealed Quiet Cabin
J1995: 65.9 (48.5) @ 2600 rpm,	Retractable Seat Belt	Sun visor
PS	Folding ROPS (Roll-Over	Swing-Out Rear Window
Displacement, L: 2.2	Protective Structure)	w/removable plug for monitor or
TRANSMISSION:	Meets SAE J2194 and OSHA 1928	controller harnesses
HST Transmission	ROPS Certification Standards for	Tilt Steering
3 Range	North America and Europe	Two Front/Two Rear Roof Mounted
Differential Lock	Isolated Foot Rest	Warning Lights
Cruise Control	Center Console Tool Storage	HITCH:
4-Wheel Drive	Operator Presence with Safety	HitchAssist
LoadMatch	Interlock	Aux. 3 Point Hitch Control
MotionMatch	CAB:	BASE MACHINE (4WD):
SpeedMatch	12 Volt Auxiliary Power Outlet	13.60-28 (4PR, R1 Bar, 5
eThrottle	Air Conditioning and Heater	Position) Rear Wheels & Tires
HYDRAULICS:	Armrests	8-16 (6PR, R1 Bar, 2 Position)
Dual Mid Selective Control	Cell Phone Holder	Front Wheels & Tires
Valve with Joystick Control	Deluxe Fabric Covered Seat with	
Lever, Float, Regenerative	Retractable Seat Belt	
Function, and Regenerative	Dual Forward Work Lights	
Lockout	Two Speed Front Windshield	
INSTRUMENTATION:	Wiper/Washer	
Performance Tracking System	Fully Isolated Deluxe Cab	
Diagnostic Control Panel	High Impact Polymer Fenders	
Hour Meter	with Integrated Tail Lights	
Speedometer	Radio Preparation (w/antenna,	
ELECTRICAL:	speakers, wiring, media player	
12-Volt Electrical System	storage slot	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Grovetown, Georgia*

0382LV	4066R Compact Utility Tractor (52 PTO hp)	39,421.00
--------	---	-----------

#### DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
024D	American Samoa	Same Price
024H	United States Minor Outlying	Same Price
0205	Quebec	Same Price

#### OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	Same Price

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS**

**4066R Compact Utility Tractor (52 PTO hp)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>OPERATOR'S MANUAL Continued...</b>			
0437		Spanish Operator's Manual and Decal Kit	Same Price
<b>TRANSMISSION</b>			
1381		12F/12R PowrReverser <i>Includes response control feature. Requires Operator Station option 2005 (Open Station with Deluxe Seat).</i>	-1,263.00
1520		eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	In Base Price
<b>LOADERS</b>			
1701		Factory Installed Loader with Bucket <i>Pricing includes 440R Loader and loader installation charge with the following options:</i>  73 In. (1850mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	6,685.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 440R Loader and loader installation charge with the following options:</i>  Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	5,811.00
1795		Less Loader	In Base Price
<b>OPERATOR'S STATION</b>			
2005		Open Station with Deluxe Seat <i>Deluxe Seat includes armrest and swivel base.</i>	In Base Price
2060		Deluxe Cab with Air Ride Seat <i>Includes Rear Wiper and 2 Rear Work Lights. Requires Transmission option 1520 (eHydro).</i>	9,166.00
<b>RADIO</b>			
2650		Less Radio	In Base Price
2660		Factory Installed Stereo <i>Jensen Stereo with AM/FM, and Weatherband.</i>	471.00



JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4066R Compact Utility Tractor (52 PTO hp)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>RADIO Continued...</b> <i>SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately.</i>  <i>Available ONLY with option codes 2050 and 2060.</i>	
<b>THREE-POINT HITCH</b>			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i> <i>Not compatible with telescoping draft links</i>	291.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
<b>REAR AXLE</b>			
5090		Less Wheel Spacer	In Base Price
5091		Wheel Spacer <i>Totaling 11 inches (5.5 inches each).</i>	420.00
<b>REAR WHEELS AND TIRES</b>			
<i>All tires offered are of bias ply construction.</i>			
5221		13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.9-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
<b>FRONT WHEELS AND TIRES</b>			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
	BW15074	<b>Ballast Box</b> Ballast Box Extension	138.60
	LP63768	<b>Drawbar</b> Magnetic hitch pin	18.99
	BLV10640	<b>Engine</b> Engine Coolant Heater Kit (110 Volt)	66.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4066R Compact Utility Tractor (52 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10609	Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i>	399.30
		<b>Fenders</b>	
	BLV10791	Fixed Front Fender Kit (Cab Only) <i>For 4R Series Cab Tractors with vertical exhaust.</i>	531.30
	BLV10698	Rear Fender Extension Kit (Cab Only) <i>For MY17 tractors and older.</i>	337.70
	BLV10892	Rear Fender Extension Kit (Cab Only)	337.70
	BLV10756	Turnable Front Fender Kit (Cab Only) <i>For MY17 tractors and older.</i>	629.20
	BLV10896	Turnable Front Fender Kit (Cab Only)	629.20
		<b>Front Hitch</b>	
	BLV10990	Aux. Hydraulic Coupler Kit 1 <i>Includes couplers, hoses, and hardware to extend tractor mid Selective Control Valve to front hitch.</i>	221.10
	BLV10991	Aux. Hydraulic Coupler Kit 2 <i>Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th &amp; 5th Selective Control Valve to front hitch.</i>  <i>Requires installation of 4th &amp; 5th Selective Control Valve Kit AND Aux Hydraulic Coupler Kit 1.</i>	221.10
	BLV10088	Category 1 Three-Point Hitch Lift Arms and Torsion Tube <i>Requires Front Three-Point Hitch BLV10086.</i>	710.60
	BLV10989	Front Three-Point Hitch <i>For MY18 tractors and newer.</i>  <i>Lift Arms and Torsion Tube ordered separately, BLV10088.</i>	1,717.10
	BLV10091	Heavy Duty Push Bar <i>Requires Front Three-Point Hitch BLV10086.</i>	429.00
		<b>Hood Guards</b>	
	BW16155	Deluxe Hood Guard Attachment	170.50
	BW16335	Hood Guard	288.20
		<b>Hydraulics</b> <i>Please review the SCV reference table, in the Sales Manual, for ordering information and compatibility information.</i>	
	BLV10045	4th & 5th Selective Control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	971.30
	BLV10050	4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	892.10

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4066R Compact Utility Tractor (52 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10966	Electric 3 Spool Diverter Kit (Cab and OOS) <i>Includes two additional SCV's.</i> <i>Not compatible with 3 Point Hitch Downforce Kit.</i>	1,530.10
	BLV10763	Electrohydraulic Third SCV Kit with Rear Tubing (Cab Only) <i>Includes mid and rear hydraulic lines and couplers.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	975.70
	BLV10764	Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>Includes mid and rear hydraulic lines and couplers.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	975.70
	BLV10457	Load Center Assembly (Cab Only) <i>Electronic housing for powering all electric hydraulic kits.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10456	Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10498	Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10969	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	414.70
	BLV10499	Top and Tilt Field Kit (Cab Only) <i>For MY17 tractors and older.</i>  <i>Not compatible with 3 Point Hitch Downforce Kit.</i>	1,280.40
	BLV10967	Top and Tilt Field Kit (Cab Only) <i>Not compatible with 3 Point Hitch Downforce Kit.</i>	1,280.40
	BLV10040	Top and Tilt Field Kit (OOS Only) <i>For MY17 tractors and older.</i>  <i>Not compatible with 3 Point Hitch Downforce Kit.</i>	1,280.40
	BLV10965	Top and Tilt Field Kit (OOS Only) <i>For MY18 tractors and newer.</i>  <i>Not compatible with 3 Point Hitch Downforce Kit.</i>	1,280.40
		<b>Lighting</b>	
	LVB24852	Beacon Light Kit (Cab Only)	244.20
	BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	80.30
		<b>Lighting Equipment</b>	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i> <i>Includes 1 Light.</i>	63.80
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620).</i> <i>Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4066R Compact Utility Tractor (52 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	80.30
		<b>Mirrors</b>	
	LVB24844	External Mirror Kit (Cab Only)	191.40
	BLV11034	Left Hand Mirror Kit	191.40
		<b>Miscellaneous</b>	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	BLV11095	7-Pin Trailer Connector (Cab Only)	129.80
	BLV10174	7-Pin Trailer Connector (OOS Only)	103.40
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 lb	12.10
	BLV10358	Back-up Alarm Kit <i>For 4R PRT Transmission Tractors. Standard on 4R eHydro Transmission Tractors.</i>	132.00
	BW15073	Ballast Box	292.60
	LVA21039	Filter Pak	198.02
	BLV10359	Horn Kit	59.40
	BLV11052	Rear License Plate Kit (Cab Only) (Includes Light) <i>For MY18 and newer Tractors.</i>	64.90
	BLV10924	Rear License Plate Kit (Includes Light) <i>For MY18 and newer Tractors.</i>	64.90
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights.  Cab is Pre-Wired.</i>	151.80
	BLV11035	RightHand Mirror Kit	191.40
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	LVB24865	Tool Box Kit	166.10
	TY25324	Weather Protection Umbrella	113.73
	BLV10029	Wheel Spacer Set, 140MM	528.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4066R Compact Utility Tractor (52 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVU15507	iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	30.24
		<b>Operator Environment</b>	
	BLV10379	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	727.10
	LVB24856	Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built prior to March 15, 2017.</i>	254.10
	BLV10938	Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built after March 15, 2017.</i>	254.10
		<b>Operator's Station</b>	
	RE343680	Accessory Mounting Bracket	55.81
	LVB24983	Air Seat Suspension Kit (Cab Only)	727.10
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	BRE10015	Cell Phone Mount Kit	62.70
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
	BRE10152	Self - Leveling Cup Holder	61.60
	SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	243.61
		<b>PTO</b>	
	BLV10832	2 Speed PTO Kit (Cab Only) <i>Also order software part number LVU29170 through JDPoint.</i>	759.00
	BLV10385	2 Speed PTO Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	759.00
		<b>Rear Hitch</b>	
	BLV10968	3 Point Hitch Downforce Kit <i>Provides additional down-pressure to 3 point hitch. Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.</i>  <i>Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456. Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.</i>  <i>Not compatible with Top and Tilt Kit or Electric 3 Spool Diverter Kit.</i>  <i>Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.</i>	1,094.50

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4066R Compact Utility Tractor (52 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10375	Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	391.60
	LVU12858	iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	23.03
	LVB25976	iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
		<b>Tire Chains</b>	
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	628.68
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19
		<b>Transmission</b>	
	BLV10641	Transmission Oil Heater	88.00
		<b>Weights</b>	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 lb <i>For 20 In. Wheel only.</i>	11.00
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>  <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	59.91
	LVU32113	Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	99.00
	BM17968	Rear Wheel Weight, 48.5 lb <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel, 106 Lb. (48Kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		<b>Wheels and Tires Front</b>	

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4066R Compact Utility Tractor (52 PTO hp)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10872	10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	BLV10874	27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
	BLV10876	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
	BLV10870	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		<b>Wheels and Tires Rear</b>	
	BLV10871	13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
	BLV10873	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
	BLV10877	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10
	BLV10875	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 1026R, 1026R TLB Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Ballast Box:</b>	
BW15073		Ballast Box <i>Must remove Backhoe prior to use (If Equipped).</i>	280.50
BW15074		Ballast Box Extension	133.10
		<b>Buckets:</b>	
LVB24976		12 In. Backhoe Bucket (0.90 Cu. Ft.) <i>Requires Backhoe.</i>	436.70
LVB24977		16 In. Backhoe Bucket (1.31 Cu. Ft.) <i>Requires Backhoe.</i>	486.20
BW14144		49 In. (1250mm) Loader Materials Bucket - Quik Change <i>Requires Loader.</i>	738.10
BW15896		49 in. (1250mm) Materials Bucket - Pin ON <i>Requires Loader.</i>	684.20
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change <i>Requires Loader.</i>	800.80
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change <i>Requires Loader.</i>	848.10
LVB24975		8 In. Backhoe Bucket (0.63 Cu. Ft.) <i>Requires Backhoe.</i>	370.70
		<b>Engine:</b>	
AM134805		Engine Block Heater Adapter	66.04
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	64.64
AM108146		Spark Arrester Screen for Muffler	25.48
		<b>Hitch:</b>	
LVU12858		iMatch Quick Hitch Bushings	22.10
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507). Must remove Backhoe prior to use (If Equipped).</i>	357.50
		<b>Hood Guards:</b>	
BW15901		Deluxe Hood Guard (1023E, 1025R & 1026R Tractors) <i>Standard on H120 Loaders.</i>	231.00
BW15900		Hood Guard (1023E, 1025R & 1026R Tractors) <i>Standard on D120 Loaders.</i>	209.00
		<b>Hydraulics:</b>	
LVB25956		Power Beyond Kit (1023E, 1025R, 1026R) <i>Includes Rear Mounted Hydraulic Couplers and Hose. Not Compatible with LVB25837 (Rear Hydraulic Kit) and BLV10351 (Third SCV Kit).</i>	174.90



# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 1026R, 1026R TLB Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25837	Rear Hydraulic Kit <i>Routes Dual Mid SCVs to Rear of Tractor. Not compatible with LVB25956 (Power Beyond Kit) or BLV10531 (Third SCV Kit). Also not compatible with TLB models.</i>	306.90
	BLV10351	Third Selective Control Valve Kit <i>BLV10351 is the preferred kit for open station 1 family tractors because the handle will not interfere with the seat. Not compatible with LVB25956 (Power Beyond Kit) or LVB25837 (Rear Hydraulic Kit). Also not compatible with TLB models.</i>	642.00
	LVB25547	<b>Lighting:</b> Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors. Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Light Brush Guard Kit LVB25016. Cannot be used with Rear Work Lighting Kit (LVB25547) at the same time.</i>	97.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	LVB25016	Warning Light Brush Guard Kit (Two Guards)	49.50
	LP25001	<b>Miscellaneous:</b> 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer. Must remove Backhoe prior to use (If Equipped).</i>	139.00
	LP25000	ABS Plastic Canopy <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer. Canopy is not compatible when Backhoe is installed. Must remove backhoe prior to use.</i>	457.81
	BW15476	Bucket Level Indicator <i>Requires Loader.</i>	62.70
	LVB26110	Loader Mount Toolbox Kit	66.00
	BM19556	Rubber Street Pad Kit <i>Requires Backhoe.</i>	138.60
	LVB24982	Stabilizer Cylinder Protection Kit <i>Requires Backhoe.</i>	124.30
	TY25324	<b>Operator Environment:</b> Weather Protection Umbrella	113.73
	TY15958	<b>Seats / Wheels / Tires:</b> Tire Chains (Pair) for 26x12-12 Tires	97.67
	LVB26209	<b>Spanish North American Kit:</b> Spanish North American Owner's Manual and Decal Kit	119.90
		<b>Weights:</b>	

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 1026R, 1026R TLB Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (2)A15147 Spring Clips.</i>	63.13
		<b>Wheels and Tires Front:</b>	
	LVB25850	18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels & Tires	330.00
	LVB25848	18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires	370.70
		<b>Wheels and Tires Rear:</b>	
	LVB25849	26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	452.10
	LVB25847	26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires	512.60

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 2320, 2520, 2720 Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
AM134805		<b>Engine:</b> Engine Block Heater Adapter <i>For use on 2320 Model Only.</i>	66.04
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	64.64
AM108146		Spark Arrester Screen for Muffler	25.48
LVB25652		<b>Fenders:</b> Rear Fender Extension Kit	173.80
LVU12858		<b>Hitch:</b> iMatch Quick Hitch Bushings	22.10
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	357.50
BW15217		<b>Hood Guards:</b> Hood Guard (2025R, 2210, 2305, 2320)	245.30
BW15634		Hood Guard (2032R, 2520, 2720)	259.60
LVB25823		<b>Hydraulics:</b> Loader/Mower Mechanical Diverter Valve Kit (2032R, 2520, 2720) <i>Diverter is not compatible with Mechanical Mower Lift system.</i>	556.60
LVB25822		Loader/Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320) <i>Diverter is not compatible with Mechanical Mower Lift system.</i>	421.59
BLV10381		Power Beyond Kit <i>Not Compatible with Third SCV kit (BLV10382). Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe or other continuous flow Attachments on 2320, 2520, 2720, 2025R and 2032R Tractors.</i>	480.70
LVB25606		Rear Hydraulic Outlet Kit <i>Routes Dual Mid SCVs to Rear of Tractor.</i>	324.50
BLV10382		Third Selective Control Valve Kit Without Detent <i>Not Compatible with Power Beyond Kit BLV10381. For Use on 2320, 2520, 2720, 2025R and 2032R Tractors.</i>	882.20
LVB25547		<b>Lighting:</b> Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Light Brush Guard Kit, LVB25016. Not Compatible with Rear Work Lighting Kit (LVB25547).</i>	97.90

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 2320, 2520, 2720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	LVB25016	Warning Light Brush Guard Kit (Two Guards)	49.50
	LP25001	<b>Miscellaneous:</b> 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	LP25000	ABS Plastic Canopy <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	457.81
	LVB19942	High Capacity Alternator Kit (35 amp) <i>For 2305, 2320, and 2520 Models (Serial - 406007).</i>	536.80
	LP95223	Medium Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	27.99
	RE19428	Safety Chain Support Kit	158.04
	TY25324	<b>Operator Environment:</b> Weather Protection Umbrella	113.73
	LVB25994	<b>Spanish North American Kit:</b> Spanish North American Operator's Manual and Decal Kit <i>For Use with 2720 Model Only.</i>	97.90
	LVB25993	Spanish North American Operator's Manual and Decal Kit <i>For Use with 2520 Model Only.</i>	97.90
	LVB25992	Spanish North American Operator's Manual and Decal Kit <i>For Use with 2320 Model Only.</i>	97.90
	BLV10641	<b>Transmission:</b> Transmission Oil Heater	86.83
	BM17987	<b>Weights:</b> Attaching Hardware for Rear Wheel Weight, 60 Lb.	16.50
	H148916	Front Weight Retainer Shaft <i>For Use on 2520 and 2720 Models Only.</i>	30.11
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (4)A15147 Spring Clips (2320 Model Only). Requires (1) H148916 Rod and (2) AR60372 Spring Clips (2520 and 2720 Models Only).</i>	63.13
	BM17965	Rear Wheel Weight, 60 Lb. <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
	AR60372	Spring Locking Pin <i>For Use on 2520 and 2720 Models Only.</i>	3.25

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 2320, 2520, 2720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Wheels and Tires Front:</b>	
LVB24806		23x8.50-12 (4PR, R3 Turf, 1 Position) Front Wheels & Tires <i>For Use on 2320 Model Only.</i>	433.40
LVB24804		23x8.50-12 (6PR, R4 Industrial, 1 Position) Front Wheels & Tires	490.60
LVB25556		24x8.50-14 (4PR, R3 Turf, 1 Position) Front Wheels & Tires <i>For Use on 2520 and 2720 Models Only.</i>	550.00
		<b>Wheels and Tires Rear:</b>	
LVB24803		12-16.50 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires <i>For Use on 2320 Model Only.</i>	998.80
LVB25557		14-17.50 (6PR, R4 Industrial, 2 Position) <i>For Use on 2520 and 2720 Models Only.</i>	1,342.00
LVB24805		31x13.50-15 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires <i>For Use on 2320 Model Only.</i>	849.20
LVB25555		36x14-15 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires <i>For Use on 2520 and 2720 Models Only.</i>	1,037.30

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 3005, 4005 Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
AT118553		Air Cleaner Service Indicator (Donaldson)	59.64
AM134805		Engine Block Heater Adapter	66.04
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
LVB25829		Vertical Exhaust Kit (3005 Model Only)	355.30
		<b>Hitch:</b>	
LVU12858		iMatch Quick Hitch Bushings	22.10
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	357.50
		<b>Hydraulics:</b>	
LVB25658		Dual Selective Control Valve Kit (3005 Model Only) <i>Standard on 4WD tractors only.</i>	1,125.30
BM18005		Power Beyond Kit (3005, 790, 770)	324.50
BM18046		Rear Hydraulic Quik Coupler Kit (2 Hose Kit) <i>Requires Dual SCV. Not compatible with 4005 model.</i>	233.20
		<b>Lighting:</b>	
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
		<b>Miscellaneous:</b>	
BM17981		12 Volt Work Light Kit <i>Requires AM108244, Harness.</i>	52.43
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
LVB25659		Mid-PTO 2100 RPM (3005 Model Only)	677.60
		<b>Operator Environment:</b>	
AM107212		10 In. Extension for Roll-Gard Cross Tube <i>Required for Use with 7 Backhoe on 3005, 790 and 770 Tractors.</i>	139.18
RE19445		Canopy - Premium <i>For Use on 4005 Model Only.</i>	1,163.80
		<b>Spanish North American Kit:</b>	
LVB25999		Spanish North American Operator's Manual and Decal Kit <i>For Use with 4005 Model Only.</i>	77.00
LVB26000		Spanish North American Operator's Manual and Decal Kit <i>For Use with 3005 Model Only.</i>	77.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 3005, 4005 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Weights:</b>	
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb. <i>For Use on 4005 Model Only.</i>	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 lb. <i>For 20 In. Wheel only.</i>	11.00
LVB25572		Attaching Hardware for Additional Rear Wheel Weight, 60 lb. <i>For 16 In. and 19.5 In. Wheel (Additional Weight). For Use on 3005 Model Only.</i>	34.10
LVB25571		Attaching Hardware for Rear Wheel Starter Weight, 45 lb. <i>For Use on 3005 Model Only.</i>	13.20
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 lb. for 16 In. and 19.5 In. Wheel <i>For Use on 3005 Model Only.</i>	11.00
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb. <i>For Use on 4005 Model Only.</i>	37.40
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 lb. <i>For Use on 4005 Model Only.</i>	53.90
CH15318		Front Quik-Tatch Weight Kit (790, 3005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	18.24
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	40.99
BM17998		Front Weight Bracket Extension Kit (790, 3005) <i>Includes Front Weight Bracket and Hardware to Allow up to Four 42 Lb. Additional Quik-Tatch Weights.</i> <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.</i>	239.80
R66949		Quik-Tatch Weight, 42 lb. <i>Requires CH15318, Pin (3005 Model Only).</i> <i>Requires CH14083 Pin (4005 Model Only).</i>	63.13
BM17969		Rear Wheel Starter Weight, 45 lb. <i>For use with 11.2-24 R1 Agricultural Rear Tires on 24 In. Wheel (3005 Model Only).</i>	140.80
BM17968		Rear Wheel Weight, 48.5 lb. <i>Starter and Additional Weight for 19.5 In. Wheel (3005 Model Only).</i> <i>Starter and Additional Weight for 20 In. Wheel (4005 Model Only).</i> <i>Additional Weight for 24 In. Wheel.</i>	140.80
BM17965		Rear Wheel Weight, 60 lb. <i>Starter and Additional Weight for 16 In. and 19.5 In. Wheel (3005 Model Only).</i>	140.80
T19293		Weight, Rear Wheel 110 lb. <i>For Use on 4005 Model Only.</i>	171.60
		<b>Wheels and Tires Front:</b>	
LVB25044		10-16.5 (6PR, R4 Industrial) Front Wheels & Tires <i>For Use on 4005 Model Only.</i>	874.50
BM16869		25x8.50-14 (4PR, R3 Turf, 1 Position) Front Wheels & Tires <i>For Use on 3005 Model Only.</i>	500.50

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 3005, 4005 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25420	25x8.50-14 (6PR, R4 Industrial) Front Wheels & Tires <i>For Use on 3005 Model Only.</i>	625.90
	LVB25043	27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires <i>For Use on 4005 Model Only.</i>	707.30
	LVB00011	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires <i>For Use on 3005 Model Only.</i>	556.60
	LVB25042	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires <i>For Use on 4005 Model Only.</i>	704.00
		<b>Wheels and Tires Rear:</b>	
	LVB00009	11.20-24 (4PR, R1 Bar, 2 Position) Rear Wheels & Tires <i>For Use on 3005 Model Only.</i>	1,755.60
	BM16841	13.60-16 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires <i>For Use on 3005 Model Only.</i>	1,257.30
	LVB25048	14.90-24 (4PR, R1 Bar, 8 Position) Rear Wheels & Tires <i>For Use on 4005 Model Only.</i>	1,595.00
	LVB00014	15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires <i>For Use on 3005 Model Only.</i>	1,731.40
	LVB25982	17.50L-24 (8PR, R4 Industrial, 8 Position) Rear Wheels & Tires <i>For Use on 4005 Model Only.</i>	2,313.30
	LVB25000	44x18-20 (4PR, R3 Turf) Rear Wheels & Tires <i>For Use on 4005 Model Only.</i>	1,885.40



# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 2305, 2305 TLB Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Buckets:</b>	
LVB24976		12 In. Backhoe Bucket (0.90 Cu. Ft.)	436.70
LVB24977		16 In. Backhoe Bucket (1.31 Cu. Ft.)	486.20
BW14144		49 In. (1250mm) Loader Materials Bucket - Quik Change	738.10
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change	800.80
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	848.10
LVB24975		8 In. Backhoe Bucket (0.63 Cu. Ft.)	370.70
		<b>Engine:</b>	
AM134805		Engine Block Heater Adapter	66.04
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	64.64
AM108146		Spark Arrester Screen for Muffler	25.48
		<b>Hitch:</b>	
LVU12858		iMatch Quick Hitch Bushings	22.10
		<b>Hydraulics:</b>	
LVB25822		Loader/Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320) <i>Diverter is not compatible with Mechanical Mower Lift system.</i>	421.59
		<b>Lighting:</b>	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
LVB25016		Warning Light Brush Guard Kit (Two Guards)	49.50
		<b>Miscellaneous:</b>	
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer. Must remove Backhoe prior to use (If Equipped).</i>	139.00
LP25000		ABS Plastic Canopy <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer. Canopy is not compatible when Backhoe is installed. Must remove backhoe prior to use.</i>	457.81
BW15476		Bucket Level Indicator	62.70
LVB24813		Cruise Control Kit	180.40

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 2305, 2305 TLB Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB19942	High Capacity Alternator Kit (35 amp) <i>For 2305, 2320, and 2520 Models (Serial - 406007).</i>	536.80
	LVB24982	Stabilizer Cylinder Protection Kit	124.30
		<b>Seats / Wheels / Tires:</b>	
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		<b>Spanish North American Kit:</b>	
	LVB25991	Spanish North American Operator's Manual and Decal Kit <i>For 2305 Tractor. Not compatible with 260 backhoe.</i>	94.60
		<b>Weights:</b>	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	H148916	Front Weight Retainer Shaft	30.11
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (2)A15147 Spring Clips.</i>	63.13
	AR60372	Spring Locking Pin	3.25
		<b>Wheels and Tires Front:</b>	
	BM20954	18x8.50-10 (4PR, R3 Turf) Front Wheels & Tires	330.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 3320, 3520, 3720 Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
LVA13457		Spark Arrester Screen	46.33
LVB25884		Vertical Exhaust Kit	397.10
		<b>Fenders:</b>	
LVB25686		Front Fender Kit	531.30
LVB24860		Rear Fender Extension Kit (Cab Only)	272.80
LVB25684		Rear Fender Extension Kit (Open Station Only)	272.80
		<b>Hitch:</b>	
LVB25308		Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	352.00
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	357.50
		<b>Hood Guards:</b>	
BWA1190		Deluxe Hood Guard	586.30
BW15219		Hood Guard	259.60
		<b>Hydraulics:</b>	
LVB26035		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break. Please refer to Selective control valve (SCV) reference table for any additional parts.</i>	852.50
LVB24854		Electric Diverter Kit (Cab Only) <i>Includes Two Additional SCV's Additional SCV's (Either Third and Fourth or Fourth and Fifth). Not compatible with MY2011 tractors. See sales manual for details.</i>	1,606.00
LVB26076		Electric Diverter Kit (Cab Only) <i>Includes Two Additional SCV's Additional SCV's (Either Third and Fourth or Fourth and Fifth) Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break</i>	1,568.60
LVB25507		Electric Diverter Kit (OOS Only) <i>Includes Diverter Valve, Two Sets of Rear Mounted couplers, Hydraulic Lines and Selector Switch. Not compatible with MY2011 tractors. See sales manual for details.</i>	1,478.40
LVB26075		Electric Diverter Kit (OOS Only) <i>Includes Diverter Valve, Two Sets of Rear Mounted couplers, Hydraulic Lines and Selector Switch. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,567.50

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 3320, 3520, 3720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB26031	Electrohydraulic Third SCV Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,145.10
	LVB26030	Electrohydraulic Third SCV Kit (OOS Only) <i>For 3120-3720 Tractors, Dual SCV is Standard. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,212.20
	LVB25781	Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720 Cab Tractors. Only compatible with MY2011 tractors and older. See sales manual for details.</i>	412.50
	LVB26069	Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for use with Backhoe on 3120-3720 Cab Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for details.</i>	412.50
	LVB25505	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2010 tractors and older. See sales manual for details.</i>	412.50
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for MY2011 serial number break.</i>	412.50
	LVB25506	Third Selective Control Valve Kit (OOS Only) <i>For 3120-3720 Tractors, Dual SCV is Standard. Not compatible with MY2011 or newer tractors. See sales manual for details.</i>	283.80
	LVB24845	Third Selective control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Not compatible with MY2011 or newer tractors. See sales manual for details.</i>	339.90
	LVB25311	Top and Tilt Field Kit <i>Requires Electric Diverter Kit. For 3320 and 3520 MY2011 and prior</i>	1,226.50
	BLV10650	Top and Tilt Field Kit <i>Requires Electric Diverter Kit. Prior to MY2011 order LVB25311.</i>	1,347.50
		<b>Lighting:</b>	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	243.10
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is Pre-Wired.</i>	150.70
	LVB25016	Warning Light Brush Guard Kit (Two Guards)	49.50

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 3320, 3520, 3720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Miscellaneous:</b>	
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
LVB25015		55 Amp Alternator	313.50
LVB25971		7-Pin Trailer Connector (Cab) <i>Serial # (H522565 -)</i>	111.10
LVB25960		7-Pin Trailer Connector (Open Station)	271.70
LVB25866		Automotive Style Cruise, Load Match, Speed Match, and Upgraded Motion Match Switch	115.50
LVB24851		Horn Kit (Cab Only)	48.40
LP95233		Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	29.99
TY4453		Tire Chains	308.55
TY15651		Tire Chains	98.26
TY4457		Tire Chains <i>For Use With LVB25496 Rear Tires.</i>	323.33
TY15649		Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires.</i>	97.03
LVB24930		Tool Box Kit <i>Cab Only.</i>	61.60
		<b>Operator Environment:</b>	
LVB24983		Air Seat Suspension Kit (Cab Only)	723.80
LVB25688		Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	657.80
LVB26065		Cab Speaker and Radio Mount Kit <i>Cab Only. Compatible only with MY2010 or previous models. See sales manual for details.</i>	92.40
LVB25334		Canopy - Standard	583.00
LVB25332		Canopy Mounting Bracket and Hardware Kit	105.60
LVB24876		Cigarette Lighter/Ashtray Kit (Cab Only) <i>For 3320, 3520, 3720, 4320, 4520 and 4720 Tractors.</i>	48.40
RE289852		Deere Delco Stereo Radio with Weatherband, Single Compact Disc Player, Clock, and Four Speakers	See Parts
LVB24844		External Mirror Kit (Cab Only)	190.30

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 3320, 3520, 3720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB24856	Rear Wiper Kit (Cab Only)	280.50
	SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 9520 when configuring Tractor.</i>	255.40
	TY25324	Weather Protection Umbrella	113.73
		<b>PTO:</b>	
	LVB24846	Mid PTO Control Kit (Cab Only)	158.40
	LVB25537	Mid PTO Kit <i>Note: 3X20 Tractors equipped with RIO(Reverse Implement Option) and PRT transmission are not compatible with mid-mount mowers(for grooming). Tractors with serial numbers ending with 910000(OOS) and above will have RIO. Tractors with serial numbers ending with 940000(cab) and above will have RIO.</i>	722.70
		<b>Powertrain:</b>	
	BKK10018	Wheel Slip Control	5,261.30
		<b>Spanish North American Kit:</b>	
	LVB26181	Spanish North American Operator's Manual and Decal Kit <i>Cab Tractors.</i>	90.20
	LVB26180	Spanish North American Operator's Manual and Decal Kit <i>Open Station Tractors.</i>	72.60
		<b>Transmission:</b>	
	LVA11189	Load Match Switch	19.14
	LVB26139	PRT Oil Cooler Kit	300.30
	BLV10641	Transmission Oil Heater	86.83
		<b>Vandal Protection:</b>	
	AL113087	Vandal Protection, Lockable Fuel Tank Cap <i>Cab Only.</i>	36.75
		<b>Weights:</b>	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVBM19607	Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit.</i>	63.13
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit.</i>	108.90

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 3320, 3520, 3720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 In. Wheel. Requires Attaching Hardware 4 each of 03H1605 (Bolt) and 14H1039 (Nut) for Starter Weight and BM19940 for Additional Weight.</i>	171.60
		<b>Wheels and Tires Front:</b>	
	LVB25670	25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	716.10
	LVB25673	27x8.5-15 (6PR R4 Industrial 2 Pos.) Front Wheels & Tires	716.10
	LVB25671	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
	LVB25672	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		<b>Wheels and Tires Rear:</b>	
	LVB25495	11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,848.00
	LVB25496	41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,570.80
	LVB25498	41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,504.70
	LVB25494	43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,760.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 4105 Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
AT118553		Air Cleaner Service Indicator (Donaldson)	59.64
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
LVA13457		Spark Arrester Screen	46.33
LVB25884		Vertical Exhaust Kit	397.10
		<b>Hitch:</b>	
LVB25308		Telescoping Draft Links	352.00
LVU15507		iMatch Quick Hitch Bushings	10.40
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	357.50
		<b>Hood Guards:</b>	
BW15783		Hood Guard (4105) <i>For Tractor serial numbers 1LV4105HKAH410001 and below For Tractors 1LV4105HKAH410001 and above use BW16040.</i>	251.90
BW16040		Hood Guard (4105) <i>For Tractor serial numbers 1LV4105HKAH410001 and above. For Tractors 1LV4105HKAH410001 and below, use BW15783.</i>	259.60
		<b>Hydraulics:</b>	
LVB26030		Electrohydraulic Third SCV Kit (OOS Only) <i>For 3120-3720 and 4105 Tractors, Dual SCV is Standard. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,212.20
LVB25505		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2010 tractors and older. See sales manual for details.</i>	412.50
LVB26064		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for MY2011 serial number break.</i>	412.50
LVB25084		Third Selective Control Valve Kit <i>Requires dual SCV. Includes rear mounted couplers. Hydraulic lines and SCV lever, valve not included. If tractor is equipped with loader, LVB25084 is recommended to raise and lower mid-mount mowers.</i>	323.40
LVB25089		Third Selective Control Valve Kit <i>Requires Dual SCV. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever, Valve Not Included.</i>	316.80
		<b>Lighting:</b>	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80



# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 4105 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
	LVB25016	Warning Light Brush Guard Kit (Two Guards)	49.50
	LP25001	<b>Miscellaneous:</b> 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	LVB25015	55 Amp Alternator	313.50
	LVB26021	Cruise Control Kit	313.50
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires</i>	628.68
	LVB25334	<b>Operator Environment:</b> Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	583.00
	LVB25332	Canopy Mounting Bracket and Hardware Kit	105.60
	LVB25990	<b>Spanish North American Kit:</b> Spanish North American Operators Manual and Decal Kit <i>For 4105 Tractor</i>	68.20
	LVB26188	Spanish North American Operators Manual and Decal Kit	77.00
	BLV10641	<b>Transmission:</b> Transmission Oil Heater	86.83
	BM19940	<b>Weights:</b> Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	LVBM19607	Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires CH15318, Pin.</i>	63.13
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) BLV10443.</i>	108.90
	T19293	Weight, Rear Wheel 110 Lb.	171.60
	BM19108	<b>Wheels and Tires Front:</b> 10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	LVB26029	<b>Wheels and Tires Rear:</b> 17.50L-24 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	2,203.30

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 4120, 4320, 4520, 4720 Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
LVA13458		Spark Arrester Screen	44.61
LVB25561		Vertical Exhaust Kit <i>Serial #(- 670000).</i>	236.50
LVB25765		Vertical Exhaust Kit <i>Serial #(670001 -).</i>	393.80
RE51650		Water Separator Clear Bowl	69.01
		<b>Fenders:</b>	
LVB25685		Front Fender Kit	531.30
LVB24860		Rear Fender Extension Kit (Cab Only)	272.80
LVB25683		Rear Fender Extension Kit (Open Station Only)	272.80
		<b>Hitch:</b>	
LVB25309		Telescoping Draft Links	389.40
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	357.50
		<b>Hood Guards:</b>	
BW15221		Hood Guard (4120-4720)	259.60
		<b>Hydraulics:</b>	
LVB26072		4th & 5th Electrohydraulic SCV Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break. Also see SCV Options Table under Notes for the appropriate parts needed for installation.</i>	1,405.80
LVB26037		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break. Please refer to Selective control valve (SCV) reference table for any additional parts.</i>	877.80
LVB24855		Electric Diverter Kit (Cab Only) <i>Includes Two Additional SCV's (Either Third and Fourth or Fourth and Fifth) Not compatible with MY2011 and later tractors. See sales manual for details.</i>	1,522.40
LVB25511		Electric Diverter Kit (OOS Only) <i>Includes Two Additional SCV's (Either Third and Fourth or Fourth and Fifth) Not compatible with MY2011 tractors. See sales manual for details.</i>	1,478.40
LVB26077		Electric Diverter Kit (OOS Only) <i>Includes two additional SCV's.</i>	1,522.40

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 4120, 4320, 4520, 4720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB26033	Electrohydraulic Third SCV Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,145.10
	LVB26032	Electrohydraulic Third SCV Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,145.10
	LVB26078	Electronic Diverter Kit (Cab Only) <i>Includes two additional SCV's.</i>	1,522.40
	LVB25780	Power Beyond Kit (Cab Only) <i>Not compatible with MY2011 tractors. See sales manual for details.</i>	343.20
	LVB26071	Power Beyond Kit (Cab Only) <i>Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	421.30
	LVB25512	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4510-4710 and 4120-4720 Open Station Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	412.50
	LVB26066	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4510-4710 and 4120-4720 Open Station Tractors. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	412.50
	LVB24848	Third Selective Control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Not compatible with MY2011 or newer tractors. See sales manual for details.</i>	287.10
	LVB25513	Third Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Not compatible with MY2011 or older tractors. See sales manual for details.</i>	283.80
	LVB25312	Top and Tilt Field Kit <i>Requires Electric Diverter Kit. For 4120, 4320 and 4520 MY2011 and prior.</i>	1,159.40
	LVB26161	Top and Tilt Field Kit <i>Requires Electric Diverter Kit. Prior to MY2011 order LVB25312.</i>	1,273.80
		<b>Kits and Accessories:</b>	
	RE527545	Engine Block Heater	157.91
		<b>Lighting:</b>	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	243.10
	LVB25546	Forward Lighting Kit (2 Lights)	97.90

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 4120, 4320, 4520, 4720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is Pre-Wired.</i>	150.70
	LVB25236	Warning Light Brush Guard Kit (Two Guards) <i>Open Station Only.</i>	63.80
	LP25001	<b>Miscellaneous:</b> 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	LVB25971	7-Pin Trailer Connector (Cab) <i>Serial # (H670871 -)</i>	111.10
	LVB25960	7-Pin Trailer Connector (Open Station)	271.70
	LVB25867	Automotive Style Cruise Load Match, Speed Match and Upgraded Motion Match Switch <i>Serial # (670001 -)</i>	115.50
	LVB25866	Automotive Style Cruise, Load Match, Speed Match, and Upgraded Motion Match Switch <i>Serial # (-670000).</i>	115.50
	LVB24851	Horn Kit (Cab Only)	48.40
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	29.99
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires</i>	628.68
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19
	LVB24865	Tool Box Kit	165.00
		<b>Operator Environment:</b>	
	LVB24983	Air Seat Suspension Kit (Cab Only)	723.80
	LVB25688	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	657.80
	LVB26065	Cab Speaker and Radio Mount Kit <i>Cab Only. Compatible only with MY2010 or previous models. See sales manual for details.</i>	92.40
	LVB25334	Canopy - Standard	583.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 4120, 4320, 4520, 4720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25332	Canopy Mounting Bracket and Hardware Kit	105.60
	LVB24876	Cigarette Lighter/Ashtray Kit (Cab Only) <i>For 3320, 3520, 3720, 4320, 4520 and 4720 Tractors.</i>	48.40
	RE289852	Deere Delco Stereo Radio with Weatherband, Single Compact Disc Player, Clock, and Four Speakers	See Parts
	LVB24844	External Mirror Kit (Cab Only)	190.30
	LVB24856	Rear Wiper Kit (Cab Only)	280.50
	LVB25501	Seat Armrest Kit <i>Open Station Only, Standard on Cab Tractors.</i>	145.20
	SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 9520 when configuring Tractor.</i>	255.40
	TY25324	Weather Protection Umbrella	113.73
		<b>PTO:</b>	
	LVB24847	Mid PTO Controls (Cab Only)	171.60
	LVB25959	Mid PTO Kit <i>4X20 Tractors with SN ending in 916000 (OOS) and 946000 (Cab) and after are NOT compatible with mid-mount mowers. Cab Tractors Require LVB24847 Mid PTO Controls.</i>	762.30
		<b>Powertrain:</b>	
	BKK10018	Wheel Slip Control	5,261.30
		<b>Spanish North American Kit:</b>	
	LVB26186	Spanish North American Operator's Manual and Decal Kit <i>Cab Tractors.</i>	80.30
	LVB26185	Spanish North American Operators Manual and Decal Kit <i>Open Station Tractors.</i>	64.90
		<b>Transmission:</b>	
	BLV10641	Transmission Oil Heater	86.83
		<b>Vandal Protection:</b>	
	AL113087	Vandal Protection, Lockable Fuel Tank Cap <i>Cab Only.</i>	36.75
		<b>Weights:</b>	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 4120, 4320, 4520, 4720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	63.13
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	108.90
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		<b>Wheels and Tires Front:</b>	
	BM19108	10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	LVB25108	27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
	LVB25007	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
	BM19083	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		<b>Wheels and Tires Rear:</b>	
	BM19113	13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
	BLV10328	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
	LVB25981	17.50L-24 (6PR, R4 Industrial) Rear Wheels & Tires	2,203.30
	BM19208	22.50LLx16.1 (6PR, R3 Turf Special) Rear Wheels & Tires	3,136.10
	LVB25000	44x18-20 (4PR, R3 Turf) Rear Wheels & Tires	1,885.40

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 110 TLB Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Buckets:</b>	
LVB25348		18 In. Pin-on Heavy Duty Backhoe Bucket 4 Digging Teeth	899.80
LVB25749		18 In. Quick Coupler Heavy-Duty Backhoe Bucket 4 Digging Teeth	1,014.20
LVB25754		20 In. Pin-On Heavy-Duty Backhoe Bucket 4 Digging Teeth	994.40
LVB25750		20 In. Quick Coupler Heavy Duty Backhoe Bucket 4 Digging Teeth	1,059.30
LVB25349		24 In. Pin-on Heavy Duty Backhoe Bucket 4 Digging Teeth	893.16
LVB25751		24 In. Quick Coupler Heavy Duty Backhoe Bucket 4 Digging Teeth	1,180.30
LVB25350		30 In. Pin-on Heavy Duty Backhoe Bucket No Digging Teeth	1,205.60
LVB25752		30 In. Quick Coupler Heavy-Duty Backhoe Bucket 5 Digging Teeth	1,272.70
LVB25351		36 In. Pin-on Heavy Duty Backhoe Bucket No Digging Teeth	1,340.90
LVB25753		36 In. Quick Coupler Heavy-duty Backhoe Bucket No Digging Teeth	1,405.80
LVB25342		72 In. Quik-Tatch Heavy Duty Front Loader Bucket w/Replaceable Cutting Edge	1,387.10
LVB25341		72 In. Quik-Tatch Standard Front Loader Bucket	1,152.80
LVB25345		84 In. Light Material Bucket <i>For Light Material Handling.</i>	1,420.10
		<b>Engine:</b>	
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
LVA15311		Spark Arrester Assembly	113.54
		<b>Hitch:</b>	
LVB24858		Regular 3-Pt Hitch	929.50
		<b>Miscellaneous:</b>	
LVB25735		3 In. Retractable Seat Belt	151.80
U16748		66 in. Bolt-On Cutting Edge	127.19
T32742		72 in. Bolt-On Cutting Edge	145.36

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 110 TLB Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVA12133	Solid Rubber Stabilizer Pad (4 Required)	46.62
		<b>Transmission:</b>	
	BLV10641	Transmission Oil Heater	86.83
		<b>Vandal Protection:</b>	
	AL113087	Vandal Protection, Lockable Fuel Tank Cap	36.75



MSRP LIST

C25

Manufacturer: John Deere

MSRP List Name: Equipment for Compact Utility Tractors

Percent Discount: 16%

MSRP List Date: 11May2015

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## 260 Backhoe Equipment for Base Machine

6 ft. 2 In. (1.89 m) Digging Depth One Double Acting Swing Cylinder 150 Degree Swing Narrow Control Console Two Lever Control Six Spool Control Valve	Hydraulics 8 In. Bucket Swivel Seat Bracket Transport Locking Pins Hydraulic Stabilizers Subframe Mounting
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*F.O.B. Davenport, Iowa*

1161LV	260 Backhoe <i>For 2305, 1023E, 1025R, and 1026R OOS Tractors.</i>  <i>Tractors Must be Equipped with a Front Loader and a Power Beyond Hydraulic kit LVB25956 (except 2305). Tire chains are not compatible with backhoe.</i>  <i>Only 17 digit Serial No. 260 backhoes (with updated mainframe) are compatible with 1023E, 1025R, and 1026R.</i>	5,879.00
--------	---	----------

### MOUNTINGS, HYDRAULICS, SUBFRAME, AND REAR HANGER

1001	Subframe Mounting/Power Beyond Hydraulics (For 2305 Tractors) <i>AM105466 and AM105467 Couplers are required or need to be included in code.</i>	-72.00
1005	Subframe Mounting (For 1023E Tractors) <i>Power Beyond kit LVB25956 is required on tractor.</i>	In Base Price
1006	Subframe Mounting (For 1025R and 1026R Tractors) <i>Power Beyond kit LVB25956 is required on tractor.</i>	Same Price
1010	Less Subframe Mounting/Power Beyond Hydraulics	-1,129.00

### Buckets:

2000	8 In. Bucket (0.63 Cu. Ft.)	In Base Price
2001	12 In. Bucket (0.90 Cu. Ft.)	57.00
2002	16 In. Bucket (1.31 Cu. Ft.)	97.00
2010	Less Bucket	-314.00

### ATTACHMENTS FOR FIELD CONVERSION

BLV10025	<b>Buckets:</b> 12 In. Bucket (0.66 Cu. Ft.)	443.30
BLV10026	16 In. Bucket (0.90 Cu. Ft.)	492.80

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

---

**260 Backhoe**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10024	8 In. Bucket (0.42 Cu. Ft.)	376.20
		<b>Hydraulics:</b>	
	LVB25956	Power Beyond Kit (1023E, 1025R, 1026R)	174.90
		<b>Miscellaneous:</b>	
	BM19556	Rubber Street Pad Kit	138.60
	LVB24982	Stabilizer Cylinder Protection Kit	124.30
		<b>Mountings and Hardware for Tractors:</b>	
	BLV10504	Subframe Mounting (For 1023E Tractors) <i>Power Beyond kit LVB25956 is required on tractor.</i>	1,358.50
	BLV10503	Subframe Mounting (For 1025R, 1026R Tractors) <i>Power Beyond kit LVB25956 is required on tractor.</i>	1,358.50
	LVB25969	Subframe Mounting/Power Beyond Hydraulics Kit (For 2305 Tractors with 260 Backhoe)	1,246.30
		<b>Operator Manual and Decal Kit:</b>	
	BLV10684	Spanish / French Canadian North American Operator's Manual and Decal Kit	17.60

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## 270A Backhoe Equipment for Base Machine

7 ft. Digging Depth One Double Acting Swing Cylinder 150 Degree Swing Narrow Control Console Two Lever Control Six Spool Control Valve Hydraulics	8 In. Bucket Operator's Seat Hydraulic Stabilizers Subframe Mounting (3 Point Hitch Assist) Transport Locks
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*F.O.B. Davenport, Iowa*

6150LV	270A Backhoe For 2025R and 2320 OOS Tractors.  <i>Tractors Must be Equipped with a Front Loader and Power Beyond Kit. Mechanical mower lift system will not work with backhoe mounted.</i>	8,186.00
--------	---	----------

### Buckets:

3001	8 In. Bucket (0.63 Cu. Ft.)	In Base Price
3002	12 In. Bucket (0.90 Cu. Ft.)	61.00
3003	16 In. Bucket (1.31 Cu. Ft.)	106.00

### MOUNTINGS, HYDRAULICS, SUBFRAME, AND REAR HANGER

1003	Subframe Mounting (For 2025R, 2320 Tractors)	In Base Price
------	--	---------------

### ATTACHMENTS - ORDER AS DESIRED

	<b>Spanish North American Kit:</b> Spanish North American Operator's Manual and Decal Kit	No Charge
9430		
9413	French Operator's Manual and Decal Kit	No Charge

### ATTACHMENTS FOR FIELD CONVERSION

	<b>Buckets:</b> 12 In. Bucket (0.66 Cu. Ft.)	443.30
BLV10025		
BLV10026	16 In. Bucket (0.90 Cu. Ft.)	492.80
BLV10024	8 In. Bucket (0.42 Cu. Ft.)	376.20

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

---

**270A Backhoe**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Hydraulics:</b>	
	LVB25603	Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 2320 Tractors. Equipped with Dual SCV. Not Compatible with Third SCV kit BLV1038/LVB26166</i>	357.50
		<b>Miscellaneous:</b>	
	BM19556	Rubber Street Pad Kit	138.60
	BLV10023	Thumb <i>Not compatible with 8 In. Bucket (BLV10024).</i>	658.90
		<b>Mountings and Hardware for Tractors:</b>	
	BLV10021	Subframe Mounting Kit (For 2025R, 2320 Tractors with 270A Backhoe)	1,489.40
		<b>Operator Manual and Decal Kit:</b>	
	BLV10068	Operator's Manual and Decal Kit - French	147.04
	BLV10057	Spanish North American Operator's Manual and Decal Kit	17.60

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## 46 Backhoe Equipment for Base Machine

6.5 ft. (2.0 m) Digging Depth Two Double Acting Swing Cylinders 180 Degree Swing Narrow Control Console Two Lever Control Six Spool Control Valve Hydraulics	9 In. Bucket Operator's Seat with Transport Lock Hydraulic Stabilizers with Flip-Over Pads Subframe Mounting
---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*F.O.B. Davenport, Iowa*

1150LV	<b>46 Backhoe</b> <i>For 2032R, 2520, 2720, 4100, 4110, and 4115 OOS Tractors.</i>	7,385.00
--------	---	----------

*The 46 Backhoe is not Compatible with a Mid-Mount Mower Deck, See Sales Manual.*

*Tractors Must be Equipped with a 200X/200CX Front Loader and Power Beyond Kit. With Full Axle Oscillation and Sharp Turning Angle, Tires have some Interference with 200X/200CX Loader Tubes when 46 Backhoe is Installed on 4115 Tractors. This Condition is Worse with R3 Tires than R4's. 4100, 4110, 4115 Tractors Require Folding ROPS and Tall ROPS Upper Hoop Kit (LVB25573).*

### MOUNTINGS, HYDRAULICS, SUBFRAME, AND REAR HANGER

1004	Subframe Mounting (For 2032R, 2520, 2720)	Same Price
1010	Less Subframe Mounting	-1,020.00

### Buckets:

2000	9 In. Bucket (0.64 Cu. Ft.)	In Base Price
2001	13 In. Bucket (1.04 Cu. Ft.)	47.00
2002	16 In. Bucket (1.33 Cu. Ft.)	78.00
2003	20 In. Bucket (1.74 Cu. Ft.)	153.00
2004	24 In. Bucket (2.14 Cu. Ft.)	210.00
2010	Less Bucket	-351.00

### ATTACHMENTS FOR FIELD CONVERSION

	<b>Buckets:</b>	
BM19558	13 In. Bucket (1.04 Cu. Ft.)	479.60
BM19559	16 In. Bucket (1.33 Cu. Ft.)	515.90

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**46 Backhoe**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM19560	20 In. Bucket (1.74 Cu. Ft.)	607.20
	BM19561	24 In. Bucket (2.14 Cu. Ft.)	675.40
	BM19557	9 In. Bucket (0.64 Cu. Ft.)	422.40
	LVB25603	<b>Hydraulics:</b> Power Beyond Kit <i>Not Compatible with Third SCV kit BLV1038/LVB26166</i> <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 2320, 2520, 2720 Tractors.</i> <i>Equipped with Dual SCV.</i>	357.50
	BLV10381	Power Beyond Kit <i>Not Compatible with Third SCV kit BLV1038/LVB26166</i> <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 2025R, 2032R, 2320, 2520, 2720, 4100, 4110, and 4115 Tractors</i> <i>Equipped with Dual SCV.</i>	480.70
		<b>Mountings and Hardware for Tractors:</b>	
	LVB24842	Subframe Mounting Kit (For 2025R, 2320 Tractors with 46 Backhoe)	1,201.20
	LVB25883	Subframe Mounting Kit (For 2032R, 2520, 2720 Tractors with 46 Backhoe)	1,201.20
		<b>Operator Environment:</b>	
	LVB25573	Tall ROPS Upper Hoop Kit <i>Required for Use with 46 Backhoe on 4100, 4110, 4115 Tractors.</i>	212.30
		<b>Operator Manual and Decal Kit:</b>	
	LVB25581	Operator's Manual and Decal Kit - French	No Charge

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## 375 Backhoe Equipment for Base Machine

7 ft. 8 In. (2.3 m) Digging Depth Quik-Tatch Mounting Two Double Acting Swing Cylinders 180 Degree Swing Narrow Control Console Two Lever Control Six Spool Control Valve Hydraulics	9 In. Bucket Operator's Seat with Transport Lock Hydraulic Stabilizers with Flip-Over Pads Rockshaft Assist Mounting Brackets and Hardware for 3120-3720, 4105 Open Station Tractors
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*F.O.B. Davenport, Iowa*

6120LV	375 Backhoe (For 3120-3720, 4105, 4300-4400, 4310-4410 Cab and OOS Tractors)	8,791.00
	<i>Tractor's Must be Equipped with a Front Loader and Power Beyond Kit. 4105 Tractor Requires LVB25930 Parking Extension Kit. See Sales Manual for 4300-4400, 4310-4410 Tractor/Backhoe Requirements.</i>	

### MOUNTINGS, HYDRAULICS, SUBFRAME, AND REAR HANGER

1002	Rockshaft Assist Mounting Brackets and Hardware for 3120-3720, 4105 OOS Tractors	In Base Price
1004	Rockshaft Assist Mounting Brackets and Hardware for 4300-4400 and 4310-4410 Tractors with Heavy Duty Sub-Frame	501.00
1005	Rockshaft Assist Mounting Brackets and Hardware for 3320-3720 Cab Tractors	321.00
1010	Less Mounting Brackets and Hardware	-479.00

### Buckets:

3000	9 In. Bucket (0.64 Cu. Ft.)	In Base Price
3001	13 In. Bucket (1.04 Cu. Ft.)	48.00
3002	16 In. Bucket (1.33 Cu. Ft.)	80.00
3003	20 In. Bucket (1.74 Cu. Ft.)	156.00
3004	24 In. Bucket (2.14 Cu. Ft.)	214.00
3005	36-Inch Bucket (3.01 Cu. Ft.)	385.00
3010	Less Bucket	-358.00

### ATTACHMENTS - ORDER AS DESIRED



JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**375 Backhoe**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS - ORDER AS DESIRED Continued...</b>			
9430		<b>Spanish North American Kit:</b> Spanish North American Operator's Manual and Decal Kit	No Charge
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Buckets:</b>	
BM19558		13 In. Bucket (1.04 Cu. Ft.)	479.60
BM19559		16 In. Bucket (1.33 Cu. Ft.)	515.90
BM19560		20 In. Bucket (1.74 Cu. Ft.)	607.20
BM19561		24 In. Bucket (2.14 Cu. Ft.)	675.40
BM19562		36 In. Bucket (3.34 Cu. Ft.)	845.90
BM19557		9 In. Bucket (0.64 Cu. Ft.)	422.40
		<b>Hydraulics:</b>	
LVB25085		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4310-4410 Tractors.</i>	342.10
LVB25781		Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720 Cab Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	412.50
LVB26069		Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for use with Backhoe on 3120-3720 Cab Tractors. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	412.50
LVB25505		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	412.50
LVB26064		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for MY2011 serial number break.</i>	412.50
LVB25221		Power Beyond Kit with RCV Filter <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4300-4400 Tractors.</i>	412.50
		<b>Miscellaneous:</b>	
LVB25930		Parking Extension Kit (4105)	104.50
BM19556		Rubber Street Pad Kit	138.60
LVB26056		Thumb <i>Only compatible with a 2010 model or later backhoe with a serial number greater than LV0375X030000. Not compatible with 9 In. Bucket (BM19557).</i>	803.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

---

**375 Backhoe**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Mountings and Hardware for Tractors:</b>	
	LVB24795	Heavy-Duty Subframe Kit <i>See Sales Manual for 4300-4400, 4310-4410 Tractor/Backhoe Requirements.</i>	591.80
	LVB25611	Rockshaft Assist Mounting Brackets and Hardware (3120-3720 Open Station Tractors)	564.30
	BM19564	Rockshaft Assist Mounting Brackets and Hardware (4300-4400, 4310-4410)	564.30
	LVB26149	Rockshaft Assist Mounting Brackets and Hardware (3320-3720 Cab Tractors)	941.60
		<b>Operator Manual and Decal Kit:</b>	
	BLV10058	Spanish North American Operator's Manual and Decal Kit	17.60

# JOHN DEERE TURF & UTILITY PRODUCTS

## EQUIPMENT FOR COMPACT UTILITY TRACTORS

### 375A Backhoe

Equipment for Base Machine

7.5 ft. Digging Depth  
180 Degree Swing  
Narrow Control Console  
Two Lever Control  
Six Spool Control Valve  
Hydraulics  
9 In. Bucket

Operator's Seat  
Hydraulic Stabilizers  
Subframe Mounting (3 Point Hitch Assist)  
Transport Locks

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Davenport, Iowa*

6160LV		375A Backhoe 3033R-3046R Cab and OOS Tractors	9,188.00
<i>Tractors Must be Equipped with a Front Loader and Power Beyond Kit.</i>			

#### SUBFRAME MOUNTING

1001		Rockshaft Assist Mounting Brackets and Hardware for 3033R-3046R Tractors (Cab Only)	Same Price
1005		Rockshaft Assist Mounting Brackets and Hardware for 3033R-3046R Tractors (OOS Only)	In Base Price

#### Buckets:

3000		9 In. Bucket (0.684 Cu. Ft.)	In Base Price
3010		12 In. Bucket (1.12 Cu. Ft.)	66.00
3020		16 In. Bucket (1.50 Cu. Ft.)	154.00
3030		20 In. Bucket (1.88 Cu. Ft.)	242.00
3040		24 In. Bucket (2.26 Cu. Ft.)	330.00
3050		18 In. HD Bucket (1.69 Cu. Ft.)	271.00
3060		Less Bucket	-489.00

#### OPERATORS MANUAL

0409		English North American Operator's Manual and Decal Kit	In Base Price
0437		Spanish North American Operator's Manual and Decal Kit	Same Price
0413		French Operator's Manual and Decal Kit	Same Price

#### ATTACHMENTS FOR FIELD CONVERSION

**Buckets:**

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**375A Backhoe**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10339	12 In. Bucket (1.12 Cu. Ft.)	610.50
	BLV10340	16 In. Bucket (1.50 Cu. Ft.)	707.30
	BLV10343	18 In. Heavy Duty Bucket (1.69 Cu. Ft.)	836.00
	BLV10341	20 In. Bucket (1.88 Cu. Ft.)	804.10
	BLV10342	24 In. Bucket (2.26 Cu. Ft.)	900.90
	BLV10338	9 In. Bucket (0.684 Cu. Ft.)	537.90
		<b>Hydraulics:</b>	
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3033R-3046R Open Station Tractors. See Sales Manual (SCV Reference Table) or ordering details.</i>	412.50
		<b>Power Beyond Kit (Cab Only)</b> <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3033R-3046R Open Station Tractors. See Sales Manual (SCV Reference Table) or ordering details.</i>	
	BLV10462		449.90
		<b>Miscellaneous:</b>	
	BLV10353	Mechanical Thumb	671.00
	BM19556	Rubber Street Pad Kit	138.60
		<b>Mountings and Hardware for Tractors:</b>	
	BLV10345	Rockshaft Assist Mounting Brackets and Hardware for 3033R-3046R Tractors (Cab Only)	1,210.00
	BLV10460	Rockshaft Assist Mounting Brackets and Hardware for 3033R-3046R Tractors (OOS Only)	1,210.00

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## 385A Backhoe Equipment for Base Machine

8.5 ft. Digging Depth 180 Degree Swing Narrow Control Console Two Lever Control Six Spool Control Valve Hydraulics 12 In. Bucket	Operator's Seat Hydraulic Stabilizers Subframe Mounting (3 Point Hitch Assist) Transport Locks
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*F.O.B. Davenport, Iowa*

6170LV	385A Backhoe 3033R-3046R OOS Tractors	9,939.00
	<i>Tractors Must be Equipped with a Front Loader and Power Beyond Kit.</i>	

### SUBFRAME MOUNTING

1010	Less Mounting	-1,001.00
1005	Rockshaft Assist Mounting Brackets and Hardware for 3033R-3046R Tractors (OOS Only)	In Base Price

### Buckets:

3000	9 In. Bucket (0.684 Cu. Ft.)	66.00
3010	12 In. Bucket (1.12 Cu. Ft.)	In Base Price
3020	16 In. Bucket (1.50 Cu. Ft.)	88.00
3030	20 In. Bucket (1.88 Cu. Ft.)	176.00
3040	24 In. Bucket (2.26 Cu. Ft.)	264.00
3050	18 In. HD Bucket (1.69 Cu. Ft.)	205.00
3060	Less Bucket	-555.00

### OPERATORS MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price
0413	French Operator's Manual and Decal Kit	Same Price

### ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**385A Backhoe**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Buckets:</b>	
BLV10339		12 In. Bucket (1.12 Cu Ft.)	610.50
BLV10340		16 In. Bucket (1.50 Cu. Ft.)	707.30
BLV10343		18 In. Heavy Duty Bucket (1.69 Cu. Ft)	836.00
BLV10341		20 In. Bucket (1.88 Cu. Ft.)	804.10
BLV10342		24 In. Bucket (2.26 Cu. Ft.)	900.90
BLV10338		9 In. Bucket (0.684 Cu. Ft)	537.90
		<b>Hydraulics:</b>	
LVB26064		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3033R-3046R Open Station Tractors. See Sales Manual (SCV Reference Table) or ordering details.</i>	412.50
		<b>Miscellaneous:</b>	
BLV10352		Mechanical Thumb	825.00
BM19556		Rubber Street Pad Kit	138.60
		<b>Mountings and Hardware for Tractors:</b>	
BLV10460		Rockshaft Assist Mounting Brackets and Hardware for 3033R-3046R Tractors (OOS Only)	1,210.00

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## 485 Backhoe Equipment for Base Machine

8 ft. 9 In.(2.7 m) Digging Depth	12 In. Bucket
Quick-Tatch Mounting	Operator's Seat with Transport Locks
Two Double Acting Swing Cylinders	Hydraulic Stabilizers with Flip-Over Pads
180 Degree Swing	Rockshaft Assist Mounting Brackets, Hardware and Adapter Frame Plate for 4510-4710 and 4120-4720 Tractors
Narrow Control Console	
Two Lever Control	
Six Spool Control Valve Hydraulics	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*F.O.B. Davenport, Iowa*

6131LV	<b>485 Backhoe</b> <i>For 3120-3720 OOS Tractors, 4120-4720 Cab and OOS Tractors, 4300-4400, 4310-4410, 4500-4700, 4510-4710, 5045E-5075E OOS Tractors 9/3, and 5103-5403 OOS Tractors.</i>  <i>Does Not Fit Cab 3320-3720 Tractors.</i>  <i>Tractors Must be Equipped with a Front Loader and Power Beyond Kit.</i>  <i>5 Series Tractors do not require a Power Beyond Kit.</i>  <i>Installation of LVB25628 PRT Oil Cooler Kit is Recommended for 4000 Twenty Series Tractors with a PRT Trans. and Equipped with a Backhoe that will be used for Extended Continuous Periods of Time.</i>  <i>See Sales Manual for 4300 Through 4710 Tractor/Backhoe Requirements.</i>	10,248.00
--------	---	-----------

### MOUNTINGS, HYDRAULICS, SUBFRAME, AND REAR HANGER

1001	Rockshaft Assist Mounting Brackets and Hardware (4300-4400, 4310-4410) with Heavy Duty Sub-Frame	-269.00
1005	Rockshaft Assist Mounting Brackets and Hardware (3120-3720 OOS Tractors)	-439.00
1006	Subframe Mounting Brackets, Hydraulics and Hardware For 5045E-5075E Series Tractors and 5103-5403 Series Tractors <i>Compatible with serial numbers after PY5103UO13641, PY5203U005570, PY5303U007753, and PY5403U000735.</i>	110.00
1007	Rockshaft Assist Mounting Brackets and Hardware (4120-4720. See notes below on 4500-4700 and 4510-4710) <i>4320-4720 Cab Tractors Equipped with Mid-PTO Require LVB25876 Cab/Backhoe/Mid PTO Additional Mounting Kit. See Sales Manual for Serial Numbers. For 4500-4700 and 4510-4710 Tractors Manufactured Before Nov. '02, See Sales Manual for Additional Required Service Parts.</i>	In Base Price
1010	Less Mounting Brackets and Hardware	-917.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**485 Backhoe**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ADAPTER FRAME FOR BACKHOE</b>			
2000		Adapter Frame Weldment Plate (3120-3720, 4300-4400, 4310-4410)	-42.00
2003		Adapter Frame Weldment Plate (4120-4720, 4500-4700 and 4510-4710)	In Base Price
2010		Less Adapter Frame Weldment Plate	-934.00
<b>Buckets:</b>			
3000		12-Inch Bucket (1.53 Cu. Ft.)	In Base Price
3001		18-Inch Bucket (2.47 Cu. Ft.)	77.00
3002		24-Inch Bucket (3.48 Cu. Ft.)	161.00
3010		Less Bucket	-608.00
<b>ATTACHMENTS - ORDER AS DESIRED</b>			
9430		<b>Spanish North American Kit:</b> Spanish North American Operator's Manual and Decal Kit	No Charge
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
LVB25613		<b>Backhoe Adapter Frames:</b> Adapter Frame Weldment Plate (3120-3720, 4300-4400, 4310-4410)	1,041.70
LVB26163		Adapter Frame Weldment Plate (4120-4720, 4500-4700 and 4510-4710)	1,120.90
<b>Buckets:</b>			
BM19568		12 In. Standard Bucket (1.53 Cu. Ft.)	717.20
LVB25173		14 In. Heavy Duty Bucket (1.74 Cu. Ft.)	793.10
LVB25174		18 In. Heavy Duty Bucket (2.68 Cu. Ft.)	872.30
BM19569		18 In. Standard Bucket (2.47 Cu. Ft.)	807.40
LVB25175		24 In. Heavy Duty Bucket (3.71 Cu. Ft.)	975.70
BM19570		24 In. Standard Bucket (3.48 Cu. Ft.)	906.40
<b>Hydraulics:</b>			
LVB25085		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4310-4410 Tractors.</i>	342.10
LVB25780		Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4320-4720 Cab Tractors.</i>	343.20
LVB26071		Power Beyond Kit (Cab Only) <i>Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	421.30



JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**485 Backhoe**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25505	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	412.50
	LVB25512	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4510-4710 and 4120-4720 Open Station Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	412.50
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for MY2011 serial number break.</i>	412.50
	LVB26066	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4510-4710 and 4120-4720 Open Station Tractors. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	412.50
	LVB25220	Power Beyond Kit with RCV Filter <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4500-4700 Tractors.</i>	412.50
	LVB25221	Power Beyond Kit with RCV Filter <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4300-4400 Tractors.</i>	412.50
	LVB26039	<b>Miscellaneous:</b> Creep to Reposition Kit <i>Only compatible with 4520 and 4720 tractors starting with Model Year 2011, and the latest 485 Backhoe LVB26189 and Adaptor LVB26163. Ensure software is LVA16028P or later. Previous software versions are not compatible with this kit.</i>	975.70
	BM19556	Rubber Street Pad Kit	138.60
	LVB26057	Thumb <i>Only compatible with a 2010 model or later backhoe with a serial number greater than LV0485X030000. Not compatible with 12 In. Standard Bucket (BM19568) or 14 In. Heavy Duty Bucket (LVB25173).</i>	1,034.00
	LVB25876	<b>Mountings and Hardware for Tractors:</b> Cab/Backhoe/Mid PTO Additional Mounting Kit <i>Required in addition to Order Code 1003 for 4320-4720 Cab Tractors Equipped with Mid PTO.</i>	116.60
	LVB24795	Heavy-Duty Subframe Kit <i>Required for Use on 4300-4400, 4310-4410 Tractors with a 48, 448 or 485 Backhoe.</i>	591.80
	LVB25611	Rockshaft Assist Mounting Brackets and Hardware (3120-3720 Open Station Tractors)	564.30

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

---

**485 Backhoe**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB26148	Rockshaft Assist Mounting Brackets and Hardware (4120-4720. See notes below on 4500-4700 and 4510-4710) 4320-4720 Cab Tractors Equipped with Mid-PTO Require LVB25876 Cab/Backhoe/Mid PTO Additional Mounting Kit. See Sales Manual for Serial Numbers. For 4500-4700 and 4510-4710 Tractors Manufactured Before Nov. '02, See Sales Manual for Additional Required Service Parts.	1,080.20
	BM19564	Rockshaft Assist Mounting Brackets and Hardware (4300-4400, 4310-4410)	564.30
	LVB26092	Subframe Mounting Brackets, Hydraulics and Hardware For 5045E-5075E Series Tractors and 5103-5403 Series Tractors <i>Compatible with serial numbers after PY5103U013641, PY5203U005570, PY5303U007753, and PY5403U000735.</i>	2,236.30
	BLV10058	<b>Operator Manual and Decal Kit:</b> Spanish North American Operator's Manual and Decal Kit	17.60
	LVB25865	<b>Transmission:</b> PRT Oil Cooler Kit <i>Required for 4120-4720 PRT Tractors</i>	286.00

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## 485A Backhoe Equipment for Base Machine

8.5 ft. Digging Depth  
180 Degree Swing  
Narrow Control Console  
Two Lever Control  
Six Spool Control Valve  
Hydraulics  
12 In. Bucket

Operator's Seat  
Hydraulic Stabilizers  
Subframe Mounting (3 Point Hitch Assist)  
Transport Locks

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*F.O.B. Davenport, Iowa*

6180LV	485A Backhoe 4044M-4066M OOS and 4044R-4066R Cab and OOS Tractors	10,658.00
<i>Tractors Must be Equipped with a Front Loader and Power Beyond Kit.</i>		

### SUBFRAME MOUNTING

1010	Less Mounting	-1,001.00
1003	Rockshaft Assist Mounting Brackets and Hardware for 4044M-4066M and 4044R-4066R Tractors (Cab and OOS)	In Base Price

### Buckets:

3000	9 In. Bucket (0.684 Cu. Ft.)	66.00
3010	12 In. Bucket (1.12 Cu. Ft.)	In Base Price
3020	16 In. Bucket (1.50 Cu. Ft.)	88.00
3030	20 In. Bucket (1.88 Cu. Ft.)	176.00
3040	24 In. Bucket (2.26 Cu. Ft.)	264.00
3050	18 In. HD Bucket (1.69 Cu. Ft.)	205.00
3060	Less Bucket	-555.00

### OPERATORS MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price
0413	French Operator's Manual and Decal Kit	Same Price

### ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**485A Backhoe**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Buckets:</b>	
	BLV10339	12 In. Bucket (1.12 Cu. Ft.)	610.50
	BLV10340	16 In. Bucket (1.50 Cu. Ft.)	707.30
	BLV10343	18 In. Heavy Duty Bucket (1.69 Cu. Ft.)	836.00
	BLV10341	20 In. Bucket (1.88 Cu. Ft.)	804.10
	BLV10342	24 In. Bucket (2.26 Cu. Ft.)	900.90
	BLV10338	9 In. Bucket (0.684 Cu. Ft.)	537.90
		<b>Hydraulics:</b>	
	BLV10039	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4044M/R-4066M/R Tractors. See Sales Manual (SCV Reference Table) or ordering details.</i>	314.60
		<b>Miscellaneous:</b>	
	BLV10352	Mechanical Thumb	825.00
	BM19556	Rubber Street Pad Kit	138.60
		<b>Mountings and Hardware for Tractors:</b>	
	BLV10334	Rockshaft Assist Mounting Brackets and Hardware for 4044M/R-4066M/R Tractors (Cab and Open Station)	1,210.00

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors)**

**Equipment for Base Machine**

54 In. Clearing Width "Straight"	Two Adjustable Skid Shoes
48 In. Clearing Width "Fully Angled"	Reinforced Angle Bar on Back of Blade
Replaceable Cutting Edge	Spring Breakaway with Lock-Out Pin
Heavy 11-Gauge, Curved Blade	Less Front Hitch
Angled Left or Right Up to 27 Degrees	Less Hydraulic Angling

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

1491M	54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors) <i>X700, X710, X465, X475 and 425 Require BM20761 Hydraulic Coupler Kit.</i>	515.00
	<i>Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i>	
	<i>See Sales Manual for Ballast Requirements.</i>	

**FRONT QUICK-HITCH**

1000	Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	615.00
1001	Front Quick-Hitch and Hydraulic Lift (425, 445, 455)	638.00
1006	Front Quick-Hitch and Hydraulic Lift (2210, 2305)	656.00
1007	Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	716.00
1008	Front Quick-Hitch and Hydraulic Lift (1023E, 1025R, 1026R) <i>Also requires BLV10160, Front Attaching Support (1023E, 1025R, 1026R).</i>	716.00
1010	Less Front Quick-Hitch	In Base Price

**HYDRAULIC ANGLING (REQUIRED FOR OPERATION)**

2000	Hydraulic Angling (For X400/X500 HDGT's, X700's) <i>BM20761 Hydraulic Coupler Kit Required on X700, X710, X465 and X475.</i>	189.00
2001	Hydraulic Angling (425, 445, 455) <i>BM20761 Hydraulic Coupler Kit Required on 425 Tractor.</i>	165.00
2005	Hydraulic Angling (2210, 2305)	191.00
2006	Hydraulic Angling (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	198.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>HYDRAULIC ANGLING (REQUIRED FOR OPERATION)</b>	
		<b>Continued...</b>	
2007		Hydraulic Angling (1023E, 1025R, 1026R)	191.00
2010		Less Hydraulic Angling	In Base Price

**ATTACHMENTS - ORDER AS DESIRED**

9100		<b>European CE Kit:</b> European CE Certification Kit	No Charge
------	--	--	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

		<b>Blades:</b>	
M42868		Rubber Blade Squeegee Kit 48 In. and 54 In. Blade <i>Requires 10 03M7188 bolts and 10 14M7273 nuts.</i>	66.21
		<b>Front Hitch:</b>	
BLV10159		Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
LVB24898		Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
BM17347		Front Quick-Hitch and Hydraulic Lift (415, 425, 445, 455)	731.89
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
		<b>Hydraulics:</b>	
LVB26108		Hydraulic Angling (1023E, 1025R, 1026R)	219.36
LVB24901		Hydraulic Angling (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84
BM17650		Hydraulic Angling (415, 425, 445, 455)	189.39
BM25609		Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20922		Hydraulic Angling Kit (2210, 2305)	219.36
BM20761		Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	55.64
		<b>Miscellaneous:</b>	
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
LVB25302		Front Attaching Support Kit <i>For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	60.99
BLV10160		Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	85.61
LVB24895		Front Attaching Support Kit (2025R, 2320) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25396	Front Attaching Support Kit (2305) <i>Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99
	LP53767	Front Blade Snow Extension Kit <i>Pair of 9-inch extensions to lengthen 54-inch front blade to 72-inch width. For use in snow removal applications on X400/X500 HDGT's and X700's. Not approved for dirt or any CUT applications.</i>	199.95
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
	BM20753	Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
	AM119321	Heavy Duty Skid Shoe (1)	57.37
	BM22725	Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	160.50
	LP54000	<b>Order Zone:</b> 54 In. Tractor Shovel <i>For X400/X500 HDGT's and X700's Only. Go to Order Zone for Specific Requirements.</i>	744.95
	TY15956	<b>Seats / Wheels / Tires:</b> Tire Chains (Pair) for 23x10.50-12 In. Drive Tires <i>All Wheel Steer Tractors with Standard 23x10.50-12 In. Tires Require BM18021 Wheel Spacer Kit to Provide Clearance Between Tire Chains and Steering Linkage.</i>	81.08
	TY15845	Tire Chains (Pair) for 23x10.50-12 In. Rear Tires (318, 322, 332)	80.34
	TY15841	Tire Chains (Pair) for 23x8.50-12 In. Drive Tires	68.14
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
	BM20715	<b>Weights:</b> Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## 366 Front Mounted Blade Equipment for Base Machine

66 In. Blade with Spring Trip Hydraulic Angling Skid Shoes A-frame Quick Change System (Common with 59 In. Snow	Blower) Hydraulic Hoses Mounting Frame
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*F.O.B. Davenport, Iowa*

6004M	366 Front Mounted Blade <i>3120-3720 Tractors with Mid-Mount Mowers for use with Front. Three-Point Hitch with A-Frame require LVB25820 (AutoConnect decks) or LVB24810 (old 7-Iron decks).</i>  <i>Not for use with 4200-4410 Tractors.</i>	3,600.00
-------	---	----------

### FRONT HITCH

1000	Front Three-Point Hitch with A-Frame Quick Attach System (3120-3720)	In Base Price
1001	Front Three-Point Hitch with A-Frame Quick Attach System (3033R-3046R)	Same Price
1010	Less Front Three-Point Hitch with A-Frame Quick Attach System	-1,328.00

### ATTACHMENTS FOR FIELD CONVERSION

<b>Front Hitch:</b>		
BLV10316	A-Frame Quick Attach System (3120-3720, 3033R-3046R)	197.96
BM20921	Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
BLV10439	Front Three-Point Hitch (3033R-3046R)	1,306.80
LVB25878	Front Three-Point Hitch (3120-3720)	1,286.14
<b>Front PTO:</b>		
BLV10452	Front PTO Bracket (3033R-3046R)	92.40
LVB25759	Front PTO Bracket (3120-3720)	84.53
<b>Miscellaneous:</b>		
LVB25820	Front Three-Point Hitch/Mid Mount Brackets <i>Required for use with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3033R-3046R and 3120-3720 Tractors Only) and AutoConenct Mowers.</i>	164.79
LVB24810	Front Three-Point Hitch/Mid Mount Mower Draft Arms <i>Required for use with LVB25878 Front Three-Point Hitch with A-Frame (3033R-3046R and 3120-3720 Tractors Only) and old 7-Iron Mid-Mount Mowers.</i>	233.26



JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**D120 Loader**  
Equipment for Base Machine

49 In.(1250 mm) Pin-On  
Materials Bucket  
Basic Loader Mounting System  
Mounting Frame for 1023E, 1025R  
and Non-Current 1026R Series  
Tractors

Hood Guard

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas;  
Grimsby, Ontario*

1752P	D120 Loader For 1023E, 1025R and Non-Current 1026R Tractors.	2,599.00
-------	---	----------

**DESTINATION**

0202	United States	In Base Price
0184	Canada	Same Price

**OPERATOR'S MANUAL**

0409	English	In Base Price
0413	French North America	Same Price
0437	Spanish North America	Same Price

**BALLAST BOX**

*Three Point Hitch Ballast is Required For Loader Stability and Reducing Stress of Vital  
Tractor Components. See Operator's Manual For Ballast Recommendations. For Ballast  
Box Use with iMatch Quik Hitch, BW15056 is Required.*

6000	Ballast Box	232.00
6010	Ballast Box with Extension	342.00
6995	Less Ballast Box	In Base Price

**BUCKETS**

*Additional Bucket Options are Available as attachments.*

8111	49 In. (1250 mm) Pin-On Materials Bucket	In Base Price
8995	Less Bucket	-566.00

**ATTACHMENTS FOR FIELD CONVERSION**

**Ballast Box:**

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**D120 Loader**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BW15073	Ballast Box	280.50
	BW15074	Ballast Box Extension	133.10
		<b>Buckets:</b>	
	BW14144	49 In. (1250mm) Loader Materials Bucket - Quik Change	738.10
	BW15896	49 in. (1250mm) Materials Bucket - Pin ON	684.20
	BW14145	53 In. (1350mm) Loader Materials Bucket - Quik Change	800.80
	BW14146	61 In. (1550mm) Loader Materials Bucket - Quik Change	848.10
		<b>Carrier:</b>	
	BW15939	John Deere CUT Carrier <i>Compatible with Quick-Change Buckets.</i>	300.30
		<b>Hood Guards:</b>	
	BW15901	Deluxe Hood Guard (1023E, 1025R & 1026R Tractors)	231.00
	BW15900	Hood Guard (1023E, 1025R & 1026R Tractors)	209.00
		<b>Miscellaneous (Australia Only):</b>	
	BW16242	Anti Spill Kit <i>For H120 Loader - Australia Only.</i>	283.80
	BW16244	Australian Code of Practice Kit <i>For D120, H130, 300CX, 400CX Loader - Australia Only.</i>	0.00
	BW16274	Service Lock <i>For H120 - Australia Only.</i>	187.00
		<b>Miscellaneous:</b>	
	BW15476	Bucket Level Indicator	62.70
	BW16474	French North American Operator's Manual and Decal Kit	See Parts
	BW15056	iMatch / Quik-Coupler Bushing Kit <i>For using ballast box with iMatch system.</i>	94.60
		<b>Mounting Frames:</b>	
	BW15898	Mounting Frame <i>For 1023E and 1026R Tractors.</i>	416.90

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## H120 Loader Equipment for Base Machine

49 In.(1250 mm) Quick Change  
Materials Bucket  
Quick Change Attachment Carrier  
Quik-Park Loader Mounting System  
Mounting Frame for 1023E, 1025R  
and Non-Current 1026R Series  
Tractors

Deluxe Hood Guard  
Mechanical Bucket Level  
Indicator  
Oil Line Cover

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas;  
Grimsby, Ontario*

1762P	H120 Loader <i>For 1023E, 1025R and Non-Current 1026R Tractors.</i>	3,334.00
-------	--	----------

### DESTINATION

0202	United States	In Base Price
0184	Canada	Same Price
0230	Australia	Same Price
0237	New Zealand	Same Price

### OPERATOR'S MANUAL

0409	English	In Base Price
0413	French North America	Same Price
0437	Spanish North America	Same Price

### BALLAST BOX

*Three Point Hitch Ballast is Required For Loader Stability and Reducing Stress of Vital  
Tractor Components. See Operator's Manual For Ballast Recommendations. For Ballast  
Box Use with iMatch Quik Hitch, BW15056 is Required.*

6000	Ballast Box	232.00
6010	Ballast Box with Extension	342.00
6995	Less Ballast Box	In Base Price

### CARRIERS

7020	John Deere CUT Carrier	In Base Price
7095	Less Carrier	-248.00

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## H120 Loader Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>BUCKETS</b>			
<i>Additional Bucket Options are Available as attachments.</i>			
8110		49 In. (1250 mm) Quick Change Materials Bucket	In Base Price
8111		49 In. (1250 mm) Pin-On Materials Bucket	-45.00
8115		53 In. (1350 mm) Quick Change Materials Buckets	52.00
8995		Less Bucket	-611.00
<b>ATTACHMENTS - ORDER AS DESIRED</b>			
9608		<b>Miscellaneous (Australia Only):</b> Australian Compliance Kit <i>Required when ordering Destination Code 0230.</i>  <i>Kit consists of:</i> BW16242 - Anti Spill Kit BW16244 - Australian Code of Practice BW16274 - H120 Service Lock	415.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BW15073		<b>Ballast Box:</b> Ballast Box	280.50
BW15074		Ballast Box Extension	133.10
BW14144		<b>Buckets:</b> 49 In. (1250mm) Loader Materials Bucket - Quik Change	738.10
BW15896		49 in. (1250mm) Materials Bucket - Pin ON	684.20
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change	800.80
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	848.10
BW15939		<b>Carrier:</b> John Deere CUT Carrier <i>Compatible with Quick-Change Buckets.</i>	300.30
BW15901		<b>Hood Guards:</b> Deluxe Hood Guard (1023E, 1025R & 1026R Tractors)	231.00
BW15900		Hood Guard (1023E, 1025R & 1026R Tractors)	209.00
BW15476		<b>Miscellaneous:</b> Bucket Level Indicator	62.70
BW16182		Hoses and Clamp <i>To Update H120 Loaders for Cab Tractors.</i>	72.60
BW15056		iMatch / Quik-Coupler Bushing Kit <i>For using ballast box with iMatch system.</i>	94.60

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

---

**H120 Loader**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BW15898	<b>Mounting Frames:</b> Mounting Frame <i>For 1023E and 1026R Tractors.</i>	416.90

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## H130 Loader Equipment for Base Machine

49 In.(1250 mm) Quik Tach  
Materials Bucket (6.0 ft<sup>3</sup>)  
Quik-Park Loader Mounting System  
Mounting Frame for 2025R and  
Non-Current 2320 Tractors  
Hood Guard for 2025R and  
Non-Current 2210, 2305, 2320

Tractors  
Quik-Tach Attachment Carrier  
Mechanical Bucket Level  
Indicator  
Oil Line Cover

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*EX-WORKS Laredo, Texas: Martinez, Georgia; Waterloo, Iowa; Frisco, Texas;  
Grimsby, Ontario*

2372P	H130 Loader <i>For 2025R and 2032R and Non-Current 2305, 2320, 2520, 2720 Tractors.</i>	3,496.00
-------	--	----------

### DESTINATION

0202	United States	In Base Price
0184	Canada	Same Price
0230	Australia	Same Price
0237	New Zealand	Same Price

### OPERATOR'S MANUAL

0409	English	In Base Price
0413	French North America	Same Price
0437	Spanish North America	Same Price

### TRACTOR MOUNTING FRAMES

1200	Mounting Frame <i>For 2305.</i>	Same Price
1201	Mounting Frame <i>For 2025R and Non-Current 2320.</i>	In Base Price
1202	Mounting Frame <i>For Non-Current 2520 tractors.</i>	Same Price
1203	Mounting Frame <i>For 2032R and Non-Current 2720.</i>	Same Price
1995	Less Mounting Frame	-345.00

### HOOD GUARDS

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## H130 Loader Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>HOOD GUARDS Continued...</b>			
5200		Hood Guard <i>For 2025R and Non-Current 2210, 2305, 2320.</i>	In Base Price
5201		Hood Guard <i>For 2032R and Non-Current 2520, 2720.</i>	Same Price
5995		Less Hood Guard	-203.00
<b>BALLAST BOX</b>			
<i>Three Point Hitch Ballast is Required For Loader Stability and Reducing Stress of Vital Tractor Components. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, BW15056 is Required.</i>			
6000		Ballast Box	232.00
6010		Ballast Box with Extension	342.00
6995		Less Ballast Box	In Base Price
<b>CARRIERS</b>			
7020		John Deere CUT Carrier <i>Order with Bucket Codes 8110, 8115, 8120.</i>	In Base Price
7095		Less Carrier	-248.00
<b>BUCKETS</b>			
<i>Additional Bucket Options are Available as attachments.</i>			
8110		49 In. (1250 mm) Quick Change Materials Bucket	In Base Price
8111		49 In. (1250 mm) Pin-On Materials Bucket	-45.00
8115		53 In. (1350 mm) Quick Change Materials Buckets	52.00
8120		61 In. (1550 mm) Materials Bucket	91.00
8995		Less Bucket	-611.00
<b>ATTACHMENTS - ORDER AS DESIRED</b>			
9608		<b>Miscellaneous (Australia Only):</b> Australian Compliance Kit <i>Required when ordering Destination Code 0230.</i>  <i>Kit consists of:</i> <i>BW16198 - Anti Spill Kit</i> <i>BW16244 - Australian Code of Practice</i> <i>BW16278 - H130 Service Lock</i> <i>W56435 - Operators Manual (Australia)</i>	415.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BW15073		<b>Ballast Box:</b> Ballast Box	280.50

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**H130 Loader**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BW15074	Ballast Box Extension	133.10
		<b>Buckets:</b>	
	BW14144	49 In. (1250mm) Loader Materials Bucket - Quik Change	738.10
	BW15896	49 in. (1250mm) Materials Bucket - Pin ON	684.20
	BW14145	53 In. (1350mm) Loader Materials Bucket - Quik Change	800.80
	BW14146	61 In. (1550mm) Loader Materials Bucket - Quik Change	848.10
		<b>Carrier:</b>	
	BW15939	John Deere CUT Carrier	300.30
		<b>Hood Guards:</b>	
	BW15217	Hood Guard (2025R, 2210, 2305, 2320) <i>For 2025R and noncurrent 2210, 2305, 2320 Tractors.</i>	245.30
	BW15634	Hood Guard (2032R, 2520, 2720) <i>For 2032R and noncurrent 2520, 2720 Tractors.</i>	259.60
		<b>Miscellaneous (Australia Only):</b>	
	BW16198	Anti Spill Kit <i>For H120, H130 Loader - Australia Only.</i>	559.90
	BW16244	Australian Code of Practice Kit <i>For D120, H130, 300CX, 400CX Loader - Australia Only.</i>	0.00
	BW16278	Service Lock <i>For H130 - Australia Only.</i>	187.00
		<b>Miscellaneous:</b>	
	BW15476	Bucket Level Indicator	62.70
	BW15056	iMatch / Quik-Coupler Bushing Kit <i>For using ballast box with iMatch system.</i>	94.60
		<b>Mounting Frames:</b>	
	BW15324	Mounting Frame <i>For 2025R and Non-Current 2320 Tractors.</i>	416.90
	BW15426	Mounting Frame <i>For Non-Current 2305 Tractors.</i>	416.90
	BW15731	Mounting Frame <i>For Non-Current 2520 Tractors.</i>	416.90
	BW15730	Mounting Frame <i>For 2032R and Non-Current 2720 Tractors.</i>	416.90



# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## D160 Loader Equipment for Base Machine

Non Parking Loader  
Quik Change Attachment Carrier  
Mounting Frame  
Hood Guard  
Single Lever Control Valve (2  
Function)

Tractor to Valve Oil Line Kit  
61 In. (1550mm) Materials Bucket  
Less Ballast Box

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas;  
Grimsby, Ontario*

1460P	D160 Loader <i>For 3032E and 3038E Tractors.</i>	4,288.00
-------	---	----------

### TRACTOR MOUNTING FRAMES

1000	Mounting Frame (for 3032E and 3038E Tractors) <i>Compatible with both vertical and side exhaust tractors.</i>	In Base Price
------	--	---------------

### HYDRAULIC CONTROLS

2000	Single Lever Control Valve (2 Function) and Tractor to Valve Oil Line Kit	In Base Price
------	---	---------------

### BALLAST BOX

*Three Point Hitch Ballast is Required For Loader Stability and Reducing Stress of Vital  
Tractor Components. See Operator's Manual For Ballast Recommendations. BW15073  
Ballast Box and BW15074 Ballast Box Extension Available for Order Under Attachments  
for Field Conversion. For Ballast Box Use with iMatch Quik Hitch, BW15056 is Required.*

4095	Less Ballast Box	In Base Price
------	------------------	---------------

### HOOD GUARDS

5000	Hood Guard (for 3032E and 3038E Tractors)	In Base Price
------	---	---------------

### BUCKETS

8122	61 In. (1550 mm) Materials Bucket	In Base Price
------	-----------------------------------	---------------

### ATTACHMENTS - ORDER AS DESIRED

#### Miscellaneous:

9100	Spanish North American Operator's Manual and Decal Kit	No Charge
9102	French North American Operator's Manual and Decal Kit	No Charge
9105	Export Decals Kit	No Charge

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**D160 Loader**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS - ORDER AS DESIRED Continued...</b>	
9608		<b>Miscellaneous (Australia Only):</b> Australian Compliance Kit <i>Kit consists of:</i>  BW16288 - 305 Anti Spill Kit BW16289 - 305 Service Lock BW16244 - Australian Code of Practice.	620.00
		<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
		<b>Buckets:</b>	
	BW15863	61 In. (1550mm) Loader Materials Bucket	848.10
		<b>Hood Guards:</b>	
	LVB25998	Hood Guard <i>Hood Guard is Standard with 305 Loader.</i>	259.60
		<b>Miscellaneous (Australia Only):</b>	
	BW16288	Anti Spill Kit <i>For 305 and D160 Loader - Australia Only.</i>	451.00
	BW16289	Service Lock <i>For 305 Loader and D160 - Australia Only.</i>	150.70
		<b>Miscellaneous:</b>	
	BW16365	Export Decals Kit	0.00
	BW16397	French North American Operator's Manual and Decal Kit	See Parts
	BW15872	Parking Stand Kit	413.60
	BW15835	Spanish North American Operator's Manual and Decal Kit	0.00
	BW15056	iMatch / Quik-Coupler Bushing Kit <i>For using ballast box with iMatch system.</i>	94.60

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## H160 Loader Equipment for Base Machine

Quik-Park Loader Mounting System    Less Ballast Box  
Quik Change Attachment Carrier  
Mounting Frame  
Hood Guard  
Bucket Level Indicator  
61 In.(1550 mm) Materials Bucket

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas;  
Grimsby, Ontario*

1440P	H160 Loader <i>For 3033R, 3039R, 3046R and 3120-3720, 3203, 4200, 4400, 4210, 4410 Tractors.</i>	4,590.00
-------	---	----------

### DESTINATION

0202	United States	In Base Price
0184	Canada	Same Price

### OPERATOR'S MANUAL

0409	English	In Base Price
0413	French North America	Same Price
0437	Spanish North America	Same Price

### TRACTOR MOUNTING FRAMES

1305	Mounting Frame and Hoses <i>For 3033R, 3039R, 3046R, 3120, 3320, 3520, and 3720 Open Operator Station Tractors.</i>	In Base Price
1310	Mounting Frame and Hoses <i>For 3033R, 3039R, 3046R, 3320, 3520, and 3720 Cab Tractors.</i>	Same Price
1995	Less Mounting Frame and Hoses	-661.00

### HOOD GUARDS

5240	Hood Guard (3033R, 3039R, 3046R)	Same Price
5245	Deluxe Hood Guard (3033R, 3039R, 3046R)	270.00
5250	Hood Guard <i>For 4200, 4300, 4400, 4210, 4310, and 4410 Tractors.</i>	Same Price
5255	Hood Guard <i>For 3120, 3320, 3520, 3720 Tractors.</i>	In Base Price
5260	Deluxe Hood Guard	270.00

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## H160 Loader Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>HOOD GUARDS Continued...</b> <i>For 3120, 3320, 3520, 3720 Tractors.</i>			
5280		Hood Guard <i>For 3203 Tractors.</i>	Same Price
5995		Less Hood Guard	-215.00
<b>BALLAST BOX</b>			
<i>Three Point Hitch Ballast is Required For Loader Stability and Reducing Stress of Vital Tractor Components. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, BW15056 is Required.</i>			
6000		Ballast Box	232.00
6010		Ballast Box with Extension	342.00
6995		Less Ballast Box	In Base Price
<b>BUCKETS</b>			
<i>Additional Bucket Options are Available as attachments.</i>			
8115		53 In. (1350 mm) Quick Change Materials Buckets	-39.00
8120		61 In. (1550 mm) Materials Bucket	In Base Price
8750		Less Bucket	-702.00
8125		61 In. (1550 mm) Heavy Duty Bucket with Holes for Cutting Edge	157.00
8130		73 In. (1850mm) Materials Bucket	129.00
8135		73 In. (1850 mm) Heavy Duty Bucket with Holes for Cutting Edge	295.00

### ATTACHMENTS - ORDER AS DESIRED

#### Miscellaneous (Australia Only):

### ATTACHMENTS FOR FIELD CONVERSION

<b>Ballast Box:</b>		
BW15073	Ballast Box	280.50
BW15074	Ballast Box Extension	133.10
<b>Buckets:</b>		
BW14145	53 In. (1350mm) Loader Materials Bucket - Quik Change	800.80
BW14764	61 In. (1550 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,037.30
BW14146	61 In. (1550mm) Loader Materials Bucket - Quik Change	848.10
BW14765	73 In. (1850 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,204.50
BW14147	73 In. (1850mm) Loader Materials Bucket	1,004.30

#### Cutting Edges:

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**H160 Loader**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BW14762	61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	159.50
	BW14763	73 In. (1850 mm) Replaceable Bucket Cutting Edge with Hardware	191.40
	BWA1190	<b>Hood Guards:</b> Deluxe Hood Guard <i>For 3000 TWENTY tractors.</i>	586.30
	BW15222	Deluxe Hood Guard Attachment <i>For 3000 TWENTY tractors.</i>	326.70
	BW16585	Deluxe Hood Guard Attachment <i>For 3R and 3000 TWENTY Series Tractors.</i>	317.79
	BW14378	Hood Guard <i>For 4200-4400, 4210-4400 Tractors.</i>	259.60
	BW15219	Hood Guard <i>For 3000 TWENTY tractors.</i>	259.60
	BW16617	Hood Guard <i>For H160 and H165 on 3033R, 3039R, and 3046R Tractors.</i>	259.60
	BW15534	Hood Guard (3203)	259.60
	BW15599	<b>Hoses and Parts:</b> Hoses and Parts <i>For 3R, 3020, 3203, 4X00, and 4X10 OOS and Cab series tractors.</i>	349.80
	BW15389	<b>Miscellaneous (Australia Only):</b> Australian Code of Practice Kit <i>Kit Includes Australian Warning Labels.</i>	See Parts
	BW15223	<b>Miscellaneous:</b> Bucket Level Indicator	64.90
	BW15056	iMatch / Quik-Coupler Bushing Kit <i>For using ballast box with iMatch system.</i>	94.60
	BW15456	<b>Mounting Frames:</b> Mounting Frame (3320-3720, 4320-4720 Cab Tractors)	495.00
	BW15204	Mounting Frame (4200-4400, 4210-4400, 3120-3720, 3203 Open Station Tractors)	495.00
	BWA1191	Mounting Frame with Hoses <i>For 3033R, 3039R, 3046R, 3120, 3320, 3520, 3720, 3203, 4200, 4300, 4400, 4210, 4310, and 4410 Tractors.</i>	798.60
	BWA1248	Mounting Frame with Hoses and Parts (3320-3720 Cab Tractors)	798.60
	BW15227	<b>Tooth Bars:</b> 61 In. (1550 mm) Tooth Bar for Bucket <i>Recommended for use with heavy-duty buckets only.</i>	478.50

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## H165 Loader Equipment for Base Machine

Quik-Park Loader Mounting System    Less Ballast Box  
Quik Change Attachment Carrier  
Mounting Frame  
Hood Guard  
Bucket Level Indicator  
61 In.(1550 mm) Materials Bucket

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas;  
Grimsby, Ontario*

1450P	H165 Loader <i>For 3033R, 3039R, 3046R and 3120-3720, 3203, 4005, 4105, 990, 970, 1070, 4300-4400, 4310-4410 Tractors.</i>	5,279.00
-------	---	----------

### DESTINATION

0202	United States	In Base Price
0184	Canada	Same Price
0230	Australia <i>Australian Code of Practice and Decals. Requires Code 9608 - Australian Compliance Kit.</i>	Same Price
0237	New Zealand <i>Operator's Manual.</i>	Same Price

### OPERATOR'S MANUAL

0409	English	In Base Price
0413	French North America	Same Price
0437	Spanish North America	Same Price

### TRACTOR MOUNTING FRAMES

1305	Mounting Frame and Hoses <i>For 3033R, 3039R, 3046R, 3120, 3320, 3520, and 3720 Open Operator Station Tractors.</i>	In Base Price
1310	Mounting Frame and Hoses <i>For 3033R, 3039R, 3046R, 3320, 3520, and 3720 Cab Tractors.</i>	Same Price
1315	Mounting Frame and Hoses <i>For 970, 990, 1070, and 4005 Tractors.</i>	Same Price
1320	Mounting Frame and Hoses <i>For 3203 Tractors.</i>	Same Price

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## H165 Loader Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>TRACTOR MOUNTING FRAMES Continued...</b>			
1325		Mounting Frame and Hoses <i>For 4105.</i>	Same Price
1995		Less Mounting Frame and Hoses	-661.00
<b>HOOD GUARDS</b>			
5240		Hood Guard (3033R, 3039R, 3046R)	Same Price
5245		Deluxe Hood Guard (3033R, 3039R, 3046R)	270.00
5250		Hood Guard <i>For 4300, 4400, 4310, and 4410 Tractors.</i>	Same Price
5255		Hood Guard <i>For 3120, 3320, 3520, 3720 Tractors.</i>	In Base Price
5260		Deluxe Hood Guard <i>For 3120, 3320, 3520, 3720 Tractors.</i>	270.00
5265		Hood Guard <i>For 970, 990 and 1070 Tractors</i> <i>Note: Required for loader installation.</i>	Same Price
5270		Hood Guard <i>For 4105 Tractors</i> <i>Note: Required for loader installation.</i>	Same Price
5275		Hood Guard <i>For 4005 Tractors.</i>	Same Price
5280		Hood Guard <i>For 3203 Tractors.</i>	Same Price
5995		Less Hood Guard	-215.00
<b>BALLAST BOX</b>			
<i>Three Point Hitch Ballast is Required For Loader Stability and Reducing Stress of Vital Tractor Components. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, BW15056 is Required.</i>			
6000		Ballast Box	232.00
6010		Ballast Box with Extension	342.00
6995		Less Ballast Box	In Base Price
<b>BUCKETS</b>			
<i>Additional Bucket Options are Available as attachments.</i>			
8120		61 In. (1550 mm) Materials Bucket	In Base Price
8125		61 In. (1550 mm) Heavy Duty Bucket with Holes for Cutting Edge	157.00
8130		73 In. (1850mm) Materials Bucket	129.00
8135		73 In. (1850 mm) Heavy Duty Bucket with Holes for Cutting Edge	295.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**H165 Loader**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>BUCKETS Continued...</b>			
8140		73 In. (1850 mm) High Volume Bucket	461.00
8145		85 In. (2150 mm) High Volume Bucket	721.00
8750		Less Bucket	-702.00

**ATTACHMENTS - ORDER AS DESIRED**

<b>Miscellaneous:</b>			
9210		Text Free Decals for Export	No Charge
<b>Miscellaneous (Australia Only):</b>			
9608		Australian Compliance Kit <i>3x20 OOS Kit consists of:</i>  <i>BW16607 - Service Locks</i> <i>BW16253 - Anti Spill Kit</i>	715.00
9609		Australian Compliance Kit 3x20 Cab <i>Kit consists of:</i>  <i>BW16607 Service Locks</i> <i>BW16324 Anti Spill Kit</i>	715.00
9610		Australian Compliance Kit 3R OOS and Cab <i>Kit consists of:</i>  <i>BW16607 Service Locks</i> <i>BW16605 Anti Spill Kit</i>	715.00

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Ballast Box:</b>			
BW15073		Ballast Box	280.50
BW15074		Ballast Box Extension	133.10
<b>Buckets:</b>			
AT332288		56 in. Dirt Bucket (12.3 cu. ft.) with Edge	948.00
AT333697		60 in. Dirt Bucket (14.3 cu. ft.) with Edge	1,007.00
BW14764		61 In. (1550 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,037.30
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	848.10
KV24751		66 in. Construction Bucket (16.2 cu. ft.) with Edge	1,139.00
KV11636		66 in. Foundry Bucket (14.6 cu. ft.)	889.00
KV22801		66 in. Utility Bucket (20.6 cu. ft.)	963.00
LVB25341		72 In. Quik-Tatch Standard Front Loader Bucket <i>Requires Skid Steer Attachment Carrier.</i>	1,152.80
BW14765		73 In. (1850 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,204.50



JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**H165 Loader**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BW14658	73 In. (1850 mm) Loader High Volume Bucket	1,405.80
	BW14147	73 In. (1850mm) Loader Materials Bucket	1,004.30
	BW15273	85 In. (2150 mm) Loader High Volume Bucket	1,719.30
	T225190	<b>Cutting Edges:</b> 56 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>	115.07
	KV17819	60 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>	121.13
	BW14762	61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	159.50
	BW14763	73 In. (1850 mm) Replaceable Bucket Cutting Edge with Hardware	191.40
	BWA1190	<b>Hood Guards:</b> Deluxe Hood Guard <i>For 3000 TWENTY tractors.</i>	586.30
	BW15222	Deluxe Hood Guard Attachment <i>For 3000 TWENTY tractors.</i>	326.70
	BW16585	Deluxe Hood Guard Attachment <i>For 3R and 3000 TWENTY Series Tractors.</i>	317.79
	BW14378	Hood Guard <i>For 4300-4400, 4310-4410 Tractors.</i>	259.60
	BW15219	Hood Guard <i>For 3000 TWENTY tractors.</i>	259.60
	BW15416	Hood Guard <i>For 970, 990 and 1070 Tractors. Required For Loader Installation on 970, 990, 1070 Tractors, Includes Front Weight Bracket.</i>	259.60
	BW16617	Hood Guard <i>For H160 and H165 on 3033R, 3039R, and 3046R Tractors.</i>	259.60
	BW15848	Hood Guard (3005, 4005)	259.60
	BW15534	Hood Guard (3203)	259.60
	BW16040	Hood Guard (4105)	259.60
	BW15352	<b>Hoses and Parts:</b> Hoses and Parts <i>For 4005, 990, 970, 1070 Tractors.</i>	267.30
	BW15599	Hoses and Parts <i>For 3203 and 4105.</i>	349.80
	BW15762	Hoses and Parts <i>For 3120, 3320, 3520, 3720, 4300, 4400, 4310 and 4410 Open Station Tractors. For 3320, 3520 and 3720 Cab Tractors.</i>	303.60
		<b>Miscellaneous (Australia Only):</b>	

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**H165 Loader**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BW16253	Anti Spill Kit <i>For 300CX - Australia Only.</i>	589.60
	BW16324	Anti Spill Kit <i>For H165 Loader - Australia Only.</i>	See Parts
	BW16605	Anti Spill Kit <i>For H165 Loader - Australia Only.</i>	See Parts
	BW15389	Australian Code of Practice Kit <i>For 300CX, 400CX, H165 - Australia Only. Kit Includes Australian Warning Labels.</i>	See Parts
	BW16244	Australian Code of Practice Kit <i>For D120, H130, 300CX, 400CX Loader - Australia Only.</i>	0.00
	BW16607	Service Lock <i>For H165 Loader - Australia Only.</i>	See Parts
		<b>Miscellaneous:</b>	
	U16748	66 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>	127.19
	T32742	72 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>	145.36
	BW16050	Anti -Drop Valve Kit - Bucket Circuit <i>For 300CX, H165 Loaders.</i>	366.30
	BW16049	Anti -Drop Valve Kit - Lift Circuit <i>For 300CX, H165 Loaders.</i>	366.30
	BW15223	Bucket Level Indicator	64.90
	BW16138	Hydraulic Lines and Hoses (3 Function) <i>If Used with Skid Steer Attachments, Couplers will not Match. The Following Parts are Required to Convert for this Application: (1) KV14216, (1) KV15976 and (2) AT191333.</i>	421.30
	BW15244	Skid Steer Attachment Carrier <i>See Sales Manual for Compatible Attachments.</i>	651.20
	BW16329	Text Free Decals for Export	See Parts
	BW15056	iMatch / Quik-Coupler Bushing Kit <i>For using ballast box with iMatch system.</i>	94.60
		<b>Mounting Frames:</b>	
	BW15347	Mounting Frame <i>For 4005, 970, 990, and 1070 Tractors.</i>	495.00
	BW15456	Mounting Frame (3320-3720, 4320-4720 Cab Tractors)	495.00
	BW15682	Mounting Frame (4105)	495.00
	BW15204	Mounting Frame (4200-4400, 4210-4400, 3120-3720, 3203 Open Station Tractors)	495.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**H165 Loader**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BWA1191	Mounting Frame with Hoses <i>For 3203 Tractors.</i>	798.60
	BWA1201	Mounting Frame with Hoses (4005, 990, 970, 1070 Tractors) <i>Must Order Appropriate Hood Guard. For 970, 990 (Serial No. - LV0990G590000) and 1070 Tractors, Refer to Parts Catalog for Additional Oil Lines Required.</i>	798.60
	BWA1276	Mounting Frame with Hoses and Parts (3320-3720 Cab Tractors)	798.60
	BWA1452	Mounting Frame with Hoses and Parts (4105)	798.60
	BWA1200	Mounting Frame with Hoses and Parts (4300-4400, 4310-4410, 3120-3720 Open Station Tractors)	798.60
		<b>Tooth Bars:</b>	
	AT337951	56 in. Tooth Bar - 6 Teeth <i>Recommended for use with heavy-duty buckets only.</i>	438.00
	KV12292	60 in. Tooth Bar - 7 Teeth <i>Recommended for use with heavy-duty buckets only.</i>	445.00
	BW15227	61 In. (1550 mm) Tooth Bar for Bucket <i>Recommended for use with heavy-duty buckets only.</i>	478.50
	KV12294	66 in. Tooth Bar - 7 Teeth <i>Toothbars cannot be on a Bucket along with a HD Cutting Edge. Requires Installation Instruction KV15661. Compatible with Appropriate CWP Attachments Only.</i>	470.00
	KV11598	72 in. Tooth Bar - 7 Teeth <i>Toothbars cannot be on a Bucket along with a HD Cutting Edge. Requires Installation Instruction KV15661. Compatible with Appropriate CWP Attachments Only.</i>	510.00
	BW15228	73 In. (1850 mm) Tooth Bar for Bucket <i>Recommended for use with heavy-duty buckets only.</i>	572.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**D170 Loader**  
Equipment for Base Machine

4M Mounting Frame  
Single Lever Control Valve  
Assembly  
Less Ballast Box  
73 in. (1850 mm) Materials  
Bucket

Quik Change Attachment Carrier  
Hood Guard (part of the bracing  
system)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas;  
Grimsby, Ontario*

1401P	D170 Loader <i>For 4044M, 4052M, 4066M, 4R OOS Tractors.</i>	5,411.00
-------	---	----------

**OPERATOR'S MANUAL**

0409	English	In Base Price
0413	French North America	Same Price
0437	Spanish North America	Same Price

**TRACTOR MOUNTING FRAMES**

1400	Mounting Frame <i>For 4M Series Tractors and 4R Open Operator Station Tractors.</i>	In Base Price
------	--	---------------

**HYDRAULIC CONNECTION**

4405	Two Function Single Lever Control - for D170 and 4M tractor compatibility <i>Loader joystick and valve assembly are mounted to the loader frame.</i>	In Base Price
4406	Two Function Single Lever Control - for D170 and 4R tractor compatibility (OOS only) <i>Loader joystick is integrated into the tractor and loader hoses connect to tractor mid-valve assembly.</i>	-643.00

**BALLAST BOX**

*Three Point Hitch Ballast is Required For Loader Stability and Reducing Stress of Vital Tractor Components. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, BW15056 is Required.*

6995	Less Ballast Box	In Base Price
------	------------------	---------------

**BUCKETS**

*Additional Bucket Options are Available as attachments.*

8000	73 In. (1850 mm ) Materials Bucket	In Base Price
------	------------------------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**D170 Loader**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>BUCKETS Continued...</b>			
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Buckets:</b>	
BW14764		61 In. (1550 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,037.30
BW15863		61 In. (1550mm) Loader Materials Bucket	848.10
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	848.10
BW14765		73 In. (1850 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,204.50
BW14658		73 In. (1850 mm) Loader High Volume Bucket	1,405.80
BW16183		73 In. (1850 mm) Materials Bucket	1,004.30
BW15273		85 In. (2150 mm) Loader High Volume Bucket	1,719.30
		<b>Cutting Edges:</b>	
BW14762		61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	159.50
BW14763		73 In. (1850 mm) Replaceable Bucket Cutting Edge with Hardware	191.40
		<b>Hood Guards:</b>	
BW16155		Deluxe Hood Guard Attachment <i>For D170 and H180 on 4044R, 4052R, and 4066R Tractors (D170 OOS only).</i>	166.10
BW16335		Hood Guard <i>For D170 (OOS Only) on 4044R, 4052R, and 4066R Tractors.</i>	280.50
		<b>Hoses and Parts:</b>	
BW16448		3rd Function hydraulic lines and hoses <i>For D170 on 4M Tractors</i> <i>Contains hoses and lines. Joystick must be ordered from tractor factory.</i>	409.20
BW16491		3rd Function hydraulic lines and hoses <i>For D170 on 4R OOS tractors</i> <i>Contains hoses and lines. Joystick must be ordered from tractor factory.</i>	409.20
		<b>Miscellaneous:</b>	
BLV10015		Two Function Single Lever Control - for D170 and 4M tractor compatibility <i>Hydraulic hoses, SLC, and ICV for D170 on 4M</i>	1,217.70
BLV10016		Two Function Single Lever Control - for D170 and 4R tractor compatibility <i>Hydraulic hoses and parts for D170 on 4R</i>	440.00
BW15056		iMatch / Quik-Coupler Bushing Kit <i>For using ballast box with iMatch system.</i>	94.60
		<b>Tooth Bars:</b>	
BW15227		61 In. (1550 mm) Tooth Bar for Bucket <i>Recommended for use with heavy-duty buckets only.</i>	478.50
BW15228		73 In. (1850 mm) Tooth Bar for Bucket <i>Recommended for use with heavy-duty buckets only.</i>	572.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**H180 Loader**  
Equipment for Base Machine

Mounting Frame (Cab)  
Non-Self Leveling Boom  
Hoses to Tractor Mid-Valve and  
Parts  
Hood Guard for 4R Tractor  
Less Ballast Box

73 In.(1850 mm) Materials Bucket  
CUT Carrier

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario</i>			
1421P		H180 Loader <i>For 4044R, 4052R, 4066R and 4120-4720, 4500-4700, 4510-4710 Tractors.</i>	6,095.00
<b>DESTINATION</b>			
0202		United States	In Base Price
0184		Canada	Same Price
0230		Australia <i>Australian Code of Practice and Decals. Requires Code 9608 - Australian Compliance Kit.</i>	Same Price
0237		New Zealand <i>Operator's Manual.</i>	Same Price
<b>OPERATOR'S MANUAL</b>			
0409		English	In Base Price
0413		French North America	Same Price
0437		Spanish North America	Same Price
<b>TRACTOR MOUNTING FRAMES</b>			
1401		Mounting Frame <i>For 4R Series Open Station and Non-Current 4120, 4320, 4520, 4720, 4500, 4600, 4700, 4510, 4610, and 4710 Open Station Tractors</i>	Same Price
1402		Mounting Frame <i>For 4R Series Cab and Non-Current 4320, 4520, and 4720 Cab Tractors</i>	In Base Price
1995		Less Mounting Frame	-546.00
<b>LOADER CONFIGURATION</b>			
2401		H180 Standard Loader (NSL)	In Base Price

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## H180 Loader Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>LOADER CONFIGURATION Continued...</b>			
2402		H180 Mechanical Self-Leveling Loader (MSL)	670.00
<b>HYDRAULIC CONNECTION</b>			
4400		Single Point Hydraulic Connector (OOS Only) <i>Single point hydraulic connection, tractor and loader half. Tractor half mounts to operator platform with bracket.</i>	171.00
4401		Hoses to tractor mid-valve <i>Hoses from loader to quickcouplers at midvalve.</i>	In Base Price
4995		Less Hydraulic Connection	-410.00
<b>HOOD GUARDS</b>			
<i>Hood guard must be installed on tractor to mount loader.</i>			
5350		Hood Guard <i>For 4500, 4600, 4700, 4510, 4610, and 4710 Tractors</i>	49.00
5360		Hood Guard <i>For 4120, 4320, 4520, and 4720 Tractors</i>	49.00
5370		Hood Guard <i>For 4044R, 4052R, and 4066R Tractors.</i>	In Base Price
5371		Deluxe Hood Guard <i>For 4044R, 4052R, and 4066R Tractors.</i>	137.00
5995		Less Hood Guard	-232.00
<b>BALLAST BOX</b>			
<i>Three Point Hitch Ballast is Required For Loader Stability and Reducing Stress of Vital Tractor Components. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, BW15056 is Required.</i>			
6000		Ballast Box	232.00
6010		Ballast Box with Extension	342.00
6995		Less Ballast Box	In Base Price
<b>CARRIERS</b>			
7095		Less Carrier	-248.00
7400		John Deere CUT Carrier	In Base Price
7410		Skid Steer Carrier <i>Attachments for Skid Steer Carrier can be ordered from attachments and worksite pro attachments.</i>	290.00
<b>BUCKETS</b>			
<i>Additional Bucket Options are Available as attachments.</i>			
8120		61 In. (1550 mm) Materials Bucket	-129.00

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## H180 Loader Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>BUCKETS Continued...</b>			
<i>Order with Code 7400. Not compatible with code 7410.</i>			
8125		61 In. (1550 mm) Heavy Duty Bucket with Holes for Cutting Edge <i>Not compatible with code 7410.</i>	27.00
8130		73 In. (1850mm) Materials Bucket <i>Not compatible with code 7410.</i>	In Base Price
8136		73 In. (1850 mm) Heavy Duty Bucket with Bucket Loops and Holes for Cutting Edge <i>Not compatible with code 7410.</i>	234.00
8140		73 In. (1850 mm) High Volume Bucket <i>Not compatible with code 7410.</i>	332.00
8145		85 In. (2150 mm) High Volume Bucket <i>Not compatible with code 7410.</i>	592.00
8750		Less Bucket	-831.00
<b>ATTACHMENTS - ORDER AS DESIRED</b>			
<b>Miscellaneous:</b>			
9104		Spanish North American Operator's Manual and Decal Kit	No Charge
9210		Export Decals Kit	No Charge
9540		Loader Suspension Kit (H180 Only) <i>Manual on/off lever.</i>	427.00
9611		3rd Function Hydraulic Kit (Hoses and Parts)	372.00
<b>Miscellaneous (Australia Only):</b>			
9608		Australian Compliance Kit <i>Required when ordering Destination Code 0230.</i> <i>Kit consists of:</i> <i>BW16466 - Service Locks</i>	852.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Buckets:</b>			
	BW14764	61 In. (1550 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,037.30
	BW14146	61 In. (1550mm) Loader Materials Bucket - Quik Change	848.10
	KV24751	66 in. Construction Bucket (16.2 cu. ft.) with Edge <i>Requires Skid Steer Attachment Carrier.</i>	1,139.00
	KV11636	66 in. Foundry Bucket (14.6 cu. ft.) <i>Requires Skid Steer Attachment Carrier.</i>	889.00
	KV22801	66 in. Utility Bucket (20.6 cu. ft.) <i>Requires Skid Steer Attachment Carrier.</i>	963.00
	LVB25342	72 In. Quik-Tatch Heavy Duty Front Loader Bucket w/Replaceable Cutting Edge <i>Requires Skid Steer Attachment Carrier.</i>	1,387.10



# JOHN DEERE TURF & UTILITY PRODUCTS

## EQUIPMENT FOR COMPACT UTILITY TRACTORS

### H180 Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25341	72 In. Quik-Tatch Standard Front Loader Bucket <i>Requires Skid Steer Attachment Carrier.</i>	1,152.80
	BW16358	73 In. (1850 mm) Heavy Duty Bucket with Bucket Loops and Holes for Cutting Edge	1,287.00
	BW14765	73 In. (1850 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,204.50
	BW14658	73 In. (1850 mm) Loader High Volume Bucket	1,405.80
	BW14147	73 In. (1850mm) Loader Materials Bucket	1,004.30
	LVB25345	84 In. Light Material Bucket <i>Requires Skid Steer Attachment Carrier.</i>	1,420.10
	BW15273	85 In. (2150 mm) Loader High Volume Bucket	1,719.30
		<b>Carrier:</b>	
	BW16184	John Deere CUT Carrier	300.30
		<b>Cutting Edges:</b>	
	BW14762	61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	159.50
	BW14763	73 In. (1850 mm) Replaceable Bucket Cutting Edge with Hardware	191.40
		<b>Hood Guards:</b>	
	BW15222	Deluxe Hood Guard Attachment <i>For 4000 TWENTY tractors.</i>	326.70
	BW16155	Deluxe Hood Guard Attachment <i>For D170 and H180 on 4044R, 4052R, and 4066R Tractors (D170 OOS only).</i>	166.10
	BW16335	Hood Guard <i>For H180 on 4044R, 4052R, and 4066R Tractors. Hood guard required for loader installation.</i>	280.50
	BW15221	Hood Guard (4120-4720) <i>For H180 loader on 4020 series tractors. To install loader on tractor, must order and install BW16393 hanging weldment kit on hood guard.</i>	259.60
		<b>Hoses and Parts:</b>	
	BW16221	Hoses to tractor mid-valve <i>For H180 on 4R tractors.</i> <i>Hoses from loader to quickcouplers at midvalve.</i>	495.00
	BW16220	Single Point Hydraulic Connector <i>For H180 on 4R OOS tractors only.</i> <i>Single point hydraulic connection, tractor and loader half. Tractor half mounts to operator platform with bracket.</i>	701.80
		<b>Miscellaneous (Australia Only):</b>	
	BW16466	Service Locks (boom cylinders) <i>For H180 Loader - Australia Only.</i>	218.90
		<b>Miscellaneous:</b>	
	BW16414	3rd Function Hydraulic Kit (Hoses and Parts)	409.20
	BW16050	Anti -Drop Valve Kit - Bucket Circuit <i>For 300CX, H165 Loaders.</i>	366.30

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**H180 Loader**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BW16049	Anti -Drop Valve Kit - Lift Circuit <i>For 300CX, H165 Loaders.</i>	366.30
	BW16364	Bucket Level Indicator <i>For H180 Loader.</i>	71.50
	BW16365	Export Decals Kit	0.00
	BW16393	Hanging Weldment Kit <i>Required when installing H180 on former 4X20 and 4X10 Series Tractors.</i>	80.30
	BW16470	Loader Suspension Kit (H180 Only) <i>Manual on/off lever.</i>	469.70
	BW15244	Skid Steer Attachment Carrier <i>See Sales Manual for Compatible Attachments.</i>	651.20
	BW16290	Spanish North American Operator's Manual and Decal Kit	0.00
	BW15056	iMatch / Quik-Coupler Bushing Kit <i>For using ballast box with iMatch system.</i>	94.60
		<b>Mounting Frames:</b>	
	BW16171	Mounting Frame <i>For H180 on 4R OOS and Non-Current 4120, 4320, 4520, 4720, 4500, 4600, 4700, 4510, 4610, and 4710 OOS Tractors.</i>	660.00
	BW16268	Mounting Frame <i>For H180 on 4R Cab and Non-Current 4320, 4520, and 4720 Cab Tractors.</i>	660.00
		<b>Tooth Bars:</b>	
	BW15227	61 In. (1550 mm) Tooth Bar for Bucket <i>Recommended for use with heavy-duty buckets only.</i>	478.50
	BW15228	73 In. (1850 mm) Tooth Bar for Bucket <i>Recommended for use with heavy-duty buckets only.</i>	572.00

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**54D In. Mid-Mount Side Discharge Mower**  
Equipment for Base Machine

54 In. Cutting Width Three Cutting Blades 10 Gauge Stamped Steel Deck (4) Front and Rear Adjustable and Quick Release Gauge Wheels with Memoey Settings PTO Shaft with Manual Connection	Quick Release Belt Shields Hinged Discharge Chute Greaseable Spindles Deck Lockup Mower Wash Port
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

5310M	54D In. Mid-Mount Side Discharge Mower <i>For 1023E, 1025R, and 1026R Tractors.</i>	1,940.00
-------	--	----------

**ATTACHING PARTS**

1000	Attaching Parts 1023E, 1025R, 1026R Tractors (Mechanical Mower Lift)	In Base Price
1001	Attaching Parts 1023E, 1025R, 1026R Tractors (Hydraulic Mower Lift)	179.00
1002	Attaching Parts 1023E, 1025R, 1026R Tractors (Independent Hydraulic Mower Lift)	688.00
1010	Less Attaching Parts <i>Mower lift system not included. Only compatible with a tractor that already has a mower lift installed.</i>	-400.00

**PTO CONNECTION**

2000	Manual PTO Connection	In Base Price
2001	Auto PTO Coupler	247.00
2010	Less Drive Shaft	-182.00

**ATTACHMENTS FOR FIELD CONVERSION**

BLV10615	<b>Miscellaneous:</b> Deck Lift Components <i>Required for Mechanical lift, Hydraulic lift and Independent hydraulic lift.</i> <i>See Sales Manual.</i>	356.40
LVB26205	Hydraulic Lift Power Kit <i>Required for Hydraulic lift and Independent hydraulic lift.</i> <i>See Sales Manual.</i>	269.50
LVB26207	Ind. Valve and Switch Kit <i>Required for Independent hydraulic lift.</i> <i>See Sales Manual.</i>	320.01

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

---

**54D In. Mid-Mount Side Discharge Mower**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB26204	Mechanical Linkage <i>Required for Mechanical lift. See Sales Manual.</i>	125.40
	LVB26206	SCV Hose Kit <i>Required for Hydraulic lift. See Sales Manual.</i>	68.20
		<b>Mower Deck and Mower Deck Attachments:</b>	
	AM130907	Mower Deck Leveling Gauge	6.95
	BM20827	Mulch Kit (54C/54D/54X)	217.21
		<b>PTO Connection:</b>	
	BLV10616	Auto PTO Coupler	506.00
	LVB26044	Manual PTO Connection	214.50
		<b>Spanish North American Kit:</b>	
	LVB26020	North American Spanish Labels	14.99

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**54D In. OnRamp Mid-Mount Side Discharge Mower**  
Equipment for Base Machine

54 In. Cutting Width	Anti-Scalp Front Roller
Three Cutting Blades	Hinged Discharge Chute
10 Gauge Stamped Steel Deck	Greasable Spindles
Front and Rear Quick	Front Lip Reinforcement
Release Gauge Wheels with	Less Attaching Parts
Memory Setting	Deck Lockup
PTO Shaft	Mower Wash Port
Quick Release Belt Shields	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0172LV	54D In. OnRamp Mid-Mount Side Discharge Mower <i>For 2025R and 2320 Tractors.</i>	1,874.00
--------	--	----------

**ATTACHING PARTS**

1001	Attaching Parts (Mechanical Mower Lift) <i>For Independent Mower Lift, Code 1001 and LVB25630 Must be Ordered.</i>	362.00
1010	Less Attaching Parts	In Base Price

**ATTACHMENTS - ORDER AS DESIRED**

9430	Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Hydraulics:</b>	
LVB25630	Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (Code 1001) Attaching Parts.</i>	399.11
LVB25822	Loader/Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320)	421.59
	<b>Miscellaneous:</b>	
LVB25620	Attaching Parts for 2025R, 2320 Tractor (Mechanical Mower Lift)	526.44
LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
	<b>Mower Deck and Mower Deck Attachments:</b>	
AM130907	Mower Deck Leveling Gauge	6.95
BM20827	Mulch Kit (54C/54D/54X)	217.21
	<b>Spanish North American Kit:</b>	
LVB26020	North American Spanish Labels	14.99

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

---

**54D In. OnRamp Mid-Mount Side Discharge Mower**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB26015	North American Spanish OM	20.33

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**54 In. Shaft Driven Convertible Mower Deck (54C/54X)**  
Equipment for Base Machine

54 In. Shaft Driven convertible	wheels
Mower Deck (54C/54X)	40mm blade overlap
54 In. cutting width	Formed heavy duty 3.4 mm steel
Side discharge	Formed edge around deck shell
Mulching capable	Front anti-scalp roller
Material collection capable	Shaft drive
Heavy duty 4 point mounting	Wash port
system	Greaseable deck spindles
(4) Heavy duty rotateable gage	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

9071M	54 In. Shaft Driven Convertible Mower Deck (54C/54X)	1,300.00
-------	--	----------

**DESTINATION**

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

**ATTACHING PARTS/MOWER DECK LIFT**

1000	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	265.00
1001	Attaching Parts for 2305 (Independent Mower Lift) <i>Independent Lift is not Available on 2210.</i>	480.00
1010	Less Attaching Parts	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

LVB25630	<b>Hydraulics:</b> Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (Code 1001) Attaching Parts.</i> <i>Requires LVB25631 (Independent Lift Attaching Parts). Not Available for 2210 Tractors.</i>	399.11
LVB25822	Loader/Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320)	421.59
LVB25631	<b>Miscellaneous:</b> Attaching Parts for 2305 (Independent Mower Lift) <i>Requires LVB25630 (Independent Lift Kit). Not Available for 2210 Tractors.</i>	192.60
LVB25419	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	303.89
BM24370	<b>Mower Deck and Mower Deck Attachments:</b> 48C Draft arm kit, X700 Signature Series	64.20

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**54 In. Shaft Driven Convertible Mower Deck (54C/54X)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	AM130907	Mower Deck Leveling Gauge	6.95
	BM20827	Mulch Kit (54C/54D/54X)	217.21
	BM23648	Roller Striping Kit (X400/X500 HDGT, X700s) <i>Compatible with MY2004- (SN 040, 001-) 54C, 54X, 62X, and 60-In. 7-Iron Mowers used on X400/X500 HDGT and X700 Ultimate Tractors. 60HC Mowers used on X700 Signature Series Tractors. See Sales Manual for Additional Parts Requirements on MY2004-MY2007 (SN 040,001-100,000) 54C, 54X, 62C and 62X Decks.</i>	286.76
		<b>Spanish North American Kit:</b>	
	LVB26020	North American Spanish Labels	14.99
	LVB26015	North American Spanish OM	20.33



**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**60D 7-Iron Mid Mount Side Discharge Mower**  
Equipment for Base Machine

60 In. Cutting Width Three Cutting Blades 7 Gauge Stamped Steel Deck (4) Front and Rear Adjustable and Quick Release Gauge Wheels with Memoey Settings PTO Shaft with Manual Connection Quick Release Belt Shields	Hinged Discharge Chute Greasable Spindles Front Lip Reinforcement Deck Lockup Mower Wash Port
---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

<i>F.O.B. Davenport, Iowa</i>			
5320M		60D 7-Iron Mid Mount Side Discharge Mower <i>For 1023E, 1025R, and 1026R Tractors.</i>	2,350.00

**ATTACHING PARTS**

1000	Attaching Parts 1023E, 1025R, 1026R Tractors (Mechanical Mower Lift)	In Base Price
1001	Attaching Parts 1023E, 1025R, 1026R Tractors (Hydraulic Mower Lift)	179.00
1002	Attaching Parts 1023E, 1025R, 1026R Tractors (Independent Hydraulic Mower Lift)	688.00
1010	Less Attaching Parts <i>Mower lift system not included. Only compatible with a tractor that already has a mower lift installed.</i>	-400.00

**PTO CONNECTION**

2000	Manual PTO Connection	In Base Price
2001	Auto PTO Coupler	247.00
2010	Less Drive Shaft	-182.00

**ATTACHMENTS - ORDER AS DESIRED**

9430	Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

BLV10615	<b>Miscellaneous:</b> Deck Lift Components <i>Required for Mechanical lift, Hydraulic lift and Independent hydraulic lift. See Sales Manual.</i>	356.40
LVB26205	Hydraulic Lift Power Kit <i>Required for Hydraulic lift and Independent hydraulic lift. See Sales Manual.</i>	269.50

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**60D 7-Iron Mid Mount Side Discharge Mower**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB26207	Ind. Valve and Switch Kit <i>Required for Independent hydraulic lift. See Sales Manual.</i>	320.01
	LVB26204	Mechanical Linkage <i>Required for Mechanical lift. See Sales Manual.</i>	125.40
	LVB26206	SCV Hose Kit <i>Required for Hydraulic lift. See Sales Manual.</i>	68.20
		<b>Mower Deck and Mower Deck Attachments:</b>	
	BM23978	60HC Mulch Kit <i>60D (for I Family Tractors) before SN 030001 is compatible with Mulch Kit TCB10953.</i>	242.89
	AM130907	Mower Deck Leveling Gauge	6.95
	TCB10953	Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
		<b>PTO Connection:</b>	
	BLV10616	Auto PTO Coupler	506.00
	LVB26044	Manual PTO Connection	214.50
		<b>Spanish North American Kit:</b>	
	LVB26020	North American Spanish Labels	14.99

# JOHN DEERE TURF & UTILITY PRODUCTS

## EQUIPMENT FOR COMPACT UTILITY TRACTORS

### 60D AutoConnect 7-Iron Mid-Mount Side Discharge Mower

Equipment for Base Machine

60 In. Cutting Width  
Three Cutting Blades  
7 Gauge Stamped Steel Deck  
Front and Rear Quick Release  
Gauge Wheels with Memory  
Settings  
PTO Shaft  
Quick Release Belt Shields

Anti-Scalp Front Skid  
Hinged Discharge Chute  
Greaseable Spindles  
Front Lip Reinforcement  
AutoConnect Mower Lift  
Deck Lockup

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Davenport, Iowa*

7013LV	<b>60D AutoConnect 7-Iron Mid-Mount Side Discharge Mower</b> <i>For 4310-4410, 3120-3720, and 3033R-3046R Tractors</i>	3,453.00
--------	---	----------

*The 60 In. deck is a close fit for the 3R and 3x20 Series Tractor. The right front tire can rub against the spring pin in the top of the right front anti-scalp wheel post if it is in the in-board-most position and the tire is too far to the right. Care must be exercised during installation and removal of the deck.*

*3000 Twenty Tractors Equipped with PRT Transmission (SN ending in 910000 and above) and 3R Tractors Equipped with a PRT Transmission are NOT compatible with mid-mount mowers.*

*3120-3720 Tractors Require Mid PTO. Mower Deck is Not Compatible with R3 Turf Special Tires or R1 Tires. See Sales Manual for Tire/Mower Clearance Chart and additional compatibility details.*

*LVB25820 Front Three-Point/Mid Mount Brackets is Required if Tractor is also equipped with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3033R-3046R and 3x20 Tractors Only) and a Mid-Mount Mower.*

*For Installation of Mid-Mount Mower on Cab Tractor, Must Order (1) LVA14927, (3) 19M7785, (1) 19M7788, (1) LVA15373 and (1) 34H311 Through Service Parts. See Sales Manual for 4310-4410 Requirements.*

#### DESTINATION

0202	United States and Canada	In Base Price
0195	Mexico	Same Price
0205	Canada	Same Price

#### AUTOCONNECT MOWER LIFT

1000	<b>AutoConnect Mower Lift (3120-3720 and 3033R-3046R)</b> <i>For 60D and 72D mower decks with SN 060001 and above.</i>	In Base Price
------	---	---------------

*Includes Mid Hydraulic Cylinder Lift Kit.*

*3000 Twenty Tractors Equipped with PRT Transmission (SN ending in 910000 and above) and 3R Tractors Equipped with PRT Transmission are NOT compatible with Mid-Mount Mowers.*

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**60D AutoConnect 7-Iron Mid-Mount Side Discharge Mower**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>AUTOCONNECT MOWER LIFT Continued...</b>			
1010		Less AutoConnect Mower Lift	-1,213.00
<b>ATTACHMENTS - ORDER AS DESIRED</b>			
9430		Spanish North American Operator's Manual and Decal Kit	No Charge
9413		French Canadian Operators Manual and Decal Kit	No Charge
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Hydraulics:</b>	
BLV10471		EH Third SCV (Cab Only) <i>For 3033R-3046R Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,212.20
BLV10362		EH Third SCV (OOS Only) <i>For 3033R-3046R Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,212.20
LVB25084		Third Selective Control Valve Kit <i>For 4310-4410 Tractors, Requires Dual SCV.</i>	323.40
LVB25506		Third Selective Control Valve Kit (OOS Only)	283.80
LVB24845		Third Selective control Valve Kit (Cab Only) <i>For 3320-3720 Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever.</i>	339.90
		<b>Miscellaneous:</b>	
BLV10432		AutoConnect Mower Lift Kit (3033R-3046R, 3120-3720, 4310-4410) <i>For 60D and 72D mower decks with SN 060001 and above. Includes Mid Hydraulic Cylinder Lift Kit.</i>  <i>3R Tractors Equipped with PRT Transmission are NOT compatible with mid-mount mowers.</i>  <i>3000 Twenty Tractors Equipped with PRT Transmission (SN ending in 910000 and above) are NOT compatible with Mid-Mount Mowers.</i>	1,539.73
BLV10079		AutoConnect Mower Lift Kit (3120-3720, 4310-4410) <i>For 60D and 72D mower decks with SN 060001 and below. Includes Mid Hydraulic Cylinder Lift Kit. Kit required for 3120-3720 and 4310-4410 tractors.</i>  <i>3000 Twenty Tractors Equipped with PRT Transmission (SN ending in 910000 and above) are NOT compatible with Mid-Mount Mowers.</i>	1,539.73
LVB25544		Bracket Kit <i>Required to Install 60D In. Mower on 4310-4410 Tractors Manufactured after January 2003. See Sales Manual for Specific Serial Numbers.</i>	57.20
LVB25820		Front Three-Point Hitch/Mid Mount Brackets <i>Required for use with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3120-3720 and 3033R-3046R Tractors Only) and AutoConenct Mowers.</i>	164.79
		<b>Mower Deck and Mower Deck Attachments:</b>	
BM23978		60HC Mulch Kit <i>60D (for 3 Family Tractors) before SN 050001 is compatible with Mulch Kit TCB10953.</i>	242.89

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

---

**60D AutoConnect 7-Iron Mid-Mount Side Discharge Mower**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	TCB10953	Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
	BLV10508	<b>Spanish North American Kit:</b> French Canadian OM	20.90
	LVB26020	North American Spanish Labels	14.99
	BLV10509	North American Spanish OM	20.90

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**62D In. OnRamp Mid-Mount Side Discharge Mower**  
Equipment for Base Machine

62 In. Cutting Width	Anti-Scalp Front Roller
Three Cutting Blades	Hinged Discharge Chute
10 Gauge Stamped Steel Deck	Greasable Spindles
Front and Rear Quick	Front Lip Reinforcement
Release Gauge Wheels with	Less Attaching Parts
Memory Settings	Deck Lockup
PTO Shaft	Mower Wash Port
Quick Release Belt Shields	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0180LV	62D In. OnRamp Mid-Mount Side Discharge Mower <i>For 2025R and 2320 Tractors.</i>	2,536.00
--------	--	----------

**ATTACHING PARTS**

1001	Attaching Parts (Mechanical Mower Lift) <i>For Independent Mower Lift, Code 1001 and LVB25630 Must be Ordered.</i>	362.00
1010	Less Attaching Parts	In Base Price

**ATTACHMENTS - ORDER AS DESIRED**

9430	Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Hydraulics:</b>	
LVB25630	Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (Code 1001) Attaching Parts.</i>	399.11
LVB25822	Loader/Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320)	421.59
	<b>Miscellaneous:</b>	
LVB25620	Attaching Parts for 2025R, 2320 Tractor (Mechanical Mower Lift)	526.44
LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
	<b>Mower Deck and Mower Deck Attachments:</b>	
AM130907	Mower Deck Leveling Gauge	6.95
BM21890	Mulch Kit (62C/62D/62X)	237.54
	<b>Spanish North American Kit:</b>	
LVB26020	North American Spanish Labels	14.99

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**62D In. OnRamp Mid-Mount Side Discharge Mower**  
Equipment for Base Machine

62 In. Cutting Width	Anti-Scalp Front Roller
Three Cutting Blades	Hinged Discharge Chute
10 Gauge Stamped Steel Deck	Greasable Spindles
Front and Rear Quick	Front Lip Reinforcement
Release Gauge Wheels with	Less Attaching Parts
Memory Setting	Mower Wash Port
PTO Shaft	
Quick Release Belt Shields	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0190LV	62D In. OnRamp Mid-Mount Side Discharge Mower <i>For 2032R, 2520, 2720, and 4115 Tractor.</i>	2,959.00
--------	--	----------

**ATTACHING PARTS**

1001	Attaching Parts (Mechanical Mower Lift) <i>For Independent Mower Lift (Not Available for 4115), BLV10476 Must be Ordered with Code 1010 (Less Attaching Parts).</i>	400.00
1010	Less Attaching Parts	In Base Price

**ATTACHMENTS - ORDER AS DESIRED**

9430	Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Hydraulics:</b> BLV10476 Independent Lift Kit for 2032R, 2520, 2720 <i>Not Available for 4115 Tractor.</i>	951.50
LVB25823	Loader/Mower Mechanical Diverter Valve Kit (2032R, 2520, 2720)	556.60
	<b>Miscellaneous:</b> LVB25902 Attaching Parts for 2032R, 2520, 2720, 4115 (Mechanical Mower Lift)	420.20
LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
	<b>Mower Deck and Mower Deck Attachments:</b> AM130907 Mower Deck Leveling Gauge	6.95
LVB24962	Mower Height Latch Kit <i>For Use with Mechanical Mower Lift.</i>	160.60
BM21890	Mulch Kit (62C/62D/62X)	237.54

**Spanish North American Kit:**

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

---

**62D In. OnRamp Mid-Mount Side Discharge Mower**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB26020	North American Spanish Labels	14.99
	LVB26015	North American Spanish OM	20.33



**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**62 In. Shaft Driven Convertible Mower Deck (62C/62X)**  
Equipment for Base Machine

62 In. Shaft Driven convertible Mower Deck (62C/62X)	wheels
62 In. cutting width	40mm blade overlap
Side discharge	Formed heavy duty 3.4 mm steel
Mulching capable	Formed edge around deck shell
Material collection capable	Front anti-scalp roller
Heavy duty 4 point mounting system	Shaft drive
(4) Heavy duty rotateable gage	Wash port
	Greaseable deck spindles

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

9072M	62 In. Shaft Driven Convertible Mower Deck (62C/62X)	1,700.00
-------	--	----------

**DESTINATION**

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

**ATTACHING PARTS/MOWER DECK LIFT**

1000	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	265.00
1001	Attaching Parts for 2305 (Independent Mower Lift) <i>Independent Lift is not Available on 2210.</i>	480.00
1010	Less Attaching Parts	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

LVB25630	<b>Hydraulics:</b> Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (Code 1001) Attaching Parts.</i> <i>Requires LVB25631 (Independent Lift Attaching Parts). Not Available for 2210 Tractors.</i>	399.11
LVB25822	Loader/Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320)	421.59
LVB25631	<b>Miscellaneous:</b> Attaching Parts for 2305 (Independent Mower Lift) <i>Requires LVB25630 (Independent Lift Kit). Not Available for 2210 Tractors.</i>	192.60
LVB25419	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	303.89
BM24370	<b>Mower Deck and Mower Deck Attachments:</b> 48C Draft arm kit, X700 Signature Series	64.20

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**62 In. Shaft Driven Convertible Mower Deck (62C/62X)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	AM130907	Mower Deck Leveling Gauge	6.95
	BM21890	Mulch Kit (62C/62D/62X)	237.54
	BM23648	Roller Striping Kit (X400/X500 HDGT, X700s) <i>Compatible with MY2004- (SN 040, 001-) 54C, 54X, 62X, and 60-In. 7-Iron Mowers used on X400/X500 HDGT and X700 Ultimate Tractors. 60HC Mowers used on X700 Signature Series Tractors. See Sales Manual for Additional Parts Requirements on MY2004-MY2007 (SN 040,001-100,000) 54C, 54X, 62C and 62X Decks.</i>	286.76
		<b>Spanish North American Kit:</b>	
	LVB26020	North American Spanish Labels	14.99
	LVB26015	North American Spanish OM	20.33

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**72 In. Mid-Mount Side Discharge Mower**  
Equipment for Base Machine

72 In. Cutting Width Three Cutting Blades 9 Gauge Stamped Steel Deck Front and Rear Adjustable Gauge Wheels PTO Shaft Mower Lift: Steel Rods from Tractor Rockshaft	Quick Release Belt Shields Spring Loaded Front Gauge Wheels Anti-Scalp Rollers (3) Hinged Discharge Chute Greaseable Spindles Front Lip Reinforcement Less Attaching Parts
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0040LV	72 In. Mid-Mount Side Discharge Mower <i>For 2032R, 2520, 2720, and 4115 Tractors</i>	3,220.00
--------	--	----------

*Tractors must be equipped with Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.*

*If Tractor is Equipped with Hood Guard, Attaching Support Kit is not Required.*

*2520 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.*

**ATTACHING PARTS**

1010	Less Attaching Parts	In Base Price
1000	Attaching Parts	583.00

**ATTACHMENTS - ORDER AS DESIRED**

9430	Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

**Miscellaneous:**

LVB25263	Attaching Parts	687.50
----------	-----------------	--------

LVB25302	Front Attaching Support Kit <i>See Sales Manual for Front Attaching Support Requirements.</i>	60.99
----------	--	-------

**Mower Deck and Mower Deck Attachments:**

BM18151	72 In. Tricycler Mulch Kit	367.40
---------	----------------------------	--------

LVB24962	Mower Height Latch Kit <i>For Use with Mechanical Mower Lift.</i>	160.60
----------	--	--------

**Spanish North American Kit:**

LVB26020	North American Spanish Labels	14.99
----------	-------------------------------	-------

LVB26017	North American Spanish OM	20.90
----------	---------------------------	-------

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**72 In. 7-Iron Mid-Mount Side Discharge Mower**  
Equipment for Base Machine

72 In. Cutting Width	Anti-Scalp Rollers (2)
Three Cutting Blades	Hinged Discharge Chute
7 Gauge Stamped Steel Deck	Greasable Spindles
Front and Rear Adjustable	Front Lip Reinforcement
Gauge Wheels	Less Attaching Parts
Mowerlift: Steel Rods from	Less PTO Shaft
Tractor Rockshaft	Deck Lockup
Removable Belt Shields	
Spring Loaded Front Gauge Wheels	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0042LV	72 In. 7-Iron Mid-Mount Side Discharge Mower <i>For 4120-4720, 4500-4700, and 4510-4710 Tractors</i>	3,220.00
	<i>4000 Twenty Tractors with SN ending in 916000 (OOS) and 946000 (CAB) and above are NOT compatible with Mid-Mount Mowers. Tractors Require Mid PTO.</i>	
	<i>Mower Deck is Not Compatible with R3 Turf Special or R1 Tires, R4 Tires will Rub if Deck is Raised to Full Transport Height. See Sales Manual for Tire/Mower Clearance Chart.</i>	
	<i>4510-4710 Tractors Require LVU14258 Oil Filter when Installing 72 In. Mower to Prevent Contact Between the Oil Filter and Mower Lift System.</i>	
	<i>00 Series and 10 Series Tractors Require (2) M148759 Front Plates for Installation of Mower Deck.</i>	

**ATTACHING PARTS**

1010	Less Attaching Parts	In Base Price
1000	Attaching Parts <i>Includes PTO Shaft.</i>	1,255.00

**ATTACHMENTS - ORDER AS DESIRED**

9430	Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Miscellaneous:</b>	
LVB25554	7-Iron Deck Attaching Parts and PTO Shaft <i>00 Series and 10 Series Tractors require (2) M148759 Front Plates for Installation of Mower Deck.</i>	1,479.50
M148759	Front Plate	66.81
LVU14258	Oil Filter	55.30

**Mower Deck and Mower Deck Attachments:**

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

---

**72 In. 7-Iron Mid-Mount Side Discharge Mower**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	TCB10951	Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
	LVB26020	<b>Spanish North American Kit:</b> North American Spanish Labels	14.99
	LVB26018	North American Spanish OM	20.90

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**72D AutoConnect 7-Iron Mid-Mount Side Discharge Mower**  
Equipment for Base Machine

72 In. Cutting Width  
Three Cutting Blades  
7 Gauge Stamped Steel Deck  
Front and Rear Quick Release  
Gauge Wheels with Memory  
Settings  
PTO Shaft  
Quick Release Belt Shields

Anti-Scalp Front Skid  
Hinged Discharge Chute  
Greaseable Spindles  
Front Lip Reinforcement  
AutoConnect Mower Lift  
Deck Lockup

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

7023LV	72D AutoConnect 7-Iron Mid-Mount Side Discharge Mower <i>For 4310-4410, 3120-3720, and 3033R-3046R Tractors</i>	4,140.00
--------	--	----------

*3000 Twenty Tractors Equipped with PRT Transmission (SN ending in 910000 and above) and 3R Tractors Equipped with a PRT Transmission are NOT compatible with mid-mount mowers.*

*3120-3720 Tractors Require Mid PTO. Mower Deck is Not Compatible with R3 Turf Special Tires or R1 Tires. See Sales Manual for Tire/Mower Clearance Chart and additional compatibility details.*

*LVB25820 Front Three-Point/Mid Mount Brackets is Required if Tractor is also equipped with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3033R-3046R and 3x20 Tractors Only) and a Mid-Mount Mower.*

*For Installation of Mid-Mount Mower on Cab Tractor, Must Order (1) LVA14927, (3) 19M7785, (1) 19M7788, (1) LVA15373 and (1) 34H311 Through Service Parts. See Sales Manual for 4310-4410 Requirements.*

**DESTINATION**

0202	United States and Canada	In Base Price
0195	Mexico	Same Price
0205	Canada	Same Price

**AUTOCONNECT MOWER LIFT**

1000	AutoConnect Mower Lift (3120-3720 and 3033R-3046R) <i>For 60D and 72D mower decks with SN 060001 and above.</i>	In Base Price
------	--	---------------

*Includes Mid Hydraulic Cylinder Lift Kit.*

*3000 Twenty Tractors Equipped with PRT Transmission (SN ending in 910000 and above) and 3R Tractors Equipped with PRT Transmission are NOT compatible with Mid-Mount Mowers.*

1010	Less AutoConnect Mower Lift	-1,213.00
------	-----------------------------	-----------

**ATTACHMENTS - ORDER AS DESIRED**

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**72D AutoConnect 7-Iron Mid-Mount Side Discharge Mower**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9430		<b>ATTACHMENTS - ORDER AS DESIRED Continued...</b> Spanish North American Operator's Manual and Decal Kit	No Charge
9413		French Canadian Operators Manual and Decal Kit	No Charge
		<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
		<b>Hydraulics:</b>	
BLV10471		EH Third SCV (Cab Only) <i>For 3033R-3046R Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,212.20
BLV10362		EH Third SCV (OOS Only) <i>For 3033R-3046R Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,212.20
LVB25084		Third Selective Control Valve Kit <i>For 4210-4410 Tractors. Requires Dual SCV.</i>	323.40
LVB25506		Third Selective Control Valve Kit (OOS Only)	283.80
LVB24845		Third Selective control Valve Kit (Cab Only) <i>For 3320-3720 Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever.</i>	339.90
		<b>Miscellaneous:</b>	
BLV10432		AutoConnect Mower Lift Kit (3033R-3046R, 3120-3720, 4310-4410) <i>For 60D and 72D mower decks with SN 060001 and above. Includes Mid Hydraulic Cylinder Lift Kit.</i>  <i>3R Tractors Equipped with PRT Transmission are NOT compatible with mid-mount mowers.</i>  <i>3000 Twenty Tractors Equipped with PRT Transmission (SN ending in 910000 and above) are NOT compatible with Mid-Mount Mowers.</i>	1,539.73
BLV10079		AutoConnect Mower Lift Kit (3120-3720, 4310-4410) <i>For 60D and 72D mower decks with SN 060001 and below. Includes Mid Hydraulic Cylinder Lift Kit. Kit required for 3120-3720 and 4310-4410 tractors.</i>  <i>3000 Twenty Tractors Equipped with PRT Transmission (SN ending in 910000 and above) are NOT compatible with Mid-Mount Mowers.</i>	1,539.73
LVB25544		Bracket Kit <i>Required to Install 72D In. Mower on 4310-4410 Tractors Manufactured after January 2003. See Sales Manual for Specific Serial Numbers.</i>	57.20
LVB25302		Front Attaching Support Kit <i>See Sales Manual for Front Attaching Support Requirements.</i>	60.99
LVB25820		Front Three-Point Hitch/Mid Mount Brackets <i>Required for use with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3120-3720 and 3033R-3046R Tractors Only) and AutoConenct Mowers.</i>	164.79
		<b>Mower Deck and Mower Deck Attachments:</b>	
TCB10951		Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
		<b>Spanish North American Kit:</b>	
BLV10508		French Canadian OM	20.90

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

---

**72D AutoConnect 7-Iron Mid-Mount Side Discharge Mower**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10509	North American Spanish OM	20.90



# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## 3-Bag Power Flow System Equipment for Base Machine

14 Bushel Capacity  
Polyethylene Hopper Top  
3 Polyester Bags  
Attaching Parts  
Chute

Less Power Flow

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*F.O.B. Davenport, Iowa*

140BGX	3-Bag Power Flow System <i>For 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 2210 and 4115.</i>	1,449.00
	<i>Tractors Require a High Performance Power Flow Kit for the Appropriate Mower Deck Which Must be Ordered Separately. Tractors Using OnRamp Mower Decks also Require Appropriate OnRamp Belt Cover Kit. Not Compatible with 72-Inch Decks. 1 Series tractors also require a hitch plate that must be ordered separately. (5) R66949 Quik-Tatch Weights are Recommended for Proper Ballast.</i>	

### ATTACHMENTS FOR FIELD CONVERSION

BM22697	<b>Material Collection System Power Flow Blowers:</b> 54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
BM24514	60 In. High Performance Power Flow (For use with 60D and 7-Iron Mower Decks X700, 1023E, 1025R and 1026R) <i>Not compatible with Cabs.</i>	719.04
BM21496	62 In. High Performance Power Flow (For Use with 62C or 62D Mower Decks X700, 2305, 2025R, 2032R, 2320, 2520, 2720, 2210 and 4115)	541.41
LVB24947	<b>Miscellaneous:</b> 54D OnRamp Belt Cover Kit (2025R, 2032R, 2320, 2520, 2720) <i>Required for Use with 54D OnRamp Mower Deck.</i>	56.71
LVB24948	62D OnRamp Belt Cover Kit (2025R, 2032R, 2320, 2520, 2720) <i>Required for Use with 62D OnRamp Mower Deck.</i>	79.19
BLV10028	Hitch Plate for 3 Bag MCS on 54D and 60D (1023E, 1025R, 1026R) <i>Required for Use with 54D and 60D mower decks.</i>	53.50
LVB24957	Small Chasis MCS Chute (1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 2210 and 4115)	263.21
R66949	<b>Weights:</b> Quik-Tatch Weight, 42 Lb. <i>When Installed on 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 2210, or 4115 Tractors, (1) M128726 Rod and (4) A15147 Spring Clips are Required.</i>	63.13

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

---

**3-Bag Power Flow System**  
Continued

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)**  
Equipment for Base Machine

52 In. Clearing Width	Caster Wheels
"Straight"	Brush Head Height Adjustment
48 In. Clearing Width "Angled"	Three Spare Driveshaft Shear
Storage Stands	Bolts "Mounted to Shell"
21 In. Diameter Polypropylene	Less Front Quick-Hitch
Brush	Less Hydraulic Angling
Gearbox with 3:1 Reduction	Less Front PTO
Heavy Duty No. 50 Chain Drive	Less Implement Drive Shaft
(2) Adjustable Rear Mounting	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3880M	52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors) X700, X710, X465 and X475 Requires BM20761 Hydraulic Coupler Kit. See Sales Manual for Ballast Requirements.  Not Compatible with BM17347, 425-455 Quick-Hitch Updated for Use on X400/X500 HDGT's and X700's with BM20979 Front-Hitch Angling Retro-Fit Kit.  Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.	2,185.00
-------	---	----------

**FRONT QUICK-HITCH**

1000	Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	615.00
1001	Front Quick-Hitch and Hydraulic Lift (1023E, 1025R, 1026R) Also requires BLV10160, Front Attaching Support (1023E, 1025R, 1026R).	716.00
1005	Front Quick-Hitch and Hydraulic Lift (2210, 2305)	656.00
1006	Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	716.00
1010	Less Front Quick-Hitch	In Base Price

**HYDRAULIC ANGLING CYLINDER**

2001	Hydraulic Angling (1023E, 1025R, 1026R)	191.00
2000	Hydraulic Angling (For X400/X500 HDGT's, X700's)	190.00
2005	Hydraulic Angling (2210, 2305)	191.00
2006	Hydraulic Angling (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	198.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>HYDRAULIC ANGLING CYLINDER Continued...</b>			
2010		Less Hydraulic Angling	In Base Price
<b>2000 RPM FRONT PTO KIT</b>			
3000		2WD 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754)	250.00
3001		4WD 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758) <i>For European RII Homologation Tractors, also order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	250.00
3003		2000 RPM Front PTO (4100 and 4110)	259.00
3004		2000 RPM Front PTO (4010 and 4115)	259.00
3005		2000 RPM Front PTO (2210, 2305)	276.00
3006		2000 RPM Front PTO (2025R, 2320)	254.00
3007		2000 RPM Front PTO (2032R, 2520, 2720)	254.00
3009		2000 RPM Front PTO (1023E, 1025R, 1026R) <i>For tractors with RIO. Serial numbers starting: 1023E - 1LV1023ETCH210309 1026R - 1LV1026RHCH210658 1026R Tractor Loader Backhoe - 1LV1026RECH210659 Fits all 1025R Tractors</i>	329.00
3010		Less 2000 RPM Front PTO	In Base Price
<b>IMPLEMENT DRIVE SHAFT</b>			
4000		Implement Drive Shaft (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305)	250.00
4001		European RII Implement Drive Shaft <i>Includes Shielding for CE, Supplemental CE Labels, FIGS OM. for X400/X500 HDGT's and X700's.</i>	296.00
4002		Implement Drive Shaft (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	263.00
4010		Less Implement Drive Shaft	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BLV10159		<b>Front Hitch:</b> Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
LVB24898		Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM19782	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's) <i>Also Order BM25609, Angling Cylinder to Hydraulically Angle the Front Hitch.</i>	706.20
	BLV10166	<b>Front PTO:</b> 2000 RPM Front PTO (1023E, 1025R, 1026R) <i>Includes RIO override for front implements.</i>	377.71
	LVB24900	2000 RPM Front PTO (2025R, 2320)	292.11
	BLV10475	2000 RPM Front PTO (2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	303.89
	LVB25966	2000 RPM Front PTO (2210, 2305)	316.71
	BM18695	2000 RPM Front PTO (4100, 4110)	297.46
	LVB25305	2000 RPM Front PTO Kit (4010, 4115)	297.46
	BM24361	2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
	BM24362	4WD 2000 RPM Front PTO (X500 HDGT's, X700's) <i>For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
	BM20978	Front PTO Shield <i>For BM20382 (4WD) 2000 RPM Front PTO when used on X595 or X748. Required to Meet Homologation Standards. Not Required for CE.</i>	142.31
	BM20966	Front PTO Shield Kit <i>For BM20991 (2WD) 2000 RPM Front PTO when used on X495 or X740. Required to Meet Homologation Standards. Not Required for CE.</i>	99.51
	LVB26108	<b>Hydraulics:</b> Hydraulic Angling (1023E, 1025R, 1026R)	219.36
	LVB24901	Hydraulic Angling (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84
	BM25609	Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20922	Hydraulic Angling Kit (2210, 2305)	219.36
	BM20761	Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	55.64
	BM20714	<b>Miscellaneous:</b> Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
	BM21777	Deflector Kit for 52 Broom	62.06
	LVB25302	Front Attaching Support Kit <i>For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	60.99

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10160	Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	85.61
	LVB24895	Front Attaching Support Kit (2025R, 2320) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
	LVB25396	Front Attaching Support Kit (2305) <i>See Sales Manual for Front Attaching Support Requirements.</i>	60.99
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
	BM20753	Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
	BM20836	Implement Drive Shaft (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	301.74
	BM21854	Implement Drive Shaft for Rotary Brooms (X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305)	286.76
	BM21853	Thatching Wheel Kit for 52 Broom	268.57
	TY25326	Tire Chains for 26x10.50-12 Turf Drive Tires <i>For X400 All Wheel Steer Tractors with Standard 26x10.5-12 In Tires.</i>	89.40
	BM22725	Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	160.50
		<b>Seats / Wheels / Tires:</b>	
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		<b>Weights:</b>	
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, 4010 Thru 4400-4410 Tractors)**  
**Equipment for Base Machine**

57 In. Clearing Width "Straight"	Broom Head Float
50 In. Clearing Width "Angled"	Four Spare Driveshaft Shear
Storage Stands	Bolts Two Sizes, "Mounted to Shell"
26 In. Diameter Polypropylene Brush	Less Mounting Frame
Gearbox with 3:1 Reduction	Less Front Quick-Hitch
Chain and Sprocket Final Drive	Less Front PTO
(2) Adjustable Rear Mounted Caster Wheels	Less Implement Drive Shaft

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3790M	60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, 4010 Thru 4400-4410 Tractors) <i>X710, X465 and X475 Tractors Require BM20761 Hydraulic Coupler Kit.</i>  <i>Not Compatible with BM17347, 400 Series Quick Hitch.</i>  <i>Compact Tractors Require Dual Selective Control Valve and Mid PTO. Small Chassis Compact Tractors also Require Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements. 3120-3720 Tractors with Mid-Mount Mowers for use with Front Three-Point Hitch with A-Frame require LVB25820 (AutoConnect decks) or LVB24810 (old 7-Iron decks).</i>	3,345.00
-------	--	----------

**MOUNTING FRAME**

1000	Mounting Frame (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	392.00
1001	Mounting Frame with Drive Shaft and Hydraulic Angling (4200-4400 and 4210-4410) <i>Option Code no longer available. Order the following pieces from parts: AM127788, M140171, M40461, M144432, 19H2458, R50647, R121660, M140170, M140169, AM128694, AM127787, M140165, AM128696, AM128695, AM124726 and AM124747.</i>	1,182.00
1002	Mounting Frame with Drive Shaft and Hydraulic Angling (3033R-3046R, 3120-3720)	829.00
1010	Less Mounting Frame	In Base Price

**FRONT QUICK-HITCH / HYDRAULIC LIFT**

2000	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	616.00
2002	Front Quick-Hitch and Hydraulic Lift (4210-4410)	739.00
2004	Front Quick-Hitch and Hydraulic Lift (2210, 2305)	655.00
2005	Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	716.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, 4010 Thru 4400-4410 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>FRONT QUICK-HITCH / HYDRAULIC LIFT Continued...</b>			
2006		Front Three-Point Hitch with A-Frame Quick Attach System (3120-3720)	1,368.00
2007		Front Quick-Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	716.00
2008		Front Three-Point Hitch with A-Frame Quick Attach System (3033R-3046R)	1,395.00
2010		Less Front Quick-Hitch and Hydraulic Lift	In Base Price
<b>HYDRAULIC ANGLING</b>			
<i>Hydraulic Angling for 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Code 1001/1002.</i>			
3000		Hydraulic Angling (X400/X500 HDGT's, X700's)	190.00
3002		Hydraulic Angling Kit (2210, 2305)	191.00
3003		Hydraulic Angling (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	198.00
3004		Hydraulic Angling (1023E, 1025R, 1026R)	191.00
3010		Less Hydraulic Angling	In Base Price
<b>2000 RPM FRONT PTO KIT</b>			
4000		2WD Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754)	250.00
4001		4WD Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758)	250.00
4002		2000 RPM Front PTO Kit (4100, 4110)	259.00
4003		2000 RPM Front PTO Kit ( 4010, 4115)	259.00
4004		2000 RPM Front PTO Kit (4200-4400, 4210-4410)	218.00
4005		2000 RPM Front PTO Kit (2210, 2305)	276.00
4006		2000 RPM Front PTO Kit (2025R, 2320)	254.00
4007		2000 RPM Front PTO Kit (2032R, 2520, 2720, 3033R-3046R, 3120-3720)	265.00
4009		2000 RPM Front PTO (1023E, 1025R, 1026R) <i>For tractors with RIO. Serial numbers starting: 1023E - 1LV1023ETCH210309 1026R - 1LV1026RHCH210658 1026R Tractor Loader Backhoe - 1LV1026RECH210659 Fits all 1025R Tractors</i>	329.00
4010		Less 2000 RPM Front PTO Kit	In Base Price

**IMPLEMENT DRIVE SHAFT**

*Drive Shaft for 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Code 1001/1002.*



JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, 4010 Thru 4400-4410 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>IMPLEMENT DRIVE SHAFT Continued...</b>			
5001		Implement Drive Shaft (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	263.00
5003		Implement Drive Shaft (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305)	250.00
5010		Less Implement Drive Shaft	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Front Hitch:</b>			
BLV10316		A-Frame Quick Attach System (3120-3720, 3033R-3046R)	197.96
BLV10159		Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
LVB24898		Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
LVB25306		Front Quick-Hitch and Hydraulic Lift (4210-4410)	847.44
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
BLV10439		Front Three-Point Hitch (3033R-3046R)	1,306.80
LVB25878		Front Three-Point Hitch (3120-3720)	1,286.14
<b>Front PTO:</b>			
BLV10166		2000 RPM Front PTO (1023E, 1025R, 1026R) <i>Includes RIO override for front implements.</i>	377.71
LVB24900		2000 RPM Front PTO (2025R, 2320)	292.11
BLV10475		2000 RPM Front PTO (2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	303.89
LVB25966		2000 RPM Front PTO (2210, 2305)	316.71
BM18695		2000 RPM Front PTO (4100, 4110)	297.46
BM19576		2000 RPM Front PTO (4200-4400, 4210-4410)	250.39
LVB25305		2000 RPM Front PTO Kit (4010, 4115)	297.46
BM24361		2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
BM24362		4WD 2000 RPM Front PTO (X500 HDGT's, X700's)	298.53
BLV10452		Front PTO Bracket (3033R-3046R)	92.40

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, 4010 Thru 4400-4410 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25759	Front PTO Bracket (3120-3720)	84.53
		<b>Hydraulics:</b>	
	LVB26108	Hydraulic Angling (1023E, 1025R, 1026R)	219.36
	LVB24901	Hydraulic Angling (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84
	BM25609	Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20922	Hydraulic Angling Kit (2210, 2305)	219.36
	BM20761	Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	55.64
		<b>Miscellaneous:</b>	
	BM20706	19.25x12.5x6.5 Heavy Duty Wheel Kit	361.66
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
	BM19805	Debris Deflector	417.30
	LVB25302	Front Attaching Support Kit <i>For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	60.99
	BLV10160	Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	85.61
	LVB24895	Front Attaching Support Kit (2025R, 2320) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
	LVB25396	Front Attaching Support Kit (2305) <i>See Sales Manual for Front Attaching Support Requirements.</i>	60.99
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
	BM20753	Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
	LVB25820	Front Three-Point Hitch/Mid Mount Brackets <i>Required for use with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3120-3720 and 3033R-3046R Tractors Only) and AutoConnect Mowers.</i>	164.79
	LVB24810	Front Three-Point Hitch/Mid Mount Mower Draft Arms	233.26
	BM20836	Implement Drive Shaft (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	301.74
	LVB24956	Implement Drive Shaft (3120-3720)	174.41
	BM21854	Implement Drive Shaft for Rotary Brooms (X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305)	286.76

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, 4010 Thru 4400-4410 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM20626	Mounting Frame (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	449.40
	LVB25879	Mounting Frame and Hydraulic Angling (3120-3720, 3033R-3046R)	776.81
	BM19804	Mounting Frame with Drive Shaft and Hydraulic Angling (4200-4400, 4210-4410) <i>Bundle no longer available. Order the following pieces from parts: AM127788, M140171, M40461, M144432, 19H2458, R50647, R121660, M140170, M140169, AM128694, AM127787, M140165, AM128696, AM128695, AM124726 and AM124747.</i>	1,355.69
	AM128682	Wafers, Polypropylene Bristle (Pack of 16)	243.30
	AM128683	Wafers, Steel Bristle (Pack of 16)	417.09
		<b>Weights:</b>	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire <i>Two Wheel Steer only.</i>	21.40
	BM18094	Mounting Hardware (1), for Attaching 1 Wheel Weight. 4-Wheel Steer Only.	23.54
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.)	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

# JOHN DEERE TURF & UTILITY PRODUCTS

## EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

### 647 Rotary Tiller

#### Equipment for Base Machine

48 In. Tilling Width	6 Hybrid Tines per Flange
540 PTO Shaft Drive with "Quick Lock" Collar	6 Flanges - Total of 36 Tines
Pre-set Slip Clutch	4 Position Adjustable Skidshoes
15-35 PTO HP Rated Main Gearbox	ASA 60 Roller Chain
Breather on Gearbox and Chain Case	Parking Stands
Dipstick on Gearbox	Adjustable Rear Hinged Cover Door
Sight Glass on Chain Case	Center Mounted Cat 1 Hitch
7 In. Tilling Depth	iMatch & Alpha Compatible
14 In. Rotor Diameter	3-Point Hitch
	Drive Shaft (CUT Tractors)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Davenport, Iowa*

0205LV	647 Rotary Tiller <i>For X400/X500 HDGT, X700 Series, 3005, 4005, 1023E, 1025R, 1026R, 3032E, 3038E, 2210, 4010, 4100, 4110, 4115, 2305, 2025R, 2032R, 2320-2720, 3203, 3033R-3039R, 3120-3720, and 4105 Tractors.</i>  <i>X400/X500HDGT and X700 Series Tractors Must be Equipped with 540 RPM Rear PTO Drive and Category 1 3-Point Hitch.</i>  <i>FrontBallast is Required, See Sales Manual for Specific Requirements.</i>  <i>If Ordering Tiller for Use with iMatch AutoHitch, Order Code 1010 (Less Drive Shaft) as the AutoHitch Implement Side Components are Used in Place of the Tiller Drive Shaft.</i>	2,516.00
--------	--	----------

#### DRIVE SHAFT

1000	Drive Shaft	In Base Price
1001	Drive Shaft for X400/X500 HDGT and X700 Series Tractors <i>X400/X500 HDGT and X700 Series Tractors equipped with iMatch hitch should order option code 1000 Drive Shaft for Compact Utility Tractors.</i>	31.00
1010	Less Drive Shaft	-319.00

#### BRACKETS

2000	Brackets for Compact Utility Tractors	In Base Price
2001	Brackets for X400/X500 HDGT and X700 Series Tractors	Same Price
2010	Less Brackets	-142.00

#### ATTACHMENTS - ORDER AS DESIRED

9430	<b>Spanish North American Kit:</b> Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**647 Rotary Tiller**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>AutoHitch Implement Side Components - Tillers:</b>	
	LVB25821	AutoHitch DVD	3.57
	LVB25621	AutoHitch Implement Components for John Deere 647 <i>LVB24978 AutoHitch Retrofit Kit is Required for Proper Installation on 647 Tillers With Serial Numbers Prior to LV0647B010001.</i>	231.00
	LVB24978	AutoHitch Retrofit Kit (647 Tiller) <i>Required for Proper Installation on 647 Tillers With Serial Numbers Prior to LV0647B010001.</i>	134.20
	LVB25675	iMatch AutoHitch PTO Coupler	546.70
		<b>Miscellaneous:</b>	
	BM21914	540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) <i>Also order AM120840 Module for MY2005 and older X400 or X500 HDGTs.</i>	980.11
	LVB25769	Brackets for Compact Utility Tractors	162.64
	LVB25770	Brackets for X400/X500 HDGT and X700 Series Tractors	162.64
	LVB25518	Drive Shaft Kit (CUTS)	365.94
	LVB25545	Drive Shaft Kit (X400/X500 HDGT's, X700's) <i>X400/X500 HDGT and X700 Series Tractors equipped with iMatch hitch should order LVB25518 Drive Shaft Kit (CUTS).</i>	401.26
		<b>Spanish North American Kit:</b>	
	BLV10081	Spanish North American Operator's Manual and Decal Kit	172.27
		<b>Weights:</b>	
	BM20957	9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700, X720, X724, X728, X729, X740, X744, X748, X749.</i>	192.60
	BM24363	9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700's</i>	192.60
	LVBM19607	Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
	CH14083	Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	40.99
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	LVB25363	Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins).</i>	216.70
	BM17998	Front Weight Bracket Extension Kit (790, 3005) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.</i>	239.80
	R66949	Quik-Tatch Weight, 42 Lb. <i>For X400/X500 HDGT's and X700 Series also order M147986 Retaining Rod and Two M40461 Spring Clips. For 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 also order M128726 Retaining Rod and Four A15147 Spring Clips.</i>	63.13

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

---

**647 Rotary Tiller**  
Continued

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## 655 Rotary Tiller Equipment for Base Machine

55 In. Tilling Width	15 In. Rotor Diameter	PTO Drive Shaft
540 PTO Shaft Drive with "Quick Lock" Collar	6 Hybrid Tines per Flange	
Pre-set Slip Clutch	7 Flanges - Total of 42 Tines	
15-35 PTO HP Rated Main Gearbox	4 Position Adjustable Skidshoes	
Breather on Gearbox and Chain Case	ASA 80 Roller Chain	
Dipstick on Gearbox	Parking Stands	
Sight Glass on Chain Case	Adjustable Rear Hinged Cover Door	
7 In. Tilling Depth	Center Mounted Cat 1 Hitch	
	iMatch Compatible 3-Point Hitch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*F.O.B. Davenport, Iowa*

0215LV	655 Rotary Tiller <i>For 3005, 3032E, 3038E, 3203, 4005, 790, 990, 4100, 4110, 4115, 2305, 2025R, 2032R, 2320-2720, 4200-4400, 4210-4410, 3033R-3046R, 3120-3720 and 4105 Tractors.</i>  <i>Front Ballast is Required, See Sales Manual for specific requirements.</i>  <i>If Ordering Tiller for Use with iMatch AutoHitch, Order Code 1010 (Less Drive Shaft) as the Auto Hitch Implement Side Components are Used in Place of the Tiller Drive Shaft.</i>	2,915.00
--------	---	----------

### DRIVE SHAFT

1000	Drive Shaft	In Base Price
1010	Less Drive Shaft	-334.00

### ATTACHMENTS - ORDER AS DESIRED

9430	<b>Spanish North American Kit:</b> Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

### ATTACHMENTS FOR FIELD CONVERSION

	<b>AutoHitch Implement Side Components - Tillers:</b>	
LVB25821	AutoHitch DVD	3.57
LVB25622	AutoHitch Implement Components for John Deere 655 <i>LVB24946 AutoHitch Retrofit Kit is Required for Proper Installation on 655 Tillers With Serial Numbers Prior to LV0655B010001.</i>	271.70
LVB24946	AutoHitch Retrofit Kit (655 Tiller) <i>Required for Proper Installation on 655 Tillers With Serial Numbers Prior to LV0655B010001.</i>	169.40
LVB25675	iMatch AutoHitch PTO Coupler	546.70
	<b>Miscellaneous:</b>	
LVB25625	Drive Shaft	381.99

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**655 Rotary Tiller**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Spanish North American Kit:</b>	
BLV10081		Spanish North American Operator's Manual and Decal Kit	172.27
		<b>Weights:</b>	
LVBM19607		Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
CH15318		Front Quik-Tatch Weight Kit (790, 3005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	18.24
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	40.99
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
LVB25363		Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins).</i>	216.70
BM17998		Front Weight Bracket Extension Kit (790, 3005) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.</i>	239.80
R66949		Quik-Tatch Weight, 42 Lb. <i>For X400/X500 HDGT's and X700 Series also order M147986 Retaining Rod and Two M40461 Spring Clips. For 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 also order M128726 Retaining Rod and Four A15147 Spring Clips.</i>	63.13
BM19780		Quik-Tatch Weight, 70 lb.	108.90



# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## 665 Rotary Tiller Equipment for Base Machine

65 In. Tilling Width	16 In. Rotor Diameter	PTO Drive Shaft
540 PTO Shaft Drive with "Quick Lock" Collar	6 Hybrid Tines per Flange	
Pre-set Slip Clutch	8 Flanges - Total of 48 Tines	
30-50 PTO HP Rated Main Gearbox	4 Position Adjustable Skidshoes	
Breather on Gearbox and Chain Case	ASA 100 Roller Chain	
Dipstick on Gearbox	Parking Stands	
Sight Glass on Chain Case	Adjustable Rear Hinged Cover Door	
7 In. Tilling Depth	Center Mounted Cat 1 Hitch	
	iMatch Compatible 3-Point Hitch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*F.O.B. Davenport, Iowa*

0225LV	665 Rotary Tiller <i>For 3038E, 4005, 790, 990, 4300-4700, 4310-4710, 3520, 3720, 3039R-3046R, 4105 and 4120-4320 Tractors.</i>  <i>Front Ballast is Required, See Sales Manual for Specific Requirements.</i>  <i>If Ordering Tiller for Use with iMatch AutoHitch, Order Code 1010 (Less Drive Shaft) as the Auto Hitch Implement Side Components are Used in Place of the Tiller Drive Shaft.</i>	3,672.00
--------	---	----------

### DRIVE SHAFT

1000	Drive Shaft	In Base Price
1010	Less Drive Shaft	-381.00

### ATTACHMENTS - ORDER AS DESIRED

9430	<b>Spanish North American Kit:</b> Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

### ATTACHMENTS FOR FIELD CONVERSION

	<b>AutoHitch Implement Side Components - Tillers:</b>	
LVB25821	AutoHitch DVD	3.57
LVB25676	AutoHitch Implement Components for John Deere 665, 673 <i>LVB25744 AutoHitch Retrofit Kit is Required for Proper Installation on 665 Tillers With Serial Numbers Prior to LV0665B010001, and 673 Tillers With Serial Numbers Prior to LV0673B010001.</i>	305.80
LVB25675	iMatch AutoHitch PTO Coupler	546.70
	<b>Miscellaneous:</b>	
LVB25626	Drive Shaft	437.63

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**665 Rotary Tiller**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Spanish North American Kit:</b>	
BLV10081		Spanish North American Operator's Manual and Decal Kit	172.27
		<b>Weights:</b>	
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10
LVBM19607		Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
CH15318		Front Quik-Tatch Weight Kit (790, 3005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	18.24
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	40.99
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
BM17998		Front Weight Bracket Extension Kit (790, 3005) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.</i>	239.80
BM19780		Quik-Tatch Weight, 70 lb.	108.90

# JOHN DEERE TURF & UTILITY PRODUCTS

## EQUIPMENT FOR COMPACT UTILITY TRACTORS

### 673 Rotary Tiller

#### Equipment for Base Machine

73 In. Tilling Width	16 In. Rotor Diameter	PTO Drive Shaft
540 PTO Shaft Drive with "Quick Lock" Collar	6 Hybrid Tines per Flange	
Pre-set Slip Clutch	9 Flanges - Total of 54 Tines	
30-50 PTO HP Rated Main Gearbox	4 Position Adjustable Skidshoes	
Breather on Gearbox and Chain Case	ASA 100 Roller Chain	
Dipstick on Gearbox	Parking Stands	
Sight Glass on Chain Case	Adjustable Rear Hinged Cover Door	
7 In. Tilling Depth	Center Mounted Cat 1 Hitch	
	iMatch Compatible 3-Point Hitch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Davenport, Iowa*

0235LV	673 Rotary Tiller <i>For 4005, 990, 4500-4600, 3038E, 3520, 3720, 3039R-3046R, 4510-4710, 4105, 4120, 4320 Tractors.</i>	4,221.00
--------	---	----------

*Front Ballast is Required, See Sales Manual for Specific Requirements.*

*If Ordering Tiller for Use with iMatch AutoHitch, Order Code 1010 (Less Drive Shaft) as the Auto Hitch Implement Side Components are Used in Place of the Tiller Drive Shaft.*

#### DRIVE SHAFT

1000	Drive Shaft	In Base Price
1010	Less Drive Shaft	-394.00

#### ATTACHMENTS - ORDER AS DESIRED

9430	<b>Spanish North American Kit:</b> Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

#### ATTACHMENTS FOR FIELD CONVERSION

LVB25821	<b>AutoHitch Implement Side Components - Tillers:</b> AutoHitch DVD	3.57
LVB25676	AutoHitch Implement Components for John Deere 665, 673 <i>LVB25744 AutoHitch Retrofit Kit is Required for Proper Installation on 665 Tillers With Serial Numbers Prior to LV0665B010001, and 673 Tillers With Serial Numbers Prior to LV0673B010001.</i>	305.80
LVB25675	iMatch AutoHitch PTO Coupler	546.70
LVB25626	<b>Miscellaneous:</b> Drive Shaft	437.63
BLV10081	<b>Spanish North American Kit:</b> Spanish North American Operator's Manual and Decal Kit	172.27

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

---

**673 Rotary Tiller**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Weights:</b>	
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10
	LVBM19607	Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
	CH14083	Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	40.99
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
	BM19780	Quik-Tatch Weight, 70 lb.	108.90

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## 681 Rotary Tiller Equipment for Base Machine

81 In. Tilling Width	18 In. Rotor Diameter	PTO Drive Shaft
540 PTO Shaft Drive with "Quick Lock" Collar	6 Hybrid Tines per Flange	
Pre-set Slip Clutch	8 Flanges - Total of 48 Tines	
35-60 PTO HP Rated Main Gearbox	4 Position Adjustable Skidshoes	
Breather on Gearbox and Chain Case	Gear Driveline	
Dipstick on Gearbox	Parking Stands	
Sight Glass on Chain Case	Adjustable Rear Hinged Cover Door	
8 In. Tilling Depth	Center Mounted Cat 1 Hitch	
	iMatch Compatible 3-Point Hitch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*F.O.B. Davenport, Iowa*

0245LV	681 Rotary Tiller <i>For 4005, 990, 4500-4600, 4510-4710, 3720, 3046R, 4120-4720 and 5000 Series Tractors.</i>  <i>Front Ballast is Required, See Sales Manual for Specific Requirements.</i>  <i>If Ordering Tiller for Use with iMatch AutoHitch, Order Code 1010 (Less Drive Shaft) as the AutoHitch Implement Side Components are Used in Place of the Tiller Drive Shaft.</i>	5,156.00
--------	---	----------

### DRIVE SHAFT

1000	Drive Shaft	In Base Price
1010	Less Drive Shaft	-381.00

### ATTACHMENTS - ORDER AS DESIRED

9430	<b>Spanish North American Kit:</b> Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

### ATTACHMENTS FOR FIELD CONVERSION

LVB25821	<b>AutoHitch Implement Side Components - Tillers:</b> AutoHitch DVD	3.57
LVB25675	iMatch AutoHitch PTO Coupler	546.70
LVB25627	<b>Miscellaneous:</b> Drive Shaft	436.56
BLV10081	<b>Spanish North American Kit:</b> Spanish North American Operator's Manual and Decal Kit	172.27
LVB25705	<b>Weights:</b> Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

---

**681 Rotary Tiller**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVBM19607	Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
	CH14083	Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	40.99
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
	BM19780	Quik-Tatch Weight, 70 lb.	108.90

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)**

**Equipment for Base Machine**

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable
47 In. Clearing Width "Straight"	Scraper Blade
15.5 In. Diameter Impeller	Four Extra Shear Bolts
16 In. Diameter Auger	"Shell Mounted"
Shear Bolt Protection	Hydraulic Chute Angling
Adjustable Spout Cap Deflector	Less Front Quick-Hitch
Two-Stage Design	Less Front PTO
	Less Implement Drive and Upstop

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

1474M	47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors) <i>BM20761 Hydraulic Coupler Kit Required on X700, X465, X475 and 425 Tractors.</i>  <i>Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i>  <i>See Sales Manual for Ballast requirements.</i>	2,130.00
-------	--	----------

**FRONT QUICK-HITCH**

2000	Front Quick-Hitch and Hydraulic Lift (425, 445, 455)	625.00
2005	Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	615.00
2006	Front Quick-Hitch and Hydraulic Lift (2210, 2305)	656.00
2007	Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	716.00
2008	Front Quick-Hitch and Hydraulic Lift (1023E, 1025R, 1026R) <i>Also requires BLV10160, Front Attaching Support (1023E, 1025R, 1026R).</i>	716.00
2010	Less Front Quick-Hitch	In Base Price

**2000 RPM FRONT PTO KIT**

3000	2000 RPM Front PTO (425, 445, 455)	236.00
3003	2000 RPM Front PTO (4100, 4110)	259.00
3004	2WD 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754)	250.00
3005	4WD 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739,	250.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455,  
1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110,  
4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>2000 RPM FRONT PTO KIT Continued...</b>			
		X758)	
3006		2000 RPM Front PTO (4010, 4115)	259.00
3007		2000 RPM Front PTO (2210, 2305)	276.00
3008		2000 RPM Front PTO Kit (2025R, 2320)	254.00
3009		2000 RPM Front PTO (2032R, 2520-2720, 3120-3720, 3033R-3046R)	254.00
3010		Less Power Take Off	In Base Price
3012		2000 RPM Front PTO (1023E, 1025R, 1026R)	329.00
<b>IMPLEMENT DRIVE AND UPSTOP</b>			
4000		Implement Drive and Upstop (425, 445, 455)	221.00
4003		Implement Drive and Upstop (For X400/X500 HDGT's, X700's)	221.00
4005		Implement Drive and Upstop (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	369.00
4006		Implement Drive and Upstop (1023E, 1025R, 1026R, 2210, 2305)	421.00
4010		Less Implement Drive and Upstop	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Front Hitch:</b>			
BLV10159		Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
LVB24898		Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
<b>Front PTO:</b>			
BLV10166		2000 RPM Front PTO (1023E, 1025R, 1026R) <i>Includes RIO override for front implements.</i>	377.71
LVB24900		2000 RPM Front PTO (2025R, 2320)	292.11
BLV10475		2000 RPM Front PTO (2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	303.89
LVB25966		2000 RPM Front PTO (2210, 2305)	316.71
BM18695		2000 RPM Front PTO (4100, 4110)	297.46
BM17330		2000 RPM Front PTO (415, 425, 445, 455) <i>European Region II 455 Requires BM17861.</i>	270.71



JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455,  
1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110,  
4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25305	2000 RPM Front PTO Kit (4010, 4115)	297.46
	BM24361	2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
	BM24362	4WD 2000 RPM Front PTO (X500 HDGT's, X700's) <i>For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
	BM20761	<b>Hydraulics:</b> Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	55.64
	BM20896	Hydraulic Retro Kit <i>Required to fit a Customer's 425, 445 and 455 Snow Blower or Snow Thrower on a New X400/X500 HDGT or X700 Series Tractor.</i>	28.89
	BM20714	<b>Miscellaneous:</b> Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
	M88984	Drift Blade	29.52
	LVB25302	Front Attaching Support Kit <i>For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	60.99
	BLV10160	Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	85.61
	LVB24895	Front Attaching Support Kit (2025R, 2320) <i>2025R, 2320 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	86.67
	LVB25396	Front Attaching Support Kit (2305) <i>Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
	BM20753	Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
	AM119321	Heavy Duty Skid Shoe (1) <i>For Snow Blowers Serial Numbered up to 060000.</i>	57.37
	LVB26135	Implement Drive and Upstop (1023E, 1025R, 1026R, 2210, 2305)	483.64
	LVB24902	Implement Drive and Upstop (2025R, 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors (for 47SB only).</i>	423.71
	BM20871	Implement Drive and Upstop (425, 445, 455, F900's)	253.59

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM23236	Implement Drive and Upstop (X400/X500 HDGT's, X700's)	253.59
	AM128337	Left-Side Skid Shoe Plate and Hardware	50.41
	BM20960	Remote Spout Cap Control Kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for Required Attaching Parts.</i>	126.26
	LVB24958	Remote Spout Cap Control Kit <i>For 2025R, 2032R, 2320, 2520, 2720 Tractors. See Sales Manual for Required Attaching Parts.</i>	149.80
	LVB26213	Remote Spout Cap Control Kit <i>For 1023E, 1025R and 1026R Tractors.</i>	203.30
	AM128336	Right-Side Skid Shoe Plate and Hardware	50.41
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13
	BM22725	Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	160.50
		<b>Seats / Wheels / Tires:</b>	
	TY15956	Tire Chains (Pair) for 23x10.50-12 In. Drive Tires <i>All Wheel Steer Tractors with Standard 23x10.50-12 In. Tires Require BM18021 Wheel Spacer Kit to Provide Clearance Between Tire Chains and Steering Linkage.</i>	81.08
	TY15845	Tire Chains (Pair) for 23x10.50-12 In. Rear Tires (318, 322, 332)	80.34
	TY15841	Tire Chains (Pair) for 23x8.50-12 In. Drive Tires <i>Compatible on all Wheel Steer Tractors with BM17332 Tires.</i>	68.14
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		<b>Weights:</b>	
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**54 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320-2720 Tractors)**

Equipment for Base Machine

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable Scraper Blade
54 In. Clearing Width "Straight"	Four Extra Shear Bolts
15 In. Diameter Impeller	"Shell Mounted"
16 In. Diameter Auger	Hydraulic Chute Angling
Shear Bolt Protection	Less Front Quick-Hitch
Adjustable Spout Cap Deflector	Less Front PTO
Two-Stage Design	Less Implement Drive and Upstop

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

02C1M	54 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320-2720 Tractors) <i>BM20761 Hydraulic Coupler Kit Required on X700 Tractors.</i>	2,550.00
	<i>Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i>	
	<i>See Sales Manual for Ballast requirements.</i>	

**FRONT QUICK-HITCH**

2005	Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	615.00
2006	Front Quick-Hitch and Hydraulic Lift (2305)	656.00
2007	Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320-2720)	716.00
2008	Front Quick-Hitch and Hydraulic Lift (1023E, 1025R, 1026R) <i>Also requires BLV10160, Front Attaching Support (1023E, 1025R, 1026R).</i>	716.00
2010	Less Front Quick-Hitch	In Base Price

**2000 RPM FRONT PTO KIT**

3004	2WD 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754)	250.00
3005	4WD 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758)	250.00
3007	2000 RPM Front PTO (2305)	276.00
3008	2000 RPM Front PTO Kit (2025R, 2320)	254.00
3009	2000 RPM Front PTO (2032R, 2520-2720, 3120-3720, 3033R-3046R)	254.00
3010	Less Power Take Off	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**54 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320-2720 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>2000 RPM FRONT PTO KIT Continued...</b>			
3012		2000 RPM Front PTO (1023E, 1025R, 1026R)	329.00
<b>IMPLEMENT DRIVE AND UPSTOP</b>			
4003		Implement Drive and Upstop (For X400/X500 HDGT's, X700's)	221.00
4005		Implement Drive and Upstop (2025R, 2032R, 2320-2720)	288.00
4006		Implement Drive and Upstop (1023E, 1025R, 1026R, 2210, 2305)	421.00
4010		Less Implement Drive and Upstop	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Front Hitch:</b>			
BLV10159		Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
LVB24898		Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320 - 2720)	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305)	751.14
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
<b>Front PTO:</b>			
BLV10166		2000 RPM Front PTO (1023E, 1025R, 1026R) <i>Includes RIO override for front implements.</i>	377.71
LVB24900		2000 RPM Front PTO (2025R, 2320)	292.11
BLV10475		2000 RPM Front PTO (2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	303.89
LVB25966		2000 RPM Front PTO (2210, 2305)	316.71
BM24361		2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
BM24362		4WD 2000 RPM Front PTO (X500 HDGT's, X700's) <i>For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
<b>Hydraulics:</b>			
BM20761		Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	55.64
<b>Miscellaneous:</b>			
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
M88984		Drift Blade	29.52
LVB25302		Front Attaching Support Kit <i>For 2520, 2720 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	60.99

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**54 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320-2720 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10160	Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	85.61
	LVB24895	Front Attaching Support Kit (2025R, 2320) <i>2025R, 2320 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	86.67
	LVB25396	Front Attaching Support Kit (2305) <i>See Sales Manual for Front Attaching Support Requirements.</i>	60.99
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
	BM20753	Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
	LVB26135	Implement Drive and Upstop (1023E, 1025R, 1026R, 2210, 2305)	483.64
	BM23238	Implement Drive and Upstop (2025R, 2032R, 2320, 2520, 2720)	330.63
	BM23236	Implement Drive and Upstop (X400/X500 HDGT's, X700's)	253.59
	BM20960	Remote Spout Cap Control Kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for Required Attaching Parts.</i>	126.26
	LVB24958	Remote Spout Cap Control Kit <i>For 2025R, 2032R, 2320, 2520, 2720 Tractors. See Sales Manual for Required Attaching Parts.</i>	149.80
	LVB26213	Remote Spout Cap Control Kit <i>For 1023E, 1025R and 1026R Tractors.</i>	203.30
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13
	BM22725	Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	160.50
		<b>Seats / Wheels / Tires:</b>	
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		<b>Weights:</b>	
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

## 59 In. Two-Stage Snow Blower Equipment for Base Machine

Hydraulic Discharge Chute Rotation 100 Degrees Right and Left 59 In. Clearing Width "Straight" 16 In. Diameter Impeller 16 In. Diameter Auger Shear Bolt Protection Adjustable Spout Cap Deflector Two-Stage Design	Wear Plates Reversible and Replaceable Scraper Blade Hydraulic Chute Angling Less Front Hitch Less Front PTO Less Mounting Kit and Less Snow Blower Driveshaft
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*F.O.B. Davenport, Iowa*

2758M	59 In. Two-Stage Snow Blower <i>For 3120-3720, 3033R-3046R, 3005, 790, 855, 955, 670, 770, 4200-4400, 4210-4410 Tractors</i>  <i>For Use with Front Three-Point Hitch with A-Frame.</i>  <i>Tractors Require Dual SCV, Mid PTO and Rear Wheel Ballasting.</i>  <i>3120-3720 Tractors with Mid-Mount Mowers Require LVB24810.</i>  <i>Current 59 In. Snow Blowers Ordered for 4200-4400 or 4210-4410 Tractors can be Converted to Work with 3120-3720 Tractors by Using the Following Bundle Numbers: LVB24815, LVB24801, LVB25741, LVB24800.</i>	4,131.00
-------	---	----------

### SNOW BLOWER MOUNTING KIT / DRIVESHAFT

1000	Snow Blower Mounting Kit and Driveshaft (3005, 855, 955, 670, 770, 790, 4200-4400, 4210-4410)	609.00
1005	Snow Blower Mounting Kit and Driveshaft (3033R-3046R, 3120-3720)	313.00
1010	Less Snow Blower Mounting Kit and Driveshaft	In Base Price

### FRONT HITCH

2000	Front Quick-Hitch and Hydraulic Lift (4210-4410)	740.00
2005	Front Three-Point Hitch with A-Frame Quick Attach System (3120-3720)	1,249.00
2006	Front Three-Point Hitch with A-Frame Quick Attach System (3033R-3046R)	1,249.00
2010	Less Front Quick-Hitch and Less Hydraulic Lift	In Base Price

### FRONT PTO

3000	2000 RPM Front PTO (4200-4400, 4210-4410)	217.00
3002	2000 RPM Front PTO (670)	377.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**59 In. Two-Stage Snow Blower**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
3003		<b>FRONT PTO Continued...</b> 2000 RPM Front PTO (770, 790, 3005)	389.00
3004		2000 RPM Front PTO (855, 955)	354.00
3005		2000 RPM Front PTO (2032R, 3033R-3046R, 3120-3720)	254.00
3010		Less 2000 RPM Front PTO	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Front Hitch:</b>	
BLV10316	A-Frame Quick Attach System (3120-3720, 3033R-3046R)	197.96
LVB25306	Front Quick-Hitch and Hydraulic Lift (4210-4410)	847.44
BLV10439	Front Three-Point Hitch (3033R-3046R)	1,306.80
LVB25878	Front Three-Point Hitch (3120-3720)	1,286.14
	<b>Front PTO:</b>	
LVB24801	2000 RPM Front PTO (2032R, 2520-2720, 3120-3720)	292.11
BLV10475	2000 RPM Front PTO (2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	303.89
BM19576	2000 RPM Front PTO (4200-4400, 4210-4410)	250.39
BM16856	2000 RPM Front PTO (670)	433.36
BM21379	2000 RPM Front PTO (770, 790, 3005)	445.11
BM16494	2000 RPM Front PTO (855, 955)	406.60
BLV10452	Front PTO Bracket (3033R-3046R)	92.40
LVB25759	Front PTO Bracket (3120-3720)	84.53
	<b>Miscellaneous:</b>	
LVB24810	Front Three-Point Hitch/Mid Mount Mower Draft Arms	233.26
AM128337	Left-Side Skid Shoe Plate and Hardware	50.41
AM128336	Right-Side Skid Shoe Plate and Hardware	50.41
LVB24800	Snow Blower Drive Shaft (3033R-3046R, 3120-3720)	156.21
LVB25741	Snow Blower Mounting Kit (3033R-3046R, 3120-3720) <i>Requires Snow Blower Driveshaft LVB24800.</i>	207.59
BM21660	Snow Blower Mounting Kit and Driveshaft (3005, 855, 955, 670, 770, 790, 3005, 4200-4400, 4210-4410)	697.64