

Current Date 20Feb2015

35G COMPACT EXCAVATOR

ENGINE: Yanmar 3TNV88 (1.64 I) 23.3 SAE Net HP Certified to EPA Final Tier 4 Emissions Antifreeze Single Dry-Type Air Filter Electric Fuel Shutoff Fan Guard Full Flow Oil Filter Low Maintenance Battery Fuel Filter & Water Separator Isolation Mounted

Under Hood Muffler 55 Amp Alternator - 12 Volt HYDRAULICS: Open-Center, Load-Sensing With Two Variable Displacement Pumps and One Fixed Gear Pump Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary Excavator to Backhoe Control Pattern Change Valve Auxiliary Function Control and Right Hand Pilot Lever Boom Swing Foot Control Axial Piston Swing Motor Wet Disk Swing Brake Auxiliary Valve Section

Auxiliary Hydraulic Lines with Release Under Pressure Hydraulic Quick Couplers to End of Boom UNDERCARRIAGE: 12 in. (300 mm) Rubber Track 5 ft. 8 in. (1.74 m) Backfill Blade Propel Motor Shield Planetary Final Drive Two Speed Propel with Auto-

matic Shifting Axial Piston Propel Motor UPPERSTRUCTURE: Zero Tail Swing Configuration 360 Degree Upper Structure Rotation Independent Boom Swing (72 degree left and 62 degree right rotation) ROPS/FOPS Canopy Vandal Locks for: Service Doors Work lights: One Mounted on Canopy (Cab) One Mounted on Boom Counterweight 1190 lb. (540 kg.) FRONT ATTACHMENTS: Boom 8 ft. (2.45 m) Arm 4 ft. 4 in. (1.32 m) Mechanical Quick Coupler

OPERATOR'S STATION: Electronic Throttle Control with Auto Idle Vinyl Seat with Fore/Aft Adjustment 2 in. Retractable Seat Belt Horn Hour Meter Instrumentation Lights Monitor System with: Engine Preheat Indicator Engine Oil Pressure Indicator Alternator Voltage Indicator Fuel Gauge and Level Indicator Engine Coolant Temperature Gauge and Indicator Hour Meter Operating Lights Switch Operating Lights Indicator Foldable Propel Pedals and Levers Two Travel Modes with Automatic Shifting and Speed Selection Switch Motion Alarm with Cancel Switch Cupholder 12 Volt Cell Phone Outlet

Required - You must select one from each category

BASE MACHINE

F.O.B. Davenport, IA

Description

Code Price

| Code Price 12 in. (300 mm) Rubber Track 3125 In Base Price 12 in. (300 mm) Steel Track with Triple Semi-Grouser 3128 \$1,051.00 Shoes Long lead-time item; contact Order Fulfillment for availability. Shoes | | | Page 2 |
|--|--|--------|---------------|
| 12 in. (300 mm) Rubber Track3125In Base Price12 in. (300 mm) Steel Track with Triple Semi-Grouser3128\$1,051.00ShoesShoes3128\$1,051.00Long lead-time item; contact Order Fulfillment for availability.3130\$3,074.00Rubber Crawler Pads3130\$3,074.00Shipped from the nearest port. Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes.3130 | 35G COMPACT EXCAVATOR | 0050FF | \$51,156.00 |
| 12 in. (300 mm) Rubber Track3125In Base Price12 in. (300 mm) Steel Track with Triple Semi-Grouser3128\$1,051.00ShoesShoes3128\$1,051.00Long lead-time item; contact Order Fulfillment for availability.3130\$3,074.00Rubber Crawler Pads3130\$3,074.00Shipped from the nearest port. Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes.3130 | ζ | | |
| 12 in. (300 mm) Steel Track with Triple Semi-Grouser 3128 \$1,051.00 Shoes Long lead-time item; contact Order Fulfillment for availability. 3130 \$3,074.00 Rubber Crawler Pads 3130 \$3,074.00 Shipped from the nearest port. Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes. | Description | Code | Price |
| Shoes Long lead-time item; contact Order Fulfillment for availability. Rubber Crawler Pads 3130 Shipped from the nearest port. Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes. | 12 in. (300 mm) Rubber Track | 3125 | In Base Price |
| Rubber Crawler Pads3130\$3,074.00Shipped from the nearest port. Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes.3130 | | 3128 | \$1,051.00 |
| Shipped from the nearest port. Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes. | Long lead-time item; contact Order Fulfillment for availability. | | |
| Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes. | Rubber Crawler Pads | 3130 | \$3,074.00 |
| | Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes. | | |

| Description | Code | Price |
|--|------|---------------|
| Standard Arm 4 ft. 4 in. (1.32 m) | 7110 | In Base Price |
| Long Arm 5 ft. 8 in. (1.72 m) and Extra Counterweight 507 Ibs (230 kg) | 7120 | \$1,474.00 |
| Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side. | | |
| CANOPY OR CAB | | |
| Description | Code | Price |
| ROPS / FOPS Canopy | 8150 | In Base Price |
| ROPS / FOPS Cab with Heater & Air Conditioner | 8185 | \$6,121.00 |
| Cab is Radio Ready with Speakers, Antenna, wiring and Mounting. | | |
| SEAT | | |
| Description | Code | Price |

TRACK

ARM

Ŧ

Ŧ

Ŧ

| Description | Code | Price |
|--|------|---------------|
| Standard Seat - Vinyl | 4140 | In Base Price |
| Requires ROPS / FOPS Canopy (8150). | | |
| Suspension Seat - Vinyl | 4145 | \$344.00 |
| Requires ROPS / FOPS Canopy (8150). | | |
| Suspension Seat - Cloth | 4150 | \$373.00 |
| Requires ROPS / FOPS Cab with Heater & Air Conditioner (8185). | | |
| Optional - Select as desired | | |
| OPTIONAL EQUIPMENTORDER AS DESIRED | | |
| Description | Code | Price |
| Bolt On Cutting Edge | 9100 | \$745.00 |

| - | Angle Blade | 9555 | \$2,924.00 |
|---|---|-----------|------------|
| _ | | /000 | ψ2,724.00 |
| Ŧ | DEALER-INSTALLED KITS | | |
| | Description | Code | Price |
| | Buckets: | | |
| _ | 12 in. (305 mm) Heavy Duty Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included) | AT316552 | \$604.00 |
| _ | 12 in. (305 mm) Heavy Duty GREY Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included) | AT316552G | \$604.00 |
| | 18 in. (457 mm) Heavy Duty Bucket Bundle | AT340073 | \$2,657.00 |
| _ | * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices | | |
| _ | 18 in. (457 mm) Heavy Duty Bucket; 2.8 cu. ft. (0.080 cu. m) (_ Teeth Included) | AT316557 | \$702.00 |
| | 18 in. (457 mm) Heavy Duty GREY Bucket Bundle | AT340073G | \$2,657.00 |
| _ | * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices | | |
| | 18 in. (457 mm) Heavy Duty GREY Bucket; 2.8 cu. | AT316557G | \$702.00 |
| _ | ft. (0.080 cu. m) (_ Teeth Included) | AT240075 | ¢2 02/ 00 |
| | 24 in. (610 mm) Heavy Duty Bucket Bundle | AT340075 | \$3,036.00 |
| | * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices | | |
| _ | 24 in. (610 mm) Heavy Duty Bucket; 4.0 cu. ft. (0.11 cu. m) (4 Teeth Included) | AT316558 | \$799.00 |
| | 24 in. (610 mm) Heavy Duty GREY Bucket Bundle | AT340075G | \$3,036.00 |
| | * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices | | |
| _ | 24 in. (610 mm) Heavy Duty GREY Bucket; 3.29 cu. ft (0.093 cu. m) (4 Teeth Included) | AT316554G | \$678.00 |
| | 24 in. (610 mm) Heavy Duty GREY Bucket; 4.0 cu. ft. (0.11 cu. m) (4 Teeth Included) | AT316558G | \$799.00 |
| | 30 in. (762 mm) Heavy Duty Bucket; 5.2 cu. ft. (0.14 cu. m) (5 Teeth Included) | AT316559 | \$899.00 |
| _ | 30 in. (762 mm) Heavy Duty GREY Bucket; 5.2 cu. ft. (0.14 cu. m) (5 Teeth Included) | AT316559G | \$899.00 |
| _ | 34 in. (863 mm) Ditch Cleaning Bucket; 5.9 cu. ft. (0.17 cu. m) (No Teeth) | AT316560 | \$925.00 |
| - | 34 in. (863 mm) Ditch Cleaning GREY Bucket; 5.9 cu. ft. (0.17 cu. m) (No Teeth) | AT316560G | \$925.00 |
| - | | | |

36 In. (914 mm) Heavy Duty Bucket; 5.6 Cu. Ft. AT409298

\$999.00

| | (.16 Cu. M) (6 TK Teeth Included) | | |
|---|---|-------------|------------|
| _ | 36 In. (914 mm) Heavy Duty GREY Bucket; 5.6 Cu. Ft. | AT409298G | \$999.00 |
| | (.16 Cu. M) (6 Teeth Included) | | |
| _ | Clamps: | | |
| _ | Hydraulic Clamp, Long Arm - Factory Installation Fee | AT349585 | \$629.00 |
| | * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130 | | |
| | Hydraulic Clamp, Short Arm - Factory Installation Fee | AT349584 | \$513.00 |
| | * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130 | | |
| | Hydraulic GREY Clamp | AT386304 | \$1,709.00 |
| | Works with quick coupler buckets except 12" Heavy Duty. If equipped with Long Arm (7120), also requires 2 hydraulic hoses (AT321206 & AT324558) from Parts. FOR SN PRIOR TO 265350 ALSO ORDER T213184 and AT317646. | | |
| _ | Hydraulic GREY Clamp Bundle | AT340080G | \$6,487.00 |
| | * Bundle includes a quantity of 4 of the same size Hydraulic Clamp * Price includes a 5% discount from individual clamps' prices * Works with quick coupler buckets except 12" Heavy Duty * If equipped with Long Arm (7120), also requires 2 hydraulic hoses (AT321206) from Parts. | | |
| | Engine: | | |
| | Engine Coolant Heater (110 Volt) | AT358708 | View Price |
| | Recommended for use in temperatures 32 degrees F / 0 degrees C, and below. For model 17, also order Adapter Kit (Part AM882530) | | |
| _ | INTERFACE ADAPTERS: | | |
| | Interface Adapter for 27-35 CE and 110 TLB | AT305753 | \$563.00 |
| - | Kits and Accessories: | | |
| _ | 3 in. Retractable Seat Belt | AT171619 | View Price |
| _ | Cab Tilt Tool | FYD00000525 | View Price |
| - | Heavy Duty Battery | TY21764 | View Price |
| | Recommended for Cold Start climates | | |
| _ | Radio | 4647737 | View Price |
| _ | AM, FM, Clock, and Set-able station buttons | | |
| - | REFERRAL ATTACHMENTS | | |
| | Description | Code | Price |
| | <u>G.R. Mfg.:</u> | | |
| | G.R. Manufacturing, Inc. | | |
| | | | |

| * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. | | |
|--|----------|----------|
| G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005 | | |
| Front Screen, Cab (GR#705753) (26-50 CE) | AT451135 | \$582.00 |
| *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab. | | |
| Front Screen, Canopy (GR#705578) (26-50 CE) | AT435404 | \$480.00 |
| *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy. | | |

Copyright © 1996-2014 Deere & Company. All Rights Reserved.



Current Date 23Mar2015

17G COMPACT EXCAVATOR

ENGINE:

Yanmar 3TNV74F 3-61.0 cu. in. (0.99 I) 14.5 ISO9249 Net HP (10.8 kW) Certified to EPA Tier 4 Final Engine Coolant Single Dry-Type Air Filter Electric Fuel Shutoff Fan Guard Full Flow Oil Filter Low Maintenance Battery Fuel Filter & Water Separator

Isolation Mounted Under Hood Muffler 40 Amp Alternator - 12 Volt Glow Plugs Cold Start Aid HYDRAULICS: Open Center with Two Variable Displacement Pumps and One Fixed Gear Pump Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, and Propel Excavator to Backhoe Control Pattern Change Valve Auxiliary Function Foot Control

Boom Swing Foot Control Axial Piston Swing Motor Wet Disk Swing Brake **Propel Brake** Auxiliary Valve Section Auxiliary Hydraulic Lines to End of Boom UNDERCARRIAGE: 9.1 in. (230 mm) Rubber Track Backfill Blade Propel Motor Shield Planetary Final Drive Two Speed Travel Axial Piston Propel Motor UPPERSTRUCTURE: 360 Degree Upper Structure Rotation Independent Boom Swing (70 degree left and 50 degree right rotation) ROPS/OPG/FOPS Canopy Work light, mounted on Boom Counterweight 265 lb. (120 kg.) Vandal Locks for Service Doors FRONT ATTACHMENTS: Boom 6 ft. (1.82 m)

Arm 3 ft. 1 in. (0.93 m) Mechanical Quick Coupler **OPERATOR'S STATION:** Adjustable Vinyl Seat 2 in. Retractable Seat Belt Horn Hour Meter Instrumentation Lights Monitor System with: Alternator Charge Warning Light Engine Coolant Warning Light and Alarm Engine Oil Pressure Warning Light **Travel Mode Indicator** Fuel Gauge and Warning Liaht **Engine Preheat Indicator** Light Switch with "On" Indicator Two Travel Modes with Foot Selection Switch Motion Alarm with Cancel Switch Cupholder 12 Volt Cell Phone Outlet Operator manual storage in back of seat

Required - You must select one from each category

BASE MACHINE

| F.O.B. Davenport, IA | | |
|------------------------------|--------|-------------|
| Description | Code | Price |
| 17G COMPACT EXCAVATOR | 0010FF | \$30,547.00 |
| Optional - Select as desired | | |
| DEALER-INSTALLED KITS | | |
| Description | Code | Price |

| | Buckets: | | |
|---|--|-----------|------------|
| - | 12 In. (305 mm) Heavy Duty Bucket; 0.8 Cu. Ft. (0.027 Cu. M) (3 Teeth Included) | AT316548 | \$447.00 |
| - | 12 In. (305 mm) Heavy Duty GREY Bucket; 0.8 Cu. Ft. (0.027 Cu. M) (3 Teeth Included) | AT316548G | \$447.00 |
| - | 16 In. (406 mm) Heavy Duty Bucket; 1.2 Cu. Ft. (0.03 Cu. M) (3 Teeth Included) | AT316549 | \$483.00 |
| - | 16 In. (406 mm) Heavy Duty GREY Bucket; 1.2 Cu. Ft. (0.03 Cu. M) (3 Teeth Included) | AT316549G | \$483.00 |
| - | 18 In. (457 mm) Heavy Duty Bucket; 1.4 Cu. Ft. (0.04 Cu. M) (4 Teeth Included) | AT316550 | \$525.00 |
| - | 18 In. (457 mm) Heavy Duty GREY Bucket; 1.4 Cu. Ft. (0.04 Cu. M) (4 Teeth Included) | AT316550G | \$525.00 |
| - | 9 In. (229 mm) Heavy Duty Bucket; 0.6 Cu. Ft. (0.020 Cu. M) | AT316547 | \$403.00 |
| - | 9 In. (229 mm) Heavy Duty GREY Bucket; 0.6 Cu. Ft. (0.020 Cu. M) | AT316547G | \$403.00 |
| _ | <u>Clamps:</u> | | |
| - | Hydraulic Clamp, Short Arm - Factory Installation Fee | AT349584 | \$513.00 |
| _ | Hydraulic GREY Clamp | AT451118 | \$1,568.00 |
| _ | Works with quick coupler buckets (excluding 9 Heavy Duty). Does not include hydraulic couplers on hoses. | | |
| | Engine: | | |
| | Engine Coolant Heater (110 Volt) | AT358708 | View Price |
| | Recommended for use in temperatures 32 degrees F / 0 degrees C, and below. For model 17, also order Adapter Kit (Part AM882530) | | |
| _ | INTERFACE ADAPTERS: | | |
| - | Interface Adapter for 17 ZTS | AT306179 | \$388.00 |
| _ | Kits and Accessories: | | |
| _ | 3 in. Retractable Seat Belt | AT171619 | View Price |
| Ŧ | REFERRAL ATTACHMENTS | | |
| | Description | Code | Price |
| | C D Mfa | | |

G.R. Mfg.:

G.R. Manufacturing, Inc.

* Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama

* All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.

G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Front Protection Screen for Canopy (17 CE)AT337084\$670.00

*Required when a Hydraulic Breaker is equipped on a 17D/17G/ZX17-U Compact Excavator with a Canopy.

Copyright © 1996-2014 Deere & Company. All Rights Reserved.



Current Date 23Mar2015

26G COMPACT EXCAVATOR

ENGINE:

Yanmar 3TNV80F 3-77.0 cu. in. (1.2 l) 20 ISO9249 Net HP (14.9 kW) Certified to EPA Tier 4 Final Antifreeze Single Dry-Type Air Filter Electric Fuel Shutoff Fan Guard Full Flow Oil Filter Low Maintenance Battery Fuel Filter & Water Separator Isolation Mounted

Under Hood Muffler 40 Amp Alternator - 12 Volt Glow Plugs Cold Start Aid HYDRAULICS: Open Center with Two Variable Displacement Pumps and One Fixed Gear Pump Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, and Propel Excavator to Backhoe Control Pattern Change Valve Auxiliary Function Control and Right Hand Pilot Lever Boom Swing Foot Control Axial Piston Swing Motor

Wet Disk Swing Brake **Propel Brake** Auxiliary Valve Section Auxiliary Hydraulic Lines to End of Boom UNDERCARRIAGE: 12 in. (300 mm) Rubber Track Backfill Blade Propel Motor Shield Planetary Final Drive Two Speed Propel with Automatic Shifting Axial Piston Propel Motor UPPERSTRUCTURE: 360 Degree Upper Structure Rotation Independent Boom Swing (70 degree left and 60 degree right rotation) ROPS/OPG/FOPS Canopy Work lights: One Mounted on Canopy (Cab) One Mounted on Boom Canopy Counterweight: Canopy 582 lb. (264 kg.), Cab 509 lbs (231 kg.) Vandal Locks for Service Doors FRONT ATTACHMENTS: Boom 6 ft. 10 in. (2.10 m)

Arm 3 ft. 10 in. (1.17 m) Mechanical Quick Coupler **OPERATOR'S STATION:** Adjustable Vinyl Seat 2 in. Retractable Seat Belt Horn Hour Meter Instrumentation Lights Monitor System with: Alternator Charge Warning Light Engine Coolant Warning Light and Alarm Engine Oil Pressure Warning Light **Travel Mode Indicator** Fuel Gauge and Warning Liaht **Engine Preheat Indicator** Light Switch with "On" Indicator Two Travel Modes with Automatic Shifting and Speed Selection Switch Motion Alarm with Cancel Switch Cupholder 12 Volt Cell Phone Outlet Operator manual storage in back of seat Propel Levers and Foldable Pedals

Required - You must select one from each category

BASE MACHINE

| F.O.B. Davenport, IA | | |
|-----------------------|--------|-------------|
| Description | Code | Price |
| 26G COMPACT EXCAVATOR | 0020FF | \$37,202.00 |
| CANOPY OR CAB | | |
| Description | Code | Price |

| | ROPS / FOPS Canopy | 8150 | In Base Price |
|------|---|-----------|---------------|
| | ROPS / FOPS Cab with Heater | 8185 | \$4,100.00 |
| | Cab is Radio Ready with Speakers, Antenna, wiring and Mounting. | | |
| Opti | onal - Select as desired | | |
| - | DEALER-INSTALLED KITS | | |
| | Description Buckets: | Code | Price |
| _ | 12 in. (305 mm) Heavy Duty Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included) | AT316552 | \$604.00 |
| | 12 in. (305 mm) Heavy Duty GREY Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included) | AT316552G | \$604.00 |
| | 18 in. (457 mm) Heavy Duty Bucket Bundle | AT340071 | \$2,381.00 |
| _ | * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices | | |
| | 18 in. (457 mm) Heavy Duty Bucket; 2.33 cu. ft. (0.066 cu. m) (4 Teeth Included) | AT316553 | \$629.00 |
| | 18 in. (457 mm) Heavy Duty GREY Bucket Bundle | AT340071G | \$2,381.00 |
| _ | * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices | | |
| | 18 in. (457 mm) Heavy Duty GREY Bucket; 2.33 cu. ft. (0.066 cu. m) (4 Teeth Included) | AT316553G | \$629.00 |
| | 24 in. (610 mm) Heavy Duty Bucket Bundle | AT432117 | \$2,576.00 |
| | * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices | | |
| | 24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included) | AT316554 | \$678.00 |
| | 24 in. (610 mm) Heavy Duty GREY Bucket Bundle | AT432117G | \$2,576.00 |
| | * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices | | |
| | 24 in. (610 mm) Heavy Duty GREY Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included) | AT316554G | \$678.00 |
| | 30 in. (762 mm) Ditch Cleaning Bucket; 4.4 cu. ft. (0.12 cu. m) (No Teeth) | AT316555 | \$755.00 |
| | 30 in. (762 mm) Ditch Cleaning GREY Bucket; 4.4 cu. ft. (0.12 cu. m) (No Teeth) | AT316555G | \$755.00 |
| | Clamps: | | |
| | Hydraulic Clamp, Short Arm - Factory Installation Fee | AT349584 | \$513.00 |
| | Hydraulic GREY Clamp | AT451119 | \$1,600.00 |
| | Works with quick coupler buckets. Does not include hydraulic couplers on hoses. | | |

| | Engine: | | |
|---|--|----------|------------|
| | Engine Coolant Heater (110 Volt) | AT358708 | View Price |
| | Recommended for use in temperatures 32 degrees F / 0 degrees C, and below. For model 17, also order Adapter Kit (Part AM882530) | | |
| _ | INTERFACE ADAPTERS: | | |
| _ | | AT305753 | \$563.00 |
| _ | Kits and Accessories: | | |
| _ | 3 in. Retractable Seat Belt | AT171619 | View Price |
| _ | Radio | 4647737 | View Price |
| | AM, FM, Clock, and Set-able station buttons | | |
| | Description <u>G.R. Mfg.:</u> G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. | Code | Price |
| _ | 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005 Front Soroop, Cob. (CD#70E7E2), (26, E0, CE) | AT451105 | ¢E 0.2 00 |
| | Front Screen, Cab (GR#705753) (26-50 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab. | AT451135 | \$582.00 |
| | Front Screen, Canopy (GR#705578) (26-50 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy. | AT435404 | \$480.00 |

Copyright © 1996-2014 Deere & Company. All Rights Reserved.



Current Date 16Feb2015

50G COMPACT EXCAVATOR

ENGINE: Yanmar 4TNV88 (2.19 I)35.9 SAE Net HP Certified to EPA Final Tier 4 Emissions Antifreeze Single Dry-Type Air Filter Electric Fuel Shutoff Fan Guard Full Flow Oil Filter Low Maintenance Battery Fuel Filter & Water Separator **Isolation Mounted** Under Hood Muffler 55 Amp Alternator - 12 Volt HYDRAULICS: Closed-Center, Load-Sensing with One Variable Displacement Pump and One Fixed Gear Pump Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary Excavator to Backhoe Control Pattern Change Valve Auxiliary Function Control and Right Hand Pilot Lever Boom Swing Foot Control Axial Piston Swing Motor Wet Disk Swing Brake Auxiliary Valve Section

Auxiliary Hydraulic Lines with Release Under Pressure Hydraulic Quick Couplers to End of Boom UNDERCARRIAGE: 16 in. (400 mm) Rubber Track 6 ft. 7 in. (2.0 m) Backfill Blade Propel Motor Shield **Planetary Final Drive** Two Speed Propel With Automatic Shifting Axial Piston Propel Motor **UPPERSTRUCTURE:** Zero Tail Swing Configuration 360 Degree Upper Structure Rotation Independent Boom Swing (80 degree left and 60 degree right rotation) ROPS/FOPS Canopy Toolbox Vandal Locks for: Service Doors Work lights: One Mounted on Canopy (Cab) One Mounted on Boom Counterweight 1543 lb. (700 kg.) FRONT ATTACHMENTS: Boom 9 ft. 2 in. (2.8 m) Arm 4 ft. 6 in. (1.38 m) Mechanical Quick Coupler

OPERATOR'S STATION: Electronic Throttle Control with Auto Idle Vinvl Seat with Fore/Aft Adjustment 2 in. Retractable Seat Belt Horn Hour Meter Instrumentation Lights Monitor System with: Engine Preheat Indicator Engine Oil Pressure Indicator Alternator Voltage Indicator Fuel Gauge and Level Indicator Engine Coolant Temperature Gauge and Indicator Hour Meter Operating Lights Switch **Operating Lights** Indicator Foldable Propel Pedals and Levers Two Travel Modes with Automatic Shifting And Speed Selection Switch Motion Alarm with Cancel Switch Cupholder 12 Volt Cell Phone Outlet

Required - You must select one from each category

BASE MACHINE

F.O.B. Davenport, IA

Description

Code Price

| | | 50G COMPACT EXCAVATOR | 0060FF | \$67,990.00 |
|----------|------|--|--------|---------------|
| Ŧ | TRAC | < | | |
| | | Description | Code | Price |
| | | 16 in. (400 mm) Rubber Track | 3125 | In Base Price |
| _ | | 16 in. (400 mm) Steel Track with Triple Semi-Grouser Shoes | 3128 | \$1,985.00 |
| | | Long lead-time item; contact Order Fulfillment for availability. | | |
| | | Rubber Crawler Pads | 3130 | \$5,873.00 |
| _ | | Shipped from the nearest port. Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes. Long lead-time item; contact Order Fulfillment for availability. | | |
| - | ARM | | | |
| | | Description | Code | Price |
| | | Standard Arm 4 ft. 6 in. (1.38 m) | 7110 | In Base Price |
| - | | Long Arm 5 ft. 7 in. (1.67 m) and Extra Counterweight 474 Ibs (215 kg) | 7120 | \$1,511.00 |
| | | Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side. | | |
| - | CANO | PY OR CAB | | |
| | | Description | Code | Price |
| | | ROPS / FOPS Canopy | 8150 | In Base Price |
| _ | | ROPS / FOPS Cab with Heater & Air Conditioner | 8185 | \$6,121.00 |
| | | Cab is Radio Ready with Speakers, Antenna, wiring and Mounting. | | |
| - | SEAT | | | |
| | | Description | Code | Price |
| | | Standard Seat - Vinyl | 4140 | In Base Price |
| | | Requires ROPS / FOPS Canopy (8150). | | |
| | | Suspension Seat - Vinyl | 4145 | \$344.00 |
| | | Requires ROPS / FOPS Canopy (8150). | | |
| _ | | Suspension Seat - Cloth | 4150 | \$373.00 |
| | | Requires ROPS / FOPS Cab with Heater & Air Conditioner (8185). | | |
| Opt ▼ | | Select as desired | | |
| | | Description | Code | Price |
| | | Bolt On Cutting Edge | 9100 | \$1,040.00 |

Can only be ordered for the Angle Blade option. Long lead-time item; contact Order Fulfillment for availability.

Angle Blade 9555 \$3,110.00 DEALER-INSTALLED KITS Description Code Price Buckets: 12 in. (305 mm) Heavy Duty Bucket; 2.1 Cu. Ft. AT439374 \$841.00 (0.06 Cu. M) (3 TK Teeth Included) 12 in. (305 mm) Heavy Duty GREY Bucket; 2.1 cu. AT316561G \$841.00 ft. (0.06 cu. m) (3 Teeth Included) 18 in. (457 mm) Heavy Duty Bucket Bundle (TK Teeth AT441522 \$3,511.00 Included) * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices 18 in. (457 mm) Heavy Duty Bucket; 3.6 Cu. Ft. AT439375 \$925.00 (0.10 Cu. M) (4 TK Teeth Included) 18 in. (457 mm) Heavy Duty GREY Bucket Bundle AT340076G \$3,511.00 * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices 18 in. (457 mm) Heavy Duty GREY Bucket; 3.6 cu. AT316562G \$925.00 ft. (0.10 cu. m) (4 Teeth Included) 24 in. (610 mm) Heavy Duty Bucket Bundle (TK Teeth AT441523 \$3,949.00 Included) * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices 24 in. (610 mm) Heavy Duty Bucket; 5.2 Cu. Ft. AT439376 \$1,041.00 (0.15 Cu. M) (4 TK Teeth Included) 24 in. (610 mm) Heavy Duty GREY Bucket Bundle AT340078G \$3,949.00 * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices 24 in. (610 mm) Heavy Duty GREY Bucket; 5.2 cu. AT316563G \$1,041.00 ft. (0.15 cu. m) (4 Teeth Included) 30 in. (762 mm) Heavy Duty Bucket; 6.8 Cu. Ft. AT439377 \$1,150.00 (0.19 Cu. M) (5 TK Teeth Included) 30 in. (762 mm) Heavy Duty GREY Bucket; 6.8 cu. ft. AT316564G \$1,150.00 (0.19 cu. m) (5 Teeth Included) 36 In. (914 mm) Heavy Duty Bucket; 8.3 Cu Ft. AT439378 \$1,280.00 (.24 Cu. M) (6 TK Teeth Included) 36 In. (914 mm) Heavy Duty GREY Bucket; 8.3 Cu Ft. AT409251G \$1,280.00 (.24 Cu. M) (6 Teeth Included) 36 in. (914 mm) Ditch Cleaning Bucket; 8.3 cu. ft. AT316565 \$1,155.00

| 36 in. (914 mm) Ditch Cleaning GREY Bucket; 8.3 cu. ft. (0.24 cu. m) (No Teeth) | AT316565G | \$1,155.00 |
|---|-------------|------------|
| Clamps: | | |
| Hydraulic Clamp, Long Arm - Factory Installation Fee | AT349585 | \$629.00 |
| * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130 | | |
| Hydraulic Clamp, Short Arm - Factory Installation Fee | AT349584 | \$513.00 |
| * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130 | | |
| Hydraulic GREY Clamp Bundle | AT340081G | \$6,757.00 |
| * Bundle includes a quantity of 4 of the same size Hydraulic Clamp * Price includes a 5% discount from individual clamps' prices * Works with Quick Coupler Buckets except 12" Heavy Duty * If equipped with Long Arm (7120), also requires 2 hydraulic hoses (AT321206) from Parts. | | |
| Hydraulic GREY Clamp for (Model 50 SN 275467 above) and (Model 60 SN 280529 above) | AT397391 | \$1,781.00 |
| Works with Quick Coupler Buckets except 12" Heavy Duty If equipped with Long Arm (7120), also requires 2 hydraulic hoses (AT321206 and AT363177) from Parts. | | |
| WHEN AT397391 IS ORDERED FOR SERVICE FOR THE 50D, ZX50U2 OR ZX50U3 UNITS PRIOR TO SERIAL NUMBER 275466 ALSO ORDER AT317647(1) AND T213185 (1). | | |
| WHEN AT397391 IS ORDERED FOR SERVICE FOR THE 60D OR ZX60USB3 UNITS PRIOR TO SERIAL NUMBER 280529 ALSO ORDER AT317647 (1) AND T213185 (1). | | |
| Engine: | | |
| Engine Coolant Heater (110 Volt) | AT358708 | View Price |
| Recommended for use in temperatures 32 degrees F / 0 degrees C, and | | |
| below. For model 17, also order Adapter Kit (Part AM882530) | | |
| INTERFACE ADAPTERS: | | |
| Interface Adapter for 50-60 CE | AT306177 | \$610.00 |
| Kits and Accessories: | | |
| 3 in. Retractable Seat Belt | AT171619 | View Price |
| Cab Tilt Tool | FYD00000525 | View Price |
| Heavy Duty Battery | TY25803 | View Price |
| * Recommended for Cold Start climates | | |
| Radio | 4647737 | View Price |
| AM, FM, Clock, and Set-able station buttons | | |

REFERRAL ATTACHMENTS

Ŧ

| Description | Code | Price |
|--|----------|----------|
| G.R. Mfg.: G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005 | | |
| Front Screen, Cab (GR#705753) (26-50 CE) | AT451135 | \$582.00 |
| *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab. | | |
| Front Screen, Canopy (GR#705578) (26-50 CE) | AT435404 | \$480.00 |
| *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy. | | |

Copyright © 1996-2014 Deere & Company. All Rights Reserved.



Current Date 17Apr2015

60G COMPACT EXCAVATOR

ENGINE: Yanmar 4TNV98 (3.3 I)53 SAE Net HP Certified to FPA Final Tier 4 Emissions Antifreeze Single Dry-Type Air Filter Electric Fuel Shutoff Fan Guard Full Flow Oil Filter Low Maintenance Battery Fuel Filter & Water Separator **Isolation Mounted** Under Hood Muffler 55 Amp Alternator - 12 Volt HYDRAULICS: Closed-Center, Load-Sensing with One Variable Displacement Pump and One Fixed Gear Pump Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary Excavator to Backhoe Control Pattern Change Valve Auxiliary Function Control and Right Hand Pilot Lever Boom Swing Foot Control Axial Piston Swing Motor Wet Disk Swing Brake Auxiliary Valve Section Auxiliary Hydraulic Lines with

Release Under Pressure Hydraulic Quick Couplers to End of Boom UNDERCARRIAGE: 16 in. (400 mm) Rubber Track 6 ft. 7 in. (2.0 m) Backfill Blade Propel Motor Shield Planetary Final Drive Two Speed Propel With Automatic Shifting Axial Piston Propel Motor UPPERSTRUCTURE: Reduced Tail Swing Configuration 360 Degree Upper Structure Rotation Independent Boom Swing (80 degree left and 60 degree right rotation) **ROPS/FOPS/TOPS** Cab Toolbox Vandal Locks for: Service Doors Work lights: One Mounted on Canopy (Cab) One Mounted on Boom Counterweight 1642 lb. (745 kg.) FRONT ATTACHMENTS: Boom 9 ft. 9 in. (3.0 m) Arm 4 ft. 11 in. (1.5 m) Mechanical Quick Coupler **OPERATOR'S STATION:** Air Conditioning and Heat

Electronic Throttle Control with Auto Idle Efficiency/Productivity Modes Cloth Suspension Seat with Fore/Aft Adjustment 2 in. Retractable Seat Belt Horn Hour Meter Instrumentation Lights Monitor System with: Engine Preheat Indicator Engine Oil Pressure Indicator Alternator Voltage Indicator Fuel Gauge and Level Indicator Engine Coolant Temperature Gauge and Indicator Hour Meter Operating Lights Switch **Operating Lights** Indicator Foldable Propel Pedals and Levers Two Travel Modes with Automatic Shifting And Speed Selection Switch Motion Alarm with Cancel Switch Cupholder 12 Volt Cell Phone Outlet

Required - You must select one from each category

BASE MACHINE

F.O.B. Davenport, IA

Description

Code Price

| | | 60G COMPACT EXCAVATOR | | 0070FF | \$82,108.00 |
|-----|---------|--|-------|--------|---------------------|
| _ | | | | 007011 | φ 0 Ζ,100.00 |
| Ŧ | TRACK | | | | |
| | | Description | | Code | Price |
| _ | | 16 in. (400 mm) Rubber Track | | 3125 | In Base Price |
| | | 16 in. (400 mm) Steel Track with Triple Semi-Grouser Shoes | | 3128 | \$1,985.00 |
| _ | | Long lead-time item; contact Order Fulfillment for availability. | | | |
| | | Rubber Crawler Pads | | 3130 | \$5,873.00 |
| _ | | Shipped from the nearest port. Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes. Long lead-time item; contact Order Fulfillment for availability. | | | |
| Ŧ | ARM | | | | |
| | | Description | | Code | Price |
| | | Standard Arm 4 ft. 11 in. (1.50 m) | | 7110 | In Base Price |
| _ | | Long Arm 6 ft. 1 in. (1.85 m) and Extra Counterweight Ibs (260 kg) | 573 | 7120 | \$1,748.00 |
| | | Extra counterweight extends 5 in. (115 mm) beyond width of tracks when up structure is rotated to the side. | per | | |
| Opt | ional - | Select as desired | | | |
| Ŧ | OPTIO | NAL EQUIPMENTORDER AS DESIRED | | | |
| | | Description | | Code | Price |
| _ | | Angle Blade | | 9555 | \$4,602.00 |
| - | DEALE | R-INSTALLED KITS | | | |
| | | Description | Code | | Price |
| _ | | Buckets: | | | |
| | | 12 In. (305 mm) Heavy Duty 3 Tooth GREY Bucket; 3.3 Cu. Ft. (0.09 Cu. M) | AT412 | 2176G | \$999.00 |
| | | 13 In. (330 mm) Heavy Duty Bucket; 3.3 Cu. Ft. (0.09 Cu. M) (3 TK Teeth Included) | AT439 | 9379 | \$999.00 |
| | | 18 in. (457 mm) Heavy Duty 4 Tooth GREY Bucket; 5.1 cu. ft. | AT358 | 8512G | \$1,091.00 |
| | | 18 in. (457 mm) Heavy Duty Bucket; 5.1 Cu. Ft. (0.14 Cu. M) (4 TK Teeth Included) | AT439 | 9380 | \$1,091.00 |
| | | 24 in. (610 mm) Heavy Duty 5 Tooth GREY Bucket; 7.5 cu. ft. | AT358 | 3513G | \$1,228.00 |
| | | 24 in. (610 mm) Heavy Duty Bucket; 7.5 Cu. Ft. (0.21 Cu. M) (5 TK Teeth Included) | AT439 | 9381 | \$1,228.00 |

| Kits and Accessories: | | |
|--|-------------------|------------|
| Interface Adapter for 50-60 CE | AT306177 | \$610.00 |
| INTERFACE ADAPTERS: | | |
| Recommended for use in temperatures 32 degrees F / 0 degree below. For model 17, also order Adapter Kit (Part AM882530) | es C, and | |
| Engine Coolant Heater (110 Volt) | AT358708 | View Price |
| Engine: | | |
| WHEN AT397391 IS ORDERED FOR SERVICE FOR THE 60D ZX60USB3 UNITS PRIOR TO SERIAL NUMBER 280529 ALSC AT317647 (1) AND T213185 (1). | | |
| WHEN AT397391 IS ORDERED FOR SERVICE FOR THE 50D OR ZX50U3 UNITS PRIOR TO SERIAL NUMBER 275466 ALS AT317647(1) AND T213185 (1). | | |
| Works with Quick Coupler Buckets except 12" Heavy Duty If equipped with Long Arm (7120), also requires 2 hydraulic hos (AT321206 and AT363177) from Parts. | es | |
| Hydraulic GREY Clamp for (Model 50 SN 2754) above) and (Model 60 SN 280529 above) | 67 AT397391 | \$1,781.0 |
| * Bundle includes a quantity of 4 of the same size Hydraulic Cla * Price includes a 5% discount from individual clamps' prices * Works with Quick Coupler Buckets except 12" Heavy Duty * If equipped with Long Arm (7120), also requires 2 hydraulic ho (AT321206) from Parts. | | |
| Hydraulic GREY Clamp Bundle | AT340081G | \$6,757.0 |
| * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130 | | |
| Hydraulic Clamp, Short Arm - Factory Installa | tion Fee AT349584 | \$513.0 |
| * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130 | | |
| Hydraulic Clamp, Long Arm - Factory Installat | ion Fee AT349585 | \$629.0 |
| Clamps: | | |
| 42 in. (946 mm) Ditch Cleaning Bucket; 9.6 cu. ft. (0.26 cu. m) (No Teeth)(Grey Paint) | AT408385G | \$1,327.00 |
| 42 in. (946 mm) Ditch Cleaning Bucket; 9.6 cu. ft. (0.26 cu. m) (No Teeth) | AT408385 | \$1,327.0 |
| 36 in. (914 mm) Heavy Duty Bucket; 12.5 Cu (0.35 Cu. M) (6 TK Teeth Included) | . Ft. AT439385 | \$1,422.0 |
| 36 in. (914 mm) Heavy Duty 6 Tooth GREY Bu 12.5 cu. ft. | ucket; AT365014G | \$1,422.0 |
| 30 in. (762 mm) Heavy Duty Bucket; 10.0 Cu (0.28 Cu. M) (5 TK Teeth Included) | . Ft. AT439382 | \$1,366.0 |
| 30 in. (762 mm) Heavy Duty 5 Tooth GREY Bu 10.0 cu. ft | ucket; AT358514G | \$1,366.0 |

| | 3 in. Retractable Seat Belt | AT171619 | View Price |
|--------|---|-------------|------------|
| | Cab Tilt Tool | FYD00000525 | View Price |
| | Heavy Duty Battery | TY25879 | View Price |
| | Recommended for Cold Start climates | | |
| | Radio | 4647737 | View Price |
| | AM, FM, Clock, and Set-able station buttons | | |
| - REFI | ERRAL ATTACHMENTS | | |
| | Description | Code | Price |
| | <u>G.R. Mfg.:</u> | | |
| | G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sale and assistance will be the responsibility of G.R. Manufacturing, Inc., and handled directly between the Dealer and G.R. Manufacturing, Inc. | | |
| | G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005 | | |
| | Front Screen, Cab (GR#705577) (60 CE) | ETN112936 | \$582.00 |
| | | | |

Copyright © 1996-2014 Deere & Company. All Rights Reserved.