

WHOLEGOODS PRICE LIST EFFECTIVE JULY 1, 2015

These pages are a complete revision of this section and contain new model and product information. All prices are effective as of July 1, 2015.

NOTE: Tire prices appear per piece.

This page intentionally left blank.

		PAGE NUMBER	MODEL	GROSS ENGINE H.P. ②		SUGGESTED LIST PRICE
CURRENT MODELS						
Kommander Z100 Series	Gas	2-4	Z122R-42 ①	21.5	Not on Bid	\$4,355.00
		2-5	Z122E-48 ①	22	Not on Bid	\$5,018.00
		2-6	Z121S-48 ①	21	Not on Bid	\$5,491.00
		2-7	Z125E-54 ①	25	Not on Bid	\$5,859.00
		2-8	Z125S-54 ①	25	Not on Bid	\$6,332.00
		2-9	Z100 Series Matching Chart			
		2-9	Z100 Series Implements & Attachments			
Z700 Series	Gas	2-10	Z723KH-48 ①	23	Group 8 Subgroup 14	\$8,299.00
		2-11	Z724KH-54 ①	24	Group 8 Subgroup 15	\$8,799.00
		2-12	Z725KH-60 ①	25	Group 8 Subgroup 15	\$9,299.00
		2-10	Z724XKW-48 ①	23.5	Group 8 Subgroup 14	\$8,699.00
		2-11	Z724XKW-54 ①	23.5	Group 8 Subgroup 15	\$9,059.00
		2-12	Z726XKW-60 ①	25.5	Group 8 Subgroup 15	\$9,629.00
		2-13	Z700 Series Matching Chart			
2-14	Z700 Series Implements & Attachments					
Z200 Series	Gas	2-15	ZG222A-48S	22	Group 8 Subgroup 14	\$8,160.00
		2-15	ZG222A-48	22	Group 8 Subgroup 14	\$8,568.00
		2-16	ZG227A-54	27	Group 8 Subgroup 15	\$9,894.00
		2-16	ZG227LA-60	27	Group 8 Subgroup 15	\$10,190.00
	Diesel	2-17	ZD221-48	21	Group 8 Subgroup 14	\$11,659.00
		2-17	ZD221-54	21	Group 8 Subgroup 15	\$11,863.00
	2-18	Z200 Series Matching Chart				
2-19	Z200 Series Implements & Attachments					
Z300 Series	Gas	2-22	ZG327PA-60	27	Group 8 Subgroup 15	\$11,394.00
		2-22	ZG327RPA-60R	27	Group 8 Subgroup 15	\$11,725.00
		2-23	ZG332P-60	32.5	Group 8 Subgroup 15	\$14,168.00
		2-23	ZG332LP-72*	32.5	Group 8 Subgroup 15	\$14,678.00
	Pro- pane	2-24	ZP330P-60	31	Group 8 Subgroup 15	\$15,861.00
		2-24	ZP330LP-72*	31	Group 8 Subgroup 15	\$16,422.00
	Diesel	2-25	ZD323-60	23	Group 8 Subgroup 15	\$13,872.00
		2-26	ZD326S-60	26	Group 8 Subgroup 15	\$14,586.00
		2-26	ZD326P-60	26	Group 8 Subgroup 15	\$14,892.00
		2-26	ZD326RP-60R	26	Group 8 Subgroup 15	\$14,898.00
		2-26	ZD326HL-72	26	Group 8 Subgroup 15	\$15,677.00
		2-27	ZD331LP-72	31	Group 8 Subgroup 15	\$17,178.00
		2-28	Z300 Series Matching Chart			
	2-29	Z300 Series Implements & Attachments				
F Series	Diesel	2-34	F2690E ④	25.5	Group 7 Subgroup 12	\$16,860.00
		2-35	F2690 ④	25.5	Group 7 Subgroup 12	\$19,530.00
		2-36	F3990 ④	39	**Group 7 Subgroup 12	\$23,470.00
	2-37		F Series Matching Chart			
	2-39		F Series Implements & Attachments			
2-43		Z Series / F Series Replacement Engines				

**** Wide Area Mower Group 9 Subgroup 16**

* Subject to availability.

① For PROMO PRICING refer to Bulletin Number: DSB-2014-038 R4

② The engine horsepower information is provided by the engine manufacturer. Refer to the engine manufacturer's web site for additional information.

③ Price includes standard tires

Kommander Z122R

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Kawasaki FR Series
Air-cooled
V-Twin Vertical Shaft
21.5 Gross HP @ 3600 rpm*
Displacement 726 cc

TRANSMISSION

Hydro-Gear Commercial ZT2200
Integrated Zero-Turn Transaxle
Internal Parking Brake
Forward Speeds 0 - 6.5 mph
Reverse Speeds 0 - 4 mph

STEERING / MOTION CONTROL

(2) Hand Levers
Hydraulically Damped

FLUID CAPACITY

Fuel Tank 3.22 gal
Oil 2.3 qts
Transaxle 1.6 - 1.68 qts

TIRES AND WHEELS

Front Casters 11 x 4-5 Smooth
Rear 18 x 7.5-10 Turf

DIMENSIONS

Height 65.4"
Length 74.4"
Width Overall 42.4" w/o deck
Wheelbase 48.7"

OPERATING FEATURES

Zero Turn Radius
Full pressure lube system
Hands-free K-Lift Deck Lift
Cup Holder & Storage Compartment

SAFETY EQUIPMENT

Seat Safety Switch
Control Lever Safety Switch
Parking Brake Safety Switch
Fixed ROPS

MOWER DECK

Ogura GT1A Electric Clutch
42" Cutting Width
1.5-4.25" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
Fabricated 10 Gauge Steel
4.5" Deep Design
2 Blades
17,700 fpm Blade Tip Speed
Maintenance-Free, Sealed Bearings

* Manufacturer's estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE**
---------------	-------------	---------------------	---------------------------

*** STANDARD MACHINE ***

Z122RKW-42	Zero Turn Mower with ROPS 42" Mower Deck	1472	\$ 4,355.00
------------	---	------	-------------

Replacement Tires and Wheels (price per piece)

K3011-18020 Front Tire Assembly 11 x 4-5 Pneumatic Smooth
K3001-17200 Rear 18 x 7.5-10 Turf

Order from Parts Department
Order from Parts Department

**Refer to Bulletin Number: DSB-2014-38 R4 for Promo Pricing

Kommander Z122E

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Briggs & Stratton Professional Series
Air-cooled
V-Twin Vertical Shaft
22 Gross HP @ 3600 rpm*
Displacement 724 cc

TRANSMISSION

Hydro-Gear Commercial ZT3100
Integrated Zero-Turn Transaxle
Internal Parking Brake
Forward Speeds 0 - 8 mph
Reverse Speeds 0 - 4 mph

STEERING / MOTION CONTROL

(2) Hand Levers
Hydraulically Damped

FLUID CAPACITY

Fuel Tank	4.3 gal
Oil	2 qts
Transaxle	2.4 qts

TIRES AND WHEELS

Front Casters 11 x 4
Rear 22 x 10-14 Turf

DIMENSIONS

Height	65"
Length	77.5"
Width Overall	52"
Wheelbase	45.5"

OPERATING FEATURES

Zero Turn Radius
Full pressure lube system
Hands-free K-Lift Deck Lift
2 Cup Holders & 4 Storage Compartments

SAFETY EQUIPMENT

Seat Safety Switch
Control Lever Safety Switch
Parking Brake Safety Switch
Fixed ROPS

MOWER DECK

Ogura GT1A Electric Clutch
48" Cutting Width
1.5-4.5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
Fabricated 10 Gauge Steel
5" Deep Design
3 Blades
18,300 fpm Blade Tip Speed
Maintenance Free Sealed Bearings

* Manufacturer's estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE**
---------------	-------------	---------------------	---------------------------

*** STANDARD MACHINE ***

Z122EBR-48	Zero Turn Mower with ROPS 48" Mower Deck	1472	\$ 5,018.00
------------	---	------	-------------

Replacement Tires and Wheels (price per piece)

K3011-18020	Front Tire Assembly 11 x 4-5 Pneumatic Smooth
AZR8630	Rear 22 x 10-14 Turf Ultrascaper Z

Order from Parts Department
\$ 144.00

**Refer to Bulletin Number: DSB-2014-38 R4 for Promo Pricing

Kommander Z121S

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Kohler Courage Professional Series
Air-cooled
V-Twin Vertical Shaft
21 Gross HP @ 3600 rpm*
Displacement 725 cc

TRANSMISSION

Hydro-Gear Commercial ZT3100
Integrated Zero-Turn Transaxle
Internal Parking Brake
Forward Speeds 0 - 8 mph
Reverse Speeds 0 - 4 mph

STEERING / MOTION CONTROL

(2) Hand Levers
Hydraulically Damped

FLUID CAPACITY

Fuel Tank 4.3 gal
Oil 2 qts
Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 11 x 4
Rear 22 x 10-14 Turf

DIMENSIONS

Height 65"
Length 77.5"
Width Overall 52"
Wheelbase 45.5"

OPERATING FEATURES

Zero Turn Radius
Full pressure lube system
Hands-free K-Lift Deck Lift
2 Cup Holders & 4 Storage Compartments
LED Headlights
Full Seat Suspension

SAFETY EQUIPMENT

Seat Safety Switch
Control Lever Safety Switch
Parking Brake Safety Switch
Fixed ROPS

MOWER DECK

48" Cutting Width
1.5-4.5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
Fabricated 10 Gauge Steel
5" Deep Design
3 Blades
18,300 fpm Blade Tip Speed
Maintenance Free Sealed Bearings
Ogura GT1A Electric Clutch

* Manufacturer's estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE**
------------	-------------	------------------	------------------------

*** STANDARD MACHINE ***

Z121SKH-48	Zero Turn Mower with ROPS 48" Mower Deck	1472	\$ 5,491.00
------------	---	------	-------------

Replacement Tires and Wheels (price per piece)

K3011-18020	Front Tire Assembly 11 x 4-5 Pneumatic Smooth
AZR8630	Rear 22 x 10-14 Turf Ultrascaper Z

Order from Parts Department
\$ 144.00

**Refer to Bulletin Number: DSB-2014-38 R4 for Promo Pricing

Kommander Z125E

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Briggs & Stratton
Cyclonic Commercial Turf
Air-cooled
V-Twin Vertical Shaft
25 Gross HP @ 3600 rpm*
Displacement 724 cc

TRANSMISSION

Hydro-Gear Commercial ZT3100
Integrated Zero-Turn Transaxle
Internal Parking Brake
Forward Speeds 0 - 8 mph
Reverse Speeds 0 - 4 mph

STEERING / MOTION CONTROL

(2) Hand Levers
Hydraulically Damped

FLUID CAPACITY

Fuel Tank 4.3 gal
Oil 2 qts
Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 11 x 4
Rear 22 x 10-14 Turf

DIMENSIONS

Height 65"
Length 77.5"
Width Overall 57"
Wheelbase 45.5"

OPERATING FEATURES

Zero Turn Radius
Full pressure lube system
5-step Integrated Cyclonic Air Cleaner
Hands-free K-Lift Deck Lift
2 Cup Holders & 4 Storage Compartments

SAFETY EQUIPMENT

Seat Safety Switch
Control Lever Safety Switch
Parking Brake Safety Switch
Fixed ROPS

MOWER DECK

54" Cutting Width
1.5-4.5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
Fabricated 10 Gauge Steel
5" Deep Design
3 Blades
18,300 fpm Blade Tip Speed
Maintenance Free Sealed Bearings
Ogura GT1A Electric Clutch

* Manufacturer's estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE**
---------------	-------------	---------------------	---------------------------

*** STANDARD MACHINE ***

Z125EBR-54	Zero Turn Mower with ROPS 54" Mower Deck	1472	\$ 5,859.00
-------------------	--	------	-------------

Replacement Tires and Wheels (price per piece)

K3011-18020 Front Tire Assembly 11 x 4-5 Pneumatic Smooth
AZR8630 Rear 22 x 10-14 Turf Ultrascaper Z

Order from Parts Department
\$ 144.00

**Refer to Bulletin Number: DSB-2014-38 R4 for Promo Pricing

Kommander Z125S

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Kohler Courage Professional Series
Air-cooled
V-Twin Vertical Shaft
25 Gross HP @ 3600 rpm*
Displacement 725 cc

TRANSMISSION

Hydro-Gear Commercial ZT3100
Integrated Zero-Turn Transaxle
Internal Parking Brake
Forward Speeds 0 - 8 mph
Reverse Speeds 0 - 4 mph

STEERING / MOTION CONTROL

(2) Hand Levers
Hydraulically Damped

FLUID CAPACITY

Fuel Tank 4.3 gal
Oil 2 qts
Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 11 x 4
Rear 22 x 10-14 Turf

DIMENSIONS

Height 65"
Length 77.5"
Width Overall 57"
Wheelbase 45.5"

OPERATING FEATURES

Zero Turn Radius
Full pressure lube system
Hands-free K-Lift Deck Lift
2 Cup Holders & 4 Storage Compartments
LED Headlights
Full Seat Suspension

SAFETY EQUIPMENT

Seat Safety Switch
Control Lever Safety Switch
Parking Brake Safety Switch
Fixed ROPS

MOWER DECK

54" Cutting Width
1.5-4.5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
Fabricated 10 Gauge Steel
5" Deep Design
3 Blades
18,300 fpm Blade Tip Speed
Maintenance Free Sealed Bearings
Ogura GT1A Electric Clutch

* Manufacturer's estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE**
------------	-------------	------------------	------------------------

*** STANDARD MACHINE ***

Z125SKH-54	Zero Turn Mower with ROPS 54" Mower Deck	1472	\$ 6,332.00
-------------------	--	------	-------------

Replacement Tires and Wheels (price per piece)

K3011-18020 Front Tire Assembly 11 x 4-5 Pneumatic Smooth
AZR8630 Rear 22 x 10-14 Turf Ultrascaper Z

Order from Parts Department
\$ 144.00

**Refer to Bulletin Number: DSB-2014-38 R4 for Promo Pricing

Kommander Z100 Series Implements and Attachments

Kommander Z100 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Model	Z122R-42	Z122E-48	Z125E-54	Z121S-48	Z125S-54
Implements					
Grass Catcher, 2-Bag	GCK42-122Z	GCK54-100Z			
Replacement Deck	RCK42P-122Z	RCK48P-124Z	RCK54P-127Z	RCK48P-124Z	RCK54P-127Z
Blade, Replacement (1 blade)	K5559-34330*	K5575-34330*	K5617-34330*	K5575-34330*	K5617-34330*
Blade, Replacement Mulching (1 blade)	K5124-71930*	K5579-34350*	K5639-34350*	K5579-34350*	K5639-34350*
Blade, Replacement High-Lift (1 blade)	K6041-34330*	K5579-92330*	K5639-92330*	K5579-92330*	K5639-92330*
Blade Set, Replacement High-Lift (3 blades)		K5579-92300*	K5639-92300*	K5579-92300*	K5639-92300*
Attachments					
Hitch Kit	ZG1343	Hitch Kit Standard			
Spark Arrester Kit		70000-01602		70000-01602	
LED Light Kit	ZG1302			LED Lights Standard	
Mower Deck Lift Assist Kit	N/A	ZG1337			
Mulch Kit	ZG1342	ZG1348	ZG1354	ZG1348	ZG1354
Seat Suspension Kit	ZG1356			Seat Suspension Standard	
Arm Rest Kit	ZG1341	N/A			
Tuff Top Canopy SUNSHADE	N/A	Z3366 (Not approved with grass catcher)			
Replacement ROPS	SFZ-122				
Tires (Replacement)					
Front Tire Assy Pneumatic Smooth 11x4.0-5	K3011-18020*				
Rear Turf Tire Assembly	K3001-17200*	AZR8630 (22x10 -14)			

*Order from Parts Department

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHER			
GCK54-100Z	Grass Catcher Z100E & S models, 2-Bag, 6 Bushel Capacity	270	\$ 760.00
GCK42-122Z	Grass Catcher Z122R models, 2-Bag, 4 Bushel Capacity	270	\$ 649.00
HITCH KIT			
ZG1343	Hitch Kit for Z122R	4	\$ 28.00
LED LIGHT KIT			
ZG1302	LED Light Kit for Z100 Series	4	\$ 191.00
MID MOUNT MOWER DECK (REPLACEMENT)			
RCK42P-122Z	42" Mid-mount Mower Deck		TBA
RCK48P-124Z	48" Mid-mount Mower Deck	190	\$ 950.00
RCK54P-127Z	54" Mid-mount Mower Deck	190	\$ 1,100.00
MOWER DECK LIFT ASSIST KIT			
ZG1337	Mower Lift Assist Kit for Z100 E & S Models	14	\$ 19.00
MULCH KIT			
ZG1342	Mulch Kit for Z100 with 42" Deck		\$ 139.00
ZG1348	Mulch Kit for Z100 with 48" Deck	24	\$ 199.00
ZG1354	Mulch Kit for Z100 with 54" Deck	24	\$ 199.00
ROPS, FIXED (Replacement)			
SFZG-124	ROPS	150	\$ 200.00
SFZ-122	Replacement ROPS for Z122R		\$ 200.00
SEAT SUSPENSION			
ZG1356	Seat Suspension Kit	20	\$ 238.00
ARM REST KIT			
ZG1341	Arm rest kit for Z122R	20	\$ 52.00

Z723-48 / Z724X - 48

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Air-cooled V-Twin Vertical Shaft

Z723KH-48

KOHLER, Model GH680V

23 Gross HP @ 3600 rpm*

Displacement 694 cc

Z724XKW-48

KAWASAKI, Model FX GH735V

23.5 hp @ 3,600 RPM

Displacement 726 cc

TRANSMISSION

Parker Torqpack GT14

Integrated 14cc pump and wheel motor

Internal Parking Brake

Forward Speeds 0 - 11.2 mph

Reverse Speeds 0 - 5.6 mph

STEERING / MOTION CONTROL

(2) Hand Levers

Hydraulically Damped

FLUID CAPACITY

Fuel Tank 11.6 gal

Oil 2.2 qts

Transaxle 3.5 qts

TIRES AND WHEELS

Front Casters 13 x 5.0 - 6 Flat free

Rear 24 x 9.5 -12 Turf

DIMENSIONS

Height 69.9"

Length 83.9"

Width w/o deck 50.4"

Wheelbase 51"

OPERATING FEATURES

Zero Turn Radius

Foot Controlled Brake

Adjustable Levers and Mower Deck Lift Pedal

Cup Holder & Storage Compartments

Semi-pneumatic, Smooth, Flat free Front Tires

SAFETY EQUIPMENT

Seat Safety Switch

Control Lever Safety Switch

Parking Brake Safety Switch

Foldable ROPS

PTO SYSTEM

Belt Driven

Dynamo-Electric clutch

MOWER DECK

48" Cutting Width

1-5" Cut Height, Adjustable

1/4" Increments

Flexible Discharge Cover

Fabricated 8 Gauge Steel

6" Deep Design

3 Blades

18,100-18,600 fpm Blade Tip Speed

Maintenance-Free Sealed Spindles

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE**
------------	-------------	------------------	------------------------

*** STANDARD MACHINE ***

Z723KH-48	Commercial Zero Turn Mower with ROPS 48" Mower Deck, KOHLER Engine		\$ 8,299.00
Z724XKW-48	Commercial Zero Turn Mower with ROPS 48" Mower Deck, KAWASAKI FX Engine		\$ 8,699.00

Replacement Tires and Wheels (price per piece)

K3831-18022	Front Tire Assembly Semi-pneumatic 13 x 6.5 - 6
K3831-17200	Rear 24 x 9.5 -12 Turf Tire Assembly

Order from Parts Department
Order from Parts Department

**Refer to Bulletin Number: DSB-2014-38 R4 for Promo Pricing

Z724-54 / Z724X-54

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Air-cooled, V-Twin Vertical Shaft

Z724KH-54

KOHLER Model GH730V

24 Gross HP @ 3600 rpm*

Displacement 747 cc

Z724XKW-54

KAWASAKI, Model FX GH735V

23.5 hp @ 3,600 RPM

Displacement 726 cc

TRANSMISSION

Parker Torqpack GT14

Integrated 14cc pump and wheel motor

Internal Parking Brake

Forward Speeds 0 - 11.2 mph

Reverse Speeds 0 - 5.6 mph

STEERING / MOTION CONTROL

(2) Hand Levers

Hydraulically Damped

FLUID CAPACITY

Fuel Tank 11.6 gal

Oil 2.2 qts

Transaxle 3.5 qts

TIRES AND WHEELS

Front Casters 13 x 5.0 - 6 Flat free

Rear 24 x 9.5 -12 Turf

DIMENSIONS

Height 69.9"

Length 83.9"

Width w/o deck 50.4"

Wheelbase 51"

OPERATING FEATURES

Zero Turn Radius

Foot Controlled Brake

Adjustable Levers and Mower Deck Lift Pedal

Cup Holder & Storage Compartments

Semi-pneumatic, Smooth, Flat free Front Tires

SAFETY EQUIPMENT

Seat Safety Switch

Control Lever Safety Switch

Parking Brake Safety Switch

Foldable ROPS

PTO SYSTEM

Belt Driven

Dynamo-Electric clutch

MOWER DECK

54" Cutting Width

1-5" Cut Height, Adjustable

1/4" Increments

Flexible Discharge Cover

Fabricated 8 Gauge Steel

6" Deep Design

3 Blades

18,100-18,600 fpm Blade Tip Speed

Maintenance-Free Sealed Spindles

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE**
---------------	-------------	---------------------	---------------------------

*** STANDARD MACHINE ***

Z724KH-54	Commercial Zero Turn Mower with ROPS 54" Mower Deck, KOHLER Engine		\$ 8,799.00
Z724XKW-54	Commercial Zero Turn Mower with ROPS 54" Mower Deck, KAWASAKI FX Engine		\$ 9,059.00

Replacement Tires and Wheels (price per piece)

K3831-18022	Front Tire Assembly Semi-pneumatic 13 x 6.5 - 6
K3831-17200	Rear 24 x 9.5 -12 Turf Tire Assembly

Order from Parts Department
Order from Parts Department

**Refer to Bulletin Number: DSB-2014-38 R4 for Promo Pricing

Z725-60 / Z726X-60

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Air-cooled, V-Twin Vertical Shaft

Z725KH-60

Model GH740V

25 Gross HP @ 3600 rpm*

Displacement 747 cc

Z726XKW-60

KAWASAKI, Model FX 860V

25.5 hp @ 3,600 RPM

Displacement 852 cc

TRANSMISSION

Parker Torqpack GT14

Integrated 14cc pump and wheel motor

Internal Parking Brake

Forward Speeds 0 - 11.2 mph

Reverse Speeds 0 - 5.6 mph

STEERING / MOTION CONTROL

(2) Hand Levers

Hydraulically Damped

FLUID CAPACITY

Fuel Tank 11.6 gal

Oil 2.4 qts

Transaxle 3.5 qts

TIRES AND WHEELS

Front Casters 13 x 6.5 - 6 Flat free

Rear 24 x 12 - 12 Turf

DIMENSIONS

Height 69.9"

Length 83.9"

Width w/o deck 54.7"

Wheelbase 51"

OPERATING FEATURES

Zero Turn Radius

Foot Controlled Brake

Adjustable Levers and Mower Deck Lift Pedal

Cup Holder & Storage Compartments

Semi-pneumatic, Smooth, Flat free Front Tires

SAFETY EQUIPMENT

Seat Safety Switch

Control Lever Safety Switch

Parking Brake Safety Switch

Foldable ROPS

PTO SYSTEM

Belt Driven

Dynamo-Electric clutch

MOWER DECK

60" Cutting Width

1-5" Cut Height, Adjustable

1/4" Increments

Flexible Discharge Cover

Fabricated 8 Gauge Steel

6" Deep Design

3 Blades

18,100-18,600 fpm Blade Tip Speed

Maintenance-Free Sealed Spindles

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE**
------------	-------------	------------------	------------------------

*** STANDARD MACHINE ***

Z725KH-60	Commercial Zero Turn Mower with ROPS 60" Mower Deck, KOHLER Engine	\$ 9,299.00
------------------	--	-------------

Z726XKW-60	Commercial Zero Turn Mower with ROPS 60" Mower Deck, KAWASAKI FX Engine	\$ 9,629.00
-------------------	---	-------------

Replacement Tires and Wheels (price per piece)

K3811-18022	Front Tire Assembly Semi-pneumatic 13 x 6.5 - 6	Order from Parts Department
-------------	---	-----------------------------

K3811-17200	Rear 24 x 12 -12 Turf Tire Assembly	Order from Parts Department
-------------	-------------------------------------	-----------------------------

**Refer to Bulletin Number: DSB-2014-38 R4 for Promo Pricing

Z700 Series Implements and Attachments

Z700 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Model	Z723-48 / Z724X-48	Z724-54 / Z724X-54	Z725-60 / Z726X-60
Implements			
3 Bag Grass Catcher	GCK48-700Z	GCK54-700Z	GCK60-700Z
Front Suitcase Weight (Requires 6)	G8103		
Replacement Deck	RCK48P-723Z	RCK54P-724Z	RCK60P-725Z
Blades*			
Replacement blade kit (3 blades)	5583-97530	5613-97530	5647-97530
Replacement blade (1 blade)	5583-34340	5613-34340	5647-34340
Mulching blade (1 blade)	5583-34350	5613-34350	5645-34342
Attachments			
Hitch	Z3308		
Halogen Work Lights (ROPS Mounted)**	Z3317		
LED Work Lights	Z3318		
Maintenance Lift Kit	Z3338		
Adapter Bracket -Maintenance Lift kit (use w/grass catcher)	Z1340		
Mulch Kit	Z3448	Z3454	Z3460
Operator Controlled Discharge Chute (OCDC)	Z3348	Z3354	Z3360
Replacement ROPS	SFZ-F726		
ROPS Organizer	E1184		
Seat Suspension Kit	Z3356A		
Tires*			
Front Semi-Pneumatic Caster Tire/Wheel Assembly*	K3831-18022	K3831-18022	K3811-18022
Rear Turf Tire/Wheel Assembly	K3831-17200	K3831-17200	K3811-17200

*Order through Parts Department

**Subject to availability.

Z700 Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHER			
GCK48-700Z	3 Bag, 10 Bushel Bagger	270	\$ 2,350.00
GCK54-700Z	3 Bag, 10 Bushel Bagger	270	\$ 2,350.00
GCK60-700Z	3 Bag, 11 Bushel Bagger	270	\$ 2,450.00
G8103	Front Suitcase Weights	25	\$ 37.00
MID-MOUNT MOWER DECK (REPLACEMENT)			
RCK48P-723Z	48" Fabricated Deck Assembly, Z700 Series 48" Deck		\$ 1,520.00
RCK54P-724Z	54" Fabricated Deck Assembly, Z700 Series 54" Deck		\$ 1,760.00
RCK60P-725Z	60" Fabricated Deck Assembly, Z700 Series 60" Deck		\$ 2,070.00
OPTIONAL / REPLACEMENT MOWER BLADES			
Deck Lift Assist Kit			
Z1340	Deck Lift Assist Kit	56	\$ 60.00
Hitch Kits			
Z3308	Towing Hitch for All Z700 Models	9	\$ 35.00
Work Lights			
Z3317*	Halogen Work Lights for All Z700 Models	4	\$ 133.00
Z3318	LED Work Lights for All Z700 Models	4	\$ 199.00
Maintenance Lift Kit			
Z3338	Maintenance Lift Kit for All Z700 Models	56	\$ 159.00
Z1340	Adapter Bracket, Maint. Lift kit (for use w/grass catcher)		\$ 60.00
Mulch Kits			
Z3448	Mulch Kit for Z700 Series 48" Deck	20	\$ 289.00
Z3454	Mulch Kit for Z700 Series 54" Deck	20	\$ 289.00
Z3460	Mulch Kit for Z700 Series 60" Deck	20	\$ 289.00
Operator Controlled Discharge Chute			
Z3348	OCD, Hand operated for Z700 Series 48" Deck	50	\$ 239.00
Z3354	OCD, Hand operated for Z700 Series 54" Deck	50	\$ 239.00
Z3360	OCD, Hand operated Z700 Series 60" Deck	50	\$ 239.00
Foldable ROPS			
SFZ-F726	Replacement ROPS Z700 Models	141	\$ 275.00
E1184	ROPS Organizer	141	\$ 57.00
Seat Suspension Kit			
Z3356A	Seat Suspension Kit for Z700 Series	20	\$ 399.00
SPARK ARRESTOR			
77700-06209	Spark Arrestor for Kohler models only.	Order from Parts Department	
77700-06208	Spark Arrestor Exhaust Diverter Elbow Diverter must be installed when using Grasscatcher.	Order from Parts Department	

*Subject to availability.

ZG222

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Kubota KGZ770-E2-M3
Overhead Valve - air cooled
2 Cylinders
+22 Gross HP @ 3600 rpm

FLUID CAPACITY

Fuel Tank 7.4 gal
Crankcase w/ Filter 1.9 qts
Transmission Case 7.9 qts
and Axle Gear

OPERATING FEATURES

Zero Turn Radius
Dual Element Air Filter
Hands-free Hydraulic Deck Lift
Hands-free Parking Brake
Cup Holder

TRANSMISSION

Hydrostatic Drive
(2) HST w/Gear Reduction
Brake - Wet Multi Disks
Forward Speeds 0 - 9 mph
Reverse Speeds 0 - 5 mph

TIRES AND WHEELS

Front 13 x 5.0 - 6 Turf
Rear 23 x 10.5 - 12 Turf

DIMENSIONS

Height 69.9"
Length (ZG222A-48S) 81.1"
(ZG222A-48) 82.4"
Width Overall 61.1"
Wheelbase 51.0"

STEERING / MOTION CONTROL

(2) Hand Levers
Hydraulically Damped

POWER TAKE OFF

Hydraulic Independent PTO
Shaft Drive Mower Deck
Wet Disk Clutch

SAFETY EQUIPMENT

Electric Key Shut Off
Control Lever Safety Switch
Parking Brake Safety Switch
Foldable ROPS

MOWERS

1-5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
3 Blades
ZG222A-48S, Stamped 10 Gauge,
5" Deep Design Deck
ZG222A-48, Fabricated 9 Gauge,
6" Deep Design Deck

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

*** STANDARD MACHINE ***

ZG222A-48S	Zero Turn Mower with ROPS 48" Mower (Stamped Deck)	1504	\$ 8,160.00
ZG222A-48	Zero Turn Mower with ROPS 48" PRO Commercial Mower Deck	1504	\$ 8,568.00
Replacement Tires and Wheels (price per piece)			
AZR8637	Front 13 x 5.00 - 6 Turf	10	\$ 57.00
AZR8633A	Rear 23 x 10.5 - 12 Turf	40	\$ 146.00

ZG227

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Kubota KGZ770-E2-M2
Overhead Valve - air cooled
2 Cylinders
+27 Gross HP @ 3600 rpm

FLUID CAPACITY

Fuel Tank	7.4 gal
Crankcase w/ Filter	2.1 qts
Transmission Case and Axle Gear	7.9 qts

OPERATING FEATURES

Zero Turn Radius
Dual Element Air Filter
Hands-free Hydraulic Deck Lift
Hands-free Parking Brake
Cup Holder

TRANSMISSION

Hydrostatic Drive
(2) HST w/Gear Reduction
Brake - Wet Multi Disks
Forward Speeds 0 - 9 mph
Reverse Speeds 0 - 5 mph

TIRES AND WHEELS

Front 13 x 5.0 - 6 Turf
Rear 23 x 10.5 - 12 Turf

DIMENSIONS

Height	69.9"
Length	
(ZG227A-54)	82.4"
(ZG227LA-60)	83.9"
Width Overall	
(ZG227A-54)	67.3"
(ZG227LA-60)	75.2"
Wheelbase	51.0"

SAFETY EQUIPMENT

Electric Key Shut Off
Control Lever Safety Switch
Parking Brake Safety Switch
Foldable ROPS

STEERING / MOTION CONTROL

(2) Hand Levers
Hydraulically Damped

POWER TAKE OFF

Hydraulic Independent PTO
Shaft Drive Mower Deck
Wet Disk Clutch

MOWERS

6" Deep, Fabricated Decks
1-5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
3 Blades
ZG227A-54, 8 Gauge, 54" Cut
ZG227LA-60, 8 Gauge, 60" Cut

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***			
ZG227A-54	Zero Turn Mower with ROPS 54" PRO Commercial Mower Deck	2042	\$ 9,894.00
ZG227LA-60	Zero Turn Mower with ROPS 60" PRO Commercial Mower Deck	1742	\$ 10,190.00
Replacement Tires and Wheels (price per piece)			
AZR8637	Front 13 x 5.00 - 6 Turf	10	\$ 57.00
AZR8633A	Rear 23 x 10.5 - 12 Turf	40	\$ 146.00

ZD221

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

3 Cylinder, Model # D782
+21 Gross HP @ 3200 rpm
47.5 cu. in. Displacement
12v 450 Amp Hr. Battery
14 Amps Charging Output

FLUID CAPACITY

Fuel Tank	6.1 gal
Engine Coolant	1.53 qts
Crankcase w/ Filter	3.7 qts
Transmission Case and Axle Gear	7.9 qts

OPERATING FEATURES

Zero Turn Radius
Dual Element Air Filter
Hands-free Hydraulic Deck Lift
Hands-free Parking Brake
Cup Holder

TRANSMISSION

Hydrostatic Drive
(2) HST w/Gear Reduction
Brake - Wet Multi Disks
Forward Speeds 0 - 9 mph
Reverse Speeds 0 - 5 mph

TIRES AND WHEELS

Front 13 x 5.0 - 6 Turf
Rear 23 x 10.5 - 12 Turf

SAFETY EQUIPMENT

Electric Key Shut Off
Control Lever Safety Switch
Parking Brake Safety Switch
Foldable ROPS

STEERING / MOTION CONTROL

(2) Hand Levers
Hydraulically Damped

DIMENSIONS

Height	69.9"
Length	83.9"
Width Overall	
(ZD221-48)	61.1"
(ZD221-54)	67.3"
Wheelbase	51.0"

POWER TAKE OFF

Hydraulic Independent PTO
Shaft Drive Mower Deck
Wet Disk Clutch

MOWERS

6" Deep, Fabricated Decks
1-5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
3 Blades
ZD221-48, 8 Gauge, 48" Cut
ZD221-54, 8 Gauge, 54" Cut

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

*** STANDARD MACHINE ***

ZD221-48	Zero Turn Mower with ROPS 48" PRO Commercial Mower Deck	1455	\$ 11,659.00
ZD221-54	Zero Turn Mower with ROPS 54" PRO Commercial Mower Deck	1587	\$ 11,863.00
Replacement Tires and Wheels (price per piece)			
AZR8637	Front 13 x 5.00 - 6 Turf	10	\$ 57.00
AZR8633A	Rear 23 x 10.5 - 12 Turf	40	\$ 146.00

Z200 Series Implements and Attachments

Z200 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Model	ZG222A	ZG227A	ZD221
Implements			
Grass Catcher -- GCK54-200ZB ①	X	X	X
48" Replacement Deck -- RCK48-222Z	ZG222A-48S	--	--
48" Replacement Deck -- RCK48P-222Z	ZG222A-48	--	ZD221-48
54" Replacement Deck -- RCK54P-227Z	--	ZG227A-54	ZD221-54
60" Replacement Deck -- RCK60P-227Z	--	ZG227LA-60	--
Attachments			
Mount Kit for use with GCK54-200ZA	--	--	ZD3154
Mount Kit for use with GCK54-200ZB	ZG3164	ZG3164	ZD3154
Blower Kit (for 48" Deck) -- ZD3140	ZG222A-48S	--	--
Blower Kit (for 48" Deck) -- ZD3141	ZG222A-48	--	ZD221-48
Blower Kit (for 54" Deck) -- ZG3152	--	ZG227A-54	ZD221-54
Blower Kit (for 60" Deck) -- ZG3162	--	ZG227LA-60	--
Weight Kit (for GCK54-200ZB) -- ZG3131	--	--	ZD221 (Below S/N 30001)
Weight Kit (for GCK54-200ZB) -- ZG3132	ZG222A-48S, ZG222A-48	ZG227A-54	ZD221 (Above S/N 30001)
Mulch Kit (for 48" Deck) -- ZG3049	ZG222A-48S	--	--
Mulch Kit (for 48" Deck) -- ZD3145	ZG222A-48	--	ZD221-48
Mulch Kit (for 54" Deck) -- ZG3156	--	ZG227A-54	ZD221-54
Mulch Kit (for 60" Deck) -- ZG3157	--	ZG227LA-60	--
Maintenance Lift Kit - ZG3127	X	X	X
Canopy, Deluxe Fiberglass -- E1123 ②	X	X	X
Work Light Kit - ZD3116A	X	X	X
ROPS Organizer -- E1184	X	X	X
SPARK ARRESTOR KIT -- ZG3123③	X	X	--
SPARK ARRESTOR KIT -- ZD3125	--	--	X
Foldable ROPS (replacement) - SFZD-F221	--	--	X
Foldable ROPS (replacement) - SFZG-F222	X	X	--
Foldable ROPS (replacement) - SFZG-F27A*	--	--	X
Tires (Replacement)			
AZR8637 Pneumatic, Front (13x5.0-6)	X	X	X
AZR8633A Turf, Rear (23x10.5-12)	X	X	X

① See Grass Catcher Matching Chart for necessary Weight Brackets, Mount Kits, and Blower Kits.

② Requires Canopy Mount Kit (E1124) for use with E1123 Deluxe Canopy.

③ ZG200A Series require additional ZG Adapter Kit (ZG3133).

Z200 Series Implements and Attachments

Z200 Series Grass Catchers											
	Grass Catcher		Blower Kit				Mount Kit			Weight Kit	
	GCK54-200ZA	GCK54-200ZB	ZD3140	ZD3141	ZG3152	ZG3162	ZG3144	ZD3154	ZG3164	ZG3131	ZG3132
ZG222A-48S		X	X						X		⑤
ZG222A-48		X		X					X		④
ZG227A-54		X			X				X		X
ZG227LA-60		X				X			X		
ZD221-48 ①		X		X				X			④
ZD221-54 ①		X			X			X			X
ZD221-48 ②	X	X		X				X		③	
ZD221-54 ②	X	X			X			X		③	

① ZD200 Models ABOVE S/N 30001

② ZD200 Models BELOW S/N 30001

③ Required only for GCK54-200ZB

④ Requires the addition of one (1) G8103 Suitcase Weights

⑤ Requires the addition of two (2) G8103 Suitcase Weights

Z200 Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHER			
GCK54-200ZB	2-Bag Grass Catcher, 8 bu. Capacity Fits Z200/Z200A Series 48", 54", & 60" decks May require Blower Kit, Weight Kit, & Mount Kit	270	\$ 703.00
BLOWER KIT, required for use with Grass Catcher			
ZD3140	48" Blower Kit for ZG222(A)-48S	61	\$ 609.00
ZD3141	48" Blower Kit for ZG222(A)-48 & ZD221-48	74	\$ 1,017.00
ZG3152	54" Blower Kit for ZG227(A)-54 & ZD221-54	75	\$ 1,017.00
ZG3162	60" Blower Kit for ZG227L(A)-60	78	\$ 1,232.00
MOUNT KIT, required for use with Grass Catcher			
ZG3144	Mount Kit for ZG200 Series w/ GCK54-200Z(A)(B)	20	\$ 352.00
ZG3164	Mount Kit for ZG200A Series w/ GCK54-200ZB	20	\$ 372.00
ZD3154	Mount Kit for ZD200 Series w/ GCK54-200Z(A)(B)	20	\$ 380.00
WEIGHT KIT, may be required for use with GCK54-200ZB Grass Catcher			
ZG3131	Weight kit for all ZG200, and ZD200 under S/N 30001 (ZG227L-60 does not require Weight Kit)	14	\$ 34.00
ZG3132	Weight kit for all ZG200A, and ZD200 over S/N 30001 (ZG227LA-60 does not require Weight Kit) **ZG3132 requires (2) G8103 Suitcase Weights	14	\$ 103.00
MULCH KIT			
ZG3049	48" Mulch Kit for ZG222(A)-48S	20	\$ 163.00
ZD3145	48" Mulch Kit for ZG222(A)-48 & ZD221-48	37	\$ 288.00
ZG3156	54" Mulch Kit for ZG227(A)-54 & ZD221-54	24	\$ 288.00
ZG3157	60" Mulch Kit for ZG227L(A)-60	37	\$ 309.00
OPTIONAL / REPLACEMENT MOWER BLADES			
K5575-97530	48" Stamped Deck Replacement Blade Set (3 blades)	Order from Parts Department	
K5575-97590	48" Stamped Deck Mulch Blade Set (3 blades)	Order from Parts Department	
K5576-97530	48" Pro Deck Replacement Blade Set (3 blades)	Order from Parts Department	
K5576-34340	48" Pro Deck Mulch Blade (1 blade)	Order from Parts Department	
K5619-97530	54" Pro Deck Replacement Blade Set (3 blades)	Order from Parts Department	
K5351-99040	54" Pro Deck Mulch Blade (1 blade)	Order from Parts Department	
K5647-97530	60" Pro Deck Replacement Blade Set (3 blades)	Order from Parts Department	
K5645-34340	60" Pro Deck Mulch Blade (1 blade)	Order from Parts Department	
MAINTENANCE LIFT KIT			
ZG3127	Fits all Z200(A) Series	14	\$ 129.00
CANOPY			
E1123	Canopy Sunshade (Deluxe Fiberglass)	90	\$ 322.00
E1124	Mounting Bracket for E1123	30	\$ 180.00
WORK LIGHT KIT			
ZD3116A	Work Light Kit (ROPS Mounted) Fits all Z-Series	10	\$ 112.00

* Subject to availability.

Z200 Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ROPS ORGANIZER			
E1184	Storage organizer (ROPS mounted) 5 protective pockets with zippers	TBA	\$ 57.00
MID MOUNT MOWERS (replacement)			
RCK48S-222Z	48" Stamped Deck, for ZG222(A)-48S	208	\$ 1,507.00
RCK48P-222Z	48" Fabricated Deck (Pro Commercial) for ZG222(A)-48 & ZD221-48	190	\$ 1,643.00
RCK54P-227Z	54" Fabricated Deck (Pro Commercial) for ZG227(A)-54 & ZD221-54	190	\$ 1,903.00
RCK60P-227Z	60" Fabricated Deck (Pro Commercial) for ZG227L(A)-60	190	\$ 2,233.00
SPARK ARRESTOR MUFFLER KIT			
ZG3123	Spark Arrestor Kit (screen type) Fits ZG200 Series **ZG200A Series require additional ZG3133 Adapter Kit	TBA	\$ 226.00
ZG3133	Adapter Kit required for ZG200A Models w/ ZG3123	TBA	\$ 20.00
ZD3125	Spark Arrestor (screen type) Fits ZD200 Series	TBA	TBA
FOLDABLE ROPS (replacement)			
SFZD-F221	Fits ZD200 Series (Supersedes SFZG-F27A)	TBA	\$ 350.00
SFZG-F222	Fits ZG200A Series (Evaporative Regulations)	TBA	\$ 350.00
SFZG-F27A*	Fits all Z200 Series	150	\$ 350.00

* Subject to availability.

ZG327

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Kubota KGZ770-E2-M1
Overhead Valve - air cooled
2 Cylinders
+27 Gross HP @ 3600 rpm

TRANSMISSION

Hydrostatic Drive
(2) HST w/Gear Reduction
Brake - Wet Multi Disks
Forward Speeds 0 - 10.6 mph
Reverse Speeds 0 - 5.3 mph

STEERING / MOTION CONTROL

(2) Hand Levers
Hydraulically Damped

POWER TAKE OFF

Hydraulic Independent PTO
Shaft Drive Mower Deck
Wet Disk Clutch

+ Manufacturer Estimate

FLUID CAPACITY

Fuel Tank	12.7 gal
Crankcase w/ Filter	2.1 qts
Transmission Case and Axle Gear	12.8 qts

TIRES AND WHEELS

Front 15 x 6.0 - 6, Flat Free
Rear 26 x 12.0 - 12 Turf

DIMENSIONS

Height	75.4"
Length	87.8"
Width Overall	
(ZG327PA-60)	75.2"
(ZG327RPA-60R)	63.1"
Wheelbase	55.5"

SAFETY EQUIPMENT

Electric Key Shut Off
Control Lever Safety Switch
Parking Brake Safety Switch
Foldable ROPS

OPERATING FEATURES

Zero Turn Radius
Dual Element Air Filter
Deluxe Suspension Seat
Hands-free Hydraulic Deck Lift
Hands-free Parking Brake
Cup Holder

SIDE DISCHARGE MOWER

60" PRO Commercial Deck
7 Gauge, 6.5" Deep Deck
1-5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
3 Blades

REAR DISCHARGE MOWER

60" Fabricated Deck
5.5" Deep Deck
1-5" Cut Height, Adjustable
1/4" Increments
3 Blades
Bolt-on Skid Bars

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

*** STANDARD MACHINE ***

ZG327PA-60	Zero Turn Mower with ROPS 60" PRO Commercial Mower Deck	1742	\$ 11,394.00
ZG327RPA-60R	Zero Turn Mower with ROPS 60" Rear Discharge Mower Deck	1742	\$ 11,725.00
Replacement Tires and Wheels (price per piece)			
AZR8638	Front 15 x 6.00 - 6 Semi-pneumatic, Flat-free	21	\$ 121.00
AZR8632A	Rear 26 x 12.0 - 12 Turf	44	\$ 182.00

ZG332

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Kubota WG972
Liquid Cooled
3 Cylinders
+32.5 Gross HP @ 3600 rpm

TRANSMISSION

Hydrostatic Drive
(2) HST w/Gear Reduction
Brake - Wet Multi Disks
Forward Speeds 0 - 10.6 mph
Reverse Speeds 0 - 5.3 mph

STEERING / MOTION CONTROL

(2) Hand Levers
Hydraulically Damped

POWER TAKE OFF

Hydraulic Independent PTO
Shaft Drive Mower Deck
Wet Disk Clutch

FLUID CAPACITY

Fuel Tank 12.7 gal
Crankcase w/ Filter 2.1 qts
Transmission Case 12.8 qts
and Axle Gear

TIRES AND WHEELS

Front 15 x 6.0 - 6, Flat Free
Rear 26 x 12.0 - 12 Turf

DIMENSIONS

Height 75.4"
Length (ZG332P-60/LP-72) 91.7" / 95.0"
Width (ZG332P-60/LP-72) 75.2" / 88.0"
Wheelbase 52.5" / 58.9"

SAFETY EQUIPMENT

Electric Key Shut Off
Control Lever Safety Switch
Parking Brake Safety Switch
Foldable ROPS

OPERATING FEATURES

Zero Turn Radius
Dual Element Air Filter
Deluxe Suspension Seat
Hands-free Hydraulic Deck Lift
Hands-free Parking Brake
Cup Holder

SIDE DISCHARGE MOWER

60" or 72" PRO Commercial Deck
7 Gauge, 6.5" Deep Deck
1-5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

*** STANDARD MACHINE ***

ZG332P-60	Zero Turn Mower with ROPS 60" PRO Commercial Mower Deck	1742	\$ 14,168.00
ZG332LP-72	* Zero Turn Mower with ROPS 72" PRO Commercial Mower Deck	1742	\$ 14,678.00

Replacement Tires and Wheels (price per piece)

AZR8638	Front 15 x 6.00 - 6 Semi-pneumatic, Flat-free	21	\$ 121.00
AZR8632A	Rear 26 x 12.0 - 12 Turf	44	\$ 182.00

* Subject to availability.

ZP330

*** EQUIPMENT IN STANDARD MACHINE ***

PROPANE ENGINE

Kubota WG972
Liquid Cooled
3 Cylinders
+31.0 Gross HP @ 3600rpm

TRANSMISSION

Hydrostatic Drive
(2)-HST w/Gear Reduction
Brake - Wet Multi Disc
Forward Speeds 0 – 10.6 mph
Reverse Speeds 0 – 5.3 mph

STEERING / MOTION CONTROL

(2) Hand Levers
Hydraulically damped

POWER TAKE OFF

Hydraulic Independent PTO
Shaft Drive Mower Deck
Wet Disk Clutch

FLUID CAPACITY

Dual Fuel Tank 33.5 lbs x 2 tanks
Crankcase w/ Filter 2.1 qts
Transmission Case 12.8 qts
and Axle Gear

TIRES AND WHEELS

Front: 15 x 6.0 - 6 Flat-Free
Rear: 26 x 12.0 - 12 Turf

DIMENSIONS

Height 75.4"
Length 91.7"
Width 75.2"
Wheel Base 55.5"

SAFETY EQUIPMENT

Electric Key Shut Off
Control Lever Safety Switch
Parking Brake Safety Switch
Foldable ROPS

OPERATING FEATURES

Zero Turn Radius
Dual Element Air Filter
Deluxe Suspension Seat
Hands-free Hydraulic Deck Lift
Hands-free Parking Brake
Cup Holder

SIDE DISCHARGE MOWER

60" or 72" PRO Commercial Deck
7 Gauge, 6.5" Deep Deck
1-5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

*** STANDARD MACHINE ***

ZP330P-60	Zero Turn Mower with ROPS 60" PRO Commercial Mower Deck	TBA	\$ 15,861.00
ZP330LP-72*	Zero Turn Mower with ROPS 72" PRO Commercial Mower Deck	TBA	\$ 16,422.00
Replacement Tires and Wheels (price per piece)			
AZR8638	Front 15 x 6.00 - 6 Semi-pneumatic, Flat-free	21	\$ 121.00
AZR8632A	Rear 26 x 12.0 - 12 Turf	44	\$ 182.00

* Subject to availability.

ZD323

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

3 Cylinder, Model # D902
+23 Gross HP @ 3200 rpm
54.8 cu. in. Displacement
12v 450 Amp Hr. Battery
14 Amps Charging Output

TRANSMISSION

Hydrostatic Drive
(2) HST w/Gear Reduction
Brake - Wet Multi Disks
Forward Speeds 0 - 9.3 mph
Reverse Speeds 0 - 5.2 mph

STEERING / MOTION CONTROL

(2) Hand Levers
Hydraulically Damped

FLUID CAPACITY

Fuel Tank	12.9 gal
Engine Coolant	3.96 qts
Crankcase w/ Filter	3.6 qts
Transmission Case and Axle Gear	12.8 qts

TIRES AND WHEELS

Front 15 x 6.0 - 6
Rear 26 x 12.0 - 12 (60" Deck)

DIMENSIONS

Height	75.4"
Length	87.4"
Width Overall	72.8"
Wheelbase	55.5"

POWER TAKE OFF

Hydraulic Independent PTO
Shaft Drive Mower Deck
Wet Disk Clutch

OPERATING FEATURES

Zero Turn Radius
Adj. Front Axle: Rigid/Oscillating
Dual Element Air Filter
Deluxe Suspension Seat
Hands-free Hydraulic Deck Lift
Hands-free Parking Brake
Cup Holder

SAFETY EQUIPMENT

Electric Key Shut Off
Control Lever Safety Switch
Parking Brake Safety Switch
Foldable ROPS

MOWER

PRO Commercial Deck
6.5" Deep Design (60" deck)
1-5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

*** STANDARD MACHINE ***

ZD323-60	Zero Turn Mower with ROPS 60" PRO Commercial Mower Deck	2064	\$ 13,872.00
Replacement Tires and Wheels (price per piece)			
AZR8636	Front 15 x 6.0 - 6 Turf	10	\$ 62.00
AZR8632A	Rear 26 x 12.0 - 12 Turf	44	\$ 182.00

ZD326

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

3 Cylinder, Model # D1005
+26 Gross HP @ 3200 rpm
61.1 cu. in. Displacement
12v 450 Amp Hr. Battery
14 Amps Charging Output

TRANSMISSION

Hydrostatic Drive
(2) HST w/Gear Reduction
Brake - Wet Multi Disks
Forward Speeds 0 - 9.3 mph (ZD326S)
0 - 10.6 mph (ZD326RP/P)
Reverse Speeds 0 - 5.2 mph (ZD326S)
0 - 5.3 mph (ZD326RP/R)

STEERING / MOTION CONTROL

(2) Hand Levers
Hydraulically Damped

POWER TAKE OFF

Hydraulic Independent PTO
Shaft Drive Mower Deck
Wet Disk Clutch

+ Manufacturer Estimate

FLUID CAPACITY

Fuel Tank 12.9 gal
Engine Coolant 3.96 qts
Crankcase w/ Filter 4.1 qts
Transmission Case 12.8 qts
and Axle Gear

TIRES AND WHEELS

Front 15 x 6.0 - 6 (ZD326S)
Front 15 x 6.0 - 6 Flat-free (ZD326RP/P)
Rear 26 x 12.0 - 12

DIMENSIONS

Height 75.4"
Length 87.4"
Width Overall (ZD326S/P) 75.2"
(ZD326RP) 63.1"
(ZD326H) 88"
Wheelbase 55.5"

SAFETY EQUIPMENT

Electric Key Shut Off
Control Lever Safety Switch
Parking Brake Safety Switch
Foldable ROPS

OPERATING FEATURES

Zero Turn Radius
Adj. Front Axle: Rigid/Oscillating
Dual Element Air Filter
Deluxe Suspension Seat
Hands-free Hydraulic Deck Lift
Hands-free Parking Brake
Cup Holder

SIDE DISCHARGE MOWER

60" PRO Commercial Deck
7 Gauge, 6.5" Deep Deck
1-5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
3 Blades

REAR DISCHARGE MOWER

60" Fabricated Deck
5.5" Deep Deck
1-5" Cut Height, Adjustable
1/4" Increments
3 Blades
Bolt-on Skid Bars

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

*** STANDARD MACHINE ***

ZD326S-60	Zero Turn Mower with ROPS 60" PRO Commercial Mower Deck	2042	\$ 14,586.00
ZD326P-60	Zero Turn Mower with ROPS 60" PRO Commercial Mower Deck	2200	\$ 14,892.00
ZD326RP-60R	Zero Turn Mower with ROPS 60" Rear Discharge Mower Deck	2200	\$ 14,898.00
ZD326HL-72	Zero Turn Mower with ROPS 72" PRO Commercial Mower Deck		\$ 15,677.00
Replacement Tires and Wheels (price per piece)			
AZR8636	Front 15 x 6.0 - 6 Turf (ZD326S)	10	\$ 62.00
AZR8638	Front 15 x 6.0 - 6 Semi-pneumatic, Flat-free (ZD326RP/P)	21	\$ 121.00
AZR8632A	Rear 26 x 12.0 - 12 Turf	44	\$ 182.00

ZD331

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

3 Cylinder, Model # D1305
+31 Gross HP @ 3000 rpm
77.0 cu. in. Displacement
12v 450 Amp Hr. Battery
14.5 Amps Charging Output

TRANSMISSION

Hydrostatic Drive
(2) HST w/Gear Reduction
Brake - Wet Multi Disks
Forward Speeds 0 - 10.6 mph
Reverse Speeds 0 - 5.3 mph

STEERING / MOTION CONTROL

(2) Hand Levers
Hydraulically Damped

SAFETY EQUIPMENT

Electric Key Shut Off
Control Lever Safety Switch
Parking Brake Safety Switch
Foldable ROPS

FLUID CAPACITY

Fuel Tank 12.9 gal
Engine Coolant 3.96 qts
Crankcase w/ Filter 6.0 qts
Transmission Case 12.8 qts
and Axle Gear

TIRES AND WHEELS

Front 15 x 6.0 - 6 Flat-free
Rear 26 x 12.0 - 12

DIMENSIONS

Height	75.4"
Length	
(ZD331RP/P)	87.4"
(ZD331LP)	91.9"
Width Overall	
(ZD331RP)	63.1"
(ZD331P)	75.2"
(ZD331LP)	87.6"
Wheelbase	
(ZD331RP/P)	55.5"
(ZD331LP)	59.8"

POWER TAKE OFF

Hydraulic Independent PTO
Shaft Drive Mower Deck
Wet Disk Clutch

OPERATING FEATURES

Zero Turn Radius
Adj. Front Axle: Rigid/Oscillating
Dual Element Air Filter
Deluxe Suspension Seat
Hands-free Hydraulic Deck Lift
Hands-free Parking Brake
Cup Holder

SIDE DISCHARGE MOWER

PRO Commercial Deck (60" & 72")
7 Gauge, 6.5" Deep Deck
1-5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
3 Blades

REAR DISCHARGE MOWER

60" Fabricated Deck
5.5" Deep Deck
1-5" Cut Height, Adjustable
1/4" Increments
3 Blades
Bolt-on Skid Bars

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

*** STANDARD MACHINE ***

ZD331LP-72	Zero Turn Mower with ROPS 72" PRO Commercial Mower Deck	2450	\$ 17,178.00
-------------------	---	------	--------------

Replacement Tires and Wheels (price per piece)

AZR8638	Front 15 x 6.0 - 6 Flat-Free	21	\$ 121.00
AZR8632A	Rear 26 x 12.0 - 12 Turf	44	\$ 182.00

Z300 Series Implements and Attachments

Z300 SERIES IMPLEMENT AND ATTACHMENT MATCHING CHART

GRASS COLLECTION SYSTEMS	ZG327PA-60	ZG332P-60	ZG332LP-72	ZP330-60/72	ZD323-60	ZD326S/P-60	ZD326HL-72	ZD331-72
GRASS CATCHER BAGGER STYLE	GCK60-331ZA	GCK60-331ZA			GCK60-331ZA	GCK60-331ZA		
Blower Kit	ZD3163	ZD3163			ZD3163	ZD3163		
Mount Kit		ZG3174						
Weight Kit	ZG3134	ZG3134						
Suitcase Weight		G8103 (2)						
GRASS CATCHER HOPPER STYLE	GCK60H-300Z	GCK60H-332Z	GCK72H-332Z		GCK60H-300Z	GCK60H-300Z		GCK72H-300Z
Blower Kit	ZD3163	ZD3163	ZG3172		ZD3163	ZD3163		
Mount Kit					ZD3121	ZD3121		
Weight Kit	ZG3126							
Suitcase Weight	G8103 (4)	G8103 (6)	G8103 (4)					
Boss Kit								ZD3128 ①
MOWER DECKS & MULCH KITS	ZG327PA-60	ZG332P-60	ZG332LP-72	ZP330-60/72	ZD323	ZD326	ZD326HL-72	ZD331-72
60" Replacement Deck	RCK60P-327Z	RCK60P-327Z		RCK60P-327Z	RCK60P-331Z	RCK60P-331Z		
Mulch Kit 60" Deck	ZD3165	ZD3165		ZD3165	ZD3165	ZD3165		
60" Replacement Deck -Rear Disch.	RCK60R-331Z					RCK60R-331Z		
Mulch Kit 60" Rear Disch. Deck	F5266					F5266		
72" Replacement Deck			RCK72P-332Z	RCK72P-332Z			TBA	RCK72P-331Z
Mulch Kit 72" Deck			ZD3175	ZD3175			F5372	ZD3175
ATTACHMENTS	ZG327PA-60	ZG332P-60	ZG332LP-72	ZP330-60/72	ZD323-60	ZD326-60	ZD326HL-72	ZD331-72
Canopy - Plastic	E1133	E1133	E1133	E1133	E1133	E1133	E1133	E1133
Canopy, Deluxe - Fiberglass	E1123	E1123	E1123	E1123	E1123	E1123	E1123	E1123
Canopy, Deluxe - Mount Kit③	E1124	E1124	E1124	E1124	E1124	E1124	E1124	E1124
Front Push Blade	ZD3110	ZD3110	ZD3110	ZD3110	ZD3110	ZD3110	ZD3110A	ZD3110
Maintenance Lift Kit	ZG3137	ZG3137	ZG3138	ZG3137 -60" ZP3147 -72"				
ROPS, Foldable (Replacement)	SFZG-F31	SFZG-F31	SFZG-F31	SFZP-F330	SFZD-F31	SFZD-F31	SFZD-F31	SFZD-F31
ROPS Organizer	E1184	E1184	E1184	E1184				
Rear Weight Bracket							ZD3124 ②	ZD3124②
Spark Arresting Muffler Kit	ZG3123	ZG3123	ZG3123		ZD3125	ZD3125	ZD3125	ZD3125
Spark Arrester Kit m	ZG3133							
Stripe Kit	ZD3122	ZD3122	ZD3122	ZD3122	ZD3122	ZD3122		ZD3122
Work Light Kit	ZD3116A	ZD3116A	ZD3116A	ZD3116A	ZD3116A	ZD3116A	ZD3116A	ZD3116A
TIRES (REPLACEMENT)	ZG327PA-60	ZG332P-60	ZG332LP-72	ZP330-60/72	ZD323-60	ZD326-60	ZD326HL-72	ZD331-72
Full Pneumatic Front Tire								
Front Pneumatic 15 x 6 x 6.5					AZR8636	AZR8636 (S)		
Front Semi-Pneumatic 15 x 6 x 6.5	AZR8638	AZR8638	AZR8638	AZR8638		AZR8636 (P)	AZR8638	AZR8638
Rear Turf 26 x 12 x 12	AZR8532	AZR8532	AZR8532	AZR8532	AZR8532	AZR8532	AZR8632A	AZR8532

①Boss Kit ZD3128 is required for decks below #30375 (See PSB-2010-009)

②Rear Weight Kit ZD3124 requires G8103 Suitcase Weights

③Canopy Mount Kit (E1124) is required for use with E1123 Deluxe Canopy

Z300 Series Implements and Attachments

Model	ZG327*	ZG327A	ZG332	ZP330	ZD321*	ZD323	ZD326	ZD331
Tires (Replacement)								
AZR8636 Pneumatic, Front (15x6.0-6.5)	--	--	--	--	X	X	ZD326S-60	--
AZR8638 Semi-Pneumatic, Front (15x6.0-6.5)	X	X	X	X	--	--	ZD326P-60 ZD326RP-60R	X
AZR8634 Turf, Rear (26x10.5-12)	--	--	--	--	ZD321N-54	--	--	--
AZR8532 Turf, Rear (26 x 12.0-12)	X	X	X	X	ZD321-60	X	X	X

* Subject to availability

Z300 Series Grass Catchers					
GCK60-331ZA	Blower Kit			Mount / Weight Kit	
	ZD3151	ZD3161	ZD3163	ZG3174	ZG3134
ZG327P-60*		(1)	X		
ZG327PA-60		(1)	X		X
ZG332P-60		(1)	X	X	(2)
ZD321N-54*	X				
ZD321-60*		(1)			
ZD323-60		(1)	X		
ZD326S/P-60		(1)	X		
ZD331P-60		(1)	X		
(1) ZD3161 will be replaced by ZD3163					
(2) Requires the addition of two G8103 Suitcase Weights					
* Subject to availability					

Z300 Series Hopper Style Grass Catchers									
	GCK60H-300Z	GCK60H-332Z	GCK72H-300Z	GCK72H-332Z	Blower Kit			Weight & Mount Kits	
					ZD3161	ZD3163	ZG3172	ZD3121	G8103
ZG327P(A)-60	X				(1)	X		X	(4)
ZG332P-60		X				X			(6)
ZG332LP-72				X			X		(4)
ZD323-60	X				(1)	X		X	
ZD326S/P-60	X				(1)	X		X	
ZD331P-60	X				(1)	X		X	
ZD331LP-72			(2)						

(1) ZD3161 will be replaced by ZD3163 (updated Blower Kit includes Steel Impeller)

(2) GCK72H-300Z is available for ZD331LP-72

GCK72H-300Z contains Blower & Mount Kit, requires no additions

Boss Kit ZD3128 is required for decks below #30375 (See PSB-2010-009)

(4) Requires addition of four G8103 Suitcase Weights

(6) Requires addition of six G8103 Suitcase Weights

Z300 Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHERS			
GCK60-331ZA	2-Bag / 1-Tray Grass Catcher, 12.2 bu. Capacity Fits ZG/ZD300(A) Series 54" and 60" Decks May require Blower Kit, Weight Kit, & Mount Kit	270	\$ 1,130.00
GCK60H-300Z	Hopper Style Grass Catcher, 11.4 bu. Capacity Fits ZD323, ZD326S/P, ZG327P(A), & ZD331P, w/ 60" Decks ***May require Blower Kit and Weight / Mount Kit	270	\$ 1,957.00
GCK60H-332Z	Hopper Style Grass Catcher, 11.4 bu capacity Fits ZG332P-60, requires Blower Kit and Weights	270	\$ 2,500.00
GCK72H-300Z	Hopper Style Grass Catcher, 11.4 bu. Capacity Fits ZD331LP-72 Includes Blower Kit and Mount Kit ***May require ZD3128 Boss KIT. See PSB-2010-009	450	\$ 3,887.00
GCK72H-332Z	Hopper Style Grass Catcher, 11.4 bu. Capacity Fits ZG332LP-72, requires Blower Kit	270	\$ 2,522.00
Boss KIT, may be required for use with GCK72H-300Z Grass Catcher (See PSB-2010-009)			
ZD3128	Boss Kit, 72" mower deck for mounting Blower Unit	10	\$ 20.00
BLOWER KIT, required for use with Grass Catcher			
ZD3151	54" Blower Kit for ZD321N-54 (with RCK54 below serial number 30000)	80	\$ 1,437.00
ZG3152	54" Blower Kit for ZD321N-54 (with RCK54 above serial number 30001)	TBA	\$ 1,017.00
ZD3163	60" Blower Kit for ZD323, ZD326, ZG327(A), ZD331, ZG332, and ZP330 (Steel Impeller Fan)	78	\$ 1,582.00
ZG3172	72" Blower Kit for ZG332LP-72	75	\$ 1,695.00

Z300 Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
MOUNT KIT, may be required for use with Grass Catcher			
ZG3174	Mount Kit for ZG332P-60 w/ GCK60-331ZA ***Requires (2) G8103 Suitcase Weights	20	\$ 102.00
ZD3121	Mount Kit for ZD323, ZD326, or ZD331 w/ GCK60H-300Z	103	\$ 390.00
WEIGHT KIT, may be required for use with Grass Catcher			
ZG3134	Weight Kit required for use w/ GCK60-331ZA on ZG327PA & ZG332P-60. Addition of (2) G8103 Suitcase Weights also required for ZG332P-60.	14	\$ 121.00
ZG3126	Weight Kit for ZG327(A) models w/ GCK60H-300Z. Kit includes Weight Bracket ***Requires (4) G8103 Suitcase Weights	14	\$ 391.00
G8103	Single Suitcase Weight	25	\$ 37.00
MULCH KIT			
ZD3155	54" Mulch Kit for ZD321N-54	37	\$ 288.00
ZD3165	60" Mulch Kit for ZD321-60, ZD323-60, ZP330P-60, ZD326S-60, ZD326P-60, ZG327P(A)-60, ZD331P-60, ZG332P-60	46	\$ 309.00
F5266	60" Mulch Kit for ZD326RP-60R, ZG327RP(A)-60R, & ZD331RP-60R	66	\$ 321.00
ZD3175	72" Mulch Kit for ZD331P-72, ZP330LP-72, and ZG332LP-72	56	\$ 332.00
OPTIONAL / REPLACEMENT MOWER BLADES			
K5619-97530	54" Standard Replacement Blade Set (3 blades)	Order from Parts Department	
K5647-97530	60" Standard Replacement Blade Set (3 blades)	Order from Parts Department	
K5645-97530	60" Rear Discharge Replacement Blade Set (3 blades)	Order from Parts Department	
K5677-97530	72" Standard Replacement Blade Set (3 blades)	Order from Parts Department	
K5615-34340	54" Replacement Mulch Blade (1 blade)	Order from Parts Department	
K5645-34340	60" Replacement Mulch Blade (1 blade)	Order from Parts Department	
K5647-97590	60" Rear Discharge Mulch Blade Set (3 blades)	Order from Parts Department	
K5698-34340	72" Replacement Mulch Blade (1 blade)	Order from Parts Department	

Z300 Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
MAINTENANCE LIFT KIT			
ZG3137	Fits all ZG327(A), ZG332, ZP330P-60 Models *Applications on ZG332LP-72 require ZG3138 Bracket	14	\$ 134.00
ZG3138	Fit ZG332LP-72	14	\$ 267.00
ZP3147	Fit ZP330LP-72	TBA	\$ 259.00
CANOPY			
E1133	Canopy Sunshade, includes mount (Plastic, Orange)	63	\$ 437.00
E1123	Canopy Sunshade (Deluxe Fiberglass, Orange)	90	\$ 322.00
E1124	Mounting Bracket for E1123	30	\$ 180.00
WORK LIGHT KIT			
ZD3116A	Work Light Kit (ROPS Mounted) Fits all Z-Series	10	\$ 112.00
STRIPE KIT			
ZD3122	Fits all Z300 Series with side discharge mounted decks	54	\$ 394.00
FRONT BLADE			
ZD3110A	Fits all Z300 Series	177	\$ 675.00
REAR WEIGHT BRACKET			
ZD3124	For ZD331P-72 (requires G8103, maximum 4)	30	\$ 91.00
G8103	Single Suitcase Weight	25	\$ 37.00
MID MOUNT MOWERS (replacement)			
RCK54P-321Z	54" Fabricated Deck (Pro Commercial) for ZD321N-54	190	\$ 2,055.00
RCK60P-327Z	60" Fabricated Deck (Pro Commercial) for ZG327P(A)-60, ZG323P-60, ZP330P-60	190	\$ 2,336.00
RCK60P-331Z	60" Fabricated Deck (Pro Commercial) for ZD321-60, ZD323-60, ZD326S-60, ZD326P-60, & ZD331P-60	190	\$ 2,336.00
RCK60R-331Z	60" Rear Discharge Deck for ZD326RP-60R, ZG327RP(A)-60R, & ZD331RP-60R	190	\$ 3,315.00
RCK72P-331Z	72" Fabricated Deck (Pro Commercial) for ZD331LP-72, ZP330LP-72	190	\$ 2,896.00
RCK72P-332Z	72" Fabricated Deck (Pro Commercial) for ZG332LP-72	190	\$ 2,896.00
SPARK ARRESTOR MUFFLER KIT			
ZD3125	Screen Type Spark Arrestor. Fits ZD300 Series	TBA	TBA
ZG3123	Screen Type Spark Arrestor. Fits ZG300 Series. ZG300A Series require additional ZG3133 Adapter Kit	78	\$ 226.00
ZG3133	Adapter Kit, required for ZG300A Models w/ ZG3123	TBA	\$ 20.00
FOLDABLE ROPS (replacement)			
SFZG-F300	Fits ZG300A Series (Evaporative Regulations)	162	\$ 385.00
SFZG-F332	Fits ZG332 Series	150	\$ 393.00
SFZD-F31	Fits ZD300 Series	150	\$ 385.00
SFZG-F31	Fits ZG300 Series	150	\$ 385.00
ROPS ORGANIZER			
E1184	Storage organizer (ROPS mounted) 5 protective pockets with zippers	TBA	\$ 57.00

This page intentionally left blank.

F2690E

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model #D1105
3 Cyl., 1123 cu. cm.
+25.5 Gross Eng. HP
@3000 Eng. RPM
CARB Certified
Alternator -- 40 Amps
Hand Throttle
Dual Element Air Cleaner

OPERATING FEATURES

Tilt Steering Wheel
Power Steering
Deluxe Suspension Seat
w/ 4 Adj. Controls

HYDRAULICS

Open Center -- Gear Type
2 Point Hitch Lift
Cap. at Lift Point -- 573 lbs
8.6 GPM Hyd. Pump Cap.
6 GPM Remote Outlet

HYD. INDEPENDENT PTO

Hyd. Multi-Disc PTO
Single Speed PTO
2545 rpm @ 3000 Eng. rpm

FLUID CAPACITY

Fuel Tank	16.1 gal
Cooling System	4.9 qts
Engine Oil	3.7 qts
Transmission and Hydraulics	14.8 qts

TIRES AND WHEELS

Front 23 x 10.5 - 12 Multi-Trac C/S
Rear 16 x 6.5 - 8 Multi-Trac C/S

TRANSMISSION

Hydrostatic Drive (F2/R2)
Forward Speed -- 0 - 12.0 mph
Reverse Speed -- 0 - 6.2 mph
Front Differential Lock

INSTRUMENTS

Liquid Chrystal Display (LCD) Panel
Hour Meter
Electric Fuel Gauge
Temperature Gauge
Easy Checker™
Oil Light
Charge Light
Glow Plug Light

SAFETY EQUIPMENT

2 Post Foldable ROPS w/
Retractable Sear Belt
ROPS meet ISO and OSHA
Safety Start Switch
Operator Presence Control
Parking Brake
Overheat Alarm Buzzer

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

*** STANDARD MACHINE ***

F2690E	2WD FRONT MOWER w/ ROPS		\$ 16,860.00
	(Tires and Mower Decks must be ordered separately)		(w/Std. tires and ROPS)

F2690E		Price with Tire Option		
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	APPROX SHIP WT.	SUGGESTED LIST PRICE	SUGG. LIST
AF9364	** Front TIRE 23x10.5-12 R3 TF Steel Bias BB	34	\$ 117.00	\$ 16,860.00
AF8603	** Rear TIRE 16x6.5-8 R3 TF Steel Bias BB	14	\$ 65.00	

** Standard tires.

F2690

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model #D1105
3 Cyl., 1123 cu. cm.
+25.5 Gross Eng. HP
@3000 Eng. RPM
CARB Certified
Alternator -- 40 Amps
Hand Throttle
Dual Element Air Cleaner

OPERATING FEATURES

Tilt Steering Wheel
Power Steering
Deluxe Suspension Seat
w/ 4 Adj. Controls

HYDRAULICS

Open Center -- Gear Type
2 Point Hitch Lift
Cap. at Lift Point -- 573 lbs
8.6 GPM Hyd. Pump Cap.
6 GPM Remote Outlet

HYD. INDEPENDENT PTO

Hyd. Multi-Disc PTO
Single Speed PTO
2545 rpm @ 3000 Eng. rpm

FLUID CAPACITY

Fuel Tank	16.1 gal
Cooling System	4.9 qts
Engine Oil	3.7 qts
Transmission and Hydraulics	14.8 qts

TIRES AND WHEELS

Front 24 x 12 - 12 Multi-Trac C/S
Rear 18 x 9.5 - 8 Multi-Trac C/S

TRANSMISSION

Hydrostatic Drive (F2/R2)
Forward Speed -- 0 - 12.5 mph
Reverse Speed -- 0 - 6.8 mph
Front Differential Lock

INSTRUMENTS

Liquid Crystal Display (LCD) Panel
Hour Meter
Electric Fuel Gauge
Temperature Gauge
Easy Checker™
Oil Light
Charge Light
Glow Plug Light

SAFETY EQUIPMENT

2 Post Foldable ROPS w/
Retractable Seat Belt
ROPS meet ISO and OSHA
Safety Start Switch
Operator Presence Control
Parking Brake
Overheat Alarm Buzzer

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

*** STANDARD MACHINE ***

F2690	4WD FRONT MOWER w/ ROPS	\$ 19,530.00
	(Tires and Mower Decks must be ordered separately)	(w/Std. tires and ROPS)

F2690		Price with Tire Option		
TIRES AND WHEELS (priced per piece)		APPROX SHIP WT.	SUGGESTED LIST PRICE	SUGG. LIST
AR8641	** Front TIRE 24x12-12 R3 TF Steel Bias BB	34	\$ 190.00	\$ 19,530.00
AF9398A	** Rear TIRE 18x9.5-8 R3 TF Steel Bias AA	14	\$ 83.00	

** Standard tires.

F3990

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model #V1505T-IDI+DPF
4 Cyl., 1498 cu. cm.
+39 Gross Eng. HP
@3000 Eng. RPM
CARB Certified
Alternator -- 60 Amps
Hand Throttle
Dual Element Air Cleaner

OPERATING FEATURES

Tilt Steering Wheel
Power Steering
Deluxe Suspension Seat
w/ 4 Adj. Controls

HYDRAULICS

Open Center -- Gear Type
2 Point Hitch Lift
Cap. at Lift Point -- 573 lbs
8.6 GPM Hyd. Pump Cap.
6 GPM Remote Outlet

HYD. INDEPENDENT PTO

Hyd. Multi-Disc PTO
Single Speed PTO
2583 rpm @ 2500 Eng. rpm

FLUID CAPACITY

Fuel Tank	16.1 gal
Cooling System	3.9 qts
Engine Oil	5 qts
Transmission and Hydraulics	14.8 qts

TIRES AND WHEELS

Front 24 x 12 - 12 Multi-Trac C/S
Rear 18 x 9.5 - 8 Multi-Trac C/S

TRANSMISSION

Hydrostatic Drive (F2/R2)
Forward Speed -- 0 - 12.5 mph
Reverse Speed -- 0 - 6.8 mph
Front Differential Lock

INSTRUMENTS

Liquid Chrystal Display (LCD) Panel
Hour Meter
Electric Fuel Gauge
Temperature Gauge
Easy Checker™
Oil Light
Charge Light
Glow Plug Light

SAFETY EQUIPMENT

2 Post Foldable ROPS w/
Retractable Seat Belt
ROPS meet ISO and OSHA
Safety Start Switch
Operator Presence Control
Parking Brake
Overheat Alarm Buzzer

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

*** STANDARD MACHINE ***

F3990	4WD FRONT MOWER w/ ROPS (Tires and Mower Decks must be ordered separately)	\$ 23,470.00 (w/Std. tires and ROPS)
--------------	--	---

F3990					
TIRES AND WHEELS (priced per piece)		Price with Tire Option			
ORDER CODE	DESCRIPTION	APPROX SHIP WT.	SUGGESTED LIST PRICE		SUGG. LIST
AR8641	** Front TIRE 24x12-12 R3 TF Steel Bias BB	34	\$ 190.00		\$ 23,470.00
AF9398A	** Rear TIRE 18x9.5-8 R3 TF Steel Bias AA	14	\$ 83.00		

** Standard tires.

F Series Implement Matching Chart

Model	F2690E	F2690	F3990
Implements			
60" Side Discharge Mower		RCK60P-F39	
60" Rear Discharge Mower		RCK60R-F36	
72" Side Discharge Mower		RCK72P-F39	
72" Rear Discharge Mower		RCK72R-F36	
100" Flex Mower Deck④⑤	---	---	RCL100F-F36
Low Dump Hopper Style Grass Catcher/F90 ①②		GCK72-F39	
Front Debris Blower (Quick Attach Style) ①		F2535D	
Front Blade (Quick Attach Style) ①		B2765A	
Front Rotary Sweeper (Quick Attach Style) ①		L2163	
Front Snowblower (Quick Attach Style) ①		F5220B	
Attachments			
Deluxe Hard Cab, ③④		F5206	
Canopy / 2 Post ROPS		E1133	
Cruise Control		F8281	
Hazard Light Kit ④		F8271	
Mulching Kit 60" Side Discharge		ZG3157	
Mulching Kit 60" Rear Discharge		F5266	
Mulching Kit 72" Side Discharge		F5372	
Mulching Kit 72" Rear Discharge		F5276	
Replacement Seat		F8280R	
Replacement ROPS		SFF-F36	
ROPS Organizer		E1184	
Tachometer, Engine		STANDARD	
Turn Assist Brakes ④			
Worklight Kit (ROPS Mounted) ④			
Tires (Replacement)			
AF9364 - Front 23 x 10.5 - 12 Multi-Trac C/S	AF9364	--	--
AF8603 - Rear 16 x 6.50 - 8 Multi-Trac C/S	AF8603	--	--
AF8641 - Front 24 x 12 - 12 Pro-Tech Turf	--	AF8641	AF8641
AF9398A - Rear 18 x 9.5 - 8 Turf Trac R/S	--	AF9398	AF9398

① Additional Kits are required for mounting. (Please see Implement Section.) F8284 Second Auxiliary Hydraulic

② Not compatible with Hard Cab F5205 or F5206.

③ Not compatible with F8282 Turn Assist Brakes.

④ Not compatible with Grass Catcher GCK72-F36 or GCK72-F39.

⑤ Requires F8283 Hydraulic Valve Kit, F5216 Hyd Hose Kit, (5) M8701 Suitcase Weights and M8703 Bolt/Bar Kit.

F Series Grass Catcher Matching Chart

	Deck Size	Model	Grass Catcher	Boot kit	Mount Kit	Hydraulic Valve
F80 Series	60"	F2680	GCK72-F36 or GCK72-F39 (requires F5326 mount kit)	F8286	<i>F5326 required ONLY with GCK72-F39</i>	F8283
		F3080				
		F3680				
	72"	F2680		F8287		
		F3080				
		F3680				
F90 Series	60"	F2690E	GCK72-F39	F8288	F5326	F8283
		F2690			F5339	
		F3990				
	72"	F2690E		F8289	F5326	
		F2690			F5339	
		F3990				

- NOTE:
1. Grass Catcher is not compatible with Rear Discharge Decks.
 2. Grass Catcher is not compatible with Hard Cabs.
 3. Requires F8284 Seond Auziliary Hydraulic Valve Kit if used in confunction with a front mounted implement
 4. Grass catchers on lower hp units with larger decks will perform best in mild, flat mowing conditions.

F Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT MOUNT MOWERS			
RCK60P-F39	60" Cutting Width, HiPro3 Standard Side Discharge Deck. Fits all F90 Series, 3 – Blade Mower / RH Discharge / Shaft Drive / Quick Mount Mechanism	489	\$ 3,455.00
RCK72P-F39	72" Cutting Width, HiPro3 Standard Side Discharge Deck. Fits all F90 Series, 3 – Blade Mower / RH Discharge / Shaft Drive / Quick Mount Mechanism	571	\$ 4,385.00
RCK60P-F36	60" Cutting Width, HiPro3 Standard Side Discharge Deck. Fits all F80 Series, 3 – Blade Mower / RH Discharge / Shaft Drive / Quick Mount Mechanism	489	\$ 3,240.00
RCK60R-F36	60" Cutting Width, Fabricated Rear Discharge Deck. Fits all F80 Series, 3 – Blade Mower / Rear Discharge / Shaft Drive / Quick Mount Mechanism	494	\$ 3,315.00
RCK72P-F36	72" Cutting Width, HiPro3 Standard Side Discharge Deck. Fits all F80 Series, 3 – Blade Mower / RH Discharge / Shaft Drive / Quick Mount Mechanism	571	\$ 4,170.00
RCK72R-F36	72" Cutting Width, Fabricated Rear Discharge Deck. Fits all F80 Series, 3 – Blade Mower / Rear Discharge / Shaft Drive / Quick Mount Mechanism	541	\$ 4,246.00
RCL100F-F36	100" Cutting Width, Contour Flex Mower Deck rear discharge, compatible ONLY w/ F3680 & F3990, five 21" deck pan design, Shaft Drive / Belt Driven Decks includes rear weight bracket and front lower links Requires F8283 Hydraulic Valve Kit, F5216 Hydraulic Hose Kit, (5) M8071 Suitcase Weights, and M8073 Bolt Bar Kit. Not compatible with F5205 Deluxe Cab	TBA	\$ 16,254.00
PERFORMANCE BAFFLE KITS - Fine Cut			
F5267	Baffle Kit for RCK60P-F36	14	\$ 74.00
F5277	Baffle Kit for RCK72P-F36	16	\$ 79.00
Note: Performance Baffle Kits are not available for Rear Discharge Decks			
MULCHING KITS, include mulching blades			
F5265	Mulching Kit for RCK60P-F36	42	\$ 257.00
F5266	Mulching Kit for RCK60R-F36	66	\$ 321.00
F5275	Mulching Kit for RCK72P-F36	42	\$ 279.00
F5276	Mulching Kit for RCK72R-F36	66	\$ 349.00
F5372	Mulching Kit for RCK72P-F39		\$ 336.00
ZG3157	Mulching Kit for RCK60P-F39		\$ 309.00
OPTIONAL / REPLACEMENT MOWER BLADES			
K5647-97530	* 60" Side Replacement Blade Set (3 blades)	Order from Parts Department	
K5647-97590	* 60" Side Discharge Mulch Blade Set (3 blades.)	Order from Parts Department	
K5645-97530	* 60" Rear Replacement Blade Set (3 blades)	Order from Parts Department	
K5647-97590	* 60" Rear Discharge Mulch Blade Set (3 blades)	Order from Parts Department	
K5677-97530	* 72" Side Replacement Blade Set (3 blades)	Order from Parts Department	
K5677-97590	* 72" Side Discharge Mulch Blade Set (3 blades)	Order from Parts Department	
K5698-97530	* 72" Rear Replacement Blade Set (3 blades)	Order from Parts Department	
K5677-97590	* 72" Rear Discharge Mulch Blade Set (3 blades)	Order from Parts Department	

* Subject to availability.

F Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHERS			
GCK72-F39	Grass Catcher - Low Dump, Hopper Style F90 Series 12 Bushel Capacity, Hydraulic Dump from Operator's seat Requires Boot Kit, Mount Kit and Hydraulic Vavle	515	\$ 4,009.00
Note:	1. Grass Catcher is not compatible with Rear Discharge Decks. 2. Grass Catcher is not compatible with Hard Cabs. 3. Requires F8284 Second Auxiliary Hydraulic Valve Kit if used in conjunction with a front mounted implement. 4. Grass catchers on lower hp units with larger decks will perform best in mild, flat mowing conditions.		
BOOT KIT, required for use with GCK72-F36			
F8286	Boot kit for RCK60P-F36 Deck	31	\$ 267.00
F8287	Boot kit for RCK72P-F36 Deck	31	\$ 267.00
F8288	Boot kit for RCK60P-F39 Deck	31	\$ 267.00
F8289	Boot kit for RCK72P-F39 Deck	31	\$ 267.00
HYDRAULIC VALVE, required for use with GCK72-F36 or RCL100F-F36			
F8283	Hydraulic Valve, Single	12	\$ 440.00
F8284	Second Auxiliary Hydraulic Valve Kit For use with wholegoods requiring F8283 Single Valve in conjunction with grass catcher	16	\$ 654.00
GRASS CATCHER MOUNT KIT			
F5326	Required to mount GCK72-F39 to F2690E & F2690 and to all F 80 models.	16	\$ 382.00
F5339	Required to mount GCK72-F39 to F3990	16	\$ 382.00
BLOCK HEATER			
70000-73274	Engine Block Heater for Cold Weather Starts	Order through Parts Department	
CANOPY			
E1133	Orange, ABS Plastic Canopy Sunshade. Fits all F90 Series	63	\$ 437.00
CRUISE CONTROL KIT			
F8281	Fits all F90 Series	10	\$ 273.00
HAZARD LIGHT KIT			
F8271	Two Light Assembly -- ROPS Mounted Includes all mounting hardware Not compatible with Hard Cab F5205 or F5206	3	\$ 158.00
REPLACEMENT SEAT			
F8280R	Deluxe Suspension Seat with Adjustable Controls Fits all F90 Series	58	\$ 405.00
TURN ASSIST BRAKES			
F8282	Turn Assist Brakes (not compatible with F5205 & F5206 Hard Cab)	20	\$ 225.00
WORKLIGHT KIT			
F8255	ROPS Mounted Worklight Kit	10	\$ 100.00
ROPS ORGANIZER			
E1184	Storage Organizer (ROPS mounted) 5 protective pockets with zippers	TBA	\$ 57.00

F Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
DELUXE HARD CAB			
F5206	Deluxe Hard Cab Standard Features Glass Windows, Removable Doors, Steel Frame and Roof, Front LED Work Lights, HD Pantograph Windshield Wiper, Overhead Dome Light, Switch Panel, Blower/Defroster Fan Assembly. Shipped assembled. Fits F90 Series Hard Cab not compatible with Grass Catcher.	TBA	\$ 4,980.00
Deluxe Hard Cab Options			
F5311	Cab Heater w/Quick Connect Hose Fittings	TBA	\$ 465.00
F5312	Rear LED Work Light Kit - Includes 2 Lights	TBA	\$ 132.00
F5313	Roof Mounted LED Strobe Light Kit	TBA	\$ 135.00
F5314	Interior Rearview Mirror	TBA	\$ 55.00
DEBRIS BLOWER			
F2535D	Produces up to 250 mph air velocity. Hydraulic 230 degree chute rotation is standard. Requires: F5212 Quick Hitch, F5216 Remote Hyd. Kit, F8283 Hydraulic Valve, F2523B ½ PTO Shaft, (1) BX8064 Weight Bracket, (4) BL8060-1 Suitcase Weights, (4) BL8062 Bolt Kits.	350	\$ 2,964.00
FRONT BLADE			
B2765A	60" Heavy Duty Dozer Blade with Quick Attach Design. Hydraulic Lift, Hydraulic Angle, Skid Shoes, and Spring Trip are Standard Equipment. Requires: F5212 Quick Hitch, F5216 Remote Hyd. Kit, F8283 Hydraulic Valve, (1) BX8064 Weight Bracket, (4) BL8060-1 Suitcase Weights, (4) BL8062 Bolt Kits. Optional B2766 60" rubber cutting edge.	411	\$ 1,647.00
B2766	60" Rubber cutting edge, option for B2765A	50	\$ 206.00
ROTARY SWEEPER			
L2163	60" Rotary Sweeper, Hydraulic Angle Standard Requires: F5212 Quick Hitch, F5216 Remote Hyd. Kit, F8283 Hydraulic Valve, (1) BX8064A Weight Bracket, (4) BL8060-1 Suitcase Weights, (4) BL8062 Bolt Kits, (1) F2524 1/2 PTO Shaft Kit. <i>Std Brush: 100% polypropylene ; Option: 50% steel/50% polypropylene</i>	444	\$ 3,704.00
BL2178	Gauge Wheel Kit, option for L2163	47	\$ 439.00
L2168	Rubber Dust Deflector Kit, option for L2163	31	\$ 153.00

F Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
SNOWBLOWER			
F5220B	Heavy Duty 51" Two Stage Snowblower with 4 Blade 17.75" Impeller. Features Hydraulic Chute Rotator standard with Manual Chute Deflector. Requires: F5212 Quick Hitch, F5216 Remote Hyd. Kit, F8283 Hydraulic Valve, (1) BX8064 Weight Bracket, (4) BL8060-1 Suitcase Weights, (4) BL8062 Bolt Kits.	625	\$ 3,617.00
B2516	Electric Chute Deflector, option for F5220B	8	\$ 597.00
B2786	Side Extensions (5" overall), option for F5220B	27	\$ 113.00
SUBFRAMES (MOUNTING KITS)			
F5212A	Male Quick Hitch	103	\$ 294.00
HYDRAULIC KITS / VALVE			
F5216	Remote Hydraulic Kit, Hose Kit Requires F8283 Hydraulic Valve, Single	4	\$ 170.00
F8283	Hydraulic Valve, Single	12	\$ 440.00
F8284	Second Auxiliary Hydraulic Valve Kit For use with wholegoods requiring F8283 Single Valve in conjunction with grass catcher	16	\$ 654.00
WEIGHT BRACKETS (Rear)			
BX8064A	Rear Weight Bracket	25	\$ 103.00
SUITCASE WEIGHT			
BL8060-1	One (1) 55 lbs. Weight, requires one (1) BL8062 Bolt Kit	55	\$ 71.00
BL8062	Suitcase Weight Bolt Kit (Qty: 1)	1	\$ 6.00
M8071	One (1) Suitcase Weight (100" Flex Deck)	105	\$ 87.00
M8073	Bolt/Bar Kit for M8071 Weights (Qty: 1) (100" Flex Deck)	9	\$ 52.00
PTO KITS			
F2524	1/2 PTO Shaft Kit for F2535D and L2163		\$ 214.00

Replacement Engines

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

Effective June 2, 2014 all replacement engines must be ordered through the Parts Department.
See Parts Bulletin DPB-2014-011 R01.

This page intentionally left blank.