

### **WHOLEGOODS PRICE LIST EFFECTIVE SEPTEMBER 1, 2015**

These pages are a complete revision of this section of your price book. All prices are effective September 1, 2015.

This page intentionally left blank.

## T, GR, G SERIES

		PAGE NUMBER	MODEL	GROSS ENGINE H.P.	GROUP 6	SUGGESTED LIST PRICE
CURRENT MODELS	T SERIES	1-4	T1880A2-42	18.0	Sub Group 9	\$3,699.00
		1-4	T1880A-42*	18.0	Sub Group 9	\$3,598.00
		1-5	T2080A2-42	20.0	Sub Group 9	\$4,399.00
		1-5	T2080A-42*	20.0	Sub Group 9	\$4,248.00
		1-6	T2380A2-48	22.0	Sub Group 10	\$4,999.00
		1-6	T2380A-48*	23.0	Sub Group 10	\$4,998.00
		1-7	T Series Matching Chart			
		1-8	T Series Implements and Attachments			
	GR 20 SERIES	1-9	GR2020G2-48	20.5	Sub Group 10	\$8,389.00
		1-9	GR2020GB2-48	20.5	Sub Group 10	\$8,429.00
		1-9	GR2020G-48*	20.5	Sub Group 10	\$8,362.00
		1-9	GR2020GB48*	20.5	Sub Group 10	\$8,413.00
		1-10	GR2120-2-48	21.0	Sub Group 10	\$9,269.00
		1-10	GR2120-2-54	21.0	Sub Group 11	\$9,409.00
		1-10	GR2120B-2-54	21.0	Sub Group 11	\$9,449.00
		1-10	GR2120-48*	21.0	Sub Group 10	\$9,260.00
		1-10	GR2120-54*	21.0	Sub Group 11	\$9,388.00
		1-10	GR2120B54*	21.0	Sub Group 11	\$9,439.00
		1-13	GR Series Matching Chart			
		1-14	GR Series Implements and Attachments			
	GR 10 SERIES	1-12	GR2110-54*	21.0	Sub Group 11	\$9,003.00
		1-12	GR2110B54*	21.0	Sub Group 11	\$9,053.00
		1-16	T / GR / G / GF Series Replacement Engines			
			Prior Models			

\* Subject to availability.

## T1880

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### GAS ENGINE

Model SV541  
Kohler, 1 Cyl., 4 Cycle  
Overhead Valves — Air Cooled  
18.0 HP  
32.6 cu. in., 535 c.c.  
Electric Start  
Charging System:  
18 Amp @ 3200 rpm  
Dry Type (Paper) Element  
w/Foam Precleaner (Single)

#### OPERATING FEATURES

Single Pedal HST  
Adjustable Seat  
Cup Holder

#### TRANSMISSION

Hydrostatic  
Forward Speeds 0 - 5.6 mph  
Reverse Speeds 0 - 3.1 mph

#### FLUID CAPACITY

Fuel Tank 4.0 gal.  
Engine Oil 0.4 gal.  
Transmission 0.73 gal.

#### TIRES

Front 15 x 6.00 - 6  
Rear 22 x 11.0 - 10

#### DIMENSIONS

Height 42.9"  
Length 72.8"  
Wheel Base 50.8"  
Uncut Grass Radius 33.4"  
Turning Radius 6.3 ft  
@ Outer Front Tire

#### SAFETY EQUIPMENT

Operator Presence Control  
Safety Start Switch  
Headlights  
Parking Brake with Auto. HST  
Pedal Lockout  
KRA System

#### MID-MOUNT MOWER

42" Cutting Width Infinity Deck  
2 Blades  
One Touch Dial Cutting Height  
Adjustment  
Cutting Height 1.0" - 4.0"  
Manual Lift w/Gas Shocks  
Belt Tension PTO Clutch  
Mulching Function Included  
- no additional baffle or blade  
blade necessary

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>T1880A2-42</b>	<b>18 Hp Lawn Tractor</b> 42" Infinity Mower Deck	700	\$ 3,699.00
<b>T1880A-42*</b>	<b>18 Hp Lawn Tractor</b> 42" Infinity Mower Deck	700	\$ 3,598.00

\* Subject to availability.

## T2080

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### GAS ENGINE

Model KT715 (T2080A2)  
 Model GH710V (T2080A)  
 Kohler, 2 Cyl., 4 Cycle  
 Overhead Valves — Air Cooled  
 20.0 HP  
 44.2 cu. In., 725 cc  
 Electric Start  
 Charging System:  
     20 Amp @ 3200 rpm  
 Dry Type (Paper) Element  
     w/Foam Precleaner (Single)

#### OPERATING FEATURES

Cushion Ride Suspension  
 Adjustable Hi-Back Seat  
 Cruise Control - Standard  
 Single Pedal HST  
 Cup Holder

#### TRANSMISSION

Hydrostatic  
 Forward Speeds 0 - 5.6 mph  
 Reverse Speeds 0 - 3.1 mph

#### FLUID CAPACITY

Fuel Tank	4.0 gal.
Engine Oil	0.48 gal.
Transmission	0.73 gal.

#### TIRES

Front 15 x 6.00 - 6  
 Rear 22 x 11.0 - 10

#### DIMENSIONS

Height	44.3"
Length	72.8"
Wheel Base	50.8"
Uncut Grass Radius	33.4"
Turning Radius	6.3 ft
@ Outer Front Tire	

#### SAFETY EQUIPMENT

Operator Presence Control  
 Safety Start Switch  
 Headlights  
 Parking Brake with Auto. HST  
     Pedal Lockout  
 KRA System

#### MID-MOUNT MOWER

42" Cutting Width Infinity Deck  
 2 Blades  
 One Touch Dial -  
     Cutting Height Adjustment  
 Cutting Height 1.0" - 4.0"  
 Manual Lift w/Gas Shocks  
 Belt Tension PTO Clutch  
 Mulching Function Included  
     - no additional baffle or blade  
     blade necessary

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***			
T2080A2-42	20 Hp Lawn Tractor 42" Infinity Mower Deck	1000	\$ 4,399.00
T2080A-42*	20 Hp Lawn Tractor 42" Infinity Mower Deck	1000	\$ 4,248.00

\* Subject to availability.

## T2380

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### GAS ENGINE

Model KT725 (T2380A2)  
 Model GH720V (T2380A)  
 Kohler, 2 Cyl., 4 Cycle  
 Overhead Valves — Air Cooled  
 V-Twin  
 22.0 HP (T2380A2)  
 23.0 HP (T2380A)  
 44.2 cu. In., 725 cc  
 Electric Start  
 Charging System:  
     13 Amp @ 3200 rpm  
 Dry Type (Paper) Element  
     w/Foam Precleaner (Single)

#### OPERATING FEATURES

Cushion Ride Suspension  
 Adjustable Hi-Back Seat  
 Cruise Control - Standard  
 Single Pedal HST  
 Cup Holder

#### TRANSMISSION

Hydrostatic  
 Forward Speeds 0 - 5.6 mph  
 Reverse Speeds 0 - 3.1 mph

#### FLUID CAPACITY

Fuel Tank	4.0 gal.
Engine Oil	0.48 gal.
Transmission	0.73 gal.

#### TIRES

Front 15 x 6.00 - 6  
 Rear 22 x 11.0 - 10

#### DIMENSIONS

Height	44.3"
Length	72.8"
Wheel Base	54.3"
Uncut Grass Radius	31.4"
Turning Radius	6.3 ft
@ Outer Front Tire	

#### SAFETY EQUIPMENT

Operator Presence Control  
 Safety Start Switch  
 Headlights  
 Parking Brake with Auto. HST  
     Pedal Lockout  
 KRA System

#### MID-MOUNT MOWER

48" Cutting Width Infinity Deck  
 2 Blades  
 One Touch Dial -  
     Cutting Height Adjustment  
 Cutting Height 1.0" - 4.0"  
 Manual Lift w/Gas Shocks  
 Belt Tension PTO Clutch  
 Mulching Function Included  
     - no additional baffle or blade  
     blade necessary

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>T2380A2-48</b>	<b>22Hp Lawn Tractor</b> 48" Infinity Mower Deck	1000	\$ 4,999.00
<b>T2380A-48*</b>	<b>23 Hp Lawn Tractor</b> 48" Infinity Mower Deck	1000	\$ 4,998.00

\*Subject to availability.

## T Series Matching Chart

### T SERIES IMPLEMENT / ATTACHMENT CHART

Model	T1880A-42 T1880A2-42	T2080A-42 T2080A2-42	T2380A-48 T2380A2-48
<b>Implements</b>			
Grass Catcher -- GCK48-LT23 (1)	X	X	X
42" Replacement Deck -- RCK42-LT20	X	X	--
48" Replacement Deck -- RCK48-LT23	--	--	X
48" Front Blade -- T2722A	X	X	X
46" Two-stage Snowblower -- T2724 (2)	X	X	X
<b>Attachments</b>			
Boot Kit (for 42" Deck) -- T2717	X	X	--
Boot Kit (for 48" Deck) -- T2718	--	--	X
42" Replacement Blade Set -- K5124-97520	X	X	--
48" Replacement Blade Set -- K5184-97520	--	--	X
Optional 42" High Lift Blade Set -- K5253-97520	X	X	--
Optional 48" High Lift Blade Set -- K5184-97530	--	--	X
Cruise Control Kit -- T2719	X	Std.	Std.
Hour Meter Kit -- K2561-62510	X	X	X
Spark Arrester -- 70000-01602	X	X	X
Rear Weight Bracket -- T2713	X	X	X
Suitcase Weight -- G8103	X	X	X

(1) Boot Kit T2717 or T2718 is required for use with Grass Catcher

(2) Snowblower applications require T2713 Rear Weight Bracket and (5) G8103 Suitcase Weights

## T Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHERS			
GCK48-LT23	2-Bag Grass Catcher, 7 bu. Capacity Fits T80 Series 42" & 48" Mower Decks Requires Boot Kit	70	\$ 498.00
OPTIONAL / REPLACEMENT MOWER BLADES			
K5124-97520	42" Standard Replacement Blade Set (contains left & right)	See Parts Price Book for Pricing	
K5184-97520	48" Standard Replacement Blade Set (contains left & right)	See Parts Price Book for Pricing	
K5253-97520	42" Optional High Lift Blade Set (contains left & right) *Assists Grass Catcher applications in heavy & wet grass	See Parts Price Book for Pricing	
K5184-97530	48" Optional High Lift Blade Set (contains left & right) *Assists Grass Catcher applications in heavy & wet grass	See Parts Price Book for Pricing	
BOOT KIT, required for use with GCK48-LT23			
T2717	Boot Kit for T1880A/A2-42 & T2080A/A2-42	7	\$ 86.00
T2718	Boot Kit for T2380A/A2-48	7	\$ 86.00
MID MOUNT MOWERS (replacement)			
RCK42-LT20	42" Replacement Deck for T1880A/A2 & T2080A/A2	208	\$ 806.00
RCK48-LT23	48" Replacement Deck for T2380A/A2	208	\$ 1,040.00
CRUISE CONTROL KIT			
T2719	For T1880A/A2-42 (standard on T2080A/A2-42 & T2380A/A2-48)	2	\$ 29.00
HOUR METER KIT			
K2561-62510	For All T80(A/A2) Series Lawn & Garden Tractors	Order from Parts Department	
SPARK ARRESTER			
70000-01602	For All T80(A/A2) Series Lawn & Garden Tractors	Order from Parts Department	
FRONT BLADE			
T2722A	48" Light Snow / Utility Blade, Manual Lift & Angle	85	\$ 636.00
SNOWBLOWER			
T2724	46" Two-stage Snowblower Requires T2713 Rear Weight Bracket and (5) G8103 Suitcase Weights	307	\$ 2,018.00
REAR WEIGHT BRACKET			
T2713	Required with (5) G8103 Suitcase Weights for use with T2724 Snowblower	14	\$ 96.00
SUITCASE WEIGHTS			
G8103	Suitcase Weight, 25 lbs.	25	\$ 37.00



## GR2020

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### GAS ENGINE

Model CH641  
2 Cyl., 4 cycle OHV  
Overhead Valve - Air Cooled  
20.5 HP Kohler  
Electric Start

#### TRANSMISSION

Hydrostatic - Glide Steer  
Forward Speed 0 - 6.2 mph  
Reverse Speed 0 - 3.1 mph  
Shaft drive - All Wheel Drive

#### SAFETY EQUIPMENT

Safety Start Switch  
Electric Key Shut Off  
Internal Expanding Brakes  
Parking Brakes  
Kubota Reverse Awareness System

#### FEATURES

Hydrostatic Power Steering  
All Wheel Drive  
Shaft Drive Transmission  
Shaft Mower Drive  
Hydraulic Implement Lift  
Fuel Gauge  
Cup Holder  
Adjustable Seat  
"Glide Steer" Technology

#### FLUID CAPACITY

Fuel Tank	4.8 gal
Engine Crankcase	3.0 qts
Transmission	2.6 qts

#### POWER TAKE OFF

Wet mechanical PTO clutch  
Shaft Drive  
Live Continuous Running

#### TIRES AND WHEELS

Front 16 x 7.50 - 8 Turf/Bar  
Rear 23 x 10.5 - 12 Turf/Bar

#### MOWER

48" Fine Cut Deep Deck Mower  
1-4" Cut height  
5" Deep deck design  
1/4" Height adjustment

#### DIMENSIONS

Overall Height	48.4"
Overall Length	77.1"
Overall Width	60.4"
Weight	862 lbs

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***			
GR2020G2-48	20.5 Hp Lawn & Garden Tractor 48" Stamped Mower Deck w/ Turf Tires	1453	\$ 8,389.00
GR2020GB2-48	20.5 Hp Lawn & Garden Tractor 48" Stamped Mower Deck w/ Bar Tires	1444	\$ 8,429.00
GR2020G-48*	20.5 Hp Lawn & Garden Tractor 48" Stamped Mower Deck w/ Turf Tires	1453	\$ 8,362.00
GR2020GB48*	20.5 Hp Lawn & Garden Tractor 48" Stamped Mower Deck w/ Bar Tires	1444	\$ 8,413.00
*** TIRES AND WHEELS ***			
AGRR8670	Front Turf Tire, 16 x 7.50 - 8 (Right and Left)	13	\$ 75.00
AGRR8660	Rear Turf Tire, 23 x 10.50 - 12 (Right and Left)	34	\$ 128.00
AGRR8672	Front Bar Tire, 16 x 7.50 - 8 (Right and Left)	13	\$ 86.00
AGRR8662	Rear Bar Tire, 23 x 10.50 - 12 (Right and Left)	34	\$ 144.00

\* Subject to availability.

## GR2120

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

Model D782  
3 Cyl., 47.5 cu. In.  
Kubota liquid cooled  
+21 Gross Eng. HP  
@ 3200 Eng. RPM  
12V 75 Amp Hour Battery  
14.5 Amp Charge Output

#### FEATURES

Hydrostatic Power Steering  
All Wheel Drive  
Shaft Drive Transmission  
Shaft Mower Drive  
Hydraulic Implement Lift  
Fuel Gauge  
Cup Holder  
Adjustable Seat  
"Glide Steer" Technology

#### TRANSMISSION

Hydrostatic - Glide Steer  
Forward Speed 0 - 6.2 mph  
Reverse Speed 0 - 3.1 mph  
Shaft drive - All Wheel Drive

#### FLUID CAPACITY

Fuel Tank	4.8 gal
Engine Crankcase	3.0 qts
Transmission	2.6 qts

#### TIRES AND WHEELS

Front 16 x 7.50 - 8 Turf/Bar  
Rear 23 x 10.5 - 12 Turf/Bar

#### DIMENSIONS

Overall Height	48.4"
Overall Length	77.1"
Overall Width (48" Deck)	60.4"
(54" Deck)	66.3"
Weight	947 lbs

#### SAFETY EQUIPMENT

Safety Start Switch  
Electric Key Shut Off  
Internal Expanding Brakes  
Parking Brakes  
Kubota Reverse Awareness System

#### POWER TAKE OFF

Wet mechanical PTO clutch  
Shaft Drive  
Live Continuous Running

#### MOWER

Fine Cut Deep Deck Mower  
1-4" Cut height  
5" Deep deck design  
1/4" Height adjustment  
48" Deck - GR2120-48  
54" Deck - GR2120-54/GR2120B54

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***			
GR2120-2-48	21 Hp Lawn & Garden Tractor 48" Stamped Mower Deck w/ Turf Tires	1537	\$ 9,269.00
GR2120-2-54	21 Hp Lawn & Garden Tractor 54" Stamped Mower Deck w/ Turf Tires	1544	\$ 9,409.00
GR2120B-2-54	21 Hp Lawn & Garden Tractor 54" Stamped Mower Deck w/ Bar Tires	1531	\$ 9,449.00
GR2120-48	21 Hp Lawn & Garden Tractor 48" Stamped Mower Deck w/ Turf Tires	1537	\$ 9,260.00
GR2120-54	21 Hp Lawn & Garden Tractor 54" Stamped Mower Deck w/ Turf Tires	1544	\$ 9,388.00
GR2120B54	21 Hp Lawn & Garden Tractor 54" Stamped Mower Deck w/ Bar Tires	1531	\$ 9,439.00
*** TIRES AND WHEELS ***			
AGRR8670	Front Turf Tire, 16 x 7.50 - 8 (Right and Left)	13	\$ 75.00
AGRR8660	Rear Turf Tire, 23 x 10.50 - 12 (Right and Left)	34	\$ 128.00
AGRR8672	Front Bar Tire, 16 x 7.50 - 8 (Right and Left)	13	\$ 86.00
AGRR8662	Rear Bar Tire, 23 x 10.50 - 12 (Right and Left)	34	\$ 144.00

## GR Series Matching Chart

### GR SERIES IMPLEMENT / ATTACHMENT CHART

<i>Model</i>	<b>GR2020G</b>	<b>GR2120</b>
<b>Implements</b>		
Grass Catcher -- GCK54-GR	X	X
48" Replacement Deck -- RCK48-GR	X	GR2120(-2)-48
54" Replacement Deck -- RCK54-GR	--	GR2120(-2)-54, GR2120B(-2)-54
Sure Connect 48" Front Blade -- GR2848 ①	X	X
Sure Connect 46" Snowblower -- GR2846A ②	X	X
Sure Connect 47" Rotary Broom -- GR2847 ②	X	X
<b>Attachments</b>		
48" Mulch Kit -- GR2708	X	GR2120(-2)-48
54" Mulch Kit -- GR2709	--	GR2120(-2)-54, GR2120B(-2)-54
48" Mulch Kit -- ZG3049	X	--
54" Mulch Kit -- ZG3059	--	--
Armrest, Seat Option -- GR2702	X	X
Heat Shield -- GR2720	X	
Heat Shield -- GR2730		X
Rear Weight Bracket -- GR2703	X	X
Suitcase Weight -- G8103	X	X
<b>Tires (Replacement)</b>		
AGRR8672 Front Bar Tire, 16 x 7.5 - 8	GR2020GB48	GR2120B54
AGRR8662 Rear Bar Tire, 23 x 10.5 - 12		
AGRR8670 Front Turf Tire, 16 x 7.5 - 8	GR2020G-48	GR2120-48, GR2120-54
AGRR8660 Rear Turf Tire, 23 x 10.5 - 12		

- ① Requires GR2700B Sure Connect Hitch and Sub-frame, and GR2720 or GR2730 Heat Shield.  
 ② Requires GR2700B Sure Connect Hitch and Sub-frame, G2704 Sure Connect Drive Kit, GR2703 Weight Bracket, (4) G8103 Suitcase Weights, and GR2720 or GR2730 Heat Shield.

## GR Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHERS			
GCK54-GR	3-Bag Grass Catcher, 10 bu. Capacity Fits GR Series 48" & 54" Mower Decks	212	\$ 1,437.00
MID MOUNT MOWERS (replacement)			
RCK48-GR	48" Deck for GR20 Series s/n above 15656 and GR2010GA-48, GR2010GAB-48,GR2110-48.	331	\$ 1,595.00
RCK54-GR	54" Deck for GR20 Series s/n above 22869 and GR2110-54 & GR2110B54	256	\$ 1,724.00
MULCHING KITS			
GR2708	Mulch Kit for RCK48-GR (s/n above 15656) on GR20 Series	24	\$ 163.00
GR2709	Mulch Kit for RCK54-GR (s/n above 22869) on GR20 Series	20	\$ 175.00
OPTIONAL / REPLACEMENT MOWER BLADES			
K5575-97530	48" Standard Replacement Blade Set (3 blades)	See Parts Price Book for Pricing	
K5575-97590	48" Replacement Mulch Blade Set (3 blades)	See Parts Price Book for Pricing	
K5617-97530	54" Standard Replacement Blade Set (3 blades)	See Parts Price Book for Pricing	
K5617-97590	54" Replacement Mulch Blade Set (3 blades)	See Parts Price Book for Pricing	
SURE CONNECT HITCH			
GR2700B	New Sure Connect Hitch- Required with GR2847, GR2848 & GR 2846A Easily connect to the Sure Connect Implements with no tools.	45	\$ 567.00
SURE CONNECT ROTARY BROOM			
GR2847	47" Sure Connect Rotary Broom for use with the GR2700B Sure Connect Hitch includes manual angling, polypropylene brush, parking stands, and gauge wheels. Requires Sure Connect Hitch GR2700B, Drive Kit GR2704A, GR2703 Rear Wt Brkt and (4) G8103 Suitcase Weights and GR2720 or GR2730 Heat Shield.	316	\$ 1,895.00
SURE CONNECT FRONT BLADE			
GR2848	48" Sure Connect Front Blade includes front subframe that connects to the GR2700B Sure Connect Hitch, trip spring lockout, replaceable and reversible cutting edge, manual angling, and cam cover.	65	\$ 417.00
SURE CONNECT SNOWBLOWER			
GR2846A	46" Sure Connect Snowblower includes drivelineand hydraulic lifting, chute with electric chute rotation from the set, adj. deflector, replaceable cutting edge, skid shoes, and cam cover. Requires Sure Connect Hitch GR2700B, Drive Kit GR2704A, GR2703 Rear Weight Bracket and (4) G8103 Suitcase Weights.	453	\$ 1,454.00

## GR Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>OPTIONAL ATTACHMENTS, SNOWBLOWER</b>			
GR2706	Electric Chute Deflector Kit for Sure Connect	6	\$ 176.00
GB2513*	Electric Chute Deflector Kit	3	\$ 512.00
GB2514B-1*	Electric Chute Rotator Kit	5	\$ 380.00
GR2714	Drift Cutters, includes cutters and hardware	4	\$ 58.00
GR2716	Lawn Dethatching wheel kit 6" wheels (std on GR2847)	4	TBA
<b>REAR WEIGHT BRACKET</b>			
GR2703	Required with (4) G8103 Suitcase Weights for use with GR2707 Snowblower	12	\$ 71.00
<b>SURE CONNECT DRIVE KIT</b>			
GR2704A	Easy-Connect PTO Drive Kit, includes complete driveline, PTO coupler and hardware. Crated. Required for GR2846A and GR2847.	30	\$ 674.00
<b>HEAT SHIELD</b>			
GR2720	Heat Shield, required for GR2020 models	10	\$ 66.00
GR2730	Heat Shield, required for GR2120 models	12	\$ 99.00
<b>SUITCASE WEIGHTS</b>			
G8103	Suitcase Weight, 25 lbs.	25	\$ 37.00
<b>ADDITIONAL ATTACHMENTS</b>			
GR2702	Armrest, Seat Option	7	\$ 55.00
70000-01602	Spark Arrestor	See Parts Price Book for Pricing	
70000-74128	Block Heater, requires kit 70000-02324	See Parts Price Book for Pricing	

\* Subject to availability.

## T / GR / G / GF Series Replacement Engines

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

Effective June 2, 2014 all replacement engines must be ordered through the Parts Department.  
See Parts Bulletin DPB-2014-011 R01.