

| TRANSPORT/SPEED                           | MANUFACTURER/MODEL | CONFIG # <sup>1</sup> | CAVETS <sup>2</sup>                                                                                                                                                                             | EQUIPMENT ONLY PURCHASE <sup>3</sup> | YEARLY MAINTENANCE PURCHASE | Monthly MAINTENANCE PAYMENT | MONTHLY RENTAL <sup>4</sup> |
|-------------------------------------------|--------------------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-----------------------------|-----------------------------|-----------------------------|
| ADSL (1.5Mbps)                            | Cisco 887          | 887-DSL-SEC           | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$377.69                             | \$94.55                     | \$7.88                      | \$38.20                     |
| ADSL (1.5Mbps)                            | Cisco 1921         | 1921-DSL-SEC          | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$1,300.12                           | \$130.71                    | \$10.89                     | \$66.84                     |
| Frame-Relay & Dedicated 64Kbps            | Cisco 1921         | 1921-64K-SEC          | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$1,326.38                           | \$130.71                    | \$10.89                     | \$67.56                     |
| Frame-Relay & Dedicated DS1 (1.5Mbps)     | Cisco 1921         | 1921-T1-SEC           | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$1,483.97                           | \$130.71                    | \$10.89                     | \$71.95                     |
| Frame-Relay & Dedicated DS1 (1.5Mbps)     | Cisco 2911         | 2911-T1-SEC           | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$2,429.51                           | \$815.76                    | \$67.98                     | \$155.29                    |
| Frame-Relay & Dedicated DS1 (1.5Mbps)     | Cisco 2921         | 2921-T1-SEC           | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$2,954.81                           | \$1,020.63                  | \$85.05                     | \$186.96                    |
| Frame-Relay & Dedicated DS1 (1.5Mbps)     | Juniper SRX-240    | SRX-240-T1            | Does not support: IPSec,Netflow/Cflow, MFN-Lite. Depending on the number of features selected, throughput may be impacted. QoS limitation applies                                               | \$2,389.59                           | \$509.85                    | \$42.49                     | \$128.69                    |
| Frame-Relay 2xT1 (3Mbps)                  | Cisco 1921         | 1921-2T1-SEC          | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$2,009.27                           | \$130.71                    | \$10.89                     | \$86.53                     |
| Frame-Relay 2xT1 (3Mbps)                  | Cisco 2921         | 2921-2T1-SEC          | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$3,742.76                           | \$1,020.63                  | \$85.05                     | \$208.84                    |
| Frame-Relay 4xT1 (6Mbps)                  | Cisco 2921         | 2921-4T1-SEC          | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$5,003.48                           | \$1,020.63                  | \$85.05                     | \$243.86                    |
| Frame-Relay 6xT1 (9Mbps)                  | Cisco 3925         | 3925-6T1-SEC          | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$9,731.18                           | \$2,039.40                  | \$169.95                    | \$460.09                    |
| Frame-Relay 6xT1 (9Mbps)                  | Cisco 3945         | 3945-6T1-SEC          | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$11,569.73                          | \$2,920.05                  | \$243.34                    | \$584.55                    |
| Frame-Relay & Dedicated DS3 (max 45Mbps)  | Cisco 2951         | 2951-T3-SEC           | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$9,284.68                           | \$1,779.84                  | \$148.32                    | \$426.06                    |
| Frame-Relay & Dedicated DS3 (max 45Mbps)  | Cisco 3925         | 3925-T3-SEC           | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$10,860.58                          | \$2,039.40                  | \$169.95                    | \$491.46                    |
| Frame-Relay & Dedicated DS3 (max 45Mbps)  | Cisco 3945         | 3945-T3-SEC           | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$12,173.83                          | \$2,920.05                  | \$243.34                    | \$601.32                    |
| MetroEthernet Copper (max 12Mbps)         | Cisco 1921         | 1921-ME-SEC           | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$958.67                             | \$130.71                    | \$10.89                     | \$57.35                     |
| MetroEthernet Copper (max 21Mbps)         | Cisco 2921         | 2921-ME-SEC           | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$2,692.16                           | \$1,020.63                  | \$85.05                     | \$179.66                    |
| MetroEthernet Copper/Fiber (max 100Mbps)  | Cisco 3925         | 3925-ME-SEC           | Depending on the number of features selected, throughput may be impacted. Security Licensed from the factory (no other licenses are installed with this configuration). QoS limitation applies. | \$6,264.20                           | \$2,039.40                  | \$169.95                    | \$363.79                    |
| MetroEthernet Copper/Fiber (max 150Mbps)  | Juniper SRX-240    | SRX-240-ME            | Does not support: IPSec,Netflow/Cflow, MFN-Lite. Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                              | \$2,021.88                           | \$509.85                    | \$42.49                     | \$118.48                    |
| MetroEthernet Copper/Fiber (max 200Mbps)  | Cisco 3945         | 3945-ME-SEC           | Depending on the number of features selected, throughput may be impacted. Security Licensed from the factory (no other licenses are installed with this configuration). QoS limitation applies. | \$8,102.75                           | \$2,920.05                  | \$243.34                    | \$488.24                    |
| MetroEthernet Fiber (200Mbps to 1000Mbps) | Cisco ASR1001      | ASR1001-ME-AES        | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$16,135.11                          | \$2,610.43                  | \$217.54                    | \$685.56                    |
| MetroEthernet Fiber (200Mbps to 1000Mbps) | Cisco ASR1001      | ASR1001-ME-AES-FW     | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$20,245.06                          | \$3,203.71                  | \$266.98                    | \$849.16                    |
| MetroEthernet Fiber (200Mbps to 1000Mbps) | Cisco ASR1001      | ASR1001-ME-AES-VPN    | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$20,245.06                          | \$3,203.71                  | \$266.98                    | \$849.16                    |
| MetroEthernet Fiber (200Mbps to 1000Mbps) | Cisco ASR1001      | ASR1001-ME-AES-VPN-FW | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$25,498.06                          | \$3,796.99                  | \$316.42                    | \$1,044.52                  |
| MetroEthernet Fiber (200Mbps to 1000Mbps) | Cisco ASR1001      | ASR1001-ME-IPB        | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$12,365.56                          | \$2,313.79                  | \$192.82                    | \$556.13                    |
| MetroEthernet Fiber (200Mbps to 1000Mbps) | Cisco ASR1001      | ASR1001-ME-IPB-FW     | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$17,618.56                          | \$2,907.07                  | \$242.26                    | \$751.49                    |
| MetroEthernet Fiber (200Mbps to 1000Mbps) | Cisco ASR1001      | ASR1001-ME-IPB-VPN    | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$17,618.56                          | \$2,907.07                  | \$242.26                    | \$751.49                    |
| MetroEthernet Fiber (200Mbps to 1000Mbps) | Cisco ASR1001      | ASR1001-ME-IPB-VPN-FW | Depending on the number of features selected, throughput may be impacted. QoS limitation applies.                                                                                               | \$22,871.56                          | \$3,500.35                  | \$291.70                    | \$946.85                    |

<sup>1</sup>For more details on the CPE router, please refer to configuration detail.

<sup>2</sup>For bandwidth speeds greater than 100Mbps or requirements such as QoS, Multicast, or Encryptions, please contact your SUNCOM Sales Consultant to spec the appropriate CPE router.

<sup>3</sup>Purchase CPE does not include installation and maintenance costs. If needed, installation cost of one time at \$713.82. Maintenance cost depends on the type of CPE selected as noted.

<sup>4</sup>Rental includes installation and maintenance costs

| 887-DSL-SEC       |                                                            |          |
|-------------------|------------------------------------------------------------|----------|
| Product           | Description                                                | Quantity |
| CISCO887VA-K9     | Cisco 887 VDSL/ADSL over POTS Multi-mode Router            | 1        |
| CAB-AC            | Power Cord,110V                                            | 1        |
| S880DUDK9-15104M  | Cisco 880 Series IOS UNIVERSAL DATA                        | 1        |
| CAB-AC            | Power Cord,110V                                            | 1        |
| CAB-ETH-S-RJ45    | Yellow Cable for Ethernet, Straight-through, RJ-45, 6 feet | 1        |
| CAB-ADSL-800-RJ11 | ADSL RJ11-to-RJ11 Straight Cable                           | 1        |
| PWR-60W-AC        | Power Supply 60 Watt AC                                    | 1        |
| SL-880-ADVSEC     | Cisco 880 Advanced Security Software License               | 1        |
| CON-OSP-CISCOVAK  | ONSITE 24X7X4 Cisco 887 VDSL/ADSL over POTS Multi-mode     | 1        |

| 1921-DSL-SEC     |                                                              |          |
|------------------|--------------------------------------------------------------|----------|
| Product          | Description                                                  | Quantity |
| CISCO1921-SEC/K9 | Cisco1921/K9 with 2GE, SEC License PAK, 512MB DRAM, 256MB Fl | 1        |
| HWIC-1ADSL       | 1-port ADSLoPOTS HWIC                                        | 1        |
| CAB-ADSL-RJ11X   | ADSL Cable RJ11 to RJ11, Cross-over                          | 1        |
| CAB-AC           | AC Power Cord (North America), C13, NEMA 5-15P, 2.1m         | 1        |
| CAB-CONSOLE-RJ45 | Console Cable 6ft with RJ45 and DB9F                         | 1        |
| S190UK9-15104M   | Cisco 1900 IOS UNIVERSAL                                     | 1        |
| SL-19-IPB-K9     | IP Base License for Cisco 1900                               | 1        |
| SL-19-SEC-K9     | Security License for Cisco 1900                              | 1        |
| CON-OSP-1921SEC  | ONSITE 24X7X4 Cisco1921/K9 with 2GE, SEC License PAK,        | 1        |

| 1921-64K-SEC     |                                                              |          |
|------------------|--------------------------------------------------------------|----------|
| Product          | Description                                                  | Quantity |
| CISCO1921-SEC/K9 | Cisco1921/K9 with 2GE, SEC License PAK, 512MB DRAM, 256MB Fl | 1        |
| S190UK9-15104M   | Cisco 1900 IOS UNIVERSAL                                     | 1        |
| HWIC-1DSU-56K4   | 1-port 4-WIRE 56/64 KBPS WAN INTERFACE CARD                  | 1        |
| CAB-AC           | AC Power Cord (North America), C13, NEMA 5-15P, 2.1m         | 1        |
| CAB-CONSOLE-RJ45 | Console Cable 6ft with RJ45 and DB9F                         | 1        |
| ACS-1900-RM-19   | Rack Mount Kit for 1921, 1905                                | 1        |
| SL-19-IPB-K9     | IP Base License for Cisco 1900                               | 1        |
| SL-19-SEC-K9     | Security License for Cisco 1900                              | 1        |
| CON-OSP-1921SEC  | ONSITE 24X7X4 Cisco1921/K9 with 2GE, SEC License PAK,        | 1        |

| 1921-T1-SEC      |                                                              |          |
|------------------|--------------------------------------------------------------|----------|
| Product          | Description                                                  | Quantity |
| CISCO1921-SEC/K9 | Cisco1921/K9 with 2GE, SEC License PAK, 512MB DRAM, 256MB Fl | 1        |
| S190UK9-15104M   | Cisco 1900 IOS UNIVERSAL                                     | 1        |
| HWIC-1DSU-T1     | 1-Port T1/Fractional T1 DSU/CSU WAN Interface Card           | 1        |
| CAB-AC           | AC Power Cord (North America), C13, NEMA 5-15P, 2.1m         | 1        |
| CAB-CONSOLE-RJ45 | Console Cable 6ft with RJ45 and DB9F                         | 1        |
| ACS-1900-RM-19   | Rack Mount Kit for 1921, 1905                                | 1        |
| SL-19-IPB-K9     | IP Base License for Cisco 1900                               | 1        |
| SL-19-SEC-K9     | Security License for Cisco 1900                              | 1        |
| CON-OSP-1921SEC  | ONSITE 24X7X4 Cisco1921/K9 with 2GE, SEC License PAK,        | 1        |

| 2911-T1-SEC        |                                                    |          |
|--------------------|----------------------------------------------------|----------|
| Product            | Description                                        | Quantity |
| CISCO2911-SEC/K9   | Cisco 2911 Security Bundle w/SEC license PAK       | 1        |
| HWIC-1DSU-T1       | 1-Port T1/Fractional T1 DSU/CSU WAN Interface Card | 1        |
| CAB-CONSOLE-RJ45   | Console Cable 6ft with RJ45 and DB9F               | 1        |
| S29UK9-15104M      | Cisco 2901-2921 IOS UNIVERSAL                      | 1        |
| ISR-CCP-EXP        | Cisco Config Pro Express on Router Flash           | 1        |
| MEM-2900-512MB-DEF | 512MB DRAM for Cisco 2901-2921 ISR (Default)       | 1        |
| MEM-CF-256MB       | 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR | 1        |
| SL-29-IPB-K9       | IP Base License for Cisco 2901-2951                | 1        |
| SL-29-SEC-K9       | Security License for Cisco 2901-2951               | 1        |
| CON-OSP-2911SEC    | ONSITE 24X7X4 Cisco 2911 Security                  | 1        |

| 2921-T1-SEC        |                                                                                                                                                                            |          |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Product            | Description                                                                                                                                                                | Quantity |
| CISCO2921-SEC/K9   | Cisco 2921 Security Bundle w/SEC license PAK                                                                                                                               | 1        |
| S29UK9-15104M      | Cisco 2901-2921 IOS UNIVERSAL                                                                                                                                              | 1        |
| HWIC-1DSU-T1       | 1-Port T1/Fractional T1 DSU/CSU WAN Interface Card                                                                                                                         | 1        |
| CAB-AC             | AC Power Cord (North America), C13, NEMA 5-15P, 2.1m                                                                                                                       | 1        |
| CAB-CONSOLE-RJ45   | Console Cable 6ft with RJ45 and DB9F                                                                                                                                       | 1        |
| PWR-2921-51-AC     | Cisco 2921/2951 AC Power Supply                                                                                                                                            | 1        |
| ISR-CCP-EXP        | Cisco Config Pro Express on Router Flash                                                                                                                                   | 1        |
| MEM-2900-512MB-DEF | 512MB DRAM for Cisco 2901-2921 ISR (Default)                                                                                                                               | 1        |
| MEM-CF-256MB       | 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR                                                                                                                         | 1        |
| SL-29-IPB-K9       | IP Base License for Cisco 2901-2951                                                                                                                                        | 1        |
| SL-29-SEC-K9       | Security License for Cisco 2901-2951                                                                                                                                       | 1        |
| CON-OSP-2921SEC    | ONSITE 24X7X4 Cisco 2921 Security                                                                                                                                          | 1        |
| SRX-240-T1         |                                                                                                                                                                            |          |
| Product            | Description                                                                                                                                                                | Quantity |
|                    | SRX services gateway 240 with 16 x GE ports, 4xmini-PIM slots, and high memory (1GB RAM, 1GB FLASH). Integrated power supply with power cord. 19" Rack mount kit included. | 1        |
| SRX240H            |                                                                                                                                                                            |          |
| SRX-MP-1T1E1       | 1-Port T1/E1 Mini-PIM for SRX                                                                                                                                              | 1        |
| SRX240-RMK         | SRX240 Rack mount kit for 19" rack. Holds one unit.                                                                                                                        | 1        |
| SVC-SDCE-SRX240    | Juniper Care SameDay Onsite Support for SRX240                                                                                                                             | 1        |
| 1921-2T1-SEC       |                                                                                                                                                                            |          |
| Product            | Description                                                                                                                                                                | Quantity |
| CISCO1921-SEC/K9   | Cisco1921/K9 with 2GE, SEC License PAK, 512MB DRAM, 256MB Fl                                                                                                               | 1        |
| S190UK9-15104M     | Cisco 1900 IOS UNIVERSAL                                                                                                                                                   | 1        |
| HWIC-1DSU-T1       | 1-Port T1/Fractional T1 DSU/CSU WAN Interface Card                                                                                                                         | 2        |
| CAB-AC             | AC Power Cord (North America), C13, NEMA 5-15P, 2.1m                                                                                                                       | 1        |
| CAB-CONSOLE-RJ45   | Console Cable 6ft with RJ45 and DB9F                                                                                                                                       | 1        |
| ACS-1900-RM-19     | Rack Mount Kit for 1921, 1905                                                                                                                                              | 1        |
| SL-19-IPB-K9       | IP Base License for Cisco 1900                                                                                                                                             | 1        |
| SL-19-SEC-K9       | Security License for Cisco 1900                                                                                                                                            | 1        |
| CON-OSP-1921SEC    | ONSITE 24X7X4 Cisco1921/K9 with 2GE, SEC License PAK,                                                                                                                      | 1        |
| 2921-2T1-SEC       |                                                                                                                                                                            |          |
| Product            | Description                                                                                                                                                                | Quantity |
| CISCO2921-SEC/K9   | Cisco 2921 Security Bundle w/SEC license PAK                                                                                                                               | 1        |
| S29UK9-15104M      | Cisco 2901-2921 IOS UNIVERSAL                                                                                                                                              | 1        |
| VWIC3-2MFT-T1/E1   | 2-Port 3rd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1                                                                                                                 | 1        |
| CAB-AC             | AC Power Cord (North America), C13, NEMA 5-15P, 2.1m                                                                                                                       | 1        |
| CAB-CONSOLE-RJ45   | Console Cable 6ft with RJ45 and DB9F                                                                                                                                       | 1        |
| PWR-2921-51-AC     | Cisco 2921/2951 AC Power Supply                                                                                                                                            | 1        |
| ISR-CCP-EXP        | Cisco Config Pro Express on Router Flash                                                                                                                                   | 1        |
| MEM-2900-512MB-DEF | 512MB DRAM for Cisco 2901-2921 ISR (Default)                                                                                                                               | 1        |
| MEM-CF-256MB       | 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR                                                                                                                         | 1        |
| GLC-SX-MM          | GE SFP, LC connector SX transceiver                                                                                                                                        | 1        |
| SL-29-IPB-K9       | IP Base License for Cisco 2901-2951                                                                                                                                        | 1        |
| SL-29-SEC-K9       | Security License for Cisco 2901-2951                                                                                                                                       | 1        |
| CON-OSP-2921SEC    | ONSITE 24X7X4 Cisco 2921 Security                                                                                                                                          | 1        |

| 2921-4T1-SEC       |                                                            |          |
|--------------------|------------------------------------------------------------|----------|
| Product            | Description                                                | Quantity |
| CISCO2921-SEC/K9   | Cisco 2921 Security Bundle w/SEC license PAK               | 1        |
| S29UK9-15201T      | Cisco 2901-2921 IOS UNIVERSAL                              | 1        |
| VWIC3-2MFT-T1/E1   | 2-Port 3rd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1 | 2        |
| GLC-SX-MM          | GE SFP, LC connector SX transceiver                        | 1        |
| CAB-AC             | AC Power Cord (North America), C13, NEMA 5-15P, 2.1m       | 1        |
| CAB-CONSOLE-RJ45   | Console Cable 6ft with RJ45 and DB9F                       | 1        |
| PWR-2921-51-AC     | Cisco 2921/2951 AC Power Supply                            | 1        |
| ISR-CCP-EXP        | Cisco Config Pro Express on Router Flash                   | 1        |
| MEM-2900-512MB-DEF | 512MB DRAM for Cisco 2901-2921 ISR (Default)               | 1        |
| MEM-CF-256MB       | 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR         | 1        |
| SL-29-IPB-K9       | IP Base License for Cisco 2901-2951                        | 1        |
| SL-29-SEC-K9       | Security License for Cisco 2901-2951                       | 1        |
| CON-OSP-2921SEC    | ONSITE 24X7X4 Cisco 2921 Security                          | 1        |

| 3925-6T1-SEC     |                                                            |          |
|------------------|------------------------------------------------------------|----------|
| Product          | Description                                                | Quantity |
| CISCO3925-SEC/K9 | Cisco 3925 Security Bundle w/SEC license PAK               | 1        |
| S39UK9-15104M    | Cisco 3925-3945 IOS UNIVERSAL                              | 1        |
| VWIC3-2MFT-T1/E1 | 2-Port 3rd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1 | 3        |
| GLC-SX-MM        | GE SFP, LC connector SX transceiver                        | 2        |
| CAB-AC           | AC Power Cord (North America), C13, NEMA 5-15P, 2.1m       | 1        |
| CAB-CONSOLE-RJ45 | Console Cable 6ft with RJ45 and DB9F                       | 1        |
| PWR-3900-AC      | Cisco 3925/3945 AC Power Supply                            | 1        |
| 3900-FANASSY     | Cisco 3925/3945 Fan Assembly (Bezel included)              | 1        |
| C3900-SPE150/K9  | Cisco Services Performance Engine 150 for Cisco 3945 ISR   | 1        |
| ISR-CCP-EXP      | Cisco Config Pro Express on Router Flash                   | 1        |
| MEM-3900-1GB-DEF | 1GB DRAM (512MB+512MB) for Cisco 3925/3945 ISR (Default)   | 1        |
| MEM-CF-256MB     | 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR         | 1        |
| SL-39-IPB-K9     | IP Base License for Cisco 3925/3945                        | 1        |
| SL-39-SEC-K9     | Security License for Cisco 3900 Series                     | 1        |
| CON-OSP-3925SEC  | ONSITE 24X7X4 Cisco 3925 Security Bundle w/SEC license     | 1        |

| 3945-6T1-SEC     |                                                            |          |
|------------------|------------------------------------------------------------|----------|
| Product          | Description                                                | Quantity |
| CISCO3945-SEC/K9 | Cisco 3945 Security Bundle w/SEC license PAK               | 1        |
| S39UK9-15104M    | Cisco 3925-3945 IOS UNIVERSAL                              | 1        |
| VWIC3-2MFT-T1/E1 | 2-Port 3rd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1 | 3        |
| GLC-SX-MM        | GE SFP, LC connector SX transceiver                        | 2        |
| CAB-AC           | AC Power Cord (North America), C13, NEMA 5-15P, 2.1m       | 1        |
| CAB-CONSOLE-RJ45 | Console Cable 6ft with RJ45 and DB9F                       | 1        |
| PWR-3900-AC      | Cisco 3925/3945 AC Power Supply                            | 1        |
| 3900-FANASSY     | Cisco 3925/3945 Fan Assembly (Bezel included)              | 1        |
| C3900-SPE150/K9  | Cisco Services Performance Engine 150 for Cisco 3945 ISR   | 1        |
| ISR-CCP-EXP      | Cisco Config Pro Express on Router Flash                   | 1        |
| MEM-3900-1GB-DEF | 1GB DRAM (512MB+512MB) for Cisco 3925/3945 ISR (Default)   | 1        |
| MEM-CF-256MB     | 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR         | 1        |
| SL-39-IPB-K9     | IP Base License for Cisco 3925/3945                        | 1        |
| SL-39-SEC-K9     | Security License for Cisco 3900 Series                     | 1        |
| CON-OSP-3945SEC  | ONSITE 24X7X4 Cisco 3945 Security Bundle w/SEC license     | 1        |

| 2951-T3-SEC        |                                                            |          |
|--------------------|------------------------------------------------------------|----------|
| Product            | Description                                                | Quantity |
| CISCO2951-SEC/K9   | Cisco 2951 Security Bundle w/SEC license PAK               | 1        |
| S2951UK9-15104M    | Cisco 2951 IOS UNIVERSAL                                   | 1        |
| NM-1T3/E3          | One port T3/E3 network module                              | 1        |
| GLC-SX-MM          | GE SFP, LC connector SX transceiver                        | 1        |
| SM-NM-ADPTR        | Network Module Adapter for SM Slot on Cisco 2900, 3900 ISR | 1        |
| CAB-AC             | AC Power Cord (North America), C13, NEMA 5-15P, 2.1m       | 1        |
| CAB-CONSOLE-RJ45   | Console Cable 6ft with RJ45 and DB9F                       | 1        |
| PWR-2921-51-AC     | Cisco 2921/2951 AC Power Supply                            | 1        |
| ISR-CCP-EXP        | Cisco Config Pro Express on Router Flash                   | 1        |
| MEM-2951-512MB-DEF | 512MB DRAM (1 512MB DIMM) for Cisco 2951 ISR (Default)     | 1        |
| MEM-CF-256MB       | 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR         | 1        |
| SL-29-IPB-K9       | IP Base License for Cisco 2901-2951                        | 1        |
| SL-29-SEC-K9       | Security License for Cisco 2901-2951                       | 1        |
| CON-OSP-2951SEC    | ONSITE 24X7X4 Cisco 2951 Security                          | 1        |

| 3945-T3-SEC      |                                                            |          |
|------------------|------------------------------------------------------------|----------|
| Product          | Description                                                | Quantity |
| CISCO3945-SEC/K9 | Cisco 3945 Security Bundle w/SEC license PAK               | 1        |
| S39UK9-15104M    | Cisco 3925-3945 IOS UNIVERSAL                              | 1        |
| NM-1T3/E3        | One port T3/E3 network module                              | 1        |
| SM-NM-ADPTR      | Network Module Adapter for SM Slot on Cisco 2900, 3900 ISR | 1        |
| CAB-AC           | AC Power Cord (North America), C13, NEMA 5-15P, 2.1m       | 1        |
| CAB-CONSOLE-RJ45 | Console Cable 6ft with RJ45 and DB9F                       | 1        |
| PWR-3900-AC      | Cisco 3925/3945 AC Power Supply                            | 1        |
| 3900-FANASSY     | Cisco 3925/3945 Fan Assembly (Bezel included)              | 1        |
| C3900-SPE150/K9  | Cisco Services Performance Engine 150 for Cisco 3945 ISR   | 1        |
| ISR-CCP-EXP      | Cisco Config Pro Express on Router Flash                   | 1        |
| MEM-3900-1GB-DEF | 1GB DRAM (512MB+512MB) for Cisco 3925/3945 ISR (Default)   | 1        |
| MEM-CF-256MB     | 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR         | 1        |
| SL-39-IPB-K9     | IP Base License for Cisco 3925/3945                        | 1        |
| SL-39-SEC-K9     | Security License for Cisco 3900 Series                     | 1        |
| CON-OSP-3945SEC  | ONSITE 24X7X4 Cisco 3945 Security Bundle w/SEC license     | 1        |

| 3925-T3-SEC      |                                                            |          |
|------------------|------------------------------------------------------------|----------|
| Product          | Description                                                | Quantity |
| CISCO3925-SEC/K9 | Cisco 3925 Security Bundle w/SEC license PAK               | 1        |
| S39UK9-15104M    | Cisco 3925-3945 IOS UNIVERSAL                              | 1        |
| NM-1T3/E3        | One port T3/E3 network module                              | 1        |
| GLC-SX-MM        | GE SFP, LC connector SX transceiver                        | 2        |
| SM-NM-ADPTR      | Network Module Adapter for SM Slot on Cisco 2900, 3900 ISR | 1        |
| CAB-AC           | AC Power Cord (North America), C13, NEMA 5-15P, 2.1m       | 1        |
| CAB-CONSOLE-RJ45 | Console Cable 6ft with RJ45 and DB9F                       | 1        |
| PWR-3900-AC      | Cisco 3925/3945 AC Power Supply                            | 1        |
| 3900-FANASSY     | Cisco 3925/3945 Fan Assembly (Bezel included)              | 1        |
| C3900-SPE100/K9  | Cisco Services Performance Engine 100 for Cisco 3925 ISR   | 1        |
| ISR-CCP-EXP      | Cisco Config Pro Express on Router Flash                   | 1        |
| MEM-3900-1GB-DEF | 1GB DRAM (512MB+512MB) for Cisco 3925/3945 ISR (Default)   | 1        |
| MEM-CF-256MB     | 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR         | 1        |
| SL-39-IPB-K9     | IP Base License for Cisco 3925/3945                        | 1        |
| SL-39-SEC-K9     | Security License for Cisco 3900 Series                     | 1        |
| CON-OSP-3925SEC  | ONSITE 24X7X4 Cisco 3925 Security Bundle w/SEC license     | 1        |

| 1921-ME-SEC      |                                                              |          |
|------------------|--------------------------------------------------------------|----------|
| Product          | Description                                                  | Quantity |
| CISCO1921-SEC/K9 | Cisco1921/K9 with 2GE, SEC License PAK, 512MB DRAM, 256MB Fl | 1        |
| S190UK9-15104M   | Cisco 1900 IOS UNIVERSAL                                     | 1        |
| CAB-AC           | AC Power Cord (North America), C13, NEMA 5-15P, 2.1m         | 1        |
| CAB-CONSOLE-RJ45 | Console Cable 6ft with RJ45 and DB9F                         | 1        |
| ACS-1900-RM-19   | Rack Mount Kit for 1921, 1905                                | 1        |
| SL-19-IPB-K9     | IP Base License for Cisco 1900                               | 1        |
| SL-19-SEC-K9     | Security License for Cisco 1900                              | 1        |
| CON-OSP-1921SEC  | ONSITE 24X7X4 Cisco1921/K9 with 2GE, SEC License PAK,        | 1        |

| 2921-ME-SEC        |                                                      |          |
|--------------------|------------------------------------------------------|----------|
| Product            | Description                                          | Quantity |
| CISCO2921-SEC/K9   | Cisco 2921 Security Bundle w/SEC license PAK         | 1        |
| S29UK9-15104M      | Cisco 2901-2921 IOS UNIVERSAL                        | 1        |
| CAB-AC             | AC Power Cord (North America), C13, NEMA 5-15P, 2.1m | 1        |
| CAB-CONSOLE-RJ45   | Console Cable 6ft with RJ45 and DB9F                 | 1        |
| PWR-2921-51-AC     | Cisco 2921/2951 AC Power Supply                      | 1        |
| ISR-CCP-EXP        | Cisco Config Pro Express on Router Flash             | 1        |
| MEM-2900-512MB-DEF | 512MB DRAM for Cisco 2901-2921 ISR (Default)         | 1        |
| GLC-SX-MM          | GE SFP, LC connector SX transceiver                  | 1        |
| MEM-CF-256MB       | 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR   | 1        |
| SL-29-IPB-K9       | IP Base License for Cisco 2901-2951                  | 1        |
| SL-29-SEC-K9       | Security License for Cisco 2901-2951                 | 1        |
| CON-OSP-2921SEC    | ONSITE 24X7X4 Cisco 2921 Security                    | 1        |

| 3925-ME-SEC      |                                                          |          |
|------------------|----------------------------------------------------------|----------|
| Product          | Description                                              | Quantity |
| CISCO3925-SEC/K9 | Cisco 3925 Security Bundle w/SEC license PAK             | 1        |
| S39UK9-15104M    | Cisco 3925-3945 IOS UNIVERSAL                            | 1        |
| GLC-SX-MM        | GE SFP, LC connector SX transceiver                      | 2        |
| CAB-AC           | AC Power Cord (North America), C13, NEMA 5-15P, 2.1m     | 1        |
| CAB-CONSOLE-RJ45 | Console Cable 6ft with RJ45 and DB9F                     | 1        |
| PWR-3900-AC      | Cisco 3925/3945 AC Power Supply                          | 1        |
| 3900-FANASSY     | Cisco 3925/3945 Fan Assembly (Bezel included)            | 1        |
| C3900-SPE100/K9  | Cisco Services Performance Engine 100 for Cisco 3925 ISR | 1        |
| ISR-CCP-EXP      | Cisco Config Pro Express on Router Flash                 | 1        |
| MEM-3900-1GB-DEF | 1GB DRAM (512MB+512MB) for Cisco 3925/3945 ISR (Default) | 1        |
| MEM-CF-256MB     | 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR       | 1        |
| SL-39-IPB-K9     | IP Base License for Cisco 3925/3945                      | 1        |
| SL-39-SEC-K9     | Security License for Cisco 3900 Series                   | 1        |
| CON-OSP-3925SEC  | ONSITE 24X7X4 Cisco 3925 Security Bundle w/SEC license   | 1        |

| SRX-240-ME      |                                                                                                                                                                            |          |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Product         | Description                                                                                                                                                                | Quantity |
|                 | SRX services gateway 240 with 16 x GE ports, 4xmini-PIM slots, and high memory (1GB RAM, 1GB FLASH). Integrated power supply with power cord. 19" Rack mount kit included. | 1        |
| SRX240H         |                                                                                                                                                                            |          |
| SRX240-RMK      | SRX240 Rack mount kit for 19" rack. Holds one unit.                                                                                                                        | 1        |
| SVC-SDCE-SRX240 | Juniper Care SameDay Onsite Support for SRX240                                                                                                                             | 1        |

| 3945-ME-SEC      |                                                          |          |
|------------------|----------------------------------------------------------|----------|
| Product          | Description                                              | Quantity |
| Product          | Description                                              | Quantity |
| CISCO3945-SEC/K9 | Cisco 3945 Security Bundle w/SEC license PAK             | 1        |
| S39UK9-15001M    | Cisco 3925-3945 IOS UNIVERSAL                            | 1        |
| GLC-SX-MM        | GE SFP, LC connector SX transceiver                      | 2        |
| CAB-AC           | AC Power Cord (North America), C13, NEMA 5-15P, 2.1m     | 1        |
| CAB-CONSOLE-RJ45 | Console Cable 6ft with RJ45 and DB9F                     | 1        |
| PWR-3900-AC      | Cisco 3925/3945 AC Power Supply                          | 1        |
| 3900-FANASSY     | Cisco 3925/3945 Fan Assembly (Bezel included)            | 1        |
| C3900-SPE150/K9  | Cisco Services Performance Engine 150 for Cisco 3945 ISR | 1        |
| ISR-CCP-EXP      | Cisco Config Pro Express on Router Flash                 | 1        |
| MEM-3900-1GB-DEF | 1GB DRAM (512MB+512MB) for Cisco 3925/3945 ISR (Default) | 1        |
| MEM-CF-256MB     | 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR       | 1        |
| SL-39-IPB-K9     | IP Base License for Cisco 3925/3945                      | 1        |
| SL-39-SEC-K9     | Security License for Cisco 3900 Series                   | 1        |
| CON-OSP-3945SEC  | ONSITE 24X7X4 Cisco 3945 Security Bundle w/SEC license   | 1        |

| ASR1001-ME-AES   |                                                      |   |
|------------------|------------------------------------------------------|---|
| ASR1001          | Cisco ASR1001 System,Crypto, 4 built-in GE, Dual P/S | 1 |
| ASR1001-PWR-AC   | Cisco ASR1001 AC Power Supply                        | 2 |
| CAB-AC-RA        | Power Cord,110V, Right Angle                         | 2 |
| SFP-GE-S         | 1000BASE-SX SFP (DOM)                                | 2 |
| SFP-GE-T         | 1000BASE-T SFP (NEBS 3 ESD)                          | 1 |
| M-ASR1K-1001-4GB | Cisco ASR1001 4GB DRAM                               | 1 |
| SASR1001UK9-34S  | Cisco ASR 1001 IOS XE UNIVERSAL                      | 1 |
| SLASR1-AES       | Cisco ASR 1000 Advanced Enterprise Services License  | 1 |
| CON-OSP-CASR1001 | ONSITE 24X7X4 Cisco ASR1001 System,Crypto            | 1 |
| CON-OSP-SLASR1AM | ONSITE 24X7X4 Cisco ASR 1000 Advanced Enterprise Ser | 1 |

| ASR1001-ME-AES-FW |                                                      |   |
|-------------------|------------------------------------------------------|---|
| ASR1001           | Cisco ASR1001 System,Crypto, 4 built-in GE, Dual P/S | 1 |
| ASR1001-PWR-AC    | Cisco ASR1001 AC Power Supply                        | 2 |
| CAB-AC-RA         | Power Cord,110V, Right Angle                         | 2 |
| SFP-GE-S          | 1000BASE-SX SFP (DOM)                                | 2 |
| SFP-GE-T          | 1000BASE-T SFP (NEBS 3 ESD)                          | 1 |
| M-ASR1K-1001-4GB  | Cisco ASR1001 4GB DRAM                               | 1 |
| SASR1001UK9-34S   | Cisco ASR 1001 IOS XE UNIVERSAL                      | 1 |
| SLASR1-AES        | Cisco ASR 1000 Advanced Enterprise Services License  | 1 |
| FLSASR1-FW        | FW License for ASR1000 Series                        | 1 |
| CON-OSP-CASR1001  | ONSITE 24X7X4 Cisco ASR1001 System,Crypto            | 1 |
| CON-OSP-FLSASR1FW | ONSITE 24X7X4 FW License for ASR1000                 | 1 |
| CON-OSP-SLASR1AM  | ONSITE 24X7X4 Cisco ASR 1000 Advanced Enterprise Ser | 1 |

| ASR1001-ME-AES-VPN |                                                      |   |
|--------------------|------------------------------------------------------|---|
| ASR1001            | Cisco ASR1001 System,Crypto, 4 built-in GE, Dual P/S | 1 |
| ASR1001-PWR-AC     | Cisco ASR1001 AC Power Supply                        | 2 |
| CAB-AC-RA          | Power Cord,110V, Right Angle                         | 2 |
| SFP-GE-S           | 1000BASE-SX SFP (DOM)                                | 2 |
| SFP-GE-T           | 1000BASE-T SFP (NEBS 3 ESD)                          | 1 |
| M-ASR1K-1001-4GB   | Cisco ASR1001 4GB DRAM                               | 1 |
| SASR1001UK9-34S    | Cisco ASR 1001 IOS XE UNIVERSAL                      | 1 |
| SLASR1-AES         | Cisco ASR 1000 Advanced Enterprise Services License  | 1 |
| FLSASR1-IPSEC      | IPSEC License for ASR1000 Series                     | 1 |
| CON-OSP-CASR1001   | ONSITE 24X7X4 Cisco ASR1001 System,Crypto            | 1 |
| CON-OSP-FLSASR00   | ONSITE 24X7X4 IPSEC License for ASR1000              | 1 |
| CON-OSP-SLASR1AM   | ONSITE 24X7X4 Cisco ASR 1000 Advanced Enterprise Ser | 1 |

| ASR1001-ME-AES-VPN-FW |                                                      |   |
|-----------------------|------------------------------------------------------|---|
| ASR1001               | Cisco ASR1001 System,Crypto, 4 built-in GE, Dual P/S | 1 |
| ASR1001-PWR-AC        | Cisco ASR1001 AC Power Supply                        | 2 |
| CAB-AC-RA             | Power Cord,110V, Right Angle                         | 2 |
| SFP-GE-S              | 1000BASE-SX SFP (DOM)                                | 2 |
| SFP-GE-T              | 1000BASE-T SFP (NEBS 3 ESD)                          | 1 |
| M-ASR1K-1001-4GB      | Cisco ASR1001 4GB DRAM                               | 1 |
| SASR1001UK9-34S       | Cisco ASR 1001 IOS XE UNIVERSAL                      | 1 |
| SLASR1-AES            | Cisco ASR 1000 Advanced Enterprise Services License  | 1 |
| FLSASR1-FW            | FW License for ASR1000 Series                        | 1 |
| FLSASR1-IPSEC         | IPSEC License for ASR1000 Series                     | 1 |
| CON-OSP-CASR1001      | ONSITE 24X7X4 Cisco ASR1001 System,Crypto            | 1 |
| CON-OSP-FLSASR1001    | ONSITE 24X7X4 FW License for ASR1000                 | 1 |
| CON-OSP-FLSASR00      | ONSITE 24X7X4 IPSEC License for ASR1000              | 1 |
| CON-OSP-SLASR1AM      | ONSITE 24X7X4 Cisco ASR 1000 Advanced Enterprise Ser | 1 |

| ASR1001-ME-IPB   |                                                      |   |
|------------------|------------------------------------------------------|---|
| ASR1001          | Cisco ASR1001 System,Crypto, 4 built-in GE, Dual P/S | 1 |
| ASR1001-PWR-AC   | Cisco ASR1001 AC Power Supply                        | 2 |
| CAB-AC-RA        | Power Cord,110V, Right Angle                         | 2 |
| SFP-GE-S         | 1000BASE-SX SFP (DOM)                                | 2 |
| SFP-GE-T         | 1000BASE-T SFP (NEBS 3 ESD)                          | 1 |
| M-ASR1K-1001-4GB | Cisco ASR1001 4GB DRAM                               | 1 |
| SASR1001UK9-34S  | Cisco ASR 1001 IOS XE UNIVERSAL                      | 1 |
| SLASR1-IPB       | Cisco ASR 1000 IP BASE License                       | 1 |
| CON-OSP-CASR1001 | ONSITE 24X7X4 Cisco ASR1001 System,Crypto            | 1 |
| CON-OSP-SLASR1IK | ONSITE 24X7X4 Cisco ASR 1000 IP BASE License         | 1 |

| ASR1001-ME-IPB-FW  |                                                      |   |
|--------------------|------------------------------------------------------|---|
| ASR1001            | Cisco ASR1001 System,Crypto, 4 built-in GE, Dual P/S | 1 |
| ASR1001-PWR-AC     | Cisco ASR1001 AC Power Supply                        | 2 |
| CAB-AC-RA          | Power Cord,110V, Right Angle                         | 2 |
| SFP-GE-S           | 1000BASE-SX SFP (DOM)                                | 2 |
| SFP-GE-T           | 1000BASE-T SFP (NEBS 3 ESD)                          | 1 |
| M-ASR1K-1001-4GB   | Cisco ASR1001 4GB DRAM                               | 1 |
| SASR1001UK9-34S    | Cisco ASR 1001 IOS XE UNIVERSAL                      | 1 |
| SLASR1-IPB         | Cisco ASR 1000 IP BASE License                       | 1 |
| FLSASR1-FW         | FW License for ASR1000 Series                        | 1 |
| CON-OSP-CASR1001   | ONSITE 24X7X4 Cisco ASR1001 System,Crypto            | 1 |
| CON-OSP-FLSASR1001 | ONSITE 24X7X4 FW License for ASR1000                 | 1 |
| CON-OSP-SLASR1IK   | ONSITE 24X7X4 Cisco ASR 1000 IP BASE License         | 1 |

| ASR1001-ME-IPB-VPN |                                                      |   |
|--------------------|------------------------------------------------------|---|
| ASR1001            | Cisco ASR1001 System,Crypto, 4 built-in GE, Dual P/S | 1 |
| ASR1001-PWR-AC     | Cisco ASR1001 AC Power Supply                        | 2 |
| CAB-AC-RA          | Power Cord,110V, Right Angle                         | 2 |
| SFP-GE-S           | 1000BASE-SX SFP (DOM)                                | 2 |
| SFP-GE-T           | 1000BASE-T SFP (NEBS 3 ESD)                          | 1 |
| M-ASR1K-1001-4GB   | Cisco ASR1001 4GB DRAM                               | 1 |
| SASR1001UK9-34S    | Cisco ASR 1001 IOS XE UNIVERSAL                      | 1 |
| SLASR1-IPB         | Cisco ASR 1000 IP BASE License                       | 1 |
| FLSASR1-IPSEC      | IPSEC License for ASR1000 Series                     | 1 |
| CON-OSP-CASR1001   | ONSITE 24X7X4 Cisco ASR1001 System,Crypto            | 1 |
| CON-OSP-FLSASR00   | ONSITE 24X7X4 IPSEC License for ASR1000              | 1 |
| CON-OSP-SLASR1IK   | ONSITE 24X7X4 Cisco ASR 1000 IP BASE License         | 1 |

| ASR1001-ME-IPB-VPN-FW |                                                      |   |
|-----------------------|------------------------------------------------------|---|
| ASR1001               | Cisco ASR1001 System,Crypto, 4 built-in GE, Dual P/S | 1 |
| ASR1001-PWR-AC        | Cisco ASR1001 AC Power Supply                        | 2 |
| CAB-AC-RA             | Power Cord,110V, Right Angle                         | 2 |
| SFP-GE-S              | 1000BASE-SX SFP (DOM)                                | 2 |
| SFP-GE-T              | 1000BASE-T SFP (NEBS 3 ESD)                          | 1 |
| M-ASR1K-1001-4GB      | Cisco ASR1001 4GB DRAM                               | 1 |
| SASR1001UK9-34S       | Cisco ASR 1001 IOS XE UNIVERSAL                      | 1 |
| SLASR1-IPB            | Cisco ASR 1000 IP BASE License                       | 1 |
| FLSASR1-FW            | FW License for ASR1000 Series                        | 1 |
| FLSASR1-IPSEC         | IPSEC License for ASR1000 Series                     | 1 |
| CON-OSP-CASR1001      | ONSITE 24X7X4 Cisco ASR1001 System,Crypto            | 1 |
| CON-OSP-FLSASR1FW     | ONSITE 24X7X4 FW License for ASR1000                 | 1 |
| CON-OSP-FLSASR00      | ONSITE 24X7X4 IPSEC License for ASR1000              | 1 |
| CON-OSP-SLASR11K      | ONSITE 24X7X4 Cisco ASR 1000 IP BASE License         | 1 |