



Vehicle Information

SELECTED MODEL

Code Description

6202 2009 Scion xB 5dr Wgn Auto (SE)

SELECTED VEHICLE COLORS

SELECTED OPTIONS

| Code | Description |
|------|--------------------|
| FE | 50 STATE EMISSIONS |
| | STANDARD PAINT |
| FA | FABRIC SEAT TRIM |



Standard Equipment

NOTE

ALL STANDARDS ARE PRELIMINARY

MECHANICAL

2.4L DOHC SMPI 16-valve VVT-i I4 engine

4-speed automatic transmission

Vehicle stability control (VSC)

Traction control

Front wheel drive

Independent MacPherson strut front suspension

Torsion beam rear suspension

Front stabilizer bar

16" x 6.5" steel wheels

P205/55R16 all-season tires

Temporary spare tire

Pwr assisted steering

Pwr front vented disc/rear solid disc brakes

Anti-lock brake system (ABS) w/electronic brakeforce distribution (EBD)

Brake assist

Chrome exhaust tip

EXTERIOR

Multi-reflector halogen headlamps

Pwr outside mirrors w/turn indicators

Rear privacy glass

Intermittent windshield wipers

Rear wiper

INTERIOR

Sport front bucket seats w/driver seat height adjustment & armrest

60/40 split fold flat rear seat w/under-seat storage tray

Fabric seat trim

Center console

Cup holders

Tilt steering wheel w/audio controls

Instrumentation-inc: speedometer, tachometer, trip meter

Deep orange instrument panel illumination

Tire pressure monitor system

Pwr windows w/1-touch auto-down driver window

Pwr door locks

Auto-shift door locking mechanism

Remote keyless entry

Cruise control



Prepared By: Florida Department of Management Services, Division of State Purchasing

Air conditioning

Rear window defogger

160-watt Pioneer AM/FM stereo w/CD/MP3/WMA player-inc: satellite radio capability, Sound Retouch digital equalization, Scion sound processing, (6) speakers, auxiliary audio input jack, customizable welcome screen

Roof mounted audio antenna

Digital clock

Driver & front passenger sunvisor w/vanity mirror

Cargo area under-floor storage

EPA FUEL ECONOMY RATING

City 22/hwy 28 (2.4L engine/4-speed auto trans)

SAFETY

Anti-lock brake system (ABS) w/electronic brakeforce distribution (EBD)

Brake assist

Driver & front passenger dual-stage airbags (SRS)

Front seat side body airbags

Front & rear side head curtain airbags

Driver & front passenger 3-point seat belts w/pretensioners & force limiters

3-across 3-point rear seat belts

ISOFIX CRS top tether anchor brackets & lower anchor latches

Vehicle stability control (VSC)

Traction control

First-aid kit



All Options

| Code | Description | MSRF |
|-----------------|---|------------|
| Emissions | | |
| FE | 50 STATE EMISSIONS | \$0.00 |
| Paint | | |
| | STANDARD PAINT | \$0.00 |
| Seat Type | | |
| FA | FABRIC SEAT TRIM | \$0.00 |
| Post Production | on Options | |
| XQ1 | SCION XB MAKE IT MINE PKG #1, -inc: rear bumper protector, fog lights, rear wind deflector, (PPO) | \$877.00 |
| XQ2 | SCION XB MAKE IT MINE PKG #2, -inc: rear wind deflector, electrochromic mirror, Borla exhaust, 16" Enkei wheels, (PPO) | \$1,872.00 |
| XQ3 | SCION XB MAKE IT MINE PKG #3, -inc: rear wind deflector, interior lights, security system, 18" Enkei wheels w/Pirelli tires, (PPO) | \$2,866.00 |
| XT4 | TOYOGUARD PROTECTION GROUP, -inc: exterior paint sealant, sealant cleaner, interior protector, undercoating & sound seal, vehicle VIN glass etch protection, (PPO) | \$619.00 |
| XT7 | TOYOGUARD PLUS PROTECTION GROUP CUSTOMER CARE, -inc: roadside assistance, rental car assistance, no charge 1st oil & filter change by S.E.T dealers, emergency towing, vehicle VIN etch protection, exterior paint sealant, undercoating & sound seal, sealant cleaner, interior protector, (PPO) | \$699.00 |
| YA2 | PREMIUM AUDIO W/RCA OUTPUTS, (PPO) | \$389.00 |
| YA3 | AM/FM STEREO W/CD-PLAYER, -inc: satellite, MP3 & iPod capability, (PPO) *NO LONGER FACTORY ORDERABLE-SEE DEALER FOR CURRENT AVAILABILITY* | \$499.00 |
| YA5 | PREMIUM AUDIO W/SATELLITE CAPABILITY, (PPO) | \$838.00 |
| YA8 | AM/FM STEREO W/CD-PLAYER, -inc: satellite, MP3 & iPod capability, (PPO) | \$449.00 |
| YA9 | PREMIUM AUDIO W/SATELLITE CAPABILITY, (PPO) | \$838.00 |
| YB1 | REAR BUMPER APPLIQUE, (PPO) | \$58.00 |
| YC1 | 7-SPOKE WHEEL COVERS, (PPO) | \$0.00 |
| YC2 | 10-SPOKE WHEEL COVERS, (PPO) | \$0.00 |
| YC3 | 6-SPOKE WHEEL COVERS, (PPO) | \$0.00 |
| YD2 | CARBON FIBER APPLIQUE B-PILLAR, (PPO) | \$399.00 |
| YE3 | DUAL BORLA CAT BACK EXHAUST, (PPO) | \$499.00 |
| YF2 | FOG LIGHTS, (PPO) | \$320.00 |
| YH2 | XB BILLET GRILLE, (PPO) | \$419.00 |
| YH7 | 9" DVD DROP DOWN SYSTEM, (PPO) | \$999.00 |
| YH9 | DUAL HEADREST DVD SYSTEM, (PPO) | \$1,699.00 |
| YI1 | INTERIOR LIGHTS, (PPO) | \$249.00 |
| YL5 | CARGO NET, (PPO) | \$65.00 |
| YM1 | XB ELECTROCHROMIC MIRROR, (PPO) | \$149.00 |
| YN7 | AUDIO VISUAL NAVIGATION SYSTEM W/XM TUNER, (PPO) | \$2,067.00 |
| YN8 | AUDIO VISUAL NAVIGATION SYSTEM, (PPO) | \$1,950.00 |
| YP9 | PARK PILOT, (PPO) | \$349.00 |
| YQ2 | KEYLESS SECURITY UPGRADE, (PPO) | \$469.00 |
| YT2 | WINDOW TINT, (PPO) | \$159.00 |



Prepared By:Florida Department of Management Services, Division of State Purchasing

| YU1 | EURO STYLED TAIL LIGHTS, (PPO) | \$329.00 |
|-----|--|------------|
| YV4 | CARPET FLOOR MATS, (PPO) | \$99.00 |
| YV5 | CARPET FLOOR MATS W/CARGO MAT, (PPO) | \$155.00 |
| YW1 | 4-BDAN ENKEI ALLOY WHEELS, (PPO) | \$725.00 |
| YW2 | 17" XB ALLOY WHEELS, (PPO) | \$1,758.00 |
| YW3 | 16" BGAT ENKEI ALLOY WHEELS, (PPO) | \$678.00 |
| YW4 | 16" BBS WHEELS, (PPO) | \$879.00 |
| YW5 | 16" ENKEI ALLOY WHEELS, (PPO) | \$675.00 |
| YW6 | ALLOY WHEELS, (PPO) | \$850.00 |
| YW7 | 17" BRCT ALLOY WHEELS, -inc: P225/45R17 Pirelli tires, (PPO) | \$1,676.00 |
| YW8 | 18" BRDT ALLOY WHEELS, -inc: P235/40R18 Pirelli tires, (PPO) | \$1,649.00 |
| Y12 | 18" DIAMOND CUT ALLOY WHEELS, (PPO) | \$1,699.00 |
| YX3 | REAR WIND DEFLECTOR, (PPO) | \$499.00 |
| YZ4 | SOUTHEAST TOYOTA DISTRIBUTOR CERTIFIED TECHNICIAN 46 POINT FINAL QUALITY INSPECTION, (PPO) | \$0.00 |
| YZ5 | SOUTHEAST TOYOTA DISTRIBUTOR PLUS CERTIFIED TECHNICIAN 46 POINT FINAL QUALITY INSPECTION, DIGITAL PICTURE ASSET PROGRAM, (PPO) | \$0.00 |
| US6 | (6) GALLONS OF GAS, (PPO) | \$0.00 |



Color Availability

| Color | Code | Description | |
|-------|------|---------------------------------------|--|
| | 040 | Exterior 1: Super White | |
| N/A | FA10 | Internal: Dark Charcoal | |
| | 1F7 | Exterior 1: Classic Silver Metallic | |
| N/A | FA10 | Internal: Dark Charcoal | |
| | 209 | Exterior 1: Black Sand Pearl | |
| N/A | FA10 | Internal: Dark Charcoal | |
| | 3N0 | Exterior 1: Blackberry Crush Metallic | |
| N/A | FA10 | Internal: Dark Charcoal | |
| | 8T4 | Exterior 1: Stingray Metallic | |
| N/A | FA10 | Internal: Dark Charcoal | |
| | 8U3 | Exterior 1: Hypnotic Teal Mica | |
| N/A | FA10 | Internal: Dark Charcoal | |



Prepared By:Florida Department of Management Services, Division of State Purchasing

| Warranty | Inform | ation |
|----------|--------|-------|
|----------|--------|-------|

| << Preliminary 2009 Warranty >> |
|---------------------------------|
| Basic: |
| 3 Years/36,000 Miles |
| Drivetrain: |
| 5 Years/60,000 Miles |
| Corrosion: |

5 Years/Unlimited Miles



Technical Specifications

| POWERTR | ical Specifications | | |
|------------|-------------------------------------|---------------------|--|
| Transmiss | ion | | |
| | Drivetrain | Front Wheel Drive | |
| | Trans Order Code | | |
| | Trans Type | 4 | |
| | Trans Description Cont. | Automatic | |
| | Trans Description Cont. Again | | |
| | First Gear Ratio (:1) | 3.94 | |
| | Second Gear Ratio (:1) | 2.20 | |
| | Third Gear Ratio (:1) | 1.41 | |
| | Fourth Gear Rato (:1) | 1.02 | |
| | Reverse Ratio (:1) | 3.15 | |
| | Clutch Size | | |
| | Final Drive Axle Ratio (:1) | 2.74 | |
| /lileage | | | |
| | EPA Fuel Economy Est - City | 22 (2008) MPG | |
| | EPA Fuel Economy Est - Hwy | 28 (2008) MPG | |
| | Cruising Range - City | 308.00 mi | |
| | Cruising Range - Hwy | 392.00 mi | |
| ngine | | | |
| | Engine Order Code | | |
| | Engine Type | Gas I4 | |
| | Displacement | 2.4L/144 | |
| | Fuel System | SMPI | |
| | SAE Net Horsepower @ RPM | 158 @ 6000 | |
| | SAE Net Torque @ RPM | 162 @ 4000 | |
| Electrical | | | |
| | Cold Cranking Amps @ 0° F (Primary) | N/A | |
| | Maximum Alternator Capacity (amps) | N/A | |
| ooling Sy | vstem | | |
| | Total Cooling System Capacity | 6.2 qts | |
| /EHICLE | | | |
| | EPA Classification | Small Station Wagon | |
| DIMENSIO | NS | | |



Prepared By:Florida Department of Management Services, Division of State Purchasing

| Interior Dimensions | |
|---------------------------------|-----------------------|
| Passenger Capacity | 5 |
| Passenger Volume | 122.5 ft ³ |
| Front Head Room | 40.0 in |
| Front Leg Room | 40.7 in |
| Front Shoulder Room | 55.8 in |
| Front Hip Room | 52.7 in |
| Second Head Room | 41.2 in |
| | |
| Second Leg Room | 38.0 in |
| Second Shoulder Room | 54.7 in |
| Second Hip Room | 46.7 in |
| Exterior Dimensions | |
| Wheelbase | 102.4 in |
| Length, Overall | 167.3 in |
| Width, Max w/o mirrors | 69.3 in |
| Height, Overall | 64.7 in |
| Tread Width, Front | 60.0 in |
| Tread Width, Rear | 59.8 in |
| Min Ground Clearance | 5.1 in |
| Liftover Height | N/A in |
| Cargo Area Dimensions | |
| Trunk Volume | 21.7 ft ³ |
| CHASSIS | |
| Weight Information | |
| Base Curb Weight | 3086 lbs |
| Suspension | |
| Suspension Type - Front | MacPherson Strut |
| Suspension Type - Rear | Torsion Beam |
| Suspension Type - Front (Cont.) | w/Coil Springs |
| Suspension Type - Rear (Cont.) | |
| Shock Absorber Diameter - Front | N/A mm |
| Shock Absorber Diameter - Rear | N/A mm |
| Stabilizer Bar Diameter - Front | 1.04 in |
| Stabilizer Bar Diameter - Rear | |

Prepared By:Florida Department of Management Services, Division of State Purchasing

| Tires | | |
|-----------|------------------------------------|-----------------|
| | Front Tire Order Code | |
| | Rear Tire Order Code | |
| | Spare Tire Order Code | |
| | Front Tire Size | P205/55R16 |
| | Rear Tire Size | P205/55R16 |
| | Spare Tire Size | Compact |
| Wheels | | |
| | Front Wheel Size | 16 x 6.5 in |
| | Rear Wheel Size | 16 x 6.5 in |
| | Spare Wheel Size | Compact in |
| | Front Wheel Material | Steel |
| | Rear Wheel Material | Steel |
| | Spare Wheel Material | Steel |
| Steering | | |
| | Steering Ratio (:1), Overall | 16.0 |
| | Lock to Lock Turns (Steering) | 2.9 |
| | Turning Diameter - Curb to Curb | 34.8 ft |
| | Turning Diameter - Wall to Wall | N/A ft |
| Brakes | | |
| | Brake Type | Power |
| | Brake ABS System | 4-wheel |
| | Brake ABS System (Second Line) | N/A |
| | Disc - Front (Yes or) | Yes |
| | Disc - Rear (Yes or) | Yes |
| | Front Brake Rotor Diam x Thickness | 10.8 x -TBD- in |
| | Rear Brake Rotor Diam x Thickness | 11.0 x -TBD- in |
| | Drum - Rear (Yes or) | |
| | Rear Drum Diam x Width | |
| Fuel Tank | | |
| | Fuel Tank Capacity, Approx | 14.0 gal |
| | Aux Fuel Tank Capacity, Approx | N/A gal |

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.