



**2009 Nissan Frontier 2WD King Cab V6 Auto SE
(33319)**

Prepared By:
Florida Department of Management Services,
Division of State Purchasing

Vehicle Information

SELECTED MODEL

Code	Description
33319	2009 Nissan Frontier 2WD King Cab V6 Auto SE

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
50S	[C03] 50 STATE EMISSIONS
_____	SOLID PAINT



**2009 Nissan Frontier 2WD King Cab V6 Auto SE
(33319)**

Prepared By:
Florida Department of Management Services,
Division of State Purchasing

Standard Equipment

MECHANICAL

- 4.0L DOHC 24-valve V6 engine
- Nissan engine cover
- 5-speed automatic transmission w/OD
- Rear wheel drive
- 6500# towing capacity
- Front tow hook
- Front independent suspension
- Multi-leaf rear suspension
- 16" styled steel wheels
- P265/70R16 BF Goodrich all-season OWL tires
- Full size spare tire w/steel wheel
- Pwr rack & pinion steering
- Pwr 4-wheel vented disc brakes
- 4-wheel anti-lock braking system (ABS)

EXTERIOR

- Chrome front bumper
- Chrome rear bumper
- Chrome front grille
- Black mirrors
- Tinted UV-reducing solar glass
- Sliding rear window
- Privacy glass
- Variable intermittent windshield wipers
- Rear access doors
- Black door handles
- Cargo lamp
- (4) inside bed hooks
- Detachable tailgate w/lock

INTERIOR

- Reclining front bucket seats w/adjustable active head restraints
- Fold-flat passenger seat
- Forward facing rear jump seats w/flip-up seat cushions
- Unique cloth seating surfaces
- 2nd row LH removable under seat storage
- Dual-level center console w/storage & armrest style lid
- Tilt steering column
- Instrumentation-inc: tachometer, trip meter, coolant temp
- Oil & volt gauges
- Tire pressure monitoring system
- Reminders-inc: low fuel, fasten seat belts



**2009 Nissan Frontier 2WD King Cab V6 Auto SE
(33319)**

Prepared By:
Florida Department of Management Services,
Division of State Purchasing

AM/FM stereo w/CD player-inc: digital clock
Air conditioning
Dual glove box w/lower lockable glove box
Cell phone storage
(2) auxiliary pwr outlets
(2) front/(2) rear cup holders
(2) bottle holders
Front/rear door map pockets
Chrome inside door handles
Driver/front passenger ceiling assist grips & A-pillar ingress/egress grips
Coat hook
Dual sunvisors w/vanity mirrors
Dome light
Front map lights

SAFETY

4-wheel anti-lock braking system (ABS)
Driver & front passenger dual stage airbags
3-point seat belts for all seating positions
Front seat belts w/pretensioners, load limiters, adjustable upper anchors
(1) rear passenger top tether child restraint anchor
Side door guard beams

EPA FUEL ECONOMY RATINGS

City 15/hwy 20 (4.0L engine/5-speed auto trans)



**2009 Nissan Frontier 2WD King Cab V6 Auto SE
(33319)**

Prepared By:
Florida Department of Management Services,
Division of State Purchasing

All Options









Code	Description	Front Weight	Rear Weight	MSRP
Emissions				
50S	[C03] 50 STATE EMISSIONS	0.0	0.0	\$0.00
Paint				
—	SOLID PAINT	0.0	0.0	\$0.00
Additional Options				
VTP	[F01] SE VALUE TRUCK PKG, -inc: active brake limited slip, 16" alloy wheels, bed liner, floor mats, remote keyless entry, pwr windows w/driver side auto-down, pwr door locks, pwr outside mirrors, microfilter, cruise control	0.0	0.0	\$1,330.00
SAB	[S01] SIDE & CURTAIN AIRBAG PKG, -inc: side airbags, inflatable airbag curtain, (REQ: VTP Value Truck Pkg)	0.0	0.0	\$550.00
Port Installed Options				
SGD	[B94] SPLASH GUARDS, *Required & only sold on vehicles in Alaska, Idaho, Montana, Oregon, Rhode Island, Washington & Wisconsin* (PIO)	0.0	0.0	\$130.00
FLO	[L92] FLOOR MATS, (PIO)	0.0	0.0	\$105.00
BDL	[M97] UNDER RAIL BED LINER W/BED RAIL CAPS, (PIO)	0.0	0.0	\$430.00
NV1	[U94] PORTABLE NAVIGATION, (PIO) *Affects Color Availability*	0.0	0.0	\$590.00
TOW	[W94] TOW HITCH PKG, (PIO)	0.0	0.0	\$340.00
EX1	[X95] NON-SLIDING BED EXTENDER, (PIO)	0.0	0.0	\$260.00



**2009 Nissan Frontier 2WD King Cab V6 Auto SE
(33319)**

Prepared By:
Florida Department of Management Services,
Division of State Purchasing

Color Availability

Color	Code	Description
	A20	Exterior 1: Red Alert
N/A	K	Internal: Graphite
	NAC	Exterior 1: Red Brick
N/A	C	Internal: Beige
	K12	Exterior 1: Radiant Silver
N/A	K	Internal: Graphite
	K27	Exterior 1: Storm Gray
N/A	K	Internal: Graphite
	K27	Exterior 1: Storm Gray
N/A	C	Internal: Beige
	KH3	Exterior 1: Super Black
N/A	K	Internal: Graphite
	KH3	Exterior 1: Super Black
N/A	C	Internal: Beige
	QM1	Exterior 1: Avalanche White
N/A	C	Internal: Beige



**2009 Nissan Frontier 2WD King Cab V6 Auto SE
(33319)**

Prepared By:
Florida Department of Management Services,
Division of State Purchasing

Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion:

5 Years/Unlimited Miles



**2009 Nissan Frontier 2WD King Cab V6 Auto SE
(33319)**

Prepared By:
Florida Department of Management Services,
Division of State Purchasing

Technical Specifications

POWERTRAIN

Transmission		
Drivetrain		Rear Wheel Drive
Trans Order Code		
Trans Type		5
Trans Description Cont.		Automatic
Trans Description Cont. Again		w/OD
First Gear Ratio (:1)		3.48
Second Gear Ratio (:1)		2.35
Third Gear Ratio (:1)		1.53
Fourth Gear Ratio (:1)		1.00
Fifth Gear Ratio (:1)		0.84
Reverse Ratio (:1)		2.76
Clutch Size		
Trans Power Take Off		
Final Drive Axle Ratio (:1)		N/A
Transfer Case Model		
Transfer Case Gear Ratio (:1), High		
Transfer Case Gear Ratio (:1), Low		
Transfer Case Power Take Off		

Mileage		
EPA Fuel Economy Est - City		15 MPG
EPA Fuel Economy Est - Hwy		20 MPG
Cruising Range - City		316.50 mi
Cruising Range - Hwy		422.00 mi

Engine		
Engine Order Code		
Engine Type		Gas V6
Displacement		4.0L/241
Fuel System		N/A
SAE Net Horsepower @ RPM		261 @ 5600
SAE Net Torque @ RPM		281 @ 4000
Engine Oil Cooler		



**2009 Nissan Frontier 2WD King Cab V6 Auto SE
(33319)**

Prepared By:
Florida Department of Management Services,
Division of State Purchasing

Electrical

Cold Cranking Amps @ 0° F (Primary)	N/A
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	N/A

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	4
Front Head Room	39.7 in
Front Leg Room	42.4 in
Front Shoulder Room	58.3 in
Front Hip Room	55.8 in
Second Head Room	38.3 in
Second Leg Room	25.4 in
Second Shoulder Room	54.9 in
Second Hip Room	55.0 in

Exterior Dimensions

Wheelbase	125.9 in
Length, Overall w/o rear bumper	205.5 in
Width, Max w/o mirrors	72.8 in
Height, Overall	69.7 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	N/A in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.7 in
Ground Clearance, Rear	10.1 in



**2009 Nissan Frontier 2WD King Cab V6 Auto SE
(33319)**

Prepared By:
Florida Department of Management Services,
Division of State Purchasing

Cargo Area Dimensions

Cargo Box Length @ Floor	73.3 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Box Width @ Floor	61.4 in
Cargo Box Width @ Wheelhousings	N/A in
Cargo Box (Area) Height	18.0 in
Tailgate Width	N/A in
Cargo Volume	N/A ft³
Ext'd Cab Cargo Volume	N/A ft³

CHASSIS

Weight Information

Gross Axle Wt Rating - Front	N/A lbs
Gross Axle Wt Rating - Rear	N/A lbs
Curb Weight - Front	2364 lbs
Curb Weight - Rear	1784 lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	N/A lbs
Reserve Axle Capacity - Rear	N/A lbs
As Spec'd Curb Weight	4148.00 lbs
As Spec'd Payload	-4148.00 lbs
Gross Combined Wt Rating	N/A lbs
Curb Weight	4148.00 lbs
Reserve Axle Capacity	N/A lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	0.00 lbs

Frame

Frame Type	
Sect Modulus Rails Only	N/A in³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in



**2009 Nissan Frontier 2WD King Cab V6 Auto SE
(33319)**

Prepared By:
Florida Department of Management Services,
Division of State Purchasing

Suspension

Suspension Type - Front	Independent
Suspension Type - Rear	Multi-Leaf
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	
Axle Type - Rear	
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	N/A
Axle Ratio (:1) - Rear	N/A
Shock Absorber Diameter - Front	
Shock Absorber Diameter - Rear	
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires

Front Tire Order Code	
Rear Tire Order Code	
Spare Tire Order Code	
Front Tire Size	P265/70R16
Rear Tire Size	P265/70R16
Spare Tire Size	P265/70R16
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	16 x 7 in
Rear Wheel Size	16 x 7 in
Spare Wheel Size	16 x 7 in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel



**2009 Nissan Frontier 2WD King Cab V6 Auto SE
(33319)**

Prepared By:
Florida Department of Management Services,
Division of State Purchasing

Steering

Steering Ratio (:1), On Center	20.4
Steering Ratio (:1), At Lock	3.55
Turning Diameter - Curb to Curb	N/A ft
Turning Diameter - Wall to Wall	

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	N/A in
Rear Brake Rotor Diam x Thickness	N/A in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	21.1 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	
Aux Fuel Tank Location	

Trailerling

Dead Weight Hitch - Max Trailer Weight	0.00 lbs
Dead Weight Hitch - Max Tongue Weight	0.00 lbs
Weight Distributing Hitch - Max Trailer Weight	0.00 lbs
Weight Distributing Hitch - Max Tongue Weight	0.00 lbs
Fifth Wheel Hitch - Max Trailer Weight	0.00 lbs
Fifth Wheel Hitch - Max Tongue Weight	0.00 lbs

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.